

Going to Town

1 new class was implemented and 1 existing classes were modified.

Vehicle class added

Vehicle class extends from Item. The purpose is this class is to move the actor from one location to the other.

Instance Variable

1. String name,
 - Name of the vehicle(It is not unique)
2. char displayChar
 - Char displayed on the map
3. Boolean portable ->False

Constructor

1. String name,
 - Name of the vehicle(It is not unique)
2. char displayChar
 - Char displayed on the map

Methods

1. public void addAction(Action action)
It adds an action to this.allowableActions
2. public void addMoveAction(GameMap map,int x,int y,Actor actor,String direction)
It checks whether the actor appears on the map or not. If actor is not in map, it moves actor to map based on the map, the x and y coordinate and prints the direction(String) of the player's movement.

Application class modified

A gameMap called ghostTown is added.

Two vehicle called car1 and car2 is added.

- Car1 is in charge of transporting player from map to the ghostTown. Car2 is in charge of transporting player from ghostTown to map.

New weapons: shotgun and sniper rifle

1 new class was implemented and 2 existing classes were changed.

Zombie

Mambo Marie

2 new classes were implemented and 1 existing class was changed.

VoodooPriestess

Inherits from ZombieActor because the priestess is not on Human's team (should not be assigned ZombieCapability.ALIVE) but is also not a Zombie.

ATTRIBUTES

1. **private int chantCounter**
Counter to keep track of the number of times the VoodooPriestess has chanted.
2. **private int turnsOnMap**
A counter for how many turns has it been since Mambo Marie has appeared on the map.
3. **private Random rand**
Random generator for when Mambo Marie appears and to generate random location.
4. **private Behaviour behaviour**
Only WanderBehaviour right now.

METHODS

1. **VoodooPriestess(String name)**
Constructor for a voodoo priestess. Calls super(name, '&', 200, ZombieCapability.UNDEAD). It has a parameter for the name (instead of fixing the name as 'Mambo Marie') in case more Voodoo priestesses need to be instantiated in the future. The maxHealthPoints is 200 because she should be hard to kill and the ZombieCapability is UNDEAD because she's on the same team as the Zombies.
2. **playTurn(Actions actions, Action lastAction, GameMap map, Display display)**
Increments turnsOnMap by one. If the voodoo priestess is not on the map, then she will appear at a random location if rand is less than 0.05. Else, if she is on the map, and if turnsOnMap is divisible by 10 (every 10 turns), a ChantAction is created, otherwise she'll wander and if turnsOnMap is already 30, she will be removed from map.

ChantAction

Inherits from Action.

ATTRIBUTES

1. **private int chantCounter**
The nth time the actor has invoked ChantAction.
2. **private Random rand**
Random generator to generate random locations.

METHODS

1. **ChantAction(chantCounter)**
Constructor for ChantAction the nth time the actor has chanted is passed as parameter.
2. **@Override execute(Actor actor, GameMap map)**
Creates five new Zombie objects at random locations in the map. They would have names "Zombie Minion" + which chant it came from and what number zombie it was

in that particular chant (e.g. Zombie Minion 3.2 indicates that this zombie was the second zombie to rise from the dead from the actor's third chant). This naming convention allows the zombies to have unique names, the player to know how many times Mambo Marie has chanted, and allows zombies that have risen from the chant to be named more dynamically than picking out names from a fixed collection of names. Returns a string saying actor chants and 5 new zombies have risen from the dead.

3. **@Override**

menuDescription(Actor actor)

Returns a string saying actor chants.

Application

Instantiate a VoodooPriestess object with the name Mambo Marie.

Ending the game

1 new class was implemented and 2 existing classes were changed.

Zombie

BONUS FEATURE

1 new class was implemented

ASSIGNMENT 2 MODIFICATIONS

Zombie Attack

1. Create a new behavior class call ZombieAttackBehavior
 - Returns a new ZombieAttackAction instead of an attackaction
2. Create a new attackaction called ZombieAttackAction class
 - Since zombieAttackAction is only for zombie, the if-else statement that was used to check the class for actor and target is removed from the original AttackAction's execute method. Therefore ZombieAttackAction only check if the weapon is a bite or punched and whether the target is dead or not.
3. Modification of zombie class
 - zombie class's behavior list replace AttackBehaviour with ZombieAttackBehaviour

4. Create a new attackaction called HumanAttackAction.
 - Since this guarantees that the target is a zombie, it will check whether the zombie loses any legs or hands and will add the limbs to the map.
5. Create a new behavior class call HumanAttackBehaviour
 - Returns a new HumanAttackAction
6. Modify zombie class by overriding the getAllowableAction by replacing HumanAttackAction instead of AttackAction.
 - This is because getAllowableAction is all the action that is allowed to act on the current actor(zombie) by other actor(human).

7. The old version of attackAction replaces the current AttackAction so that if a new class that has no special features was added, they will be using attackAction, with the exception of the addition of human corpse(from assignment 2 corpse) in the method isDead().
8. A new method called isDead is added to check whether the target is Dead or not.
 - If the target is human and the target is dead, it will turn into a human corpse and will turn into a zombie.

All this modifications are made to make the code more readable and extendable. The system now do not need to check if the actor and target is a zombie or not. Since the part where the target,actor and weapon that will be the one changing depending on with attackaction it has, and the part where the target is checked whether it is conscious or not, isDead reduces the repeated code in all AttackAction classes. It makes the code more extendable and readable.