

---

# myPortfolio: Easy Way to Create Your Amazing Portfolio

Create an angular app “myPortfolio”

## index.html

```
<!doctype html>
<html lang="en">

<head>

  <meta charset="utf-8">

  <title>Portfolio</title>

  <base href="/">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="icon" type="image/x-icon" href="fa_vicon.ico">

  <!-- Font Awesome -->

  <link href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.0.0/css/all.min.css" rel="stylesheet" />

  <!-- Google Fonts -->
```

```

<link href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700&display=swap"
rel="stylesheet" />

<!-- MDB -->

<link href="https://cdnjs.cloudflare.com/ajax/libs/mdb-ui-kit/3.11.0/mdb.min.css" rel="stylesheet" />

</head>

<body>

  <app-root></app-root>

</body>

<!-- MDB -->

<script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/libs/mdb-
uikit/3.11.0/mdb.min.js"></script>

</html>

```

### app-routing.module.ts

```

import { NgModule } from '@angular/core'; import { RouterModule, Routes } from
'@angular/router'; import { AppComponent } from './app.component'; import { SigninComponent }
from './myComponents/signin/signin.component'; import { SignupComponent } from
'./myComponents/signup/signup.component'; import { MainComponent } from
'./myComponents/main/main.component';

```

---

```
const routes: Routes = [
  {path:"",component:MainComponent},
  {path:"signin",component:SigninComponent}, {path:"signup",
component:SignupComponent }
];

@NgModule({  imports:
[RouterModule.forRoot(routes)],  exports:
[RouterModule]
}) export class AppRoutingModule { }
```

### app.component.html

```
<app-header></app-header>

<router-outlet></router-outlet>

<app-footer></app-footer>
```

### app.module.ts

```
import { NgModule } from '@angular/core'; import { BrowserModule } from
'@angular/platform-browser';

import { AppRoutingModule } from './app-routing.module'; import {
AppComponent } from './app.component';
```



```
import { SigninComponent } from './myComponents/signin/signin.component'; import {
SignupComponent } from './myComponents/signup/signup.component'; import {
HeaderComponent } from './myComponents/header/header.component'; import { FooterComponent
} from './myComponents/footer/footer.component'; import { MainComponent } from
'./myComponents/main/main.component';

@NgModule({  declarations: [
AppComponent,
    SigninComponent,
    SignupComponent,
    HeaderComponent,
    FooterComponent,
    MainComponent
],  imports: [
    BrowserModule,
    AppRoutingModule
],  providers: [],  bootstrap:
[AppComponent]
}) export class AppModule { }
```

Make a folder “myComponents”



And create five components, named as header, footer, main, signin, signup.

header.component.html

```
<!-- Navbar -->

<div class="bg-dark fixed-top container-fluid">

  <nav class="nav navbar navbar-expand-lg navbar-dark bg-dark">

    <!-- Container wrapper -->

    <div class="container">

      <!-- Navbar brand -->

      <a class="navbar-brand me-2" href="/">

        MyPortfolio

      </a>

      <!-- Toggle button -->

      <button class="navbar-toggler" type="button" data-mdbtoggle="collapse" data-mdb-
target="#navbarButtonsExample"      aria-controls="navbarButtonsExample" aria-expanded="false"
aria-label="Toggle navigation">

        <i class="fas fa-bars"></i>

      </button>

      <!-- Collapsible wrapper -->

      <div class="collapse navbar-collapse" id="navbarButtonsExample">

        <!-- Left links -->

        <ul class="navbar-nav me-auto mb-2 mb-lg-0">

          <li class="nav-item">
```





```

        <a class="nav-link" href="/">Dashboard</a>

    </li>

</ul>

<!-- Left links -->

<div class="d-flex align-items-center">

    <button type="button" class="btn btn-link px-3 me-2"><a style="color: white;"
routerLink="/signin">Sign
    In</a></button>

    <button type="button" class="btn btn-primary me-3"><a style="color: white;"
routerLink="/signup">Sign
    Up</a></button>

</div>

</div>

<!-- Collapsible wrapper -->

</div>

<!-- Container wrapper -->

</nav>

</div>

```

footer.component.html

```

<footer class="bg-dark fixed-bottom container-fluid">

    <!-- Copyright -->

```



```
<div class="text-center p-2" style="background-color: rgba(0, 0, 0, 0.2);">

  <p style="font-size: medium" class="text-white my-2">All Rights
Reserved. Copyright © 2022 || myPortfolio site by Bikki Shaw</p>

</div>

<!-- Copyright -->

</footer>
```

### main.component.html

```
<div class="p-5 text-center bg-image" style="background-
image:
url('https://mdbcdn.bcdn.net/img/new/slides/041.webp');
height: 650px;

">

<div class="mask" style="background-color: rgba(0, 0, 0, 0.6);">

  <div class="d-flex justify-content-center align-items-center h-100">

    <div class="text-white">

      <h1 class="mb-3">Hello Everyone !</h1>

      <h4 class="mb-3">Welcome to myPortfolio</h4>      <a class="btn
btn-outline-light btn-lg" href="" role="button">Know More</a>

    </div>

  </div>

</div>
```



```
<div class="container my-5">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-sm">
```

```
<div class="card" style="width: 18rem;">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">Good Portfolio</h5>
```

```
<p class="card-
```

```
text">Lorem ipsum dolor sit amet consectetur adipisicing elit. Est, eligendi aliquida!</p>
```

```
<a href="#" class="btn btn-primary">Explore</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm">
```

```
<div class="card" style="width: 18rem;">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">Attractive Profile</h5>
```

```
<p class="card-
```

```
text">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Fugiat, molestias nobis?</p>
```

```
<a href="#" class="btn btn-primary">Explore</a>
```

```
</div>
```

```
</div>
```

```
</div>
```



```
<div class="col-sm">

  <div class="card" style="width: 18rem;">

    

    <div class="card-body">

      <h5 class="card-title">Portfolio</h5>

      <p class="card-text">Lorem, ipsum dolor sit amet consectetur adipisicing elit. Odit, nisi
fugiat?</p>

      <a href="#" class="btn btn-primary">Explore</a>

    </div>

  </div>

</div>

</div>

</div>

</div>

</div>
```

[signin.component.html](#)



```
<div>

<div class="jumbotron" style="margin: 45px">

  <h2 style="text-align: center;padding-top: 5%">Login</h2>

  <p style="text-align: center">Enter the registered E-mail address and the password!</p>

  <form action="">

    <div class="container">

      <p style="text-align: center;padding-bottom: 20px">
```



```
      E-mail : <input type="text" name="email" placeholder="Enter your email address" email  
required      style="padding-right: 60px;margin-left: 35px"></p>      </div>
```

```
<div class="container">
```

```
<p style="text-align: center">
```

```
      Password : <input type="text" name="email" placeholder="Enter your Password"  
required      style="padding-right: 60px;margin-left: 15px"><br>
```

```
<button class="btn btn-primary" style="margin-top: 20px">
```

```
Login</button>
```

```
</p>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

signup.component.html

```
<div>
```

```
<div class="jumbotron" style="margin: 25px">
```

```
<h2 style="text-align: center;padding-top: 5%">Register</h2>
```

```
<p style="text-align: center">Enter the valid E-mail address and the password!</p>
```



```
<form action="">

  <div class="container">

    <p style="text-align: center;padding: 20px">          E-mail : <input type="text"
name="email" placeholder="Enter your email address" email required
style="padding-right: 60px;margin-left: 80px"></p>

    <p style="text-align: center;padding-bottom: 20px">          Reconfirm E-mail :
<input type="text" name="email" placeholder="Confirm email address" email
required style="padding-right: 60px;margin-left:
5px"></p>

  </div>

  <div class="container">

    <p style="text-align: center">

      Password : <input type="text" name="email" placeholder="Enter your Password" required
style="padding-right: 60px;margin-left: 55px;marginbottom: 20px"><br>

      <button class="btn btn-primary" style="margin-top: 20px">
Register</button>

    </p>

  </div>

</form>

</div>

</div>
```

