# **Team Budget Planner**

## **Source Code**

#### home.html

```
<l
       <a style="font-size: 20px;" class="active"</pre>
href="home.html"><b>Budget Planner</b></a>
       <a style="padding-top: 20px;" class="active"</pre>
href="home.html">Home</a>
   <div class="container">
       <div class="header">
           <h1><u>Budget Planner App</u></h1>
       </div>
       <div class="budget-section">
           <div class="budget col col-md col-sm">
               <h2>budget</h2>
               <img src="image/money-bag.svg" width="40" alt="" />
              Rs. <span id="budgetAmount">0</span>
           </div>
           <div class="expenses col col-md col-sm">
               <h2>expenses</h2>
               <img src="image/accounting.svg" width="40" alt="" />
               Rs. <span</pre>
id="expensesAmount">0</span>
           </div>
```

```
<div class="balance col col-md col-sm">
               <h2>balance</h2>
               <img src="image/law.svg" width="40" alt="" />
               Rs. <span</pre>
id="balanceAmount">0</span>
          </div>
       </div>
       <div id="displayExpenses">
           <div class="budget-list">
               <div class="col">
                   <h4>expense title</h4>
               </div>
               <div class="col">
                   <h4>expense value</h4>
               </div>
               <div class="col"></div>
           </div>
           <div id="expValue"></div>
       </div>
   </div>
```

```
<div class="toggle">
    <button id="myBtn" type="button">+</button>
</div>
<!-- The Modal -->
<div id="myModal" class="modal">
   <!-- Modal content -->
   <div class="modal-content">
       <div class="modal-header">
            <span class="close">&times;</span>
            <h2>Budget Form</h2>
       </div>
        <div class="modal-body">
            <div class="budget-form" id="budgetform">
                <form id="addForm">
                    <label for=""> Make a budget</label> <br />
                    <input type="number" id="number" /> <br />
                    <button type="submit">Add Budget</button>
                </form>
            </div>
            <div class="expense-form" id="expense-form">
                <form action="" id="expForm">
                    <div class="">
```

```
<label for="">please enter your expense</label>
                           <input type="text" id="expName" />
                        </div>
                        <div class="">
                           <label for="">please enter expense amount</label>
                           <input type="number" id="expNumber" />
                       </div>
                        <button type="submit" id="submitExpen">Add
expense</button>
                   </form>
                   <button onclick="callBudget()" id="bug">
                        Back to add budget ->
                   </button>
               </div>
           </div>
       </div>
    </div>
    <div class="footer">
       <footer>
           All Rights Reserved. Copyright © 2022 | Budget Planner by
Bikki Shaw 
       </footer>
    </div>
```

```
<script src="main.js"></script>
</body>
</html>
```

### style.CSS

```
body {
 font-family: 'Open Sans', sans-serif;
 margin: 0;
 padding: 0;
 width: 100%;
 height: 100vh;
 background-color: #f5f5f5;
.container {
 min-height: 80vh;
.header {
 height: 60px;
 width: 100%;
h1 {
 margin: 0;
```

```
text-align: center;
 padding-top: 10px;
.budget-section {
 display: flex;
 justify-content: space-around;
 align-items: flex-start;
 width: 100%;
 min-height: 160px;
 font-weight: 900;
.budget-list {
 display: flex;
 justify-content: space-around;
 align-items: flex-start;
 width: 100%;
 height: 70px;
 font-size: 20px;
.exp-amount {
 color: #4d4daf;
.amount {
 color: rgb(55, 159, 146);
```

```
.col {
 width: 40%;
 text-align: center;
 text-transform: capitalize;
.col p {
 font-size: 40px;
 padding-top: 5px;
 margin: 0;
.toggle {
 position: absolute;
 padding-bottom: 100px;
 right: 0;
 bottom: 18px;
.toggle button {
 border: none;
 border-radius: 600px;
 background: #4d4daf;
 padding: 14px 20px;
 color: #ffffff;
 font-size: 30px;
```

```
margin: 10px 50px 0 0;
 cursor: pointer;
/* modal form */
.budget-form {
 width: 100%;
 min-height: 200px;
form {
 margin: 10px 0 20px 10px;
 min-height: 100px;
input {
 width: 60%;
 padding: 8px 0;
  border-radius: 6px;
  border: 1px solid gray;
 margin: 20px 0;
  padding-left: 5px;
  color: #495057;
.budget-list .exp p {
 color: #4d4daf;
  font-size: 18px;
```

```
#displayExpenses {
 width: 100%;
 display: none;
.expValue {
 display: flex;
 justify-content: space-around;
 height: 40px;
 font-weight: 900;
 text-align: center;
#expTitleName {
 width: 40%;
#expValueAmount {
 width: 40%;
#edite_delete {
 width: 40%;
#edite_delete button {
```

```
margin-left: 1px;
  background: none;
  border: none;
.budget-form button {
  background: rgb(55, 159, 146);
  border: none;
  border-radius: 6px;
  color: #ffffff;
  padding: 10px 40px;
  cursor: pointer;
  text-transform: capitalize;
  font-size: 16px;
  font-weight: 400;
#bug {
  font-size: 14px;
  background: none;
  color: #4d4daf;
 margin: 0px 0px 15px 10px;
  text-align: justify;
  padding: 0;
#expense-form {
  width: 100%;
```

```
display: none;
.expense-form button {
 background: #4d4daf;
 border: none;
 border-radius: 6px;
 color: #ffffff;
 padding: 10px 30px;
 cursor: pointer;
 text-transform: capitalize;
 font-size: 16px;
 font-weight: 400;
/* The Modal (background) */
.modal {
 display: block;
 position: fixed;
 z-index: 1;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 overflow: auto;
 background-color: rgba(0, 0, 0, 0.4);
```

```
/* animation-name: fadeIn;
 text-transform: capitalize;
 font-weight: 600;
.modal-content {
 position: fixed;
 top: 20%;
 left: 25%;
 background-color: #fefefe;
 width: 50%;
 min-height: 40px;
 animation-name: slideIn;
 animation-duration: 0.4s;
.close {
 color: white;
 float: right;
 font-size: 28px;
 font-weight: bold;
 cursor: pointer;
 color: #000;
```

```
.modal-header {
 padding: 2px 16px;
 border-bottom: 2px solid gray;
.modal-body {
 padding: 2px 16px;
/* navbar */
ul {
 list-style-type: none;
 margin: 0;
 padding: 0;
 overflow: hidden;
 background-color: #333;
li {
 float: left;
li a {
 display: block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  padding-bottom: 16px;
```

```
text-decoration: none;
li a:hover {
 background-color: #111;
/* footer */
.footer {
 text-align: center;
 padding: 3px;
 background-color: #333;
 color: white;
  position: absolute;
 bottom: 0;
 width: 99.5%
/* Add Animation */
@keyframes slideIn {
 from {
   top: -300px;
   opacity: 0;
 to {
   top: 0;
   opacity: 1;
```

```
}
}

@keyframes fadeIn {
  from {
    opacity: 0;
  }

  to {
    opacity: 1;
  }
}
```

#### main.is

```
const modal = document.getElementById("myModal");
const btn = document.getElementById("myBtn");
const span = document.getElementsByClassName("close")[0];
btn.onclick = function () {
  expName.value = "";
  expNumber.value = "";
  expenseForm.style.display = "block";
  modal.style.display = "block";
};
span.onclick = function () {
  modal.style.display = "none";
};
```

```
window.onclick = function (event) {
 if (event.target == modal) {
    modal.style.display = "none";
 }
};
const amountInput = document.getElementById("number");
const addForm = document.getElementById("addForm");
const budgetAmount = document.getElementById("budgetAmount");
const balanceAmount = document.getElementById("balanceAmount");
const expForm = document.getElementById("expForm");
const expensesAmount = document.getElementById("expensesAmount");
const expValue = document.getElementById("expValue");
const displayExpenses = document.getElementById("displayExpenses");
const expenseForm = document.getElementById("expense-form");
const budgetform = document.getElementById("budgetform");
let expName = document.getElementById("expName");
let expNumber = document.getElementById("expNumber");
let id = 0;
let details = [];
function getBudgetAmount(amount) {
  if (!amount) {
    amountInput.style.border = "1px solid #b80c09";
    amountInput.placeholder = "input can not be empty";
```

```
amountInput.style.color = "#b80c09";
    setTimeout(() => {
      amountInput.style.color = "#495057";
      amountInput.style.border = "1px solid gray";
    }, 3000);
 } else {
    budgetAmount.innerText = amount;
    balanceAmount.innerText = amount;
    expenseForm.style.display = "block";
    budgetform.style.display = "none";
    amountInput.value = "";
function addExpenses(name, number) {
 if (!name.length | | !number.length) {
    expName.style.border = "1px solid #b80c09";
    expName.placeholder = "input can not be empty";
    expName.style.color = "#b80c09";
    expNumber.style.border = "1px solid #b80c09";
    expNumber.placeholder = "input can not be empty";
    expNumber.style.color = "#b80c09";
    setTimeout(() => {
      expName.style.color = "#495057";
      expName.style.border = "1px solid gray";
      expName.placeholder = "input can not be empty";
```

```
expNumber.placeholder = "input can not be empty";
      expNumber.style.border = "1px solid gray";
      expNumber.style.color = "#495057";
    }, 3000);
  } else {
    const userExp = {
      id: id,
     name: name,
     number: parseInt(number),
    };
    details.push(userExp);
    displayExp(details);
    id++;
    expName.value = "";
    expNumber.value = "";
  }
function displayExp(details) {
  expValue.innerHTML = null;
  for (i = 0; i < details.length; i++) {</pre>
    expValue.innerHTML += `
    <div class="expValue" id="${details[i].id}">
      <div id="expTitleName" class="exp">${details[i].name}</div>
      <div id="expValueAmount" class="exp"> <span>Rs.</span>
${details[i].number}</div>
      <div id="edite_delete">
```

```
<button id="${details[i].id}"</pre>
onclick="delExpenseDetails(${details[i].id})"></button>
        </div>
    </div>
  calcExpenses();
  displayExpenses.style.display = "block";
function calcExpenses() {
  let totalExp = 0;
  for (i = 0; i < details.length; i++) {</pre>
    totalExp = details[i].number + totalExp;
  expensesAmount.innerText = totalExp;
  updateBalance();
function updateBalance() {
  balanceAmount.innerText =
    parseInt(budgetAmount.innerText) - parseInt(expensesAmount.innerText);
function delExpenseDetails(id) {
  let index = details.findIndex((item) => item.id === id);
```

```
details.splice(index, 1);
 displayExp(details);
function callBudget() {
 budgetform.style.display = "block";
 expenseForm.style.display = "none";
expForm.addEventListener("submit", (e) => {
 e.preventDefault();
 addExpenses(expName.value, expNumber.value);
});
addForm.addEventListener("submit", (e) => {
 e.preventDefault();
 getBudgetAmount(amountInput.value);
});
```