Programación Competitiva

Alex Josué Flórez Farfán Magister en Ciencias de la Computación


Ciencia de la Computación - UNSA Segundo semestre 2021

- GitHub
- Examen

Dos punteros y Ventana deslizante

Dos punteros

Se usan dos punteros (o índices) en un array y se los mueven de acuerdo a los valores que apuntan



► Given an array of integers that is already *sorted in ascending order*, find two numbers such that they add up to a specific target number.

```
Input: [1, 2, 7, 9, 11, 15]
```

target: 11

Output: [1, 3] positions

Input: [-1, 1, 2, 3, 5]

target = 5

Output: [2, 3] positions

Find three numbers in a sorted array that sum to a target

Input: [1, 2, 4, 5, 12]

target: 19

Output: [1, 3, 4] positions

Sum of two numbers

https://cses.fi/problemset/task/1640/

Sum of three numbers

https://cses.fi/problemset/task/1641

> Square each value in a sorted array and return the output in sorted order

Input: [-4, -3, 1, 2, 3]

Output: [1, 4, 9, 9, 16]

Mayor suma de subarrays

Dado un array que contiene números enteros positivos y negativos. Encuentre la mayor suma de sus subarrays

```
Input: [1, -2, 3, 10, -4, 7, 2, -5]
```

Subarray: [3, 10, -4, 7, 2]

Output: 18

Ventana deslizante

Maximum sum of any contiguous subarray of size k

Input: [2, 3, 4, 1, 5]

k: 3

Output: 10

Ventana deslizante

Size of the smallest contiguous subarray with a sum greater than or equal to S

Input: [2, 4, 2, 5, 1]

S: 7

Output: 2

Sliding Window Maximum

Given an array, there is a sliding window of size k which is moving from the very left of the array to the very right. You can only see the k numbers in the window. Each time the sliding window moves right by one position.

Return the sequence of max values of the sliding windows.

```
Input: [1, 3, -1, -3, 5, 3, 6, 7]
k = 3
Output: [3, 3, 5, 5, 6, 7]
```

https://leetcode.com/problems/sliding-window-maximum/