

Balance - Trial 1

Say: "We are going to assess your balance through six different trials. In this first trial, please stand with your feet together and keep your eyes open. Try to remain as still as possible for the next 20 seconds. I will let you know when the trial is complete."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 2

Say: "We are going to do the same thing but standing on your dominant leg with your eyes open. Try to remain as still as possible for the next 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 3

Say: "We are going to do the same thing but standing with one foot in front of the other with your eyes open. Try to remain as still as possible for the next 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 4

Say: "We are going to do the same tests with your eyes closed. Please stand with your feet together and your eyes closed. Try to remain as still as possible for the next 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 5

Say: "Please stand on your dominant leg with your eyes closed. Try to remain as still as possible for 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 6

Say: "Please stand with one foot in front of the other with your eyes closed. Try to remain as still as possible for 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial

Balance - Trial 6

Say: "Please stand with one foot in front of the other with your eyes closed. Try to remain as still as possible for 20 seconds."

Press "s" to start trial

Press "c" to continue

Press "r" to re-do trial