



Java ArrayList Methods

[< Previous](#)[Next >](#)

All ArrayList Methods

A list of all **ArrayList** methods can be found in the table below.

Some methods use the type of the ArrayList's items as a parameter or return value. This type will be referred to as *T* in the table.

Method	Description	Return Type
<u>add()</u>	Add an item to the list	boolean void
<u>addAll()</u>	Add a collection of items to the list	boolean
<u>clear()</u>	Remove all items from the list	void
<u>clone()</u>	Create a copy of the ArrayList	Object
<u>contains()</u>	Checks whether an item exist in the list	boolean
<u>ensureCapacity()</u>	Increase the capacity of the list to be able to fit a specified number of items	void
<u>forEach()</u>	Perform an action on every item in the list	void
<u>get()</u>	Return the item at a specific position in the list	<i>T</i>



Tutorials ▼

References ▼

Exercises ▼



Sign In

	CSS	JAVASCRIPT	SQL	PYTHON	JAVA	PHP	HOW TO	W3.CSS	C
isEmpty()		Checks whether the list is empty							
iterator()		Return an Iterator object for the ArrayList							Iterator
lastIndexOf()		Return the position of the last occurrence of an item in the list							int
listIterator()		Return a ListIterator object for the ArrayList							ListIterator
remove()		Remove an item from the list							boolean T
removeAll()		Remove a collection of items from the list							boolean
removeIf()		Remove all items from the list which meet a specified condition							boolean
replaceAll()		Replace each item in the list with the result of an operation on that item							void
retainAll()		Remove all elements from the list which do not belong to a specified collection							boolean
set()		Replace an item at a specified position in the list							T
size()		Return the number of items in the list							int
sort()		Sort the list							void
splitIterator()		Return a SplitIterator object for the ArrayList							SplitIterator
subList()		Return a sublist which provides access to a range of this list's items							List
toArray()		Return an array containing the list's items							Object[]
trimToSize()		Reduce the capacity of the list to match the number of items if necessary							Object[]

Related Pages

◀ Previous

Sign in to track progress

Next ▶

ADVERTISEMENT







COLOR PICKER



REMOVE ADS

ADVERTISEMENT

			
	10 fra 79,20 kr.	320,00 kr.	50 fra 1.!

ADVERTISEMENT



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[AngularJS Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2025](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).