

					
	100 fra 482,00 kr.	320,00 kr.	601,40 kr.	5 fra 103,12 kr.	216,72 kr.

Java HashMap Methods

[< Previous](#)[Next >](#)

All HashMap Methods

A list of all **HashMap** methods can be found in the table below.

Some methods use the type of the HashMap's entries as a parameter or return value. The type of the key will be referred to as *K* and the type of the value will be referred to as *V* in the table.

Method	Description	Return Type
<u>clear()</u>	Remove all entries from the map.	void
<u>clone()</u>	Create a copy of the HashMap.	Object
<u>compute()</u>	Compute a value for an entry based on its key and the current value (if it has one)	<i>V</i>
<u>computeIfAbsent()</u>	Compute a value for an entry based on its key only if an entry using the key does not already exist	<i>V</i>
<u>computeIfPresent()</u>	Compute a new value for an entry based on its key and current value but only if an entry with the key already exists	<i>V</i>
<u>containsKey()</u>	Indicate if an entry with the specified key exists in the map	boolean



Tutorials ▼

References ▼

Exercises ▼



Sign In


	CSS	JAVASCRIPT	SQL	PYTHON	JAVA	PHP	HOW TO	W3.CSS	C
<u>entrySet()</u>					Return a set of all entries in the map				Set Map.Entry<K,V> >
<u>forEach()</u>					Perform an action on every entry in the map				void
<u>get()</u>					Return the value of the entry with a specified key				V
<u>getOrDefault()</u>					Return the value of the entry with a specified key or a default value if the entry is not found				V
<u>isEmpty()</u>					Indicate whether the map is empty				boolean
<u>keySet()</u>					Return a set of all keys in the map				Set<K>
<u>merge()</u>					Compute a value for an entry based on its key and value or write a specific value if the entry does not yet exist				V
<u>put()</u>					Write an entry into the map				V
<u>putAll()</u>					Write all of the entries from another map into this one				void
<u>putIfAbsent()</u>					Write an entry into the map but only if an entry with the same key does not already exist				V
<u>remove()</u>					Remove an entry from the map				V boolean
<u>replace()</u>					Write to an entry in the map only if it exists				V boolean
<u>replaceAll()</u>					Replaces the value of every entry with the result of an operation				void
<u>size()</u>					Return the number of entries in the map				int
<u>values()</u>					Return a collection containing all of the values in the map				Collection<V>

< Previous

Sign in to track progress

Next >

ADVERTISEMENT





COLOR PICKER



REMOVE ADS

ADVERTISEMENT

	5 fra 103,12 kr.	601,40 kr.	216

ADVERTISEMENT



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[AngularJS Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2025](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).