

Summaries of Research Papers

1.06_Bahaa.pdf

Summary: Uses social-network data to identify influencers and profile them for marketing/recommendation use.

Methodology: Graph-based PageRank + feature-based ML profiling; compares multiple models while adding features.

What to use: Build a graph-influence score (PageRank/centrality) as a strong baseline feature in your ranking model.

2.Data_Profiling_and_Machine_Learning_to_Identify_In.pdf

Summary: Same core work as above, with emphasis on influencer identification + profiling pipeline.

Methodology: Social graph centrality, feature engineering, model comparison.

What to use: Same as #1; treat this as supporting evidence for graph + ML hybrid ranking.

3.1906.05911v1.pdf

Summary: Large-scale influencer analysis (700k+ profiles) combining demographics, engagement, text, and visual signals.

Methodology: Multimodal feature engineering (quantitative + NLP + image features), correlation/dependency analysis for scoring/clustering/recommendation.

What to use: A multimodal feature store (profile + post text + image tags + audience metadata) before model training.

4.2023_influencer.pdf

Summary: Studies how influencer–follower congruence and credibility affect purchase behavior.

Methodology: Survey + regression/moderation analysis (behavioral model).

What to use: Add “congruence” and “credibility” features into your ranking objective, not just engagement metrics.

5.Attribute selection.pdf

Summary: Defines KPIs for influencer pre-selection on Instagram (Indonesia context).

Methodology: Practitioner-informed KPI identification/selection; prioritizes practical metrics.

What to use: Pre-screening KPI layer (followers, like-comment ratio, audience reachability) before advanced ML scoring.

6.Key_Performance_Indicators_for_Influencer_Marketin.pdf

Summary: Duplicate of #5.

Methodology: Same KPI prioritization framework.

What to use: Same KPI shortlist as mandatory input columns.

7.DSD - Influencer Sucess Ranking.pdf

Summary: Proposal for profitability-oriented influencer ranking (short-term + time-series).

Methodology: Combined regression + classification scoring, feature importance, zero-inflated handling, RMSE/precision-recall style evaluation.

What to use: Two-model fusion score:

expected value (regression)

probability of success (classification)

8.FULLTEXT02_good reference_idea.pdf

Summary: Thesis on matching brands with influencers; discusses supervised/unsupervised alternatives and system design.

Methodology: Clustering-oriented matchmaking concept, plus practical UX/system workflow.

What to use: For cold-start, cluster influencers by content and map brands to nearest clusters before fine ranking.

9.Finding_Influencers_in_Complex_Networks_A_Novel_Method_Based_on_Information_Theory.pdf

Summary: Proposes information-theory centrality (CH) for identifying influential nodes.

Methodology: Resistance distance + diffusion probability + entropy/information-theoretic centrality; benchmarked against classical centralities.

What to use: Add advanced network centrality features beyond PageRank (especially for diffusion-heavy campaigns).

10.Influencer Identification System Design Using Machine Learning Techniques _ SpringerLink.pdf

Summary: Conference system-design paper for influencer identification with class-imbalance handling.

Methodology: Compares LR, LDA, KNN, SVM, tree models; selects Random Forest.

What to use: Balanced classification workflow (class weighting/resampling) with RF baseline for influencer qualification.

11.ML_BIM.pdf

Summary: Brand-influencer matchmaking via Instagram image content similarity.

Methodology: Image classification + clustering/theme similarity for matching.

What to use: Content-similarity matching stage between brand profile and influencer post themes.

12.research-paper(2).pdf

Summary: Duplicate of #11.

Methodology: Same image-based matchmaking.

What to use: Same as #11.

13.Two sided matching-optimization.pdf

Summary: Formal optimization method for two-sided matching with incomplete preferences and fuzzy stability.

Methodology: Preference completion + perceived-value matrices + fuzzy constraints + optimization model.

What to use: If your platform matches brands and influencers mutually, use two-sided optimization instead of one-way ranking.

14.elsevier_research-paper.pdf

Summary: 2025 micro-influencer recommender using multimodal deep features.

Methodology: ResNet (image) + BERT (text) feature extraction; predicts engagement with Linear Regression / RF / XGBoost; best RMSE with tuned RF; ranking metrics (AUC/cAUC/MRR/MAP/MedR).

What to use: Strong modern blueprint for your production model (multimodal embeddings + tuned tree ensemble).

15.for Demographics.pdf

Summary: Proposes product-centeredness metric from influencer comments and tests determinants.

Methodology: Word embeddings for content metric + logistic/OLS regression for hypothesis testing.

What to use: Add content-quality/comment-relevance metrics (not just volume metrics like likes/comments).

16.related_paper.pdf

Summary: Intelligent platform for influencer classification (Korean SNS), targeting better advertiser-influencer matching.

Methodology: Fine-tuned transformer text classifier (KoELECTRA-like) + integration of influencer performance features; reports high classification performance.

What to use: Domain/language-specific transformer classifier for niche/category tagging of influencers.

17.ssrn-4388448.pdf

Summary: Influencer-brand congruence framework for recommender systems.

Methodology: Hybrid recommender framing + binary Jaccard similarity + match-up hypothesis grounding.

What to use: Congruence score between brand attributes and influencer attributes as a separate ranking term.

18.1016@j.ijinfomgt.2020.102246.pdf

Summary: Identifying social-media influencers/market mavens from big Twitter data + survey linkage.

Methodology: Mixed methods (survey + behavioral/network big-data features); theory-backed classification of influencer roles.

What to use: Combine self-reported/CRM-side data with observed platform behavior for better influencer-type classification.