16/05/2025, 02:00 about:blank

## **Module 1 Cheat Sheet: Python Basics**

Package/Method	Description	Code Example
Comments	Comments are lines of text that are ignored by the Python interpreter when executing the code<./td>	# This is a comment
Concatenation	Combines (concatenates) strings.	Syntax:  concatenated_string = string1 + string2  Example:  result = "Hello" + " John"
Data Types	- Integer - Float - Boolean - String	Example:  x=7  # Integer Value y=12.4  # Float Value is_valid = True # Boolean Value is_valid = False # Boolean Value F_Name = "John" # String Value
Indexing	Accesses character at a specific index.	Example:  my_string="Hello"  char = my_string[0]
len()	Returns the length of a string.	Syntax: len(string_name)

about:blank 1/4

1	about.blank	l m
		Example:  my_string="Hello" length = len(my_string)
		Evannla
lower()	Converts string to lowercase.	Example:  my_string="Hello"  uppercase_text = my_string.lower()
print()	Prints the message or variable inside `()`.	Example:  print("Hello, world") print(a+b)
Python Operators	<ul> <li>- Addition (+): Adds two values together.</li> <li>- Subtraction (-): Subtracts one value from another.</li> <li>- Multiplication (*): Multiplies two values.</li> <li>- Division (/): Divides one value by another, returns a float.</li> <li>- Floor Division (//): Divides one value by another, returns the quotient as an integer.</li> <li>- Modulo (%): Returns the remainder after division.</li> </ul>	<pre>Example:  x = 9 y = 4 result_add= x + y # Addition result_sub= x - y # Subtraction result_mul= x * y # Multiplication result_div= x / y # Division result_fdiv= x // y # Floor Division result_mod= x % y # Modulo</pre>
replace()	Replaces substrings.	<pre>Example:     my_string="Hello"     new_text = my_string.replace("Hello", "Hi")</pre>
Slicing	Extracts a portion of the string.	<pre>Syntax:     substring = string_name[start:end]</pre>
		Example:

16/05/2025, 02:00 about:blank		
		<pre>my_string="Hello" substring = my_string[0:5]</pre>
		Example:
		<pre>my_string="Hello" split_text = my_string.split(",")</pre>
split()	Splits string into a list based on a delimiter.	
		Example:
		<pre>my_string="Hello" trimmed = my_string.strip()</pre>
strip()	Removes leading/trailing whitespace.	
		Example:
		<pre>my_string="Hello" uppercase_text = my_string.upper()</pre>
upper()	Converts string to uppercase.	
		Syntax:
		variable_name = value
Variable Assignment	Assigns a value to a variable.	Example:
		name="John" # assigning John to variable name x = 5 # assigning 5 to variable x
	•	



 $\ensuremath{\mathbb{C}}$  IBM Corporation. All rights reserved.

about:blank 3/4

16/05/2025, 02:00 about:blank

about:blank 4/4