



S.B. JAIN INSTITUTE OF TECHNOLOGY MANAGEMENT & RESEARCH, NAGPUR

Practical 09

Aim: A system has RAM which can store four pages simultaneously to satisfy page requests. Write a Program to calculate percentage page hit and page fault if the system uses Optimal page replacement technique for the page references entered by the user i.e. 1, 2, 3, 4, 1, 2, 5, 1, 2, 3, 4, 5 (No of Frames=3).

Name: Vansh Khapre
USN: CD24060

Semester / Year: 4th SEM / 2nd YEAR
Academic Session: 2025-26

Date of Performance:

Date of Submission:

CODE :-

```
M ~  
vansh@vijay MSYS ~  
$ nano book.c
```

```
M ~  
GNU nano 8.7  
#include <stdio.h>  
  
int main() {  
    int pages[] = {1,2,3,4,1,2,5,1,2,3,4,5};  
    int frames[3];  
    int n = 12, frames_count = 3;  
    int i, j, k, pos, farthest;  
    int hit = 0, fault = 0;  
    int flag;  
  
    for(i = 0; i < frames_count; i++)  
        frames[i] = -1;  
  
    for(i = 0; i < n; i++) {  
        flag = 0;  
  
        // Check for page hit  
        for(j = 0; j < frames_count; j++) {  
            if(frames[j] == pages[i]) {  
                hit++;  
                flag = 1;  
                break;  
            }  
        }  
  
        // Page fault  
        if(flag == 0) {  
            pos = -1;  
            farthest = i + 1;  
  
            for(j = 0; j < frames_count; j++) {  
                int found = 0;  
                for(k = i + 1; k < n; k++) {  
                    if(frames[j] == pages[k]) {  
                        if(k > farthest) {  
                            farthest = k;  
                            pos = j;  
                        }  
                    }  
                    found = 1;  
                    break;  
                }  
            }  
  
            if(found == 0) {  
                pos = j;  
                break;  
            }  
        }  
  
        if(pos == -1)  
            pos = 0;  
  
        frames[pos] = pages[i];  
        fault++;  
    }  
}
```

```

    }
}

float hit_percent = (hit * 100.0) / n;
float fault_percent = (fault * 100.0) / n;

printf("Total Page Hits: %d\n", hit);
printf("Total Page Faults: %d\n", fault);
printf("Page Hit Percentage: %.2f%%\n", hit_percent);
printf("Page Fault Percentage: %.2f%%\n", fault_percent);

return 0;
}

```

```

vansh@vijay MSYS ~
$ ./book
Total Page Hits: 5
Total Page Faults: 7
Page Hit Percentage: 41.67%
Page Fault Percentage: 58.33%

```

