


COMPANY PROFILE | 2024

DSPower

Premium Cement



STRENGTH &
INNOVATION
UNLEASHED



IS:1489



Part-I



ISO 9001:2015

YOUR TRUSTED CONSTRUCTION PARTNER

The Ultimate Choice for Uncompromising Strength and Durability

DSPower CEMENT

Strength with Sustainability - Your Trusted PPC Solution.



CRITICAL USAGE:
BEST BEFORE 3 MONTHS OLD FROM DATE OF PACKAGING.
Cement to be tested before use if more than 3 months old.

DSPower PPC (Fly Ash Based) - THE SUPERIOR ECONOMY CHOICE.

FEATURES & BENEFITS



Eco-Friendly Solution (Using Fly Ash), Reduced Carbon Footprint



Enhanced Long-Term Durability & Strength



Improved Workability & Finishing



Lower Heat of Hydration - Ideal for Massive Structures



High Resistance to Chemical Attacks (Chlorides, Sulphates)



Economical & Cost-Effective for Durable General Construction

APPLICATIONS



General Construction



Residential & Commercial Buildings



Foundations & Massive Concrete Structures



Coastal and Chemical Zones

TECHNICAL SPECIFICATIONS (Standard PPC Specs)

Initial Setting Time	>30 mins
Final Setting Time	<600 mins
Compressive Strength	28 days
Fineness	Specific Surface Area

QUALITY ASSURANCE



STORAGE GUIDELINES



Store on raised pallets



Cover with waterproof sheets




Keep in a dry place

DSPower

Premium Cement

The Ultimate Choice for
Uncompromising Strength
and
Durability

30%
FLY ASH
Certified



YOUR TRUSTED
CONSTRUCTION PARTNER

OUR COMMITMENT TO QUALITY

IS-1489



PART-I
CM/L-000855180



USE NO HOOKS

W	M	Y

NET QTY. 50 KG

- IS-1489 (Part 1) PPC Certified
- Reduced Environmental Impact (30% Fly Ash) Performance
- Consistent Performance
- Expert Field Support



DSPower PREMIUM CEMENT: THE ADVANTAGE


- High Strength Concrete
- Superior Durability
- Reduced Permeability for Water Resistance
- Reduced Permeability for Water Resistance
- Enhanced Workability
- Optimal for Large Infrastructure & High-Rise Constructions



Small Residential
Projects



Home Dhalai
Works



Precast Elements




Small Building Foundation



Domestic Concrete Slab

APPLICATION IDEAS



Small Residential
House Construction



Simple Side Dhalai
(Concrete Pathway)

MAXIMUM RETAIL PRICE

MRP Rs. 510/-
(INCL. OF ALL TAXES)

CEMENT STORAGE GUIDELINES



STORE OFF GROUND

Keep bags on raised pallets (min. 6" above floor) to prevent moisture wicking.



WATERPROOF COVERING

Cover bags completely with durable, leak-proof waterproof sheets.



DRY ENVIRONMENT

Ensure the storage area is weatherproof, dry, and well-ventilated.



LIMIT STACK HEIGHT

Limit piles to a maximum of 10 bags to prevent compaction and damage.