






**STRENGTH &
INNOVATION
UNLEASHED**



YOUR TRUSTED CONSTRUCTION PARTNER


The Ultimate Choice for Uncompromising Strength and Durability

MAXMO

Premium Cement

The Ultimate Choice for
Uncompromising Strength
and
Durability

30%
FLY ASH
Certified



YOUR TRUSTED
CONSTRUCTION PARTNER

OUR COMMITMENT TO QUALITY

IS:1489

PART-I
CML-0008555180


USE NO HOOKS

W	M	Y


NET QTY. 50 KG

-  IS-1489 (Part 1) PPC Certified
-  Reduced Environmental Impact (30% Fly Ash) Performance
-  Consistent Performance
-  Expert Field Support



MAXMO PREMIUM CEMENT: THE ADVANTAGE

-  High Strength Concrete
-  Superior Durability
-  Reduced Permeability for Water Resistance
-  Reduced Permeability for Water Resistance
-  Enhanced Workability
-  Optimal for Large Infrastructure & High-Rise Constructions



Precast Element



Small Building Foundation



Domestic Concrete Slab

APPLICATION IDEAS



MAXIMUM RETAIL PRICE

MRP Rs. 510/-
(INCL. OF ALL TAXES)

CEMENT STORAGE GUIDELINES

-  **STORE OFF GROUND**
Keep bags on raised pallets (min. 6" above floor) to prevent moisture wicking.
-  **WATERPROOF COVERING**
Cover bags completely with durable, leak-proof waterproof sheets.
-  **DRY ENVIRONMENT**
Ensure the storage area is weatherproof, dry, and well-ventilated.
-  **LIMIT STACK HEIGHT**
Limit piles to a maximum of 10 bags to prevent compaction and damage.

FEATURES & BENEFITS

-  Eco-Friendly Solution (Using Fly Ash), Reduced Carbon Footprint
-  Enhanced Long-Term Durability & Strength
-  Improved Workability & Finishing
-  Lower Heat of Hydration – Ideal for Massive Structures
-  High Resistance to Chemical Attacks (Chlorides, Sulphates)
-  Economical & Cost-Effective for Durable General Construction

TECHNICAL SPECIFICATIONS (Standard PPC Specs)

Initial Setting Time	>30 mins
Final Setting Time	<600 mins
Compressive Strength	28 days
Fineness	Specific Surface Area

QUALITY ASSURANCE




STORAGE GUIDELINES



MAXMO CEMENT

Strength with Sustainability - Your Trusted PPC Solution.



MAXMO PPC (Fly Ash Based) - THE SUPERIOR ECONOMY CHOICE.

FEATURES & BENEFITS



Eco-Friendly Solution
(Using Fly Ash),
Reduced Carbon
Footprint



Enhanced
Long-Term
Durability &
Strength



Improved
Workability &
Finishing



Lower Heat of
Hydration - Ideal
for Massive
Structures



High Resistance to
Chemical Attacks
(Chlorides,
Sulphates)



Economical &
Cost-Effective for
Durable General
Construction

APPLICATIONS



General
Construction



Residential &
Commercial
Buildings



Foundations
& Massive
Concrete
Structures



Coastal
and
Chemical
Zones

TECHNICAL SPECIFICATIONS (Standard PPC Specs)

Initial Setting Time	>30 mins
Final Setting Time	<600 mins
Compressive Strength	28 days
Fineness	Specific Surface Area

QUALITY ASSURANCE



STORAGE GUIDELINES



Store on raised
pallets



Cover with
waterproof sheets



Keep in a
dry place