

RDD_Spark:

```
scala> val textFile = sc.textFile("D:\\Downloads\\spark-4.1.1-bin-hadoop3\\spark-4.1.1-bin-hadoop3\\spark-data\\wc.txt")
val textFile: org.apache.spark.rdd.RDD[String] = D:\Downloads\spark-4.1.1-bin-hadoop3\spark-4.1.1-bin-hadoop3\spark-data\wc.txt MapPartitionsRDD[1] at textF
ile at <console>:1

scala> val counts = textFile.flatMap(line => line.split(" ")).map(word => (word, 1)).reduceByKey(_ + _)
val counts: org.apache.spark.rdd.RDD[(String, Int)] = ShuffledRDD[4] at reduceByKey at <console>:1

scala> val sorted = counts.collect().sortBy(_._2)
val sorted: Array[(String, Int)] = Array((spark,6), (hello,4), (java,3), (python,2), (world,1))

scala> sorted.foreach(println)
(spark,6)
(hello,4)
(java,3)
(python,2)
(world,1)

scala> for((k,v) <- sorted) {
    |   if(v > 4) {
    |     print(k + " -> ")
    |     print(v)
    |     println()
    |   }
    | }
spark -> 6

scala> sorted.filter(_._2 > 4).foreach(println)
(spark,6)
```