

TOPN

```
GNU nano 6.2 /home/hadoop/sample.txt
hi how are you
how is your job
how is your family
how is your brother
how is your sister

[ Read 5 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

```
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/hadoop/sbin$ ./start-all.sh
WARNING: Attempting to start all Apache Hadoop daemons as hadoop in 10 seconds.
WARNING: This is not a recommended production deployment configuration.
WARNING: Use CTRL-C to abort.
Starting namenodes on [localhost]
Starting datanodes
Starting secondary namenodes [bmscscse-HP-Elite-Tower-600-G9-Desktop-PC]
Starting resourcemanager
Starting nodemanagers
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/hadoop/sbin$ jps
31057 Jps
30787 NodeManager
30149 SecondaryNameNode
29706 NameNode
29902 DataNode
30431 ResourceManager
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/hadoop/sbin$ cd ~/topn
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ javac -classpath 'hadoop classpath' -d . TopN.java TopNMapper.java TopNReducer.java TopNCombiner.java utils/MiscUtils.java
Note: utils/MiscUtils.java uses unchecked or unsafe operations.
Note: Recompile with -Xlint:unchecked for details.
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ jar -cvf TopN.jar *.class utils/*.class
added manifest
adding: TopN.class(in = 1388) (out= 764)(deflated 44%)
adding: TopNCombiner.class(in = 1587) (out= 662)(deflated 58%)
adding: TopNMapper.class(in = 1953) (out= 883)(deflated 54%)
adding: TopNReducer.class(in = 2532) (out= 1003)(deflated 60%)
adding: utils/MiscUtils$1.class(in = 944) (out= 494)(deflated 47%)
adding: utils/MiscUtils.class(in = 1231) (out= 693)(deflated 43%)
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ nano ~/sample.txt
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ hadoop fs -put ~/sample.txt /topninput
mkdir: '/topninput': File exists
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ hadoop fs -put ~/sample.txt /topninput
put: '/topninput/sample.txt': File exists
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ hadoop fs -ls /topninput
Found 1 items
-rw-r--r-- 1 hadoop supergroup 89 2026-04-24 14:50 /topninput/sample.txt
hadoop@bmscscse-HP-Elite-Tower-600-G9-Desktop-PC:~/topn$ hadoop jar TopN.jar TopN /topninput/sample.txt /topnoutput
2026-04-24 15:04:22,185 INFO client.DefaultHARMFalloverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032
Exception in thread "main" org.apache.hadoop.mapred.FileAlreadyExistsException: Output directory hdfs://localhost:9000/topnoutput already exists
    at org.apache.hadoop.mapreduce.lib.output.FileOutputFormat.checkOutputSpecs(FileOutputFormat.java:164)
    at org.apache.hadoop.mapreduce.JobSubmitter.checkSpecs(JobSubmitter.java:277)
    at org.apache.hadoop.mapreduce.JobSubmitter.submitJobInternal(JobSubmitter.java:143)
    at org.apache.hadoop.mapreduce.Job$11.run(Job.java:1678)
    at org.apache.hadoop.mapreduce.Job$11.run(Job.java:1675)
    at java.base/java.security.AccessController.doPrivileged(Native Method)
    at java.base/java.security.auth.Subject.doAs(Subject.java:423)
    at org.apache.hadoop.mapreduce.security.UserGroupInformation.doAs(UserGroupInformation.java:1899)
    at org.apache.hadoop.mapreduce.Job.submit(Job.java:1675)
    at org.apache.hadoop.mapreduce.Job.waitForCompletion(Job.java:1696)
    at TopN.main(TopN.java:27)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

```

Note: utils/MiscUtils.java uses unchecked or unsafe operations.
Note: Recompile with -Xlint:unchecked for details.
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ jar -cvf TopN.jar *.class utils/*.class
added manifest
adding: TopN.class(in = 1388) (out= 764)(deflated 44%)
adding: TopNCombiner.class(in = 1587) (out= 662)(deflated 58%)
adding: TopNMapper.class(in = 1953) (out= 883)(deflated 54%)
adding: TopNReducer.class(in = 2532) (out= 1083)(deflated 60%)
adding: utils/MiscUtils$1.class(in = 944) (out= 494)(deflated 47%)
adding: utils/MiscUtils.class(in = 1231) (out= 693)(deflated 43%)
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ nano ~/sample.txt
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ hadoop fs -mkdir /topninput
mkdir: '/topninput': File exists
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ hadoop fs -put ~/sample.txt /topninput
put: '/topninput/sample.txt': File exists
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ hadoop fs -ls /topninput
Found 1 items
-rw-r--r-- 1 hadoop supergroup      89 2026-04-24 14:58 /topninput/sample.txt
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ hadoop jar TopN.jar TopN /topninput/sample.txt /topnoutput
2026-04-24 15:04:22,185 INFO client.DefaultHadoopHARMAFalloverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032
Exception in thread "main" org.apache.hadoop.mapred.FileAlreadyExistsException: Output directory hdfs://localhost:9000/topnoutput already exists
    at org.apache.hadoop.mapreduce.lib.output.FileOutputFormat.checkOutputSpecs(FileOutputFormat.java:164)
    at org.apache.hadoop.mapreduce.JobSubmitter.checkSpecs(JobSubmitter.java:277)
    at org.apache.hadoop.mapreduce.JobSubmitter.submitJobInternal(JobSubmitter.java:143)
    at org.apache.hadoop.mapreduce.Job$11.run(Job.java:1678)
    at org.apache.hadoop.mapreduce.Job$11.run(Job.java:1675)
    at java.base/java.security.AccessController.doPrivileged(Native Method)
    at java.base/javax.security.auth.Subject.doAs(Subject.java:423)
    at org.apache.hadoop.security.UserGroupInformation.doAs(UserGroupInformation.java:1899)
    at org.apache.hadoop.mapreduce.Job.submit(Job.java:1675)
    at org.apache.hadoop.mapreduce.Job.waitForCompletion(Job.java:1696)
    at TopN.main(TopN.java:27)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
    at org.apache.hadoop.util.RunJar.run(RunJar.java:328)
    at org.apache.hadoop.util.RunJar.main(RunJar.java:241)
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$ hadoop fs -cat /topnoutput/part-r-00000
how      5
your     4
is       4
brother  1
are      1
hl       1
sister  1
family  1
you      1
job      1
hadoop@bmsccese-HP-Elite-Tower-600-G9-Desktop-PC: ~/topn$

```