

# # Codebase for LLM Analysis

## ## Directory Tree

Dua\_charitable\_trust/

```
├── AGENTS.md
├── CLAUDE.md
├── README.md
├── eslint.config.mjs
├── next-env.d.ts
├── next.config.ts
├── package.json
├── postcss.config.mjs
├── src
│   ├── app
│   │   ├── about
│   │   │   └── page.tsx
│   │   ├── archive
│   │   │   └── page.tsx
│   │   ├── blog
│   │   │   ├── BlogPageClient.tsx
│   │   │   ├── [slug]
│   │   │   │   └── page.tsx
│   │   │   └── page.tsx
│   │   ├── community
│   │   │   ├── CommunityPageClient.tsx
│   │   │   ├── [slug]
│   │   │   │   └── page.tsx
│   │   │   └── page.tsx
│   │   ├── contact
│   │   │   ├── ContactPageClient.tsx
│   │   │   └── page.tsx
│   │   ├── layout.tsx
│   │   ├── page.tsx
│   │   ├── privacy
│   │   │   └── page.tsx
│   │   ├── programmes
│   │   │   ├── ProgrammesPageClient.tsx
│   │   │   └── page.tsx
│   │   ├── projects
│   │   │   ├── ProjectsPageClient.tsx
│   │   │   └── page.tsx
│   │   └── terms
│   │       └── page.tsx
│   ├── components
│   │   ├── layout
│   │   │   ├── Footer.tsx
│   │   │   ├── Navbar.tsx
│   │   │   └── WhatsAppFAB.tsx
│   │   ├── sections
│   │   │   ├── CTASection.tsx
│   │   │   ├── DomainMosaic.tsx
│   │   │   ├── HeroSection.tsx
│   │   │   └── WhoWeAre.tsx
│   │   └── ui
│   │       ├── BlogCard.tsx
│   │       ├── CommunityCard.tsx
│   │       ├── NewsletterForm.tsx
│   │       ├── ScrollAnimations.tsx
│   │       ├── SocialIcons.tsx
│   │       └── StatCounter.tsx
│   └── data
```

```
| | | communityMembers.ts
| | | publications.ts
| | | lib
| | | | utils.ts
| | | | styles
| | | | | globals.css
| | | tailwind.config.ts
| | | tsconfig.json
| | |
| | |
| | |
```

## ## File Contents

### File: `AGENTS.md`

```
<!-- BEGIN:nextjs-agent-rules -->
# This is NOT the Next.js you know
```

This version has breaking changes – APIs, conventions, and file structure may all differ from your training data. Read the relevant guide in `node\_modules/next/dist/docs/` before writing any code. Heed deprecation notices.

```
<!-- END:nextjs-agent-rules -->
```

---

### File: `CLAUDE.md`

@AGENTS.md

---

### File: `README.md`

This is a [Next.js](https://nextjs.org) project bootstrapped with [create-next-app](https://nextjs.org/docs/app/api-reference/cli/create-next-app).

## ## Getting Started

First, run the development server:

```
``bash
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses [next/font](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new font family for Vercel.

## ## Learn More

To learn more about Next.js, take a look at the following resources:

- [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
- [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.

You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions are welcome!

## ## Deploy on Vercel

The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/new?utm\_medium=default-template&filter=next.js&utm\_source=create-next-app&utm\_campaign=create-next-app-readme) from the creators of Next.js.

Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for more details.

---

```
### File: `eslint.config.mjs`
` `` `javascript
import { defineConfig, globalIgnores } from "eslint/config";
import nextVitals from "eslint-config-next/core-web-vitals";
import nextTs from "eslint-config-next/typescript";

const eslintConfig = defineConfig([
  ...nextVitals,
  ...nextTs,
  // Override default ignores of eslint-config-next.
  globalIgnores([
    // Default ignores of eslint-config-next:
    ".next/**",
    "out/**",
    "build/**",
    "next-env.d.ts",
  ]),
]);

export default eslintConfig;
```

---

```
### File: `next-env.d.ts`
` `` `typescript
/// <reference types="next" />
/// <reference types="next/image-types/global" />
import "../.next/dev/types/routes.d.ts";

// NOTE: This file should not be edited
// see https://nextjs.org/docs/app/api-reference/config/typescript for more information.
```

---

```
### File: `next.config.ts`
` `` `typescript
import type { NextConfig } from 'next'
```

```

const nextConfig: NextConfig = {
  images: {
    remotePatterns: [
      { protocol: 'https', hostname: 'cdn.sanity.io' },
      { protocol: 'https', hostname: 'res.cloudinary.com' },
      { protocol: 'https', hostname: 'lh3.googleusercontent.com' },
      { protocol: 'https', hostname: 'images.unsplash.com' },
      { protocol: 'https', hostname: 'source.unsplash.com' },
    ],
  },
}

export default nextConfig

```

---

```

### File: `package.json`
{
  "name": "dua-trust-temp",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "lint": "eslint"
  },
  "dependencies": {
    "@hookform/resolvers": "^5.4.0",
    "@sanity/client": "^7.23.0",
    "@sanity/image-url": "^2.1.1",
    "clsx": "^2.1.1",
    "framer-motion": "^12.40.0",
    "lucide-react": "^1.20.0",
    "next": "16.2.9",
    "next-sanity": "^13.1.0",
    "react": "19.2.4",
    "react-dom": "19.2.4",
    "react-hook-form": "^7.79.0",
    "resend": "^6.14.0",
    "tailwind-merge": "^3.6.0",
    "zod": "^4.4.3"
  },
  "devDependencies": {
    "@tailwindcss/postcss": "^4",
    "@types/node": "^20",
    "@types/react": "^19",
    "@types/react-dom": "^19",
    "eslint": "^9",
    "eslint-config-next": "16.2.9",
    "tailwindcss": "^4",
    "typescript": "^5"
  }
}

```

---

```

### File: `postcss.config.mjs`

```

```

```javascript
const config = {
  plugins: {
    "@tailwindcss/postcss": {},
  },
};

export default config;

```

---

```

### File: `tailwind.config.ts`
```typescript
import type { Config } from 'tailwindcss'

// Tailwind v4: primary configuration is in src/styles/globals.css via @theme {}
// This file is kept for content path configuration only.
const config: Config = {
  content: [
    './src/pages/**/*..{js,ts,jsx,tsx,mdx}',
    './src/components/**/*..{js,ts,jsx,tsx,mdx}',
    './src/app/**/*..{js,ts,jsx,tsx,mdx}',
  ],
}

export default config

```

---

```

### File: `tsconfig.json`
```json
{
  "compilerOptions": {
    "target": "ES2017",
    "lib": [
      "dom",
      "dom.iterable",
      "esnext"
    ],
    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "react-jsx",
    "incremental": true,
    "plugins": [
      {
        "name": "next"
      }
    ],
    "baseUrl": ".",
    "paths": {
      "@/*": [
        "./src/*"
      ]
    }
  }
}

```

```

    }
  },
  "include": [
    "next-env.d.ts",
    "src/**/*.ts",
    "src/**/*.tsx",
    ".next/types/**/*.ts",
    "**/*.ts",
    "**/*.tsx",
    ".next/dev/types/**/*.ts"
  ],
  "exclude": [
    "node_modules",
    ".next"
  ]
}

```

---

```

### File: `src/app/layout.tsx`
` `` `tsx

```

```

import type { Metadata } from 'next'
import { Inter, Playfair_Display } from 'next/font/google'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import WhatsAppFAB from '@components/layout/WhatsAppFAB'
import '@styles/globals.css'

```

```

const inter = Inter({
  subsets: ['latin'],
  variable: '--font-inter',
  display: 'swap',
})

```

```

const playfair = Playfair_Display({
  subsets: ['latin'],
  variable: '--font-playfair',
  display: 'swap',
  weight: ['400', '500', '600', '700'],
  style: ['normal', 'italic'],
})

```

```

export const metadata: Metadata = {
  metadataBase: new URL(process.env.NEXT_PUBLIC_SITE_URL ?? 'https://duacharitabletrust.org'),
  title: {
    template: '%s | Dua Charitable Trust',
    default: 'Dua Charitable Trust - Building Communities Together',
  },
  description:
    'Dua Charitable Trust creates sustainable change through education, healthcare, women empowerment, and community programs across India.',
  keywords: ['NGO', 'charitable trust', 'education', 'healthcare', 'community', 'volunteer', 'donate'],
  authors: [{ name: 'Dua Charitable Trust' }],
  openGraph: {
    type: 'website',
    locale: 'en_IN',
    url: process.env.NEXT_PUBLIC_SITE_URL ?? 'https://duacharitabletrust.org',
    siteName: 'Dua Charitable Trust',
    title: 'Dua Charitable Trust - Building Communities Together',
  },
}

```

```

    description:
      'Creating sustainable change through meaningful action across education, h
healthcare, and community empowerment.',
    images: [{ url: '/og-image.jpg', width: 1200, height: 630, alt: 'Dua Charita
ble Trust' }],
  },
  twitter: {
    card: 'summary_large_image',
    title: 'Dua Charitable Trust',
    description: 'Creating sustainable change through meaningful action.',
    images: ['/og-image.jpg'],
  },
  robots: {
    index: true,
    follow: true,
    googleBot: { index: true, follow: true, 'max-image-preview': 'large' },
  },
},
}

const organizationSchema = {
  '@context': 'https://schema.org',
  '@type': 'NGO',
  name: 'Dua Charitable Trust',
  url: process.env.NEXT_PUBLIC_SITE_URL ?? 'https://duacharitabletrust.org',
  logo: `${process.env.NEXT_PUBLIC_SITE_URL ?? 'https://duacharitabletrust.org'}/logo.png`,
  description: 'Creating sustainable change through education, healthcare, and c
ommunity empowerment.',
  contactPoint: {
    '@type': 'ContactPoint',
    email: 'hello@duacharitabletrust.org',
    contactType: 'customer support',
  },
},
}

export default function RootLayout({ children }: { children: React.ReactNode })
{
  return (
    <html lang="en" className={` ${inter.variable} ${playfair.variable}`}>
      <head>
        <script
          type="application/ld+json"
          dangerouslySetInnerHTML={{ __html: JSON.stringify(organizationSchema)
        }}
      />
      </head>
      <body className="bg-brand-cream antialiased">
        <Navbar />
        <main id="main-content">{children}</main>
        <Footer />
        <WhatsAppFAB />
      </body>
    </html>
  )
}
...

---

### File: `src/app/page.tsx`
`tsx`
'use client'

```

```
import { useState } from 'react'
import Link from 'next/link'
import { ArrowRight } from 'lucide-react'
import { motion, AnimatePresence } from 'framer-motion'
import HeroSection from '@components/sections/HeroSection'
import WhoWeAre from '@components/sections/WhoWeAre'
import DomainMosaic from '@components/sections/DomainMosaic'
import CTASection from '@components/sections/CTASection'
import StatCounter from '@components/ui/StatCounter'
import BlogCard from '@components/ui/BlogCard'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@components/ui/ScrollAnimations'
```

```
const categories = ['All', 'Education', 'Healthcare', 'Emergency Relief', 'Community']
```

```
const latestPosts = [
  {
    slug: 'new-school-opens',
    title: 'New School Opens in Rural Pakistan',
    excerpt: 'Thanks to generous donors, 200 children now have access to quality education...',
    coverImage: 'https://images.unsplash.com/photo-1503676260728-1c00da094a0b?w=600&q=80',
    author: 'Fatima Ahmed',
    publishDate: '2024-03-15',
    category: 'Education',
  },
  {
    slug: 'mobile-clinic-serves-families',
    title: 'Mobile Clinic Serves 500 Families',
    excerpt: 'Our newly deployed mobile healthcare unit has successfully delivered essential medical aid and check-ups to 500 remote families.',
    coverImage: 'https://images.unsplash.com/photo-1584515933487-779824d29309?w=600&q=80',
    author: 'Dr. Raza Khan',
    publishDate: '2024-03-10',
    category: 'Healthcare',
  },
  {
    slug: 'winter-relief-kits-distributed',
    title: 'Winter Relief Kits Distributed',
    excerpt: 'Over 1,000 thermal blankets, coats, and emergency food supplies have been delivered to families facing extreme cold in remote mountain regions.',
    coverImage: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=600&q=80',
    author: 'Omar Farooq',
    publishDate: '2024-03-05',
    category: 'Emergency Relief',
  },
  {
    slug: 'community-food-program-3rd-year',
    title: 'Community Food Program Celebrates 3rd Year',
    excerpt: 'What started as a small initiative now feeds over 10,000 families monthly through our community kitchens.',
    coverImage: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=600&q=80',
    author: 'Ahmed Siddiqui',
    publishDate: '2024-02-28',
    category: 'Community',
  },
]
```



]

```
export default function HomePage() {
  const [activeCategory, setActiveCategory] = useState('All')

  const filteredPosts = latestPosts.filter((post) => {
    return activeCategory === 'All' || post.category === activeCategory
  })

  return (
    <
      { /* 1. HERO SECTION */ }
      <HeroSection />

      { /* 2. WHO WE ARE */ }
      <WhoWeAre />

      { /* 3. DOMAIN MOSAIC */ }
      <DomainMosaic />

      { /* 4. IMPACT STATS */ }
      <section className="py-20 md:py-28 lg:py-32 bg-white border-t border-brand
-sand/50" aria-label="Impact Stats">
        <div className="container-wide px-4">
          <div className="grid grid-cols-1 md:grid-cols-3 gap-12 text-center max
-w-[1000px] mx-auto">
            <ScrollRevealCard delay={0}>
              <StatCounter end={50000} suffix="+" label="Beneficiaries Reached"
/>
            </ScrollRevealCard>
            <ScrollRevealCard delay={0.15}>
              <StatCounter end={120} suffix="+" label="Countries & Partners" />
            </ScrollRevealCard>
            <ScrollRevealCard delay={0.3}>
              <StatCounter end={18} suffix="+" label="Years of Service" />
            </ScrollRevealCard>
          </div>
        </div>
      </section>

      { /* 5. CHANGE CTA */ }
      <CTASection />

      { /* 6. STORIES OF CHANGE (NEWS / BLOG GRID) */ }
      <section className="py-20 md:py-28 lg:py-32 bg-white border-t border-b bor
der-brand-sand/30" aria-label="Latest Stories">
        <div className="container-wide px-4">
          { /* Header */ }
          <div className="text-center mb-8">
            <p className="section-label mb-3">Stay Informed</p>
            <h2 className="section-title mb-8">
              <ScrollRevealTypewriter text="Stories of Change" />
            </h2>
          </div>

          { /* Existing style category tabs */ }
          <div className="flex flex-wrap items-center justify-center gap-2.5 mb-
12">
            {categories.map((cat) => {
              const isActive = activeCategory === cat
              return (
```

```

        <button
          key={cat}
          onClick={() => setActiveCategory(cat)}
          className={`flex-shrink-0 px-5 py-2.5 rounded-full text-xs font-
t-semibold font-body transition-all duration-300 cursor-pointer border
          ${isActive
            ? 'bg-brand-blue border-brand-blue text-white shadow-sm'
            : 'bg-white border-brand-sand/60 text-brand-grey hover:tex
t-brand-blue hover:border-brand-blue/30'}
          `}
          aria-pressed={isActive}
          id={`filter-${cat.toLowerCase().replace(/\s+/g, '-')}`}
        >
          {cat}
        </button>
      )
    })
  </div>

  {/} Blog Card Grid with smooth Framer Motion fade animation */}
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8 m
b-12 min-h-[400px]">
    <AnimatePresence mode="popLayout">
      {filteredPosts.map((post) => (
        <motion.div
          key={post.slug}
          layout
          initial={{ opacity: 0, scale: 0.96 }}
          animate={{ opacity: 1, scale: 1 }}
          exit={{ opacity: 0, scale: 0.96 }}
          transition={{ duration: 0.25, ease: 'easeOut' }}
        >
          <BlogCard {...post} />
        </motion.div>
      ))}
    </AnimatePresence>
  </div>

  {/} Secondary Actions */}
  <div className="text-center max-w-lg mx-auto">
    <p className="font-body text-xs sm:text-sm text-brand-grey mb-8 lead
ing-relaxed">
      <ScrollRevealWords text="Looking for past newsletters, annual repo
rts, campaign achievements, or legacy articles? Search our complete historical l
ibrary." />
    </p>
    <div className="flex flex-wrap gap-4 justify-center">
      <Link
        href="/blog"
        className="btn-ghost border-brand-blue text-brand-blue hover:bg-
brand-blue hover:text-white px-6 py-2.5 rounded-full text-xs font-semibold trans
ition-colors duration-200 cursor-pointer"
        id="news-view-more-btn"
      >
        Read More
      </Link>
      <Link
        href="/archive"
        className="btn-amber px-6 py-2.5 rounded-full text-brand-charcoa
l text-xs font-semibold shadow-sm hover:scale-102 transition-transform duration-
200 cursor-pointer"
        id="news-archive-btn"

```

```

        >
        View Publication Archive
        <ArrowRight size={12} className="ml-1.5 inline" />
      </Link>
    </div>
  </div>
</div>
</section>

{/* 7. JOIN CTA */}
<section className="py-20 md:py-28 lg:py-32 bg-[#FBF7F0] relative overflow
-hidden" aria-label="Join our mission">

  {/* Inline decorative SVG line/paths to match spec exactly */}
  <div className="absolute inset-0 pointer-events-none opacity-[0.06] flex
items-center justify-center" aria-hidden="true">
    <svg viewBox="0 0 300 150" className="w-[900px] h-[450px] text-brand-b
lue" fill="none" stroke="currentColor" strokeWidth="1">
      <path d="M-50,75 C50,25 100,125 150,75 C200,25 250,125 350,75" strok
eDasharray="3 3" />
      <path d="M-50,90 C50,40 100,140 150,90 C200,40 250,140 350,90" />
      <path d="M-50,60 C50,10 100,110 150,60 C200,10 250,110 350,60" opaci
ty="0.5" />
    </svg>
  </div>

  <div className="container-wide text-center relative z-10">
    <h2 className="font-heading text-3xl sm:text-4xl lg:text-5xl text-bran
d-charcoal font-bold mb-6 leading-tight">
      <ScrollRevealTypewriter text="Join Our " />
      <span className="text-brand-amber italic font-normal">
        <ScrollRevealTypewriter text="Mission" delay={0.4} />
      </span>
    </h2>
    <p className="font-body text-brand-grey text-sm sm:text-base mb-10 max
-w-xl mx-auto leading-relaxed">
      <ScrollRevealWords text="Your support – whether through donating tim
e, vocational skills, or financial resources – helps us empower more communities
to stand strong." />
    </p>
    <div className="flex flex-wrap gap-4 justify-center">
      <Link href="/community" className="btn-ghost border-brand-blue text-
brand-blue hover:bg-brand-blue hover:text-white px-8 py-3.5 rounded-full font-me
dium cursor-pointer" id="home-join-community-btn">
        Explore Community
      </Link>
      <Link href="/contact#volunteer" className="btn-ghost border-brand-bl
ue text-brand-blue hover:bg-brand-blue hover:text-white px-8 py-3.5 cursor-point
er" id="home-join-volunteer-btn">
        Volunteer
      </Link>
      <Link href="/projects" className="btn-amber px-8 py-3.5 rounded-full
text-brand-charcoal font-semibold shadow-md cursor-pointer" id="home-join-donat
e-btn">
        Donate Now
      </Link>
    </div>
  </div>
</section>
</>
)
}

```

...

---

### File: `src/app/contact/ContactPageClient.tsx`

```tsx

'use client'

```
import { useState } from 'react'
import Image from 'next/image'
import { motion, AnimatePresence } from 'framer-motion'
import { Phone, Mail, MapPin, Send, ChevronDown, ChevronUp, Users, Share2 } from
  'lucide-react'
import { InstagramIcon, FacebookIcon, XIcon, LinkedInIcon, YouTubeIcon } from '@
/components/ui/SocialIcons'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@c
omponents/ui/ScrollAnimations'
```

```
const faqs = [
  {
    q: 'How do I donate to Dua Trust?',
    a: 'You can donate online through our secure payment portal, via bank transf
er, or by contacting us directly. All donations are eligible for 80G tax exempti
on under the Income Tax Act.',
  },
  {
    q: 'How can I volunteer with the trust?',
    a: 'We welcome volunteers for field programs, events, content creation, educ
ation, healthcare support, and administrative roles. You can click our Volunteer
CTA to get started.',
  },
  {
    q: 'Is my donation tax-deductible?',
    a: 'Yes. Dua Trust is registered under Section 12A and 80G of the Income Tax
Act. You will receive a tax receipt within 48 hours of your donation.',
  },
  {
    q: 'How can I partner with Dua Trust?',
    a: 'We partner with corporates, institutions, and international organization
s for CSR initiatives, co-funded programs, and capacity building. Reach out via
email or our contact form.',
  },
  {
    q: 'Where does my donation go?',
    a: 'At least 85% of every donation goes directly to programs. We publish tra
nsparent annual reports - you can track impact on our Archive page.',
  },
]
```

```
export default function ContactPageClient() {
  const [openFaq, setOpenFaq] = useState<number | null>(null)

  // Contact form state
  const [formState, setFormState] = useState({ name: '', email: '', subject: '',
message: '' })
  const [submitted, setSubmitted] = useState(false)

  // Volunteer form state
  const [volState, setVolState] = useState({ name: '', email: '', area: '', mess
age: '' })
  const [volSubmitted, setVolSubmitted] = useState(false)
```

```

const handleSubmit = (e: React.FormEvent) => {
  e.preventDefault()
  setSubmitted(true)
  setTimeout(() => setSubmitted(false), 4000)
  setFormState({ name: '', email: '', subject: '', message: '' })
}

const handleVolSubmit = (e: React.FormEvent) => {
  e.preventDefault()
  setVolSubmitted(true)
  setTimeout(() => setVolSubmitted(false), 4000)
  setVolState({ name: '', email: '', area: '', message: '' })
}

return (
  <>
    { /* ===== HERO ===== */ }
    <section className="relative min-h-[55vh] flex items-center justify-center overflow-hidden" aria-label="Contact hero">
      <div className="absolute inset-0">
        <Image
          src="https://images.unsplash.com/photo-1521737711867-e3b97375f902?w=1600&q=85"
          alt="Let's create impact together"
          fill priority className="object-cover" sizes="100vw"
        />
        <div className="absolute inset-0 bg-[#0F233B]/40 backdrop-blur-[1px]" aria-hidden="true" />
        <div className="absolute inset-0 bg-gradient-to-b from-[#0F233B]/20 via-transparent to-[#FBF7F0]" aria-hidden="true" />
      </div>

      <div className="relative container-wide pt-36 pb-28 z-10 text-center px-4">
        <motion.span
          initial={{ opacity: 0, y: -10 }}
          animate={{ opacity: 1, y: 0 }}
          transition={{ duration: 0.5 }}
          className="badge bg-brand-amber/30 text-brand-amber border border-brand-amber/20 text-xs font-semibold tracking-widest uppercase mb-4 inline-block shadow-sm"
        >
          Get In Touch
        </motion.span>
        <h1 className="font-heading text-4xl sm:text-5xl lg:text-6xl !text-white font-bold leading-tight mb-5">
          <ScrollRevealTypewriter text="Let's Create Impact " />
          <span className="text-brand-amber italic font-normal">
            <ScrollRevealTypewriter text="Together" delay={0.4} />
          </span>
        </h1>
        <p className="font-body text-white/90 text-base sm:text-lg max-w-xl mx-auto leading-relaxed">
          <ScrollRevealWords text="Have a question, want to volunteer, or looking to partner? We'd love to hear from you." />
        </p>
      </div>
    </section>

    { /* ===== INFO CARDS (4 Cards Grid, Overlapping the Hero) ===== */ }
    <section id="donate" className="bg-[#FBF7F0] py-16 md:py-24 relative z-20" aria-label="Contact info cards">

```

```

<div id="donor" className="absolute -top-24" />
<div className="container-wide px-4">
  <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-6 r
relative z-30">
    {[
      {
        type: 'info',
        icon: Phone,
        label: 'Phone',
        value: '+91 (022) 234-4567',
        href: 'tel:+910222344567',
        sub: 'Mon-Sat, 9am-6pm IST',
        glowClass: 'group-hover/card:shadow-[0_20px_50px_rgba(240,169,42
,0.06)]',
        borderHoverClass: 'hover:border-brand-amber/30',
        iconGlow: 'bg-[#FBF7F0] border-brand-sand/40 group-hover/card:bg
-brand-amber/10 group-hover/card:border-brand-amber/30 group-hover/card:text-bra
nd-amber-dark',
        iconColor: 'text-brand-blue group-hover/card:text-brand-amber-da
rk'
      },
      {
        type: 'info',
        icon: Mail,
        label: 'Email',
        value: 'hello@duacharitabletrust.org',
        href: 'mailto:hello@duacharitabletrust.org',
        sub: 'We reply within 24 hours',
        glowClass: 'group-hover/card:shadow-[0_20px_50px_rgba(74,127,165
,0.08)]',
        borderHoverClass: 'hover:border-brand-blue-light/30',
        iconGlow: 'bg-[#FBF7F0] border-brand-sand/40 group-hover/card:bg
-brand-blue-light/10 group-hover/card:border-brand-blue-light/30 group-hover/car
d:text-brand-blue-light',
        iconColor: 'text-brand-blue-light'
      },
      {
        type: 'info',
        icon: MapPin,
        label: 'Location',
        value: '123 Charity Lane, Mumbai',
        href: 'https://maps.google.com/?q=123+Charity+Lane,+Mumbai+40000
1',
        sub: 'Maharashtra, India',
        glowClass: 'group-hover/card:shadow-[0_20px_50px_rgba(26,58,92,0
.06)]',
        borderHoverClass: 'hover:border-brand-blue/30',
        iconGlow: 'bg-[#FBF7F0] border-brand-sand/40 group-hover/card:bg
-brand-blue/10 group-hover/card:border-brand-blue/30 group-hover/card:text-brand
-blue',
        iconColor: 'text-brand-blue'
      },
      {
        type: 'social',
        icon: Share2,
        label: 'Connect',
        value: '',
        href: '#',
        sub: 'Follow our journey online',
        glowClass: 'group-hover/card:shadow-[0_20px_50px_rgba(240,169,42
,0.08)]',
        borderHoverClass: 'hover:border-brand-amber/30',

```

```

        iconGlow: 'bg-[#FBF7F0] border-brand-sand/40 group-hover/card:bg
-brand-amber/10 group-hover/card:border-brand-amber/30 group-hover/card:text-bra
nd-amber-dark',
        iconColor: 'text-brand-blue group-hover/card:text-brand-amber-da
rk'
    }
  ].map((card, i) => {
    const Icon = card.icon
    return (
      <ScrollRevealCard
        key={card.label}
        delay={i * 0.08}
        yOffset={0}
        className={`bg-white/90 backdrop-blur-xl rounded-[32px] p-7 md
:p-8 flex flex-col items-start justify-between text-left gap-5 shadow-card hover
:shadow-card-hover border border-brand-sand/25 hover:-translate-y-2.5 transition
-all duration-500 ease-[cubic-bezier(0.16,1,0.3,1)] group/card h-full min-h-[300
px] relative overflow-hidden ${card.borderHoverClass} ${card.glowClass}`}
      >
        {/* Premium top accent sliding gradient line */}
        <div className="absolute top-0 left-0 right-0 h-[3px] bg-gradi
ent-to-r from-brand-blue via-brand-amber to-brand-blue-light opacity-0 group-hov
er/card:opacity-100 transition-all duration-500" />

        {/* Large absolute faint watermark icon in bottom-right - alig
ned and sized properly */}
        <div className="absolute bottom-[-15px] right-[-15px] text-bra
nd-sand/20 pointer-events-none transition-all duration-500 scale-100 group-hover
/card:scale-110 group-hover/card:text-brand-amber/15 z-0">
          <Icon size={96} strokeWidth={1} />
        </div>

        {/* Top content wrapper - stays above watermark background */}
        <div className="flex flex-col items-start w-full relative z-10
flex-1">
          {/* Animated Premium Icon Holder */}
          <div className={`w-12 h-12 rounded-2xl flex items-center jus
tify-center border transition-all duration-500 ease-[cubic-bezier(0.16,1,0.3,1)]
mb-5 ${card.iconGlow}`}>
            <Icon size={20} className={` ${card.iconColor} transition-a
ll duration-500`} />
          </div>

          <p className="font-body text-[10px] font-bold uppercase trac
king-widest text-brand-grey/50 mb-1.5">{card.label}</p>

          {card.type === 'info' ? (
            <a
              href={card.href}
              {...(card.label === 'Location' ? { target: '_blank', rel
: 'noopener noreferrer' } : {})}
              className="font-body font-semibold text-brand-charcoal t
ext-base sm:text-lg leading-relaxed hover:text-brand-blue transition-colors dura
tion-200 break-all sm:break-normal w-full"
            >
              {card.value}
            </a>
          ) : (
            <div className="flex flex-wrap gap-2 pt-1 w-full" aria-lab
el="Social media channels">
              {[
                { icon: InstagramIcon, href: 'https://instagram.com',

```

```

label: 'Instagram' },
label: 'Facebook' },
label: 'Twitter' },
label: 'LinkedIn' },
label: 'YouTube' }
].map((soc, idx) => {
  const SocIcon = soc.icon
  return (
    <a
      key={idx}
      href={soc.href}
      target="_blank"
      rel="noopener noreferrer"
      aria-label={soc.label}
      className="w-9 h-9 rounded-xl bg-[#FBF7F0] border-
border-brand-sand/50 flex items-center justify-center hover:bg-brand-blue hover:
text-white hover:border-brand-blue hover:-translate-y-1 hover:shadow-md transiti
on-all duration-300 group/soc"
    >
      <SocIcon className="w-4 h-4 text-brand-grey group-
hover/soc:text-white transition-colors duration-300" />
    </a>
  )
})
</div>
</div>
</div>
{ /* Subtext aligned at the bottom with thin divider line */ }
<p className="font-body text-xs text-brand-grey/60 pt-4 border-
-t border-brand-sand/15 relative z-10 w-full mt-auto">{card.sub}</p>
</ScrollRevealCard>
)
})
</div>
</div>
</section>

{ /* ===== MAP & FORM GRID (Map Left, Form Right) ===== */ }
<section id="join" className="py-20 md:py-28 lg:py-32 bg-white border-t bo
rder-brand-sand/30" aria-label="Contact form and map">
  <div className="container-wide">
    <div className="grid lg:grid-cols-2 gap-12 lg:gap-16 items-stretch px-
4">

      { /* Map (Left) */ }
      <ScrollRevealCard
        className="rounded-[32px] overflow-hidden shadow-card min-h-[400px
] lg:h-full relative border border-brand-sand/30 group"
      >
        <iframe
          src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d24131
7.11609823055!2d72.74109995709657!3d19.08219783958221!2m3!1f0!2f0!3f0!3m2!1i1024
!2i768!4f13.1!3m3!1m2!1s0x3be7c6306644edc1%3A0x5da4ed8f8d648c69!2sMumbai%2C%20Ma
harashtra!5e0!3m2!1sen!2sin!4v1718000000000!5m2!1sen!2sin"
          width="100%" height="100%" style={{ border: 0 }} allowFullScreen
          loading="lazy"
          referrerPolicy="no-referrer-when-downgrade" title="Dua Trust loc

```



```

ation"
      className="absolute inset-0 w-full h-full grayscale-[25%] opacity-90 group-hover:grayscale-0 group-hover:opacity-100 transition-all duration-500"
    />
  </ScrollRevealCard>

  {/* Form (Right) */}
  <div className="flex flex-col justify-center">
    <p className="section-label mb-3">Send a Message</p>
    <h2 className="section-title mb-6">
      <ScrollRevealTypewriter text="Contact Us" />
    </h2>

    {submitted && (
      <motion.div
        initial={{ opacity: 0, y: -10 }}
        animate={{ opacity: 1, y: 0 }}
        className="mb-6 p-4 bg-green-50 border border-green-200 rounded-2xl text-green-700 font-body text-sm"
      >
        ✓ Message sent! We&apos;ll get back to you within 24 hours.
      </motion.div>
    )}

    <ScrollRevealCard delay={0.1}>
      <form onSubmit={handleSubmit} className="space-y-5" aria-label="Contact form" id="contact-form">
        <div className="grid sm:grid-cols-2 gap-4">
          <div>
            <label htmlFor="contact-name" className="block text-xs font-body font-semibold text-brand-charcoal mb-2">Full Name *</label>
            <input
              id="contact-name" type="text" required
              value={formState.name}
              onChange={(e) => setFormState({ ...formState, name: e.target.value })}
              placeholder="Your name"
              className="w-full px-5 py-3.5 rounded-full border border-brand-sand/80 bg-[#FBF7F0]/40 font-body text-sm text-brand-charcoal placeholder:text-brand-grey/40 focus:outline-none focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300"
            />
          </div>
          <div>
            <label htmlFor="contact-email" className="block text-xs font-body font-semibold text-brand-charcoal mb-2">Email Address *</label>
            <input
              id="contact-email" type="email" required
              value={formState.email}
              onChange={(e) => setFormState({ ...formState, email: e.target.value })}
              placeholder="your@email.com"
              className="w-full px-5 py-3.5 rounded-full border border-brand-sand/80 bg-[#FBF7F0]/40 font-body text-sm text-brand-charcoal placeholder:text-brand-grey/40 focus:outline-none focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300"
            />
          </div>
        </div>
      </form>
    </ScrollRevealCard>
  </div>

```

300"

```
    />
  </div>
</div>
```

```
    <div>
      <label htmlFor="contact-subject" className="block text-xs font-body font-semibold text-brand-charcoal mb-2">Subject *</label>
      <input
        id="contact-subject" type="text" required
        value={formState.subject}
        onChange={(e) => setFormState({ ...formState, subject: e.target.value })}
        placeholder="What is your message about?"
        className="w-full px-5 py-3.5 rounded-full border border-brand-sand/80 bg-[#FBF7F0]/40 font-body text-sm text-brand-charcoal placeholder:text-brand-grey/40
        focus:outline-none focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300"
      />
    </div>
```

```
    <div>
      <label htmlFor="contact-message" className="block text-xs font-body font-semibold text-brand-charcoal mb-2">Message *</label>
      <textarea
        id="contact-message" required rows={5}
        value={formState.message}
        onChange={(e) => setFormState({ ...formState, message: e.target.value })}
        placeholder="Tell us how we can help or how you'd like to get involved..."
        className="w-full px-5 py-4 rounded-[24px] border border-brand-sand/80 bg-[#FBF7F0]/40 font-body text-sm text-brand-charcoal placeholder:text-brand-grey/40
        focus:outline-none focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300 resize-none"
      />
    </div>
```

```
    <button type="submit" className="btn-amber w-full justify-center py-3.5 font-semibold text-brand-charcoal rounded-full shadow-md hover:scale-[1.01] active:scale-95 transition-all cursor-pointer" id="contact-submit-btn">
      <Send size={14} className="inline mr-1.5" /> Send Message
    </button>
  </form>
</ScrollRevealCard>
</div>
```

```
  </div>
</div>
</section>
```

```
  {/* ===== VOLUNTEER (Cream bg, Rebuilt full interactive form) ===== */}
  <section id="volunteer" className="py-20 md:py-28 lg:py-32 bg-[#FBF7F0] relative overflow-hidden" aria-label="Volunteer Section">
```

```

    { /* Concentric rotating wave lines background */ }
    <div className="absolute inset-0 pointer-events-none opacity-[0.04] flex
    items-center justify-center" aria-hidden="true">
      <svg viewBox="0 0 200 200" className="w-[600px] h-[600px] text-brand-b
      lue" fill="none" stroke="currentColor" strokeWidth="1">
        <circle cx="100" cy="100" r="40" strokeDasharray="3 3" />
        <circle cx="100" cy="100" r="85" />
        <circle cx="100" cy="100" r="130" strokeDasharray="6 6" />
      </svg>
    </div>

    <div className="container-wide relative z-10 px-4">
      <div className="grid lg:grid-cols-2 gap-12 lg:gap-16 items-center">

        { /* Left Column: Copy & Bullet Points */ }
        <div>
          <p className="section-label mb-3">Get Involved</p>
          <h2 className="section-title mb-5">
            <ScrollRevealTypewriter text="Join Us as a " />
            <span className="text-brand-blue italic font-normal">
              <ScrollRevealTypewriter text="Volunteer" delay={0.3} />
            </span>
          </h2>
          <p className="section-subtitle mb-8">
            <ScrollRevealWords text="Dua Trust runs dynamic field programs a
            cross education, maternal health, and community kitchens. Whether you have an ho
            ur a week or looking for full-time involvement, your unique skills can transform
            lives." />
          </p>
          <ScrollRevealCard delay={0.2}>
            <ul className="space-y-4 mb-8">
              {[ 'Field program support', 'Content & communications', 'IT & w
              eb development support', 'Event coordination', 'Healthcare outreach support' ].ma
              p((item) => (
                <li key={item} className="flex items-center gap-3 font-body
                text-sm text-brand-charcoal/80 font-medium">
                  <span className="w-2 h-2 rounded-full bg-brand-amber flex-
                  shrink-0 animate-pulse-dot" />
                  {item}
                </li>
              ))}
            </ul>
          </ScrollRevealCard>
        </div>

        { /* Right Column: Rebuilt Volunteer Application Form Card */ }
        <ScrollRevealCard
          delay={0.1}
          className="bg-white rounded-[32px] p-8 shadow-card border border-b
          rand-sand/30 relative overflow-hidden">
          <h3 className="font-heading font-bold text-brand-charcoal text-2xl
          mb-6 flex items-center gap-2">
            <Users size={20} className="text-brand-blue" />
            Volunteer Application
          </h3>

          {volSubmitted && (
            <motion.div
              initial={{ opacity: 0, y: -10 }}
              animate={{ opacity: 1, y: 0 }}
              className="mb-6 p-4 bg-green-50 border border-green-200 rounde

```

```

d-[20px] text-green-700 font-body text-sm"
    >
    ✓ Application submitted successfully! Our community director w
ill contact you shortly.
  </motion.div>
)}

<form className="space-y-4" onSubmit={handleVolSubmit} aria-label=
"Volunteer form" id="volunteer-form">
  <div>
    <label htmlFor="vol-name" className="block text-xs font-body f
ont-semibold text-brand-charcoal mb-2">Full Name *</label>
    <input
      type="text"
      placeholder="Your name"
      required
      id="vol-name"
      value={volState.name}
      onChange={(e) => setVolState({ ...volState, name: e.target.v
alue })}>
    <div
      className="w-full px-5 py-3.5 rounded-full border border-bra
nd-sand/80 bg-[#FBF7F0]/40 font-body text-sm
      text-brand-charcoal placeholder:text-brand-grey/4
0
      focus:outline-none focus:border-brand-blue-light
focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300"
    >
    </div>

    <div>
      <label htmlFor="vol-email" className="block text-xs font-body
font-semibold text-brand-charcoal mb-2">Email Address *</label>
      <input
        type="email"
        placeholder="your@email.com"
        required
        id="vol-email"
        value={volState.email}
        onChange={(e) => setVolState({ ...volState, email: e.target.
value })}>
      <div
        className="w-full px-5 py-3.5 rounded-full border border-bra
nd-sand/80 bg-[#FBF7F0]/40 font-body text-sm
        text-brand-charcoal placeholder:text-brand-grey/4
0
        focus:outline-none focus:border-brand-blue-light
focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300"
      >
      </div>

      <div>
        <label htmlFor="vol-area" className="block text-xs font-body f
ont-semibold text-brand-charcoal mb-2">Area of Interest *</label>
        <select
          id="vol-area"
          required
          value={volState.area}
          onChange={(e) => setVolState({ ...volState, area: e.target.v
alue })}>
        <div
          className="w-full px-5 py-3.5 rounded-full border border-bra
nd-sand bg-white font-body text-sm
          text-brand-grey focus:outline-none focus:border-b
rand-blue-light focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300

```

```

        cursor-pointer"
      >
        <option value="">Select Area of Interest</option>
        <option value="Education">Education & Tutoring</option>
        <option value="Healthcare">Healthcare Support</option>
        <option value="Women Empowerment">Women Empowerment</option>
        <option value="Environment">Environmental Plantation</option>
      >
        <option value="Emergency Relief">Emergency relief aid</option>
      </select>
    </div>

    <div>
      <label htmlFor="vol-message" className="block text-xs font-body font-semibold text-brand-charcoal mb-2">Availability & Experience *</label>
      <textarea
        rows={3}
        placeholder="Tell us about yourself, your skills, and when you are available..."
        required
        id="vol-message"
        value={volState.message}
        onChange={(e) => setVolState({ ...volState, message: e.target.value })}
        className="w-full px-5 py-3 rounded-[20px] border border-brand-sand/80 bg-[#FBF7F0]/40 font-body text-sm text-brand-charcoal placeholder:text-brand-grey/40 focus:outline-none focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300 resize-none"
      />
    </div>

    <button
      type="submit"
      className="btn-primary bg-brand-charcoal text-white hover:bg-brand-charcoal hover:scale-[1.01] active:scale-95 rounded-full w-full justify-center py-3.5 font-semibold shadow-sm transition-all mt-2 cursor-pointer"
      id="vol-submit-btn"
    >
      Become a Volunteer
    </button>
  </form>
</ScrollRevealCard>

</div>
</div>
</section>

{/* ===== FAQ (Accordions, 24px Radius, Animated) ===== */}
<section id="faq" className="py-20 md:py-28 lg:py-32 bg-white" aria-label="Frequently asked questions">
  <div className="container-wide max-w-3xl mx-auto px-4">
    <div className="text-center mb-12">
      <p className="section-label mb-3">Got Questions?</p>
      <h2 className="section-title">
        <ScrollRevealTypewriter text="FAQ" />
      </h2>
    </div>
  </div>

```

```

<div className="space-y-4">
  {faqs.map((faq, i) => {
    const isOpen = openFaq === i
    return (
      <ScrollRevealCard
        key={i}
        delay={i * 0.08}
        yOffset={20}
        className="bg-[#FBF7F0]/50 rounded-[24px] overflow-hidden border
er border-brand-sand/40 shadow-sm transition-all duration-300 hover:shadow-md"
      >
        <button
          onClick={() => setOpenFaq(isOpen ? null : i)}
          className="w-full flex items-center justify-between p-6 text
-left hover:bg-brand-sand/15 transition-colors cursor-pointer"
          aria-expanded={isOpen}
          id={`faq-btn-${i}`}
        >
          <span className="font-body font-bold text-brand-charcoal tex
t-sm sm:text-base pr-4">{faq.q}</span>
          <div className="w-8 h-8 rounded-full bg-white flex items-cen
ter justify-center shadow-sm border border-brand-sand/30 flex-shrink-0">
            {isOpen
              ? <ChevronUp size={16} className="text-brand-blue" />
              : <ChevronDown size={16} className="text-brand-grey" />
            }
          </div>
        </button>

        {/* Smooth height animation */}
        <div
          className={`grid transition-all duration-300 ease-in-out
            ${isOpen ? 'grid-rows-[1fr] opacity-100' : 'grid-rows-[0fr
] opacity-0'}`}
        >
          <div className="overflow-hidden">
            <div className="px-6 pb-6 pt-2 font-body text-xs sm:text-s
m text-brand-grey leading-relaxed border-t border-brand-sand/30 bg-white/30">
              {faq.a}
            </div>
          </div>
        </div>
      </ScrollRevealCard>
    )
  })
}
</div>
</div>
</section>
</>
)
}

```

---

```

### File: `src/app/contact/page.tsx`
` `` `tsx
import type { Metadata } from 'next'
import ContactPageClient from './ContactPageClient'

export const metadata: Metadata = {

```

```

    title: 'Contact Us - Get In Touch',
    description:
      'Contact Dua Charitable Trust to donate, volunteer, partner, or ask question
s. We\'re here to help.',
  }

export default function ContactPage() {
  return <ContactPageClient />
}

---

### File: `src/app/privacy/page.tsx`
`tsx
import type { Metadata } from 'next'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@c
omponents/ui/ScrollAnimations'

export const metadata: Metadata = {
  title: 'Privacy Policy - Dua Charitable Trust',
  description: 'Learn how Dua Charitable Trust protects your personal data, dona
tion history, and privacy rights.',
}

export default function PrivacyPage() {
  return (
    <
      { /* ===== HEADER ===== */ }
      <section className="relative bg-[#0F233B] pt-36 pb-20 overflow-hidden" ari
a-label="Privacy Policy Header">
        { /* Ambient blurs */ }
        <div className="absolute top-[-20%] right-[-10%] w-[500px] h-[500px] bg-
brand-amber/10 rounded-full blur-[100px] pointer-events-none" />
        <div className="absolute bottom-[-30%] left-[-10%] w-[500px] h-[500px] b
g-brand-blue-light/10 rounded-full blur-[100px] pointer-events-none" />

        { /* Mesh grid pattern */ }
        <div className="absolute inset-0 pointer-events-none opacity-[0.03]" ari
a-hidden="true">
          <div className="w-full h-full bg-[linear-gradient(to_right,#ffffff_1px
,transparent_1px),linear-gradient(to_bottom,#ffffff_1px,transparent_1px)] bg-[si
ze:4rem_4rem]" />
        </div>

        <div className="relative container-wide z-10 text-center px-4">
          <p className="section-label text-brand-amber/80 mb-3">Legal & Complian
ce</p>
          <h1 className="font-heading text-4xl sm:text-5xl lg:text-6xl !text-whi
te font-bold mb-5 leading-tight">
            <ScrollRevealTypewriter text="Privacy Policy" />
          </h1>
          <p className="font-body text-white/90 text-base sm:text-lg max-w-xl mx
-auto leading-relaxed">
            <ScrollRevealWords text="Our commitment to safeguarding your persona
l information, donation details, and communication preferences." />
          </p>
        </div>
      </section>

      { /* ===== CONTENT BODY ===== */ }
      <section className="py-20 md:py-28 bg-[#FBF7F0]" aria-label="Privacy Polic

```

```

y content">
  <div className="container-wide max-w-3xl mx-auto px-4">
    <ScrollRevealCard delay={0.1}>
      <div className="bg-white rounded-[32px] p-8 sm:p-12 border border-br
and-sand/35 shadow-card space-y-8 text-left">

        <div className="space-y-3">
          <h2 className="font-heading font-bold text-brand-charcoal text-x
l">1. Information We Collect</h2>
          <p className="font-body text-brand-grey text-sm sm:text-base lea
ding-relaxed">
            We collect personal information that you provide to us, includ
ing your name, email address, mailing address, telephone number, and payment det
ails when you make a donation, volunteer, or subscribe to our newsletter.
          </p>
        </div>

        <div className="space-y-3">
          <h2 className="font-heading font-bold text-brand-charcoal text-x
l">2. How We Use Your Information</h2>
          <p className="font-body text-brand-grey text-sm sm:text-base lea
ding-relaxed">
            We use your personal information to process donations, send ta
x-exempt receipts, coordinate volunteer events, distribute impact newsletters, a
nd respond to your inquiries. We do not sell, rent, or trade donor lists or emai
l databases.
          </p>
        </div>

        <div className="space-y-3">
          <h2 className="font-heading font-bold text-brand-charcoal text-x
l">3. Payment & Security</h2>
          <p className="font-body text-brand-grey text-sm sm:text-base lea
ding-relaxed">
            All online donations are processed securely through industry-s
tandard encrypted gateways. Dua Trust does not store credit card or bank details
on our servers. Financial audits are conducted annually to maintain compliance
with government regulations.
          </p>
        </div>

        <div className="space-y-3">
          <h2 className="font-heading font-bold text-brand-charcoal text-x
l">4. Cookies & Analytics</h2>
          <p className="font-body text-brand-grey text-sm sm:text-base lea
ding-relaxed">
            Our website uses cookies to enhance browsing experiences and a
nalyze site traffic. You can choose to disable cookies in your web browser prefe
rences, although this may affect specific features of the payment portal.
          </p>
        </div>

        <div className="space-y-3">
          <h2 className="font-heading font-bold text-brand-charcoal text-x
l">5. Your Rights</h2>
          <p className="font-body text-brand-grey text-sm sm:text-base lea
ding-relaxed">
            You have the right to request a copy of the personal informati
on we hold about you, request corrections, or ask us to remove your details from
our communication lists. Contact us at hello@duacharitabletrust.org for inquiri
es.
          </p>

```



```

        </div>
        <div className="pt-6 border-t border-brand-sand/30 flex justify-between items-center text-xs text-brand-grey">
          <span>Last Updated: June 18, 2026</span>
          <span>Dua Charitable Trust © 2026</span>
        </div>
      </div>
    </ScrollRevealCard>
  </div>
</section>
</>
)
}

```

---

```

### File: `src/app/archive/page.tsx`
` `` `tsx
import { redirect } from 'next/navigation'

export default function ArchivePage() {
  redirect('/blog')
}
` `` `

```

---

```

### File: `src/app/projects/ProjectsPageClient.tsx`
` `` `tsx
'use client'

import { useState } from 'react'
import Image from 'next/image'
import Link from 'next/link'
import { motion, AnimatePresence } from 'framer-motion'
import { MapPin, ArrowRight } from 'lucide-react'
import { ScrollRevealCard } from '@components/ui/ScrollAnimations'

const categories = [
  'All Projects',
  'Education',
  'Healthcare',
  'Water & Sanitation',
  'Orphan Care',
  'Emergency Relief',
]

const projectsData = [
  {
    id: 1,
    category: 'Education',
    title: 'Build Schools in Rural Yemen',
    location: 'Yemen',
    raised: 32500,
    goal: 50000,
    beneficiaries: '300 students',
    image: 'https://images.unsplash.com/photo-1503676260728-1c00da094a0b?w=600&q=80',
  },

```

```
},
{
  id: 2,
  category: 'Water & Sanitation',
  title: 'Clean Water Wells in Somalia',
  location: 'Somalia',
  raised: 12000,
  goal: 30000,
  beneficiaries: '1,200 residents',
  image: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=600&q
=80',
},
{
  id: 3,
  category: 'Healthcare',
  title: 'Mobile Medical Clinics',
  location: 'Pakistan',
  raised: 32000,
  goal: 40000,
  beneficiaries: '800 families',
  image: 'https://images.unsplash.com/photo-1584515933487-779824d29309?w=600&q
=80',
},
{
  id: 4,
  category: 'Orphan Care',
  title: 'Sponsor Orphan Education',
  location: 'Bangladesh',
  raised: 13750,
  goal: 25000,
  beneficiaries: '150 children',
  image: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=600&q
=80',
},
{
  id: 5,
  category: 'Emergency Relief',
  title: 'Winter Warmth Relief Kits',
  location: 'Syria',
  raised: 13500,
  goal: 15000,
  beneficiaries: '2,000 refugees',
  image: 'https://images.unsplash.com/photo-1469571486292-0ba58a3f068b?w=600&q
=80',
},
{
  id: 6,
  category: 'Education',
  title: 'Vocational Training Centers',
  location: 'India',
  raised: 18000,
  goal: 20000,
  beneficiaries: '450 youth',
  image: 'https://images.unsplash.com/photo-1522202176988-66273c2fd55f?w=600&q
=80',
},
{
  id: 7,
  category: 'Healthcare',
  title: 'Maternal Healthcare Centers',
  location: 'Kenya',
  raised: 28000,
```

```
goal: 35000,
beneficiaries: '500 mothers',
image: 'https://images.unsplash.com/photo-1576091160550-2173dba999ef?w=600&q
=80',
},
{
  id: 8,
  category: 'Water & Sanitation',
  title: 'Rainwater Harvesting Systems',
  location: 'Nepal',
  raised: 8000,
  goal: 10000,
  beneficiaries: '350 households',
  image: 'https://images.unsplash.com/photo-1542601906990-b4d3fb778b09?w=600&q
=80',
},
{
  id: 9,
  category: 'Education',
  title: 'Solar-Powered Rural Classrooms',
  location: 'Afghanistan',
  raised: 15000,
  goal: 25000,
  beneficiaries: '200 students',
  image: 'https://images.unsplash.com/photo-1497633762265-9d179a990aa6?w=600&q
=80',
},
{
  id: 10,
  category: 'Healthcare',
  title: 'Emergency Pediatric Ward',
  location: 'Gaza',
  raised: 42000,
  goal: 60000,
  beneficiaries: '400 children/month',
  image: 'https://images.unsplash.com/photo-1516627145497-ae6968895b74?w=600&q
=80',
},
{
  id: 11,
  category: 'Water & Sanitation',
  title: 'Deep Well Water Handpumps',
  location: 'Sudan',
  raised: 9000,
  goal: 15000,
  beneficiaries: '900 villagers',
  image: 'https://images.unsplash.com/photo-1518391846015-55a9cc003b25?w=600&q
=80',
},
{
  id: 12,
  category: 'Orphan Care',
  title: 'Orphan Shelter Renovation',
  location: 'Lebanon',
  raised: 21000,
  goal: 30000,
  beneficiaries: '120 orphans',
  image: 'https://images.unsplash.com/photo-1540479859555-17af45c78602?w=600&q
=80',
},
{
  id: 13,
```

```
category: 'Emergency Relief',
title: 'Emergency Food Basket Distribution',
location: 'Yemen',
raised: 11000,
goal: 12000,
beneficiaries: '1,500 families',
image: 'https://images.unsplash.com/photo-1509099836639-18ba1795216d?w=600&q
=80',
},
{
  id: 14,
  category: 'Education',
  title: 'Girls Secondary School Scholarships',
  location: 'Pakistan',
  raised: 19500,
  goal: 30000,
  beneficiaries: '100 girls',
  image: 'https://images.unsplash.com/photo-1519331379826-f10be5486c6f?w=600&q
=80',
},
{
  id: 15,
  category: 'Healthcare',
  title: 'Rural Eye Cataract Surgery Camp',
  location: 'Bangladesh',
  raised: 7500,
  goal: 10000,
  beneficiaries: '250 patients',
  image: 'https://images.unsplash.com/photo-1579684389782-64d84b5e905d?w=600&q
=80',
},
{
  id: 16,
  category: 'Water & Sanitation',
  title: 'Sanitation Facilities in Urban Slums',
  location: 'India',
  raised: 25000,
  goal: 40000,
  beneficiaries: '2,500 residents',
  image: 'https://images.unsplash.com/photo-1532938911079-1b06ac7ceec7?w=600&q
=80',
},
{
  id: 17,
  category: 'Orphan Care',
  title: 'Nutritional Support Program',
  location: 'Somalia',
  raised: 14000,
  goal: 20000,
  beneficiaries: '300 children',
  image: 'https://images.unsplash.com/photo-1517486808906-6ca8b3f04846?w=600&q
=80',
},
{
  id: 18,
  category: 'Emergency Relief',
  title: 'Flood Relief Shelter Kits',
  location: 'Pakistan',
  raised: 35000,
  goal: 50000,
  beneficiaries: '1,000 families',
  image: 'https://images.unsplash.com/photo-1464822759023-fed622ff2c3b?w=600&q
```

```
=80',
},
{
  id: 19,
  category: 'Education',
  title: 'Teacher Training Workshops',
  location: 'Kenya',
  raised: 6000,
  goal: 10000,
  beneficiaries: '150 teachers',
  image: 'https://images.unsplash.com/photo-1427504494785-3a9ca7044f45?w=600&q
=80',
},
{
  id: 20,
  category: 'Healthcare',
  title: 'Mobile Dental Clinic Outreach',
  location: 'Nepal',
  raised: 11000,
  goal: 15000,
  beneficiaries: '600 students',
  image: 'https://images.unsplash.com/photo-1588776814546-1ffcf47267a5?w=600&q
=80',
},
{
  id: 21,
  category: 'Water & Sanitation',
  title: 'Solar Water Wells Project',
  location: 'Mali',
  raised: 22000,
  goal: 35000,
  beneficiaries: '1,800 residents',
  image: 'https://images.unsplash.com/photo-1504198453319-5ce911bafcdc?w=600&q
=80',
},
{
  id: 22,
  category: 'Orphan Care',
  title: 'Medical Sponsorship for Orphans',
  location: 'Syria',
  raised: 16500,
  goal: 25000,
  beneficiaries: '200 children',
  image: 'https://images.unsplash.com/photo-1532629345422-7515f3d16bb6?w=600&q
=80',
},
{
  id: 23,
  category: 'Emergency Relief',
  title: 'Earthquake Recovery Assistance',
  location: 'Turkey',
  raised: 45000,
  goal: 50000,
  beneficiaries: '500 families',
  image: 'https://images.unsplash.com/photo-1594897030264-ab7d87efc473?w=600&q
=80',
},
{
  id: 24,
  category: 'Orphan Care',
  title: 'School Supplies and Uniforms',
  location: 'Afghanistan',
```

```

    raised: 8500,
    goal: 12000,
    beneficiaries: '400 orphans',
    image: 'https://images.unsplash.com/photo-1495556650867-99590cea3657?w=600&q
=80',
  },
]

```

```

const getBadgeStyles = (category: string) => {
  switch (category) {
    case 'Education':
      return 'bg-blue-50 text-blue-700 border-blue-100'
    case 'Healthcare':
      return 'bg-rose-50 text-rose-700 border-rose-100'
    case 'Water & Sanitation':
      return 'bg-cyan-50 text-cyan-700 border-cyan-100'
    case 'Orphan Care':
      return 'bg-purple-50 text-purple-700 border-purple-100'
    case 'Emergency Relief':
      return 'bg-amber-50 text-amber-700 border-amber-100'
    default:
      return 'bg-gray-50 text-gray-700 border-gray-100'
  }
}

```

```

export default function ProjectsPageClient() {
  const [activeCategory, setActiveCategory] = useState('All Projects')

  const filtered = projectsData.filter((p) => {
    if (activeCategory === 'All Projects') return true
    return p.category === activeCategory
  })

  return (
    <>
      { /* Hero Section */ }
      <section
        className="bg-brand-cream pt-36 pb-16 md:pt-44 md:pb-24 border-b border-
brand-sand/30 relative"
        aria-labelledby="projects-hero-heading"
      >
        { /* Editorial ambient light glows */ }
        <div className="absolute top-[-10%] right-[-5%] w-[350px] h-[350px] bg-b
rand-amber/10 rounded-full blur-[80px] pointer-events-none" />
        <div className="absolute top-[10%] left-[-5%] w-[350px] h-[350px] bg-bra
nd-blue-light/5 rounded-full blur-[80px] pointer-events-none" />

        <div className="container-wide px-4 lg:px-8">
          <div className="max-w-3xl mx-auto text-center">
            <span className="inline-flex items-center gap-1.5 px-3.5 py-1.5 roun
ded-full bg-brand-cream/80 border border-brand-sand/60 text-xs font-bold trackin
g-widest text-brand-blue-light uppercase mb-6 shadow-sm">
              <span className="w-1.5 h-1.5 rounded-full bg-brand-amber animate-p
ulse-dot" />
              Our Initiatives
            </span>
            <h1
              id="projects-hero-heading"
              className="font-heading text-4xl sm:text-5xl lg:text-6xl font-bold
text-brand-blue leading-[1.15] mb-6"
            >
              Our Active <span className="italic font-normal text-brand-amber-da

```

```

rk">Projects</span>
</h1>
<p className="font-body text-brand-grey text-base sm:text-lg leading
-relaxed max-w-xl mx-auto">
  Empowering communities through sustainable development
</p>
</div>
</div>
</section>

{/* Filter Navigation */}
<section
  className="bg-[#FBF7F0] border-b border-brand-sand/40 py-4"
  aria-label="Category filter"
>
  <div className="container-wide px-4 lg:px-8 flex items-center justify-ce
nter">
    <div className="flex items-center gap-2.5 overflow-x-auto pb-1.5 sm:pb
-0 scrollbar-none w-full md:w-auto justify-start md:justify-center">
      {categories.map((cat) => {
        const isActive = activeCategory === cat
        return (
          <button
            key={cat}
            onClick={() => setActiveCategory(cat)}
            className={`flex-shrink-0 px-5 py-2.5 rounded-full text-xs fon
t-semibold font-body transition-all duration-300 cursor-pointer border relative
group
          ${
            isActive
              ? 'bg-brand-blue border-brand-blue text-white shadow-sm
hover:bg-brand-blue/90'
              : 'bg-white border-brand-sand/60 text-brand-grey hover:t
ext-brand-blue hover:border-brand-blue/30'
            }`
            aria-pressed={isActive}
            id={`filter-${cat.toLowerCase().replace(/^[a-z0-9]+/g, '-')}`}
          >
            <span className="relative inline-block py-0.5">
              {cat}
              {!isActive && (
                <span className="absolute bottom-0 left-0 right-0 h-[2px]
bg-brand-blue scale-x-0 group-hover:scale-x-100 transition-transform duration-30
0 origin-center" />
              )}
            </span>
          </button>
        )
      })}
    </div>
  </div>
</section>

{/* Projects Listing */}
<section className="py-16 md:py-24 bg-white" aria-label="Projects list">
  <div className="container-wide px-4 lg:px-8">
    <div className="max-w-[1100px] mx-auto">
      {/* Show Count */}
      <div className="flex items-center justify-between mb-8">
        <p className="font-body text-sm text-brand-grey">
          Showing{' '}
          <span className="font-semibold text-brand-blue">{filtered.length

```

```

}</span>{' '}
    of{' '}
    <span className="font-semibold text-brand-blue">
      {projectsData.length}
    </span>{' '}
    projects
  </p>
</div>

{/* Grid */}
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8
min-h-[400px]">
  <AnimatePresence mode="popLayout">
    {filtered.map((project) => {
      const percent = Math.min(
        Math.round((project.raised / project.goal) * 100),
        100
      )
      const badgeStyles = getBadgeStyles(project.category)
      return (
        <motion.div
          key={project.id}
          layout
          initial={{ opacity: 0, y: 15 }}
          animate={{ opacity: 1, y: 0 }}
          exit={{ opacity: 0, y: -15 }}
          transition={{ duration: 0.35, ease: 'easeInOut' }}
        >
          <ScrollRevealCard delay={0} className="h-full">
            <article className="card overflow-hidden flex flex-col g
roup border border-brand-sand/30 hover:border-brand-amber/30 hover:scale-[1.02]
hover:shadow-card-hover transition-all duration-300 h-full w-full bg-white relat
ive">
              {/* Image with gradient overlay */}
              <div className="relative h-52 w-full overflow-hidden b
g-brand-cream border-b border-brand-sand/20">
                <Image
                  src={project.image}
                  alt={project.title}
                  fill
                  className="object-cover transition-transform durat
ion-700 group-hover:scale-105"
                  sizes="(max-width: 768px) 100vw, 33vw"
                />
                <div className="absolute inset-0 bg-gradient-to-t fr
om-black/50 via-transparent to-transparent pointer-events-none" />
                {/* Category Badge */}
                <span
                  className={`absolute top-4 right-4 z-20 border tex
t-[10px] font-bold tracking-widest uppercase px-3 py-1 rounded-full shadow-sm ${
badgeStyles}`}
                >
                  {project.category}
                </span>
              </div>
              {/* Content */}
              <div className="p-6 flex flex-col flex-grow">
                {/* Location */}
                <span className="flex items-center gap-1.5 text-xs t
ext-brand-grey font-body mb-3">

```



```

        <MapPin size={14} className="text-brand-blue-light
" />
        {project.location}
    </span>

    {/* Title */}
    <h3 className="font-heading font-bold text-brand-cha
rcoal text-lg mb-4 leading-snug group-hover:text-brand-blue transition-colors du
ration-200 min-h-[56px] flex items-start">
        {project.title}
    </h3>

    {/* Stats */}
    <div className="mt-auto space-y-4">
        {/* Animated Progress Bar */}
        <div>
            <div className="flex justify-between text-xs fon
t-body font-semibold text-brand-charcoal mb-1.5">
                <span>{percent}% Funded</span>
            </div>
            <div className="w-full bg-brand-sand/40 h-2 roun
ded-full overflow-hidden">
                <motion.div
                    initial={{ width: 0 }}
                    whileInView={{ width: `${percent}%` }}
                    viewport={{ once: true }}
                    transition={{ duration: 1, ease: 'easeOut' }}
                </motion.div>
                <div className="bg-brand-blue h-full rounded-full
" />
            </div>
        </div>

        {/* Raised & Goal */}
        <div className="flex items-center justify-between
text-xs font-body text-brand-grey border-t border-brand-sand/20 pt-3">
            <div>
                <p className="text-[10px] uppercase font-bold
tracking-wider text-brand-grey/50">
                    Raised
                </p>
                <p className="font-semibold text-brand-blue">
                    ${project.raised.toLocaleString()}
                </p>
            </div>
            <div className="text-right">
                <p className="text-[10px] uppercase font-bold
tracking-wider text-brand-grey/50">
                    Goal
                </p>
                <p className="font-semibold text-brand-charcoa
l">
                    ${project.goal.toLocaleString()}
                </p>
            </div>
        </div>

        {/* Quick stats: Beneficiaries */}
        <div className="text-xs font-body text-brand-grey
bg-brand-cream/40 p-2 rounded-lg border border-brand-sand/10 italic flex items-c
enter justify-between">

```



```
}...
```

```
---
```

```
### File: `src/app/terms/page.tsx`
```

```
````tsx
import type { Metadata } from 'next'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@components/ui/ScrollAnimations'
```

```
export const metadata: Metadata = {
  title: 'Terms of Use - Dua Charitable Trust',
  description: 'Terms and conditions governing the use of the Dua Charitable Trust website and services.',
}
```

```
export default function TermsPage() {
  return (
```

```
    <>
      { /* ===== HEADER ===== */ }
      <section className="relative bg-[#0F233B] pt-36 pb-20 overflow-hidden" aria-label="Terms of Use Header">
        { /* Ambient blurs */ }
        <div className="absolute top-[-20%] right-[-10%] w-[500px] h-[500px] bg-brand-amber/10 rounded-full blur-[100px] pointer-events-none" />
        <div className="absolute bottom-[-30%] left-[-10%] w-[500px] h-[500px] bg-brand-blue-light/10 rounded-full blur-[100px] pointer-events-none" />
```

```
        { /* Mesh grid pattern */ }
        <div className="absolute inset-0 pointer-events-none opacity-[0.03]" aria-hidden="true">
          <div className="w-full h-full bg-[linear-gradient(to_right,#ffffff_1px,transparent_1px),linear-gradient(to_bottom,#ffffff_1px,transparent_1px)] bg-[size:4rem_4rem]" />
        </div>
```

```
        <div className="relative container-wide z-10 text-center px-4">
          <p className="section-label text-brand-amber/80 mb-3">Legal & Compliance</p>
```

```
          <h1 className="font-heading text-4xl sm:text-5xl lg:text-6xl !text-white font-bold mb-5 leading-tight">
```

```
            <ScrollRevealTypewriter text="Terms of Use" />
```

```
          </h1>
```

```
          <p className="font-body text-white/90 text-base sm:text-lg max-w-xl mx-auto leading-relaxed">
```

```
            <ScrollRevealWords text="The rules and guidelines for interacting with our digital channels, donation portals, and community services." />
```

```
          </p>
```

```
        </div>
```

```
      </section>
```

```
      { /* ===== CONTENT BODY ===== */ }
```

```
      <section className="py-20 md:py-28 bg-[#FBF7F0]" aria-label="Terms of Use content">
```

```
        <div className="container-wide max-w-3xl mx-auto px-4">
```

```
          <ScrollRevealCard delay={0.1}>
```

```
            <div className="bg-white rounded-[32px] p-8 sm:p-12 border border-brand-sand/35 shadow-card space-y-8 text-left">
```

```
              <div className="space-y-3">
```

```
                <h2 className="font-heading font-bold text-brand-charcoal text-x
```

## 1. Acceptance of Terms

By accessing and using this website, you agree to comply with and be bound by these Terms of Use and our Privacy Policy. If you do not agree, please discontinue using our digital platforms.

## 2. Proper Use

You agree to use this site only for lawful purposes related to learning about, volunteering with, or donating to the Dua Charitable Trust. You may not upload malicious code, attempt unauthorized access, or misrepresent your identity.

## 3. Donations & Refunds

All donations made through our secure portal are voluntary. Once a donation is finalized, refunds are generally not permitted unless a technical error occurred. Tax exemption documentation (Section 80G) will be emailed within 48 hours.

## 4. Intellectual Property

All content, branding logos, text, and images on this website are the property of Dua Charitable Trust or licensed Unsplash contributors. Content may not be copied, modified, or republished without written consent.

## 5. Limitation of Liability

Dua Trust makes every effort to keep our web services online and free of errors. However, we are not liable for any temporary service interruptions, network failures, or details provided by third-party links.

Last Updated: June 18, 2026  
Dua Charitable Trust © 2026

```

        </ScrollRevealCard>
      </div>
    </section>
  </>
)
}

```

---

```

### File: `src/app/about/page.tsx`

```

```

`tsx
import type { Metadata } from 'next'
import Image from 'next/image'
import Link from 'next/link'
import {
  Heart, Users, Eye, Target,
  Shield, Lightbulb, HandHeart
} from 'lucide-react'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@components/ui/ScrollAnimations'

```

```

export const metadata: Metadata = {
  title: 'About Us - Our Story, Mission & Team',
  description:
    'Learn about Dua Trust - our story since 2006, mission, vision, values, mile
stones, team, and global partners.',
}

```

```

const values = [
  {
    icon: Shield,
    title: 'Transparency',
    desc: 'We publish detailed annual reports and maintain open books so every d
onor knows exactly where their contribution goes.',
    color: 'bg-blue-50 text-brand-blue',
  },
  {
    icon: Heart,
    title: 'Compassion',
    desc: 'Every program begins with listening. We build with communities, not f
or them, ensuring dignity at every step.',
    color: 'bg-rose-50 text-rose-600',
  },
  {
    icon: Lightbulb,
    title: 'Impact',
    desc: 'We measure success by sustainable outcomes - families lifted, childre
n educated, health improved.',
    color: 'bg-amber-50 text-brand-amber-dark',
  },
  {
    icon: HandHeart,
    title: 'Community',
    desc: 'We believe lasting change happens when communities lead. We exist to
amplify local voices and strengths.',
    color: 'bg-green-50 text-green-700',
  },
]

```

```

const milestones = [
  {

```

```

    year: '2006',
    title: 'Foundation',
    desc: 'Dua Trust founded with a single community kitchen serving 50 families
in Mumbai.',
  },
  {
    year: '2012',
    title: 'Growth',
    desc: 'Expanded to 5 states, launched the Education Scholarship Fund, reache
d 5,000 beneficiaries.',
  },
  {
    year: '2018',
    title: 'National Scale',
    desc: 'Opened 20+ field offices, launched maternal health program, passed 25
,000 lives impacted milestone.',
  },
  {
    year: '2024',
    title: 'Global Reach',
    desc: 'Partnered with 120+ international organizations, 50,000+ beneficiarie
s, 6 active program domains.',
  },
]

```

```

const team = [
  { name: 'Sheikh Abdullah Dua', role: 'Founder & Chairman', img: 'https://image
s.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=300&q=80' },
  { name: 'Dr. Fatima Rashid', role: 'Executive Director', img: 'https://images.
unsplash.com/photo-1494790108377-be9c29b29330?w=300&q=80' },
  { name: 'Ahmed Khan', role: 'Program Director', img: 'https://images.unsplash.
com/photo-1472099645785-5658abf4ff4e?w=300&q=80' },
  { name: 'Zara Siddiqui', role: 'Head of Community', img: 'https://images.unspl
ash.com/photo-1534528741775-53994a69daeb?w=300&q=80' },
  { name: 'Omar Farooq', role: 'Head of Healthcare', img: 'https://images.unspla
sh.com/photo-1500648767791-00dcc994a43e?w=300&q=80' },
  { name: 'Nadia Hussain', role: 'Head of Education', img: 'https://images.unspl
ash.com/photo-1438761681033-6461ffad8d80?w=300&q=80' },
]

```

```

const partners = ['NGO Alliance', 'Global Health Fund', 'Education First', 'UNIC
EF Partner', 'WHO Affiliate', 'UN SDG Partner']

```

```

export default function AboutPage() {
  return (
    <>
      { /* ===== HERO ===== */ }
      <section className="relative min-h-[60vh] flex items-center overflow-hidde
n" aria-label="About hero">
        <div className="absolute inset-0">
          <Image
            src="https://images.unsplash.com/photo-1509099836639-18ba1795216d?w=
1600&q=85"
            alt="Driven by purpose"
            fill priority className="object-cover" sizes="100vw"
          />
          <div className="absolute inset-0 bg-[#0F233B]/45 backdrop-blur-[1px]"
            aria-hidden="true" />
          <div className="absolute inset-0 bg-gradient-to-b from-[#0F233B]/20 vi
a-transparent to-[#FBF7F0]" aria-hidden="true" />
        </div>

```

```

    { /* Editorial ambient light glows */ }
    <div className="absolute top-[-20%] right-[-10%] w-[400px] h-[400px] bg-
brand-amber/15 rounded-full blur-[90px] pointer-events-none" />
    <div className="absolute bottom-[-30%] left-[-10%] w-[400px] h-[400px] b
g-brand-blue-light/10 rounded-full blur-[90px] pointer-events-none" />

    { /* Mesh grid pattern */ }
    <div className="absolute inset-0 pointer-events-none opacity-[0.03]" ari
a-hidden="true">
      <div className="w-full h-full bg-[linear-gradient(to_right,#ffffff_1px
,transparent_1px),linear-gradient(to_bottom,#ffffff_1px,transparent_1px)] bg-[si
ze:4rem_4rem]" />
    </div>

    <div className="relative container-wide pt-36 pb-24 z-10 px-4">
      <span className="badge bg-brand-amber/30 text-brand-amber border borde
r-brand-amber/20 text-xs font-semibold tracking-widest uppercase mb-4 inline-blo
ck shadow-sm">
        Who We Are
      </span>
      <h1 className="font-heading text-4xl sm:text-5xl lg:text-7xl !text-whi
te font-bold leading-tight mb-4">
        <ScrollRevealTypewriter text="Driven By " />
        <span className="text-brand-amber italic font-normal">
          <ScrollRevealTypewriter text="Purpose" delay={0.4} />
        </span>
      </h1>
      <p className="font-body text-white/95 text-base sm:text-lg max-w-xl le
ading-relaxed">
        <ScrollRevealWords text="Creating lasting impact across communities
- one life, one family, one village at a time." />
      </p>
    </div>
  </section>

  { /* ===== OUR STORY (Content / Decorative SVG split) =====
===== */ }
  <section id="programs" className="py-20 md:py-28 lg:py-32 bg-white overflo
w-hidden" aria-label="Our story">
    <div className="container-wide">
      <div className="grid lg:grid-cols-[5fr_8fr] gap-16 items-center">

        { /* Story Text */ }
        <div>
          <p className="section-label mb-3">Our Journey</p>
          <h2 className="section-title mb-6 leading-tight">
            <ScrollRevealTypewriter text="Our Story" />
          </h2>
          <div className="space-y-6 font-body text-brand-grey leading-relaxe
d text-base">
            <p>
              <ScrollRevealWords text="Dua Trust was born in 2006 from a sim
ple belief: that every person deserves access to education, healthcare, and a li
fe of dignity. What began as a community kitchen serving 50 families in Mumbai h
as grown into a national movement touching over 50,000 lives." />
            </p>
            <p>
              <ScrollRevealWords text="Our founder, Sheikh Abdullah Dua, wit
nessed firsthand the devastating effects of poverty and inequality. Driven by fa
ith, compassion, and an unshakeable belief in human potential, he gathered a sma
ll group of volunteers and started with what he had - a kitchen, a prayer, and a
promise." />
            </p>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

        </p>
        <p>
            <ScrollRevealWords text="Today, Dua Trust operates across 6 pr
ogram domains, partnering with over 120 organizations globally to deliver educat
ion, healthcare, women empowerment, environmental conservation, emergency relief
, and community welfare programs." />
        </p>
    </div>
</div>

    {/* Right: Decorative SVG Art */}
    <ScrollRevealCard delay={0.2} yOffset={40}>
        <div className="relative h-[320px] lg:h-[450px] bg-[#F8F7F0] round
ed-[32px] border border-brand-sand/65 flex items-center justify-center overflow-
hidden group hover:border-brand-amber/35 transition-colors duration-300">
            {/* Ambient radial gradient */}
            <div className="absolute inset-0 bg-radial-gradient from-brand-a
mber/10 to-transparent pointer-events-none" />

            {/* Inline Editorial SVG representing Organic Growth and Connect
ion */}
            <svg viewBox="0 0 200 200" className="w-[85%] h-[85%] text-brand
-blue" fill="none" stroke="currentColor" strokeWidth="1.5">
                {/* Intersecting wavy orbital paths */}
                <path d="M20,100 Q60,20 100,100 T180,100" strokeDasharray="3 3
" opacity="0.4" />
                <path d="M20,100 Q60,180 100,100 T180,100" strokeDasharray="1
2" opacity="0.4" strokeWidth="1" />

                {/* Spiral flower of life / growth structure */}
                <circle cx="100" cy="100" r="10" className="fill-brand-amber/2
0 stroke-brand-amber" strokeWidth="1" />
                <circle cx="100" cy="100" r="30" opacity="0.8" />
                <circle cx="100" cy="100" r="50" strokeDasharray="5 5" opacity
="0.6" />
                <circle cx="100" cy="100" r="70" opacity="0.4" />

                {/* Floating nodes representing community milestones */}
                <circle cx="60" cy="60" r="4" className="fill-brand-blue" />
                <circle cx="140" cy="60" r="5" className="fill-brand-amber" />
                <circle cx="140" cy="140" r="4" className="fill-brand-blue" />
                <circle cx="60" cy="140" r="6" className="fill-brand-amber" />

                {/* Handdrawn organic lines connecting them */}
                <path d="M60,60 C80,80 80,90 100,100" opacity="0.7" />
                <path d="M140,60 C120,80 120,90 100,100" opacity="0.7" />
                <path d="M140,140 C120,120 120,110 100,100" opacity="0.7" stro
keDasharray="2 2" />
                <path d="M60,140 C80,120 80,110 100,100" opacity="0.7" />
            </svg>

            {/* Floating micro stats label */}
            <div className="absolute bottom-6 right-6 bg-white py-3 px-5 rou
nded-2xl shadow-card border border-brand-sand/50 text-right group-hover:-transla
te-y-1 transition-transform">
                <span className="font-heading text-xl font-bold text-brand-blue">18+ Years</span>
                <p className="font-body text-[10px] text-brand-grey uppercase
tracking-wider">Active Service</p>
            </div>
        </ScrollRevealCard>

```



```
    </div>
  </div>
</section>
```

```
===== { /* ===== MISSION & VISION (Blue and Amber Borders) =====
*/ }
<section className="py-20 md:py-28 lg:py-32 bg-[#FBF7F0] border-t border-b
border-brand-sand/40 overflow-hidden" aria-label="Mission and vision">
  <div className="container-wide">
    <div className="text-center mb-16">
      <p className="section-label mb-3">Our Purpose</p>
      <h2 className="section-title leading-tight">
        <ScrollRevealTypewriter text="Mission & Vision" />
      </h2>
    </div>

    <div className="grid md:grid-cols-2 gap-8 max-w-4xl mx-auto px-4">
      { /* Mission Card: Blue border */ }
      <ScrollRevealCard delay={0}>
        <div className="bg-white rounded-[32px] p-8 md:p-12 border-2 borde
r-brand-blue shadow-card h-full hover:-translate-y-1 hover:shadow-card-hover tra
nsition-all duration-300">
          <div className="w-12 h-12 bg-brand-blue/10 rounded-2xl flex item
s-center justify-center mb-6">
            <Target size={22} className="text-brand-blue" />
          </div>
          <h3 className="font-heading text-2xl font-bold text-brand-charco
al mb-4">Mission</h3>
          <p className="font-body text-brand-grey leading-relaxed text-sm
sm:text-base">
            To create equitable, compassionate, and sustainable communitie
s by delivering transformative
            programs in education, health, and social welfare – empowering
            individuals to reach their
            full potential.
          </p>
        </div>
      </ScrollRevealCard>

      { /* Vision Card: Amber border */ }
      <ScrollRevealCard delay={0.15}>
        <div className="bg-white rounded-[32px] p-8 md:p-12 border-2 borde
r-brand-amber shadow-card h-full hover:-translate-y-1 hover:shadow-card-hover tr
ansition-all duration-300">
          <div className="w-12 h-12 bg-brand-amber/10 rounded-2xl flex ite
ms-center justify-center mb-6">
            <Eye size={22} className="text-brand-amber-dark" />
          </div>
          <h3 className="font-heading text-2xl font-bold text-brand-charco
al mb-4">Vision</h3>
          <p className="font-body text-brand-grey leading-relaxed text-sm
sm:text-base">
            A world where no child goes uneducated, no mother lacks health
care, and every community
            has the resources and dignity to flourish – driven by the coll
ective will to act.
          </p>
        </div>
      </ScrollRevealCard>
    </div>
  </div>
```

</section>

=====   
 { /\* ===== VALUES (White cards, Centered, Soft Shadow) =====   
 \*/ }

<section className="py-20 md:py-28 lg:py-32 bg-white overflow-hidden" aria-label="Our values">

<div className="container-wide">

<div className="text-center mb-16">

<p className="section-label mb-3">What Drives Us</p>

<h2 className="section-title leading-tight">

<ScrollRevealTypewriter text="Our Values" />

</h2>

</div>

<div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-8 px-4">

{values.map(({ icon: Icon, title, desc, color }, idx) => (

<ScrollRevealCard key={title} delay={idx \* 0.08}>

<div className="bg-white rounded-[32px] p-8 text-center flex flex-col items-center gap-5 shadow-card hover:shadow-card-hover hover:border-brand-amber/20 transition-all duration-300 border border-brand-sand/30 h-full">

<div className={`\${w-14 h-14 rounded-2xl flex items-center justify-center} \${color}`>

<Icon size={24} />

</div>

<h3 className="font-heading font-bold text-brand-charcoal text-lg">{title}</h3>

<p className="font-body text-xs sm:text-sm text-brand-grey leading-relaxed">{desc}</p>

</div>

</ScrollRevealCard>

))}

</div>

</div>

</section>

=====   
 { /\* ===== MILESTONES (Alternate Blue / Amber node timeline) =====   
 \*/ }

<section className="py-20 md:py-28 lg:py-32 bg-[#FBF7F0] overflow-hidden" aria-label="Our milestones">

<div className="container-wide">

<div className="text-center mb-16">

<p className="section-label mb-3">Our Journey</p>

<h2 className="section-title leading-tight">

<ScrollRevealTypewriter text="Milestones" />

</h2>

</div>

<div className="relative max-w-3xl mx-auto px-4">

{ /\* Timeline center line \*/ }

<div className="absolute left-8 top-0 bottom-0 w-px bg-brand-sand hidden sm:block" aria-hidden="true" />

<div className="space-y-10">

{milestones.map((m, i) => {

const isBlue = i % 2 === 0

return (

<ScrollRevealCard key={m.year} delay={i \* 0.1}>

<div className="flex gap-6 items-start">

<div className="relative flex-shrink-0">

{ /\* Alternating Blue and Amber timeline circle nodes \*/ }

</div>

```

        className={`w-16 h-16 rounded-full flex items-center justify-center shadow-card z-10 relative border-2 border-white ${isBlue ? 'bg-brand-blue text-white' : 'bg-brand-amber text-brand-charcoal'}}`
      >
        <span className="font-body text-xs font-bold">{m.year}</span>
      </div>
    </div>

    {/* Content Box */}
    <div className="bg-white rounded-[32px] p-6 sm:p-8 flex-1 mt-2 shadow-card hover:shadow-card-hover transition-shadow duration-300 border border-brand-sand/30">
      <h3 className="font-heading font-bold text-brand-charcoal text-lg mb-2">{m.title}</h3>
      <p className="font-body text-xs sm:text-sm text-brand-grey leading-relaxed">{m.desc}</p>
    </div>
  </ScrollRevealCard>
}
})}
</div>
</div>
</div>
</section>

{/* ===== TEAM ===== */}
<section className="py-20 md:py-28 lg:py-32 bg-white overflow-hidden" aria-label="Our team">
  <div className="container-wide">
    <div className="text-center mb-16">
      <p className="section-label mb-3">The People</p>
      <h2 className="section-title leading-tight">
        <ScrollRevealTypewriter text="Meet Our Team" />
      </h2>
      <p className="section-subtitle mx-auto mt-4 text-center">
        <ScrollRevealWords text="Dedicated professionals united by a shared commitment to creating lasting change." />
      </p>
    </div>
    <div className="grid grid-cols-2 sm:grid-cols-3 lg:grid-cols-6 gap-6 px-4">
      {team.map((member, idx) => (
        <ScrollRevealCard key={member.name} delay={idx * 0.05} yOffset={20}>
          <div className="bg-white rounded-[32px] p-5 text-center group shadow-card hover:shadow-card-hover border border-brand-sand/30 hover:border-brand-amber/35 hover:-translate-y-1.5 transition-all duration-300 h-full flex flex-col justify-between">
            <div>
              {/* Avatar Ring with dual gradient */}
              <div className="w-20 h-20 mx-auto mb-4 rounded-full bg-gradient-to-tr from-brand-blue to-brand-amber p-[2px] shadow-md ring-4 ring-brand-blue/5 group-hover:scale-105 transition-transform duration-300">
                <div className="w-full h-full rounded-full overflow-hidden relative bg-brand-cream">
                  <Image src={member.img} alt={member.name} fill className="object-cover transition-transform duration-500 group-hover:scale-105" sizes="80px" />
                </div>
            </div>

```

```

        </div>
        <h3 className="font-heading font-bold text-brand-charcoal te
xt-xs sm:text-sm leading-snug group-hover:text-brand-blue transition-colors dura
tion-200">{member.name}</h3>
    </div>
    <p className="font-body text-[10px] sm:text-xs text-brand-grey
mt-2 uppercase tracking-wide">{member.role}</p>
</div>
</ScrollRevealCard>
    )})
</div>
</div>
</section>

```

```

{ /* ===== PARTNERS ===== */ }
<section className="py-20 md:py-28 bg-[#FBF7F0] overflow-hidden" aria-labe
l="Our partners">
    <div className="container-wide">
        <div className="text-center mb-12">
            <p className="section-label mb-3">Trusted By</p>
            <h2 className="section-title leading-tight">
                <ScrollRevealTypewriter text="Our Partners" />
            </h2>
        </div>
        <div className="flex flex-wrap justify-center gap-4 px-4">
            {partners.map((p, idx) => (
                <ScrollRevealCard key={p} delay={idx * 0.05} yOffset={10}>
                    <div
                        className="px-6 py-3 bg-white rounded-full shadow-card font-bo
dy font-semibold
                        text-xs sm:text-sm text-brand-blue hover:shadow-car
d-hover hover:text-brand-amber-dark
                        transition-all duration-200 cursor-default border b
order-brand-sand/30"
                    >
                        {p}
                    </div>
                </ScrollRevealCard>
            )})}
        </div>
    </div>
</section>

```

```

{ /* ===== JOIN CTA ===== */ }
<section className="py-20 md:py-28 lg:py-32 bg-[#FBF7F0] relative overflow
-hidden" aria-label="Join our mission">

    { /* Inline decorative SVG line/paths to match spec exactly */ }
    <div className="absolute inset-0 pointer-events-none opacity-[0.06] flex
items-center justify-center" aria-hidden="true">
        <svg viewBox="0 0 300 150" className="w-[900px] h-[450px] text-brand-b
lue" fill="none" stroke="currentColor" strokeWidth="1">
            <path d="M-50,75 C50,25 100,125 150,75 C200,25 250,125 350,75" strok
eDasharray="3 3" />
            <path d="M-50,90 C50,40 100,140 150,90 C200,40 250,140 350,90" />
            <path d="M-50,60 C50,10 100,110 150,60 C200,10 250,110 350,60" opaci
ty="0.5" />
        </svg>
    </div>

    <div className="container-wide text-center relative z-10">
        <h2 className="font-heading text-3xl sm:text-4xl lg:text-5xl text-bran

```

```

d-charcoal font-bold mb-6 leading-tight">
    <ScrollRevealTypewriter text="Join Our " />
    <span className="text-brand-amber italic font-normal">
        <ScrollRevealTypewriter text="Mission" delay={0.4} />
    </span>
</h2>
<p className="font-body text-brand-grey text-sm sm:text-base mb-10 max
-w-xl mx-auto leading-relaxed">
    <ScrollRevealWords text="Your support – whether through donating tim
e, vocational skills, or financial resources – helps us empower more communities
to stand strong." />
</p>
<div className="flex flex-wrap gap-4 justify-center">
    <Link href="/community" className="btn-ghost border-brand-blue text-
brand-blue hover:bg-brand-blue hover:text-white px-8 py-3.5 rounded-full font-me
dium cursor-pointer" id="about-community-btn">
        Explore Community
    </Link>
    <Link href="/contact#volunteer" className="btn-ghost border-brand-bl
ue text-brand-blue hover:bg-brand-blue hover:text-white px-8 py-3.5 cursor-point
er" id="about-volunteer-btn">
        Volunteer
    </Link>
    <Link href="/projects" className="btn-amber px-8 py-3.5 rounded-full
text-brand-charcoal font-semibold shadow-md cursor-pointer" id="about-donate-bt
n">
        Donate Now
    </Link>
</div>
</div>
</section>
</>
)
}
...
---

```

```

### File: `src/app/blog/BlogPageClient.tsx`
```tsx
'use client'

```

```

import { useState, useEffect, useMemo } from 'react'
import Image from 'next/image'
import Link from 'next/link'
import { useRouter, useSearchParams } from 'next/navigation'
import { motion, AnimatePresence } from 'framer-motion'
import { Search, Calendar, User, ArrowRight, BookOpen, Trophy, Filter, X, Chevro
nDown } from 'lucide-react'
import { formatDate } from '@lib/utils'
import { publicationsData, PublicationItem, PublicationType } from '@data/publi
cations'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@c
omponents/ui/ScrollAnimations'

const categories = [
  'All',
  'Education',
  'Healthcare',
  'Community',
  'Environment',

```

```

    'Projects',
    'Events',
    'Milestones',
    'Awards',
    'Campaigns',
  ]

  const years = ['All Years', '2026', '2025']
  const months = ['All Months', '01', '02', '03', '04', '05', '06', '07', '08', '09', '10', '11', '12']
  const monthLabels: Record<string, string> = {
    '01': 'January',
    '02': 'February',
    '03': 'March',
    '04': 'April',
    '05': 'May',
    '06': 'June',
    '07': 'July',
    '08': 'August',
    '09': 'September',
    '10': 'October',
    '11': 'November',
    '12': 'December',
  }

  function PublicationCard({ item }: { item: PublicationItem }) {
    const isBlog = item.type === 'blog'

    return (
      <article
        className="card overflow-hidden flex flex-col group border border-brand-sand/35 hover:border-brand-amber/35 hover:-translate-y-1.5 hover:shadow-card-hover transition-all duration-300 bg-white h-full relative"
        aria-label={`${isBlog ? 'Blog post' : 'Achievement'}: ${item.title}`}
      >
        { /* Card Image */ }
        <div className="relative h-48 overflow-hidden bg-brand-cream border-b border-brand-sand/20">
          <Image
            src={item.coverImage}
            alt={item.title}
            fill
            className="object-cover transition-transform duration-700 group-hover:scale-105"
            sizes="(max-width: 768px) 100vw, 33vw"
          />

          { /* Premium Tag on Upper Right Corner */ }
          <div className="absolute top-4 right-4 z-20">
            <span
              className={`flex items-center gap-1 text-[9px] font-bold tracking-widest uppercase px-3 py-1.5 rounded-full shadow-lg border backdrop-blur-md transition-transform group-hover:scale-105 duration-300 ${
                isBlog
                  ? 'bg-gradient-to-r from-brand-blue to-brand-blue-light text-white border-white/10'
                  : 'bg-gradient-to-r from-brand-amber to-amber-300 text-brand-charcoal border-brand-amber/20'
              }`}
            >
              {isBlog ? (

```

```

        <BookOpen size={10} className="inline" />
        {item.category}
      </>
    ) : (
      <Trophy size={10} className="inline" />
      {item.category}
    </>
  )}
</span>
</div>
</div>

{/* Content Body */}
<div className="p-6 flex flex-col flex-1">
  {/* Meta */}
  <div className="flex items-center gap-3 mb-3">
    <span className="flex items-center gap-1.5 text-xs text-brand-grey font-body">
      <Calendar size={12} className="text-brand-blue" />
      {formatDate(item.publishDate)}
    </span>
    {isBlog && item.author && (
      <span className="flex items-center gap-1.5 text-xs text-brand-grey font-body">
        <User size={12} className="text-brand-blue" />
        {item.author}
      </span>
    )}
  </div>

  {/* Title */}
  <h3 className="font-heading font-semibold text-brand-charcoal text-base mb-2 leading-snug group-hover:text-brand-blue transition-colors duration-200">
    {item.title}
  </h3>

  {/* Excerpt */}
  <p className="font-body text-xs text-brand-grey/90 leading-relaxed line-clamp-3 mb-5 flex-1">
    {item.excerpt}
  </p>

  {/* Action Link */}
  {isBlog ? (
    <Link
      href={`\blog/${item.slug}`}
      className="inline-flex items-center gap-1.5 text-xs font-semibold font-body text-brand-blue
        hover:text-brand-amber-dark hover:gap-2.5
        transition-all duration-200 mt-auto"
      aria-label={`Read story: ${item.title}`}
    >
      Read Story
    </span>
  </Link>
  ) : (
    <div className="text-[10px] font-bold text-brand-amber-dark uppercase tracking-wider mt-auto flex items-center gap-1">
      <Trophy size={12} /> Milestone Reached
    </div>
  )}

```

```

    })
  </div>
</article>
)
}

```

```

export default function BlogPageClient() {
  const router = useRouter()
  const searchParams = useSearchParams()

  const typeParam = searchParams.get('type')
  const catParam = searchParams.get('category')
  const yearParam = searchParams.get('year')
  const monthParam = searchParams.get('month')
  const searchParam = searchParams.get('search')

  const [activeCategory, setActiveCategory] = useState('All')
  const [activeType, setActiveType] = useState<'all' | 'blog' | 'achievement'>('
all')
  const [activeYear, setActiveYear] = useState('All Years')
  const [activeMonth, setActiveMonth] = useState('All Months')
  const [searchQuery, setSearchQuery] = useState('')
  const [mobileFiltersOpen, setMobileFiltersOpen] = useState(false)

  // Sync state from query parameters on mount & when they change
  useEffect(() => {
    if (typeParam === 'blog' || typeParam === 'achievement') {
      setActiveType(typeParam)
    } else {
      setActiveType('all')
    }

    if (catParam) {
      const decodedCat = decodeURIComponent(catParam)
      const matched = categories.find((c) => c.toLowerCase() === decodedCat.toLo
werCase())
      if (matched) setActiveCategory(matched)
    } else {
      setActiveCategory('All')
    }

    if (yearParam) {
      setActiveYear(yearParam)
    } else {
      setActiveYear('All Years')
    }

    if (monthParam) {
      setActiveMonth(monthParam)
    } else {
      setActiveMonth('All Months')
    }

    if (searchParam) {
      setSearchQuery(searchParam)
    } else {
      setSearchQuery('')
    }
  }, [typeParam, catParam, yearParam, monthParam, searchParam])

  // Central function to update routing parameters
  const updateFilters = ({

```



```

    type = activeType,
    category = activeCategory,
    year = activeYear,
    month = activeMonth,
    search = searchQuery,
  }: {
    type?: 'all' | 'blog' | 'achievement'
    category?: string
    year?: string
    month?: string
    search?: string
  }) => {
    const params = new URLSearchParams()
    if (type !== 'all') params.set('type', type)
    if (category !== 'All') params.set('category', category)
    if (year !== 'All Years') params.set('year', year)
    if (month !== 'All Months') params.set('month', month)
    if (search) params.set('search', search)

    const queryString = params.toString()
    router.push(`/blog${queryString ? `?${queryString}` : ''}`, { scroll: false
  })
}

// Handle resets
const handleReset = () => {
  setActiveCategory('All')
  setActiveType('all')
  setActiveYear('All Years')
  setActiveMonth('All Months')
  setSearchQuery('')
  router.push('/blog', { scroll: false })
  setMobileFiltersOpen(false)
}

// Find Featured Post
const featured = useMemo(() => {
  return publicationsData.find((p) => p.featured && p.type === 'blog') || publicationsData[0]
}, [])

// Filter posts
const filtered = useMemo(() => {
  return publicationsData.filter((item) => {
    // Exclude featured post from primary grid ONLY if no filters are active
    const noFiltersActive =
      activeCategory === 'All' &&
      activeType === 'all' &&
      activeYear === 'All Years' &&
      activeMonth === 'All Months' &&
      !searchQuery

    if (noFiltersActive && item.id === featured.id) {
      return false
    }

    // Check Category
    const matchCat = activeCategory === 'All' || item.category === activeCategory

    // Check Type
    const matchType = activeType === 'all' || item.type === activeType
  })
}

```

```

// Check Date
const dateObj = new Date(item.publishDate)
const itemYear = dateObj.getFullYear().toString()
const itemMonth = String(dateObj.getMonth() + 1).padStart(2, '0')

const matchYear = activeYear === 'All Years' || itemYear === activeYear
const matchMonth = activeMonth === 'All Months' || itemMonth === activeMonth

// Check Search
const matchSearch =
  item.title.toLowerCase().includes(searchQuery.toLowerCase()) ||
  item.excerpt.toLowerCase().includes(searchQuery.toLowerCase()) ||
  (item.author && item.author.toLowerCase().includes(searchQuery.toLowerCase()))

return matchCat && matchType && matchYear && matchMonth && matchSearch
}, [activeCategory, activeType, activeYear, activeMonth, searchQuery, featured
])

// Check if we should display the Featured Banner
const showFeaturedSection = useMemo(() => {
  return (
    activeCategory === 'All' &&
    activeType === 'all' &&
    activeYear === 'All Years' &&
    activeMonth === 'All Months' &&
    !searchQuery
  )
}, [activeCategory, activeType, activeYear, activeMonth, searchQuery])

return (
  <>
    { /* ===== HERO SECTION ===== */ }
    <section className="relative bg-[#0F233B] pt-36 pb-20 overflow-hidden" aria-label="Publications Hero">
      { /* Editorial ambient blurs */ }
      <div className="absolute top-[-20%] right-[-10%] w-[500px] h-[500px] bg-brand-amber/10 rounded-full blur-[100px] pointer-events-none" />
      <div className="absolute bottom-[-30%] left-[-10%] w-[500px] h-[500px] bg-brand-blue-light/10 rounded-full blur-[100px] pointer-events-none" />

      { /* Thin mesh grid lines for structural design */ }
      <div className="absolute inset-0 pointer-events-none opacity-[0.03]" aria-hidden="true">
        <div className="w-full h-full bg-[linear-gradient(to_right,#ffffff_1px,transparent_1px),linear-gradient(to_bottom,#ffffff_1px,transparent_1px)] bg-[size:4rem_4rem]" />
      </div>

      <div className="relative container-wide z-10 text-center px-4">
        <span className="badge bg-brand-amber/20 text-brand-amber border border-brand-amber/10 text-xs font-semibold tracking-widest uppercase mb-4 inline-block shadow-sm">
          Publications & Milestones
        </span>
        <h1 className="font-heading text-4xl sm:text-5xl lg:text-6xl !text-white font-bold leading-tight mb-5">
          <ScrollRevealTypewriter text="Stories That " />
          <span className="text-brand-amber italic font-normal">

```

```

        <ScrollRevealTypewriter text="Inspire" delay={0.4} />
      </span>
      <ScrollRevealTypewriter text=" Change" delay={0.7} />
    </h1>
    <p className="font-body text-white/80 text-sm sm:text-base md:text-lg
max-w-xl mx-auto leading-relaxed">
      <ScrollRevealWords text="Explore our complete content library of sto
ries from the ground, press updates, and community milestones." />
    </p>
  </div>
</section>

{ /* ===== CATEGORY TABS ===== */ }
<section
  className="bg-[#FBF7F0] border-b border-brand-sand/40 py-4"
  aria-label="Category filter"
>
  <div className="container-wide px-4 flex items-center justify-between ga
p-4">
    <div className="flex items-center gap-2.5 overflow-x-auto pb-1.5 sm:pb
-0 scrollbar-none w-full justify-start">
      {categories.map((cat) => {
        const isActive = activeCategory === cat
        return (
          <button
            key={cat}
            onClick={() => {
              setActiveCategory(cat)
              updateFilters({ category: cat })
            }}
            className={`flex-shrink-0 px-4 py-2 rounded-full text-xs font-
semibold font-body transition-all duration-300 cursor-pointer border relative gr
oup
          ${
            isActive
              ? 'bg-brand-blue border-brand-blue text-white shadow-sm'
              : 'bg-white border-brand-sand/60 text-brand-grey hover:t
ext-brand-blue border-brand-blue/30'
          }
          aria-pressed={isActive}
          id={`filter-cat-${cat.toLowerCase().replace(/^[a-z0-9]+/g, '-')}
        `}
      >
        <span className="relative inline-block py-0.5">
          {cat}
          {!isActive && (
            <span className="absolute bottom-0 left-0 right-0 h-[2px]
bg-brand-blue scale-x-0 group-hover:scale-x-100 transition-transform duration-30
0 origin-center" />
          )}
        </span>
      </button>
    )}
  )}
</div>

{ /* Mobile Filter Toggle Button */ }
<button
  onClick={() => setMobileFiltersOpen(true)}
  className="lg:hidden flex items-center gap-1.5 px-4 py-2 bg-white bo
rder border-brand-sand/60 rounded-full text-xs font-semibold text-brand-grey hov
er:text-brand-blue transition-colors cursor-pointer flex-shrink-0"

```

```

        aria-label="Open filters drawer"
    >
        <Filter size={14} />
        Filters
    </button>
</div>
</section>

{ /* ===== FEATURED STORY BANNER ===== */ }
{ showFeaturedSection && featured && (
    <section className="pt-16 pb-8 bg-[#FBF7F0]" aria-label="Featured Public
ation">
        <div className="container-wide px-4">
            <ScrollRevealCard delay={0}>
                <div className="grid md:grid-cols-[6fr_5fr] gap-8 bg-white rounded
- [32px] shadow-card overflow-hidden p-6 sm:p-8 border border-brand-sand/35 hover
:-translate-y-1 hover:shadow-card-hover transition-all duration-300">
                    { /* Left Side: Image */ }
                    <div className="relative h-[300px] md:h-[400px] rounded-[24px] o
verflow-hidden shadow-sm group">
                        <Image
                            src={featured.coverImage}
                            alt={featured.title}
                            fill
                            priority
                            className="object-cover transition-transform duration-700 ho
ver:scale-105"
                            sizes="(max-width: 768px) 100vw, 50vw"
                        />
                        <div className="absolute top-4 right-4 z-20">
                            <span className="bg-gradient-to-r from-brand-amber to-amber-
300 text-brand-charcoal text-[9px] font-bold tracking-widest uppercase px-3 py-1
.5 rounded-full shadow-lg border border-brand-amber/20">
                                Featured
                            </span>
                        </div>
                    </div>

                    { /* Right Side: Content */ }
                    <div className="flex flex-col justify-center py-4 text-left">
                        <span className="badge bg-brand-amber/25 text-brand-amber-dark
border border-brand-amber/15 text-[9px] uppercase font-bold tracking-wider mb-4
self-start shadow-sm">
                            Featured Story
                        </span>

                        <h2 className="font-heading text-2xl sm:text-3xl lg:text-4xl f
ont-bold text-brand-charcoal mb-4 hover:text-brand-blue transition-colors leadin
g-tight">
                            <Link href={` /blog/${featured.slug}`}>{featured.title}</Link>
                        </h2>

                        <p className="font-body text-xs sm:text-sm text-brand-grey/90
leading-relaxed mb-6">
                            {featured.excerpt}
                        </p>

                        <div className="flex items-center justify-between mt-auto pt-5
border-t border-brand-sand/30">
                            <div className="flex flex-col gap-1">
                                <span className="font-body text-[10px] text-brand-grey/50

```

```

uppercase tracking-wider">
    Published {formatDate(featured.publishDate)}
  </span>
  {featured.author && (
    <span className="font-body text-xs font-semibold text-br
and-charcoal">
      By {featured.author}
    </span>
  )}
</div>
<Link
  href={` /blog/${featured.slug}`}
  className="btn-amber text-xs font-semibold px-6 py-3 round
ed-full hover:scale-102 transition-transform cursor-pointer"
  id="featured-read-btn"
  >
  Read Story
</Link>
</div>
</div>
</div>
</ScrollRevealCard>
</div>
</section>
)}

{/* ===== MAIN CONTENT AREA (TWO-COLUMN) ===== */}
<section className="py-12 bg-[#FBF7F0]" aria-label="Publications Feed">
  <div className="container-wide px-4">
    <div className="grid lg:grid-cols-4 gap-8">
      {/* — Main Column (Grid of Cards) — */}
      <div className="lg:col-span-3">
        <div className="flex items-center justify-between mb-6">
          <p className="font-body text-sm text-brand-grey">
            Showing <span className="font-semibold text-brand-blue">{filte
red.length}</span> publications
          </p>
        </div>

        {filtered.length > 0 ? (
          <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
            <AnimatePresence mode="popLayout">
              {filtered.map((item, idx) => (
                <motion.div
                  key={item.id}
                  layout
                  initial={{ opacity: 0, y: 15 }}
                  animate={{ opacity: 1, y: 0 }}
                  exit={{ opacity: 0, y: -15 }}
                  transition={{ duration: 0.35, ease: 'easeInOut' }}
                >
                  <ScrollRevealCard delay={idx % 2 * 0.05} yOffset={15} cl
assName="h-full">
                    <PublicationCard item={item} />
                  </ScrollRevealCard>
                </motion.div>
              ))}
            </AnimatePresence>
          </div>
        ) : (
          <div className="text-center py-20 bg-white rounded-[32px] shadow
-sm border border-brand-sand/30 px-6">

```

```

    <p className="font-heading text-2xl text-brand-charcoal mb-2">
No publications found</p>
    <p className="font-body text-brand-grey text-sm mb-6">
    Try adjusting your category, search filters, or reset option
s.
    </p>
    <button
    onClick={handleReset}
    className="btn-amber px-6 py-2.5 rounded-full text-xs font-s
emibold hover:scale-102 transition-transform cursor-pointer"
    id="no-results-reset-btn"
    >
    Reset All Filters
    </button>
  </div>
)}
</div>

{/* — Desktop Sticky Sidebar — */}
<aside className="hidden lg:block lg:col-span-1" aria-label="Publica
tions sidebar filters">
  <ScrollRevealCard delay={0.1}>
    <div className="bg-white rounded-[32px] p-6 sticky top-24 space-
y-6 border border-brand-sand/35 shadow-card">
      {/* Search */}
      <div className="space-y-2">
        <label
        htmlFor="desktop-search"
        className="block text-[10px] font-body font-bold text-bran
d-grey uppercase tracking-wider"
        >
        Search Archive
        </label>
        <div className="relative group">
          <input
          id="desktop-search"
          type="search"
          placeholder="Search publications..."
          value={searchQuery}
          onChange={(e) => {
            setSearchQuery(e.target.value)
            updateFilters({ search: e.target.value })
          }}
          className="w-full pl-10 pr-10 py-2.5 rounded-full border
border-brand-sand bg-[#FBF7F0]/40 text-xs font-body
text-brand-charcoal placeholder:text-brand-gr
ey/50
          focus:outline-none focus-visible:outline-none
focus:border-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue
/10 transition-all duration-300 shadow-sm"
          aria-label="Search articles"
          />
          <Search
          size={14}
          className="absolute left-4 top-1/2 -translate-y-1/2 text
-brand-grey pointer-events-none z-10 transition-colors duration-300 group-focus-
within:text-brand-blue"
          aria-hidden="true"
          />
          {searchQuery && (
            <button
            onClick={() => {

```

```

        setSearchQuery('')
        updateFilters({ search: '' })
    }}
    className="absolute right-3.5 top-1/2 -translate-y-1/2
w-5 h-5 rounded-full bg-brand-sand/50 hover:bg-brand-sand text-brand-grey hover
:text-brand-charcoal flex items-center justify-center transition-all duration-20
0 cursor-pointer z-10"
    aria-label="Clear search"
  >
    <span className="text-[8px] leading-none">x</span>
  </button>
</div>
</div>

{/* Content Type Filter */}
<div className="space-y-2.5">
  <p className="text-[10px] font-body font-bold text-brand-grey
y uppercase tracking-wider">
    Content Type
  </p>
  <div className="grid grid-cols-1 gap-1.5">
    {[('all', 'blog', 'achievement') as const].map((t) => (
      <button
        key={t}
        onClick={() => {
          setActiveType(t)
          updateFilters({ type: t })
        }}
        className={`w-full text-left px-4 py-2 rounded-full te
xt-xs font-semibold font-body transition-all duration-300 capitalize cursor-poin
ter
        ${
          activeType === t
            ? 'bg-brand-blue text-white shadow-sm'
            : 'text-brand-grey hover:bg-[#FBF7F0] hover:text
-brand-blue'
        }
      `}
        aria-pressed={activeType === t}
        id={`desktop-filter-type-${t}`}
      >
        {t === 'all'
          ? 'All Publications'
          : t === 'blog'
          ? 'Blog Posts / Stories'
          : 'Achievements'}
      </button>
    ))}
  </div>
</div>

{/* Year Filter */}
<div className="space-y-2.5">
  <p className="text-[10px] font-body font-bold text-brand-grey
y uppercase tracking-wider">Year</p>
  <div className="grid grid-cols-1 gap-1.5">
    {years.map((y) => (
      <button
        key={y}
        onClick={() => {
          setActiveYear(y)
          updateFilters({ year: y })
        }}

```

```

    }}
    className={`w-full text-left px-4 py-2 rounded-full te
xt-xs font-semibold font-body transition-all duration-300 cursor-pointer
`}
    activeYear === y
    ? 'bg-brand-amber text-brand-charcoal shadow-sm'
    : 'text-brand-grey hover:bg-[#FBF7F0] hover:text
-brand-blue'
  }}
  aria-pressed={activeYear === y}
  id={`desktop-filter-year-${y.replace(' ', '-')}`}
>
  {y}
</button>
))}
</div>
</div>

{/* Month Filter */}
<div className="space-y-2">
  <label
    htmlFor="desktop-month-select"
    className="block text-[10px] font-body font-bold text-bran
d-grey uppercase tracking-wider"
  >
    Month
  </label>
  <div className="relative">
    <select
      id="desktop-month-select"
      value={activeMonth}
      onChange={(e) => {
        setActiveMonth(e.target.value)
        updateFilters({ month: e.target.value })
      }}
      className="w-full pl-4 pr-10 py-2.5 rounded-full border
border-brand-sand bg-white text-xs font-body
text-brand-grey focus:outline-none focus:bord
er-brand-blue focus:ring-4 focus:ring-brand-blue/5 transition-all duration-300 c
ursor-pointer appearance-none"
      aria-label="Filter by month"
    >
      {months.map((m) => (
        <option key={m} value={m}>
          {m === 'All Months' ? m : monthLabels[m]}
        </option>
      ))}
    </select>
    <ChevronDown
      size={14}
      className="absolute right-4 top-1/2 -translate-y-1/2 tex
t-brand-grey pointer-events-none"
    />
  </div>
</div>

{/* Reset Button */}
<button
  onClick={handleReset}
  className="w-full text-center text-xs font-bold text-brand-g
rey hover:text-brand-blue transition-colors pt-4 border-t border-brand-sand/50 c
ursor-pointer"

```



```

        id="desktop-filter-reset-btn"
      >
        Reset All Filters
      </button>
    </div>
  </ScrollRevealCard>
</aside>
</div>
</div>
</section>

{ /* ===== MOBILE FILTER DRAWER OVERLAY ===== */ }
<AnimatePresence>
  {mobileFiltersOpen && (
    <div className="fixed inset-0 z-50 lg:hidden flex items-end justify-en
d" role="dialog" aria-modal="true">
      { /* Backdrop */ }
      <motion.div
        initial={{ opacity: 0 }}
        animate={{ opacity: 1 }}
        exit={{ opacity: 0 }}
        onClick={() => setMobileFiltersOpen(false)}
        className="absolute inset-0 bg-brand-charcoal/50 backdrop-blur-sm"
      />

      { /* Sliding Bottom Drawer */ }
      <motion.div
        initial={{ y: '100%' }}
        animate={{ y: 0 }}
        exit={{ y: '100%' }}
        transition={{ type: 'spring', damping: 25, stiffness: 250 }}
        className="absolute left-0 right-0 bottom-0 bg-white rounded-t-[32
px] shadow-card-hover border-t border-brand-sand/40 max-h-[85vh] overflow-y-auto
z-50 p-6 space-y-6"
      >
        { /* Header */ }
        <div className="flex items-center justify-between border-b border-
brand-sand/30 pb-4">
          <h2 className="font-heading font-bold text-brand-charcoal text-l
g">Filter Publications</h2>
          <button
            onClick={() => setMobileFiltersOpen(false)}
            className="p-1.5 rounded-full bg-brand-sand/30 text-brand-grey
hover:text-brand-charcoal transition-colors cursor-pointer"
            aria-label="Close filters"
          >
            <X size={18} />
          </button>
        </div>

        { /* Search */ }
        <div className="space-y-2">
          <label
            htmlFor="mobile-search"
            className="block text-[10px] font-body font-bold text-brand-gr
ey uppercase tracking-wider"
          >
            Search
          </label>
          <div className="relative">
            <input
              id="mobile-search"

```

```

        type="search"
        placeholder="Search publications..."
        value={searchQuery}
        onChange={(e) => {
            setSearchQuery(e.target.value)
            updateFilters({ search: e.target.value })
        }}
        className="w-full pl-10 pr-10 py-2.5 rounded-full border border-brand-sand bg-[#FBF7F0]/40 text-xs font-body text-brand-charcoal focus:outline-none focus:outline-brand-blue transition-all"
    />
    <Search size={14} className="absolute left-4 top-1/2 -translate-y-1/2 text-brand-grey" />
    {searchQuery && (
        <button
            onClick={() => {
                setSearchQuery('')
                updateFilters({ search: '' })
            }}
            className="absolute right-3.5 top-1/2 -translate-y-1/2 w-5 h-5 rounded-full bg-brand-sand/50 text-brand-grey flex items-center justify-center cursor-pointer"
            aria-label="Clear search"
        >
            <span className="text-[8px]">x</span>
        </button>
    )}
</div>
</div>

{/* Content Type */}
<div className="space-y-2.5">
    <p className="text-[10px] font-body font-bold text-brand-grey uppercase tracking-wider">Content Type</p>
    <div className="grid grid-cols-3 gap-2">
        {[('all', 'blog', 'achievement') as const].map((t) => (
            <button
                key={t}
                onClick={() => {
                    setActiveType(t)
                    updateFilters({ type: t })
                }}
                className={`px-3 py-2 rounded-full text-[10px] sm:text-xs font-semibold font-body text-center transition-all cursor-pointer border ${
                    activeType === t
                        ? 'bg-brand-blue border-brand-blue text-white shadow-sm'
                        : 'bg-white border-brand-sand/60 text-brand-grey'
                }`}
                aria-pressed={activeType === t}
                id={`mobile-filter-type-${t}`}
            >
                {t === 'all' ? 'All' : t === 'blog' ? 'Blogs' : 'Achievements'}
            </button>
        ))}
    </div>
</div>

{/* Year */}

```

```

<div className="space-y-2.5">
  <p className="text-[10px] font-body font-bold text-brand-grey uppercase tracking-wider">Year</p>
  <div className="grid grid-cols-3 gap-2">
    {years.map((y) => (
      <button
        key={y}
        onClick={() => {
          setActiveYear(y)
          updateFilters({ year: y })
        }}
        className={`px-3 py-2 rounded-full text-[10px] sm:text-xs font-semibold font-body text-center transition-all cursor-pointer border
          ${
            activeYear === y
              ? 'bg-brand-amber border-brand-amber text-brand-charcoal shadow-sm'
              : 'bg-white border-brand-sand/60 text-brand-grey'
          }`}
        aria-pressed={activeYear === y}
        id={`mobile-filter-year-${y.replace(' ', '-')}`}
      >
        {y}
      </button>
    ))}
  </div>
</div>

{/* Month */}
<div className="space-y-2">
  <label
    htmlFor="mobile-month-select"
    className="block text-[10px] font-body font-bold text-brand-grey uppercase tracking-wider"
  >
    Month
  </label>
  <div className="relative">
    <select
      id="mobile-month-select"
      value={activeMonth}
      onChange={(e) => {
        setActiveMonth(e.target.value)
        updateFilters({ month: e.target.value })
      }}
      className="w-full pl-4 pr-10 py-2.5 rounded-full border border-brand-sand bg-white text-xs font-body text-brand-grey focus:outline-none focus:border-brand-blue cursor-pointer appearance-none"
    >
      {months.map((m) => (
        <option key={m} value={m}>
          {m === 'All Months' ? m : monthLabels[m]}
        </option>
      ))}
    </select>
    <ChevronDown size={14} className="absolute right-4 top-1/2 -translate-y-1/2 text-brand-grey" />
  </div>
</div>

{/* Drawer Action Buttons */}

```

```

    <div className="grid grid-cols-2 gap-4 pt-4 border-t border-brand-
sand/30">
      <button
        onClick={handleReset}
        className="py-3 text-xs font-bold text-brand-grey hover:text-b
rand-blue border border-brand-sand/60 rounded-full text-center transition-colors
cursor-pointer"
        id="mobile-drawer-reset-btn"
      >
        Reset All
      </button>
      <button
        onClick={() => setMobileFiltersOpen(false)}
        className="py-3 text-xs font-bold bg-brand-blue text-white rou
nded-full text-center hover:bg-brand-blue/90 shadow-sm cursor-pointer"
        id="mobile-drawer-apply-btn"
      >
        Apply Filters
      </button>
    </div>
  </motion.div>
</div>
)}
</AnimatePresence>
</>
)
}...

```

---

```

### File: `src/app/blog/page.tsx`

```

```

` `` `tsx
import type { Metadata } from 'next'
import BlogPageClient from '../BlogPageClient'
import { Suspense } from 'react'

export const metadata: Metadata = {
  title: 'Blog - Stories of Impact & Community',
  description:
    'Read the latest stories, news, and updates from Dua Charitable Trust - cove
ring education, healthcare, community welfare, and more.',
}

```

```

export default function BlogPage() {
  return (
    <Suspense fallback={<div className="min-h-screen bg-[#FBF7F0] pt-36 text-cen
ter text-brand-grey font-body text-sm">Loading stories...</div>}>
      <BlogPageClient />
    </Suspense>
  )
}
...

```

---

```

### File: `src/app/blog/[slug]/page.tsx`

```

```

` `` `tsx
import type { Metadata } from 'next'
import Image from 'next/image'
import Link from 'next/link'

```

```

import { ArrowLeft, Calendar, User, Share2, Globe } from 'lucide-react'
import { formatDate } from '@/lib/utils'

// Placeholder – will be replaced with Sanity GROQ query in Phase 2
const getPost = (slug: string) => ({
  slug,
  title: 'Empowering Future Generations Through Education',
  excerpt: 'Our new scholarship program has reached over 1,200 students in rural areas.',
  coverImage: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=1200&q=85',
  author: 'Fatima Ahmed',
  publishDate: '2026-06-10',
  category: 'Education',
  content:
    Our education scholarship program has reached a significant milestone, providing access to quality learning for over 1,200 students across rural communities in Maharashtra and Rajasthan.

    The program, launched in early 2025, partners with local schools and colleges to identify promising students from economically disadvantaged backgrounds. Each scholarship covers tuition, books, and a monthly stipend to reduce the financial burden on families.

    "Before this scholarship, I was going to drop out to help my father in the fields," shares Arjun, a 16-year-old recipient from Nashik. "Now I'm studying engineering and I want to build water systems for villages like mine."

    The impact extends beyond individual students. As educated youth return to their communities, they become change-makers who uplift those around them – tutoring younger children, starting small businesses, and advocating for local infrastructure.

    In the next phase, we aim to expand the program to 5,000 students across 10 states, partnering with corporations, diaspora donors, and government schemes to create a sustainable funding model.

  relatedPosts: [
    { slug: 'maternal-health-initiative', title: 'Maternal Health Initiative Reaches 500 Villages', category: 'Healthcare', img: 'https://images.unsplash.com/photo-1584515933487-779824d29309?w=400&q=80' },
    { slug: 'community-food-program', title: 'Community Food Program Celebrates 3rd Year', category: 'Community', img: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=400&q=80' },
  ],
})

export async function generateMetadata({ params }: { params: Promise<{ slug: string }> }): Promise<Metadata> {
  const { slug } = await params
  const post = getPost(slug)
  return {
    title: post.title,
    description: post.excerpt,
    openGraph: {

```

```

    title: post.title,
    description: post.excerpt,
    images: [{ url: post.coverImage }],
    type: 'article',
  },
}
}
}

```

```

export default async function BlogDetailPage({ params }: { params: Promise<{ slug: string }> }) {
  const { slug } = await params
  const post = getPost(slug)

```

```

  const blogPostingSchema = {
    '@context': 'https://schema.org',
    '@type': 'BlogPosting',
    headline: post.title,
    image: post.coverImage,
    author: { '@type': 'Person', name: post.author },
    datePublished: post.publishDate,
    description: post.excerpt,
    publisher: {
      '@type': 'Organization',
      name: 'Dua Charitable Trust',
    },
  },
}

```

```

return (

```

```

  <>
    <script
      type="application/ld+json"
      dangerouslySetInnerHTML={{ __html: JSON.stringify(blogPostingSchema) }}
    />

```

```

    { /* ===== HERO IMAGE ===== */ }
    <section className="relative h-[50vh] sm:h-[60vh] rounded-b-[40px] overflow-hidden" aria-label="Article header image">
      <Image src={post.coverImage} alt={post.title} fill priority className="object-cover" sizes="100vw" />
      <div className="absolute inset-0 bg-gradient-to-t from-[#0F233B]/80 via-[#0F233B]/20 to-transparent" />
    </section>

```

```

    <div className="container-wide py-12">
      <div className="grid lg:grid-cols-3 gap-10">
        { /* ===== ARTICLE BODY ===== */ }
        <article className="lg:col-span-2" aria-label={post.title}>
          { /* Back link */ }
          <Link href="/blog" className="inline-flex items-center gap-2 text-sm font-body text-brand-grey hover:text-brand-blue mb-6 transition-colors">
            <ArrowLeft size={14} /> Back to Blog
          </Link>

```

```

          { /* Meta */ }
          <div className="flex flex-wrap items-center gap-3 mb-4">
            <span className="badge-blue">{post.category}</span>
            <span className="flex items-center gap-1.5 text-xs text-brand-grey font-body">
              <Calendar size={12} /> {formatDate(post.publishDate)}
            </span>
            <span className="flex items-center gap-1.5 text-xs text-brand-grey font-body">

```

```

        <User size={12} /> {post.author}
      </span>
    </div>

    {/* Title */}
    <h1 className="font-heading text-3xl sm:text-4xl font-bold text-brand-charcoal mb-6 leading-tight">
      {post.title}
    </h1>

    {/* Content */}
    <div className="prose prose-lg max-w-none font-body text-brand-grey leading-relaxed space-y-4">
      {post.content.trim().split('\n\n').map((para, i) => (
        <p key={i}>{para.trim()}</p>
      ))}
    </div>

    {/* Share */}
    <div className="mt-10 pt-6 border-t border-brand-sand flex items-center gap-4">
      <span className="font-body text-sm font-medium text-brand-charcoal flex items-center gap-2">
        <Share2 size={14} /> Share:
      </span>
      <a
        href={`https://twitter.com/intent/tweet?text=${encodeURIComponent(post.title)}`}
        target="_blank" rel="noopener noreferrer"
        className="w-9 h-9 rounded-full bg-brand-sand flex items-center justify-center hover:bg-brand-blue hover:text-white transition-all duration-200 text-brand-grey"
        aria-label="Share on Twitter"
      >
        <Globe size={14} />
      </a>
      <a
        href={`https://www.facebook.com/sharer/sharer.php?u=${encodeURIComponent(`/blog/${post.slug}`)}`}
        target="_blank" rel="noopener noreferrer"
        className="w-9 h-9 rounded-full bg-brand-sand flex items-center justify-center hover:bg-brand-blue hover:text-white transition-all duration-200 text-brand-grey"
        aria-label="Share on Facebook"
      >
        <Share2 size={14} />
      </a>
      <a
        href={`https://wa.me/?text=${encodeURIComponent(post.title + ' https://duacharitabletrust.org/blog/' + post.slug)}`}
        target="_blank" rel="noopener noreferrer"
        className="w-9 h-9 rounded-full bg-brand-sand flex items-center justify-center hover:bg-[#25D366] hover:text-white transition-all duration-200 text-brand-grey text-xs font-bold"
        aria-label="Share on WhatsApp"
      >
        WA
      </a>
    </div>

```

```

</article>

{ /* ===== SIDEBAR ===== */ }
<aside aria-label="Related posts and sidebar">
  <div className="sticky top-24 space-y-6">
    { /* Related Posts */ }
    <div className="bg-white rounded-[28px] p-6 border border-brand-sand/35 shadow-card">
      <h2 className="font-heading font-bold text-brand-charcoal text-base mb-4">Related Posts</h2>
      <div className="space-y-4">
        {post.relatedPosts.map((r) => (
          <Link key={r.slug} href={`/blog/${r.slug}`} className="flex gap-3.5 group">
            <div className="relative w-16 h-16 rounded-xl overflow-hidden flex-shrink-0 bg-brand-cream border border-brand-sand/20">
              <Image src={r.img} alt={r.title} fill className="object-cover group-hover:scale-105 transition-transform duration-300" sizes="64px" />
            </div>
            <div className="flex flex-col justify-center min-w-0">
              <span className="text-[9px] font-bold text-brand-blue uppercase tracking-wider mb-0.5">{r.category}</span>
              <p className="font-body text-xs font-semibold text-brand-charcoal group-hover:text-brand-blue transition-colors leading-snug line-clamp-2">
                {r.title}
              </p>
            </div>
          </Link>
        ))}
      </div>
    </div>

    { /* CTA */ }
    <div className="bg-gradient-to-br from-[#1A3A5C] via-[#11243B] to-[#1C1C1E] border border-white/10 rounded-[28px] p-6 text-center shadow-card-hover relative overflow-hidden group">
      { /* Gold ambient glow */ }
      <div className="absolute -top-20 -right-20 w-44 h-44 bg-brand-amber/10 rounded-full blur-2xl pointer-events-none group-hover:scale-110 transition-transform duration-500" />
      <h3 className="font-heading !text-white font-bold text-lg mb-2 relative z-10">Support Our Work</h3>
      <p className="font-body text-white/80 text-xs mb-5 relative z-10">Your contribution directly funds maternal healthcare, education, and kitchen programs.</p>
      <Link href="/projects" className="btn-amber w-full justify-center text-xs font-semibold py-3 rounded-full relative z-10 cursor-pointer shadow-md hover:scale-102 transition-transform" id="article-donate-btn">
        Donate Now
      </Link>
    </div>
  </div>
</aside>
</div>
</div>
)
}

```



---

### File: `src/app/programmes/ProgrammesPageClient.tsx`

```.tsx

'use client'

```
import { useState, useEffect } from 'react'
import Image from 'next/image'
import Link from 'next/link'
import { useRouter, useSearchParams } from 'next/navigation'
import { motion, AnimatePresence } from 'framer-motion'
import { MapPin, ArrowRight, Award } from 'lucide-react'
import { ScrollRevealCard } from '@components/ui/ScrollAnimations'
```

```
const categories = [
  'All Programmes',
  'Education',
  'Healthcare',
  'Women Empowerment',
  'Environment',
  'Emergency Relief',
  'Community Welfare',
]
```

```
const programmesData = [
  {
    id: 1,
    category: 'Education',
    title: 'Primary School Infrastructure',
    excerpt: 'Building and renovating classroom facilities, libraries, and science labs in rural government schools.',
    location: 'Maharashtra, India',
    impact: '15 schools upgraded, 3,200+ students benefited',
    image: 'https://images.unsplash.com/photo-1503676260728-1c00da094a0b?w=600&q=80',
  },
  {
    id: 2,
    category: 'Healthcare',
    title: 'Mobile Health Outreach',
    excerpt: 'Equipping mobile medical vans to deliver primary diagnosis, pediatric care, and essential medicines to remote villages.',
    location: 'Rajasthan, India',
    impact: '45,000+ patients treated annually',
    image: 'https://images.unsplash.com/photo-1584515933487-779824d29309?w=600&q=80',
  },
  {
    id: 3,
    category: 'Women Empowerment',
    title: 'Vocational Sewing & Tailoring',
    excerpt: 'Empowering women with industrial sewing skills, tailoring certificates, and micro-grants to start self-sufficient home businesses.',
    location: 'Gujarat, India',
    impact: '600+ women graduated, 80% self-employed',
    image: 'https://images.unsplash.com/photo-1544816155-12df9643f363?w=600&q=80',
  },
  {
    id: 4,
    category: 'Environment',
    title: 'Solar Wells & Rainwater Harvesting',
  }
]
```

```
excerpt: 'Creating solar-powered deep borewells and building community rainw
ater harvesting structures to combat drought.',
location: 'Somalia & Kenya border',
impact: '22 deep wells, 18,000+ residents with daily clean water',
image: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=600&q
=80',
},
{
  id: 5,
  category: 'Emergency Relief',
  title: 'Winter Refugee Assistance',
  excerpt: 'Distributing thermal clothes, heavy blankets, fuel, and modular sh
elter insulation to displaced families in refugee camps.',
  location: 'Syria & Lebanon border',
  impact: '12,000 families aided with winter survival kits',
  image: 'https://images.unsplash.com/photo-1469571486292-0ba58a3f068b?w=600&q
=80',
},
{
  id: 6,
  category: 'Community Welfare',
  title: 'Community Kitchens Network',
  excerpt: 'Operating clean, communal cooking spaces that serve hot, highly nu
tritious meals to daily wage earners and families.',
  location: 'Mumbai & Pune, India',
  impact: '250,000+ meals served this year',
  image: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=600&q
=80',
},
{
  id: 7,
  category: 'Education',
  title: 'Girls Academic Scholarships',
  excerpt: 'Providing complete financial coverage for secondary and college ed
ucation of high-performing girls from marginalized communities.',
  location: 'Uttar Pradesh, India',
  impact: '450 girls sponsored, 94% graduation rate',
  image: 'https://images.unsplash.com/photo-1519331379826-f10be5486c6f?w=600&q
=80',
},
{
  id: 8,
  category: 'Healthcare',
  title: 'Maternal Health Centers',
  excerpt: 'Establishing community-level maternity clinics equipped with prena
tal diagnostic tools and trained midwives.',
  location: 'Kenya, East Africa',
  impact: '4,500+ safe deliveries supported',
  image: 'https://images.unsplash.com/photo-1576091160550-2173dba999ef?w=600&q
=80',
},
{
  id: 9,
  category: 'Women Empowerment',
  title: 'Micro-business Incubator',
  excerpt: 'Training women in bookkeeping, basic inventory management, and dig
ital payments, and providing starter capital.',
  location: 'West Bengal, India',
  impact: '350 micro-businesses successfully launched',
  image: 'https://images.unsplash.com/photo-1517486808906-6ca8b3f04846?w=600&q
=80',
},
}
```

```

    {
      id: 10,
      category: 'Environment',
      title: 'Sustainable Farming Outreach',
      excerpt: 'Teaching smallholder farmers water-efficient organic cultivation methods, seed saving, and composting.',
      location: 'Madhya Pradesh, India',
      impact: '1,200 farmers trained, 30% average income increase',
      image: 'https://images.unsplash.com/photo-1542601906990-b4d3fb778b09?w=600&q=80',
    },
    {
      id: 11,
      category: 'Emergency Relief',
      title: 'Emergency Monsoon Relief',
      excerpt: 'Deploying rescue boats, setting up medical aid camps, and distributing hygiene kits during heavy seasonal flooding.',
      location: 'Assam, India',
      impact: '15,000+ flood-affected residents assisted',
      image: 'https://images.unsplash.com/photo-1464822759023-fed622ff2c3b?w=600&q=80',
    },
    {
      id: 12,
      category: 'Community Welfare',
      title: 'Community Clean Water Pumps',
      excerpt: 'Drilling boreholes and installing heavy-duty manual handpumps to provide adjacent rural communities with clean drinking water.',
      location: 'Bihar & Jharkhand, India',
      impact: '140+ pumps installed, 50,000+ daily beneficiaries',
      image: 'https://images.unsplash.com/photo-1518391846015-55a9cc003b25?w=600&q=80',
    }
  ]

```

```

const getBadgeStyles = (category: string) => {
  switch (category) {
    case 'Education':
      return 'bg-blue-50 text-blue-700 border-blue-100'
    case 'Healthcare':
      return 'bg-rose-50 text-rose-700 border-rose-100'
    case 'Women Empowerment':
      return 'bg-purple-50 text-purple-700 border-purple-100'
    case 'Environment':
      return 'bg-emerald-50 text-emerald-700 border-emerald-100'
    case 'Emergency Relief':
      return 'bg-amber-50 text-amber-700 border-amber-100'
    case 'Community Welfare':
      return 'bg-cyan-50 text-cyan-700 border-cyan-100'
    default:
      return 'bg-gray-50 text-gray-700 border-gray-100'
  }
}

```

```

export default function ProgrammesPageClient() {
  const router = useRouter()
  const searchParams = useSearchParams()
  const categoryParam = searchParams.get('category')

  const [activeCategory, setActiveCategory] = useState('All Programmes')

  // Sync category state with query parameters

```

```

useEffect(() => {
  if (categoryParam) {
    const decodedParam = decodeURIComponent(categoryParam)
    const matched = categories.find(
      (cat) => cat.toLowerCase() === decodedParam.toLowerCase()
    )
    if (matched) {
      setActiveCategory(matched)
    }
  } else {
    setActiveCategory('All Programmes')
  }
}, [categoryParam])

const handleCategoryChange = (cat: string) => {
  setActiveCategory(cat)
  if (cat === 'All Programmes') {
    router.push('/programmes')
  } else {
    router.push(`/programmes?category=${encodeURIComponent(cat)}`)
  }
}

const filtered = programmesData.filter((p) => {
  if (activeCategory === 'All Programmes') return true
  return p.category === activeCategory
})

return (
  <>
    { /* Hero Section */ }
    <section
      className="bg-brand-cream pt-36 pb-16 md:pt-44 md:pb-24 border-b border-brand-sand/30 relative"
      aria-labelledby="programmes-hero-heading"
    >
      { /* Editorial ambient light glows */ }
      <div className="absolute top-[-10%] right-[-5%] w-[350px] h-[350px] bg-brand-amber/10 rounded-full blur-[80px] pointer-events-none" />
      <div className="absolute top-[10%] left-[-5%] w-[350px] h-[350px] bg-brand-blue-light/5 rounded-full blur-[80px] pointer-events-none" />

      <div className="container-wide px-4 lg:px-8">
        <div className="max-w-3xl mx-auto text-center">
          <span className="inline-flex items-center gap-1.5 px-3.5 py-1.5 rounded-full bg-brand-cream/80 border border-brand-sand/60 text-xs font-bold tracking-widest text-brand-blue-light uppercase mb-6 shadow-sm">
            <span className="w-1.5 h-1.5 rounded-full bg-brand-amber animate-pulse-dot" />
            Social Impact
          </span>
          <h1
            id="programmes-hero-heading"
            className="font-heading text-4xl sm:text-5xl lg:text-6xl font-bold text-brand-blue leading-[1.15] mb-6"
          >
            Development <span className="italic font-normal text-brand-amber-dark">Programmes</span>
          </h1>
          <p className="font-body text-brand-grey text-base sm:text-lg leading-relaxed max-w-xl mx-auto">
            Sustainable social impact programs designed to uplift and empower

```

```

communities
    </p>
  </div>
</div>
</section>

{ /* Filter Navigation */ }
<section
  className="bg-[#FBF7F0] border-b border-brand-sand/40 py-4"
  aria-label="Category filter"
>
  <div className="container-wide px-4 lg:px-8 flex items-center justify-center">
    <div className="flex items-center gap-2.5 overflow-x-auto pb-1.5 sm:pb-0 scrollbar-none w-full md:w-auto justify-start md:justify-center">
      {categories.map((cat) => {
        const isActive = activeCategory === cat
        return (
          <button
            key={cat}
            onClick={() => handleCategoryChange(cat)}
            className={`flex-shrink-0 px-5 py-2.5 rounded-full text-xs font-semibold font-body transition-all duration-300 cursor-pointer border relative group`}
            ${{
              isActive
                ? 'bg-brand-blue border-brand-blue text-white shadow-sm hover:bg-brand-blue/90'
                : 'bg-white border-brand-sand/60 text-brand-grey hover:text-brand-blue hover:border-brand-blue/30'
            }}
            aria-pressed={isActive}
            id={`filter-${cat.toLowerCase().replace(/^[a-z0-9]+/g, '-')}`}
          >
            <span className="relative inline-block py-0.5">
              {cat}
              {!isActive && (
                <span className="absolute bottom-0 left-0 right-0 h-[2px] bg-brand-blue scale-x-0 group-hover:scale-x-100 transition-transform duration-300 origin-center" />
              )}
            </span>
          </button>
        )
      })}
    </div>
  </div>
</section>

{ /* Programmes Listing */ }
<section className="py-16 md:py-24 bg-white" aria-label="Programmes list">
  <div className="container-wide px-4 lg:px-8">
    <div className="max-w-[1100px] mx-auto">
      { /* Show Count */ }
      <div className="flex items-center justify-between mb-8">
        <p className="font-body text-sm text-brand-grey">
          Showing{' '}
          <span className="font-semibold text-brand-blue">{filtered.length}</span>{' '}
          of{' '}
          <span className="font-semibold text-brand-blue">{programmesData.length}</span>
        </p>
      </div>
    </div>
  </div>
</section>

```

```

        </span>{' '}
      programmes
    </p>
  </div>

  {/* Grid */}
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8
min-h-[400px]">
    <AnimatePresence mode="popLayout">
      {filtered.map((programme) => {
        const badgeStyles = getBadgeStyles(programme.category)
        return (
          <motion.div
            key={programme.id}
            layout
            initial={{ opacity: 0, y: 15 }}
            animate={{ opacity: 1, y: 0 }}
            exit={{ opacity: 0, y: -15 }}
            transition={{ duration: 0.35, ease: 'easeInOut' }}
          >
            <ScrollRevealCard delay={0} className="h-full">
              <article className="card overflow-hidden flex flex-col g
roup border border-brand-sand/30 hover:border-brand-amber/30 hover:scale-[1.02]
hover:shadow-card-hover transition-all duration-300 h-full w-full bg-white relat
ive">
                {/* Image with gradient overlay */}
                <div className="relative h-52 w-full overflow-hidden b
g-brand-cream border-b border-brand-sand/20">
                  <Image
                    src={programme.image}
                    alt={programme.title}
                    fill
                    className="object-cover transition-transform durat
ion-700 group-hover:scale-105"
                    sizes="(max-width: 768px) 100vw, 33vw"
                  />
                  <div className="absolute inset-0 bg-gradient-to-t fr
om-black/50 via-transparent to-transparent pointer-events-none" />
                    {/* Category Badge */}
                    <span
                      className={`absolute top-4 right-4 z-20 border tex
t-[10px] font-bold tracking-widest uppercase px-3 py-1 rounded-full shadow-sm ${
badgeStyles}`}
                    >
                      {programme.category}
                    </span>
                  </div>
                    {/* Content */}
                    <div className="p-6 flex flex-col flex-grow">
                      {/* Location */}
                      <span className="flex items-center gap-1.5 text-xs t
ext-brand-grey font-body mb-3">
                        <MapPin size={14} className="text-brand-blue-light
" />
                        {programme.location}
                      </span>
                      {/* Title */}
                      <h3 className="font-heading font-bold text-brand-cha
rcoal text-lg mb-3 leading-snug group-hover:text-brand-blue transition-colors du

```

```

ration-200 min-h-[56px] flex items-start">
    {programme.title}
  </h3>

  {/* Description */}
  <p className="font-body text-brand-grey text-sm mb-6
leading-relaxed line-clamp-3">
    {programme.excerpt}
  </p>

  {/* Stats */}
  <div className="mt-auto space-y-4">
    {/* Impact Stats Box */}
    <div className="bg-brand-cream/50 p-3.5 rounded-2x
l border border-brand-sand/30 flex items-start gap-2.5">
      <Award size={16} className="text-brand-amber-dar
k flex-shrink-0 mt-0.5" />

      <div>
        <p className="text-[10px] uppercase font-bold
tracking-wider text-brand-grey/60 mb-0.5">
          Programme Impact
        </p>
        <p className="text-xs font-body font-semibold
text-brand-charcoal leading-snug">
          {programme.impact}
        </p>
      </div>
    </div>

    {/* Buttons */}
    <div className="flex items-center justify-between
pt-4 border-t border-brand-sand/20 gap-2">
      <Link
        href={`\contact`}
        className="inline-flex items-center gap-1 text
-xs font-semibold text-brand-blue hover:text-brand-amber transition-colors"
      >
        Learn More
        <ArrowRight size={12} />
      </Link>
      <Link
        href={`\contact#donate`}
        className="btn-amber text-xs font-semibold px-
4 py-2 rounded-full hover:scale-102 transition-transform cursor-pointer text-cen
ter whitespace-nowrap"
      >
        Sponsor Programme
      </Link>
    </div>
  </div>
</article>
</ScrollRevealCard>
</motion.div>
  )
  })}
</AnimatePresence>
</div>
</div>
</div>
</section>
</>

```

```
)  
}...
```

---

```
### File: `src/app/programmes/page.tsx`
```

```
```.tsx  
import type { Metadata } from 'next'  
import { Suspense } from 'react'  
import ProgrammesPageClient from './ProgrammesPageClient'  
  
export const metadata: Metadata = {  
  title: 'Our Development Programmes – Dua Charitable Trust',  
  description:  
    'Discover our sustainable development programmes in education, healthcare, w  
omen empowerment, environmental conservation, emergency relief, and community we  
lfare.',  
}  
  
export default function ProgrammesPage() {  
  return (  
    <Suspense  
      fallback={  
        <div className="min-h-screen bg-brand-cream pt-36 text-center text-brand  
-grey font-body">  
          Loading programmes...  
        </div>  
      }  
    >  
      <ProgrammesPageClient />  
    </Suspense>  
  )  
}...
```

---

```
### File: `src/app/community/CommunityPageClient.tsx`
```

```
```.tsx  
'use client'  
  
import { useState, useMemo } from 'react'  
import Image from 'next/image'  
import Link from 'next/link'  
import { Search, Users, Heart, SlidersHorizontal, ChevronDown } from 'lucide-rea  
ct'  
import CommunityCard from '@components/ui/CommunityCard'  
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@c  
omponents/ui/ScrollAnimations'  
import { communityMembers } from '@data/communityMembers'  
import { cn } from '@lib/utils'  
  
const domains = ['All Domains', 'Education', 'Healthcare', 'Women Empowerment',  
'Environment', 'Emergency Relief', 'Community Welfare']  
const types = ['All', 'Donor', 'Volunteer'] as const  
type ContribType = typeof types[number]  
  
export default function CommunityPageClient() {  
  const [domain, setDomain] = useState('All Domains')  
  const [ctype, setCtype] = useState<ContribType>('All')  
  const [search, setSearch] = useState('')
```



```

const [sort, setSort] = useState<'newest' | 'oldest' | 'az'>('newest')
const [isDomainOpen, setIsDomainOpen] = useState(false)
const [isSortOpen, setIsSortOpen] = useState(false)

const filtered = useMemo(() => {
  let list = communityMembers.filter((m) => {
    const matchDomain = domain === 'All Domains' || m.focusTags.includes(domain)
    const matchType = ctype === 'All' || m.role.toLowerCase() === ctype.toLowerCase()
    const matchSearch = m.name.toLowerCase().includes(search.toLowerCase()) ||
      m.focusTags.some(tag => tag.toLowerCase().includes(search.toLowerCase())) ||
      m.contributionSummary.toLowerCase().includes(search.toLowerCase())
    return matchDomain && matchType && matchSearch
  })
  if (sort === 'newest') list = [...list].sort((a, b) => Number(b.joinedYear) - Number(a.joinedYear))
  if (sort === 'oldest') list = [...list].sort((a, b) => Number(a.joinedYear) - Number(b.joinedYear))
  if (sort === 'az') list = [...list].sort((a, b) => a.name.localeCompare(b.name))
  return list
}, [domain, ctype, search, sort])

const donorCount = communityMembers.filter(m => m.role === 'DONOR').length
const volunteerCount = communityMembers.filter(m => m.role === 'VOLUNTEER').length

return (
  <>
    { /* ===== HEADER ===== */ }
    <section className="relative bg-[#0F233B] pt-36 pb-20 overflow-hidden" aria-label="Community header">
      { /* Editorial ambient light glows */ }
      <div className="absolute top-[-20%] right-[-10%] w-[500px] h-[500px] bg-brand-amber/10 rounded-full blur-[100px] pointer-events-none" />
      <div className="absolute bottom-[-30%] left-[-10%] w-[500px] h-[500px] bg-brand-blue-light/10 rounded-full blur-[100px] pointer-events-none" />

      { /* Thin mesh grid lines for structural design */ }
      <div className="absolute inset-0 pointer-events-none opacity-[0.03]" aria-hidden="true">
        <div className="w-full h-full bg-[linear-gradient(to_right,#ffffff_1px,transparent_1px),linear-gradient(to_bottom,#ffffff_1px,transparent_1px)] bg-[size:4rem_4rem]" />
      </div>

      <div className="relative container-wide z-10">
        <p className="section-label text-brand-amber/80 mb-3">Our People</p>
        <h1 className="font-heading text-4xl sm:text-5xl lg:text-6xl !text-white font-bold mb-5 leading-tight">
          <ScrollRevealTypewriter text="Meet Our " />
          <span className="text-brand-amber italic font-normal">
            <ScrollRevealTypewriter text="Changemakers" delay={0.4} />
          </span>
        </h1>
        <p className="font-body text-white/90 text-base sm:text-lg max-w-xl mb-10 leading-relaxed">
          <ScrollRevealWords text="The extraordinary individuals – donors and volunteers – who make our mission possible." />
        </p>
      </div>
    </>
  )

```

```

    <div className="flex flex-wrap gap-6">
      <ScrollRevealCard delay={0.1} yOffset={15}>
        <div className="flex items-center gap-3.5 bg-white/5 backdrop-blur
-md rounded-2xl px-6 py-4 border border-white/10 shadow-lg hover:border-brand-am
ber/30 transition-all duration-300">
          <div className="w-10 h-10 bg-brand-amber/15 rounded-xl flex item
s-center justify-center">
            <Heart size={20} className="text-brand-amber fill-brand-amber/
20" />
          </div>
          <div>
            <p className="font-heading font-bold text-white text-2xl leadi
ng-none">{donorCount}</p>
            <p className="font-body text-white/50 text-[10px] uppercase tr
acking-wider mt-1.5 font-bold">Active Donors</p>
          </div>
        </ScrollRevealCard>
        <ScrollRevealCard delay={0.2} yOffset={15}>
          <div className="flex items-center gap-3.5 bg-white/5 backdrop-blur
-md rounded-2xl px-6 py-4 border border-white/10 shadow-lg hover:border-brand-am
ber/30 transition-all duration-300">
            <div className="w-10 h-10 bg-brand-blue-light/15 rounded-xl flex
items-center justify-center">
              <Users size={20} className="text-brand-blue-light" />
            </div>
            <div>
              <p className="font-heading font-bold text-white text-2xl leadi
ng-none">{volunteerCount}</p>
              <p className="font-body text-white/50 text-[10px] uppercase tr
acking-wider mt-1.5 font-bold">Active Volunteers</p>
            </div>
          </ScrollRevealCard>
        </div>
      </div>
    </section>

    <section className="py-20 md:py-28 bg-[#FBF7F0]" aria-label="Community dir
ectory">
      <div className="container-wide">
        {/* ===== FILTER BAR ===== */}
        <div className="bg-white rounded-[24px] p-5 mb-10 flex flex-wrap items
-center gap-4 border border-brand-sand/35 shadow-card relative z-30" aria-label=
"Filters">
          <div className="relative flex-1 min-w-[200px] group">
            <input
              type="search"
              placeholder="Search members..."
              value={search}
              onChange={(e) => setSearch(e.target.value)}
              className="w-full pl-10 pr-10 py-2.5 rounded-full border border-
brand-sand/80 bg-[#FBF7F0]/45 font-body text-xs sm:text-sm
              text-brand-charcoal placeholder:text-brand-grey/50
              focus:outline-none focus-visible:outline-none focus:b
order-brand-blue-light focus:bg-white focus:ring-4 focus:ring-brand-blue/10 tran
sition-all duration-300 shadow-sm"
              aria-label="Search community members"
              id="community-search"
            />
            <Search

```

```

        size={14}
        className="absolute left-4 top-1/2 -translate-y-1/2 text-brand-g
rey pointer-events-none z-10 transition-colors duration-300 group-focus-within:t
ext-brand-blue"
        aria-hidden="true"
      />
    {search && (
      <button
        onClick={() => setSearch('')}
        className="absolute right-3.5 top-1/2 -translate-y-1/2 w-5 h-5
rounded-full bg-brand-sand/50 hover:bg-brand-sand text-brand-grey hover:text-br
and-charcoal flex items-center justify-center transition-all duration-200 cursor
-pointer z-10"
        aria-label="Clear search"
      >
        <span className="text-[8px] leading-none">x</span>
      </button>
    )}
  </div>

  {/* Domain Filter Dropdown */}
  <div className="relative min-w-[180px]">
    <button
      type="button"
      onClick={() => {
        setIsDomainOpen(!isDomainOpen)
        setIsSortOpen(false)
      }}
      className="w-full flex items-center justify-between pl-4 pr-3.5
py-2.5 rounded-full border border-brand-sand/80 bg-white font-body text-xs sm:te
xt-sm text-brand-grey focus:outline-none focus:border-brand-blue-light focus:rin
g-4 focus:ring-brand-blue/5 transition-all duration-300 cursor-pointer text-left
"
      id="community-domain-filter"
      aria-haspopup="listbox"
      aria-expanded={isDomainOpen}
    >
      <span className="truncate">{domain}</span>
      <ChevronDown size={14} className={cn("text-brand-grey/80 transit
ion-transform duration-200 flex-shrink-0 ml-2", isDomainOpen && "transform rotat
e-180")} />
    </button>
    {isDomainOpen && (
      <>
        <div className="fixed inset-0 z-40" onClick={() => setIsDomain
Open(false)} />
        <ul className="absolute top-[calc(100%+6px)] left-0 w-full bg-
white border border-brand-sand/40 rounded-2xl shadow-card overflow-hidden z-50 p
y-1.5 animate-[fadeIn_0.15s_ease-out]">
          {domains.map((d) => (
            <li key={d}>
              <button
                type="button"
                onClick={() => {
                  setDomain(d)
                  setIsDomainOpen(false)
                }}
                className={cn(
                  "w-full text-left px-4 py-2 text-xs sm:text-sm font-
body transition-colors duration-150 cursor-pointer",
                  domain === d
                    ? "bg-brand-blue/5 text-brand-blue font-semibold"

```

```

rand-blue"
        : "text-brand-grey hover:bg-[#FBF7F0] hover:text-b
    >
    > {d}
    </button>
  </li>
  </ul>
</div>

<div className="flex gap-1.5 p-1 bg-[#FBF7F0]/40 rounded-full border
border-brand-sand/40">
  {types.map((t) => (
    <button
      key={t}
      onClick={() => setCtype(t)}
      className={`px-4 py-2 rounded-full text-xs font-semibold font-
body transition-all duration-300 cursor-pointer
      ${ctype === t
        ? 'bg-brand-blue text-white shadow-sm'
        : 'text-brand-grey hover:text-brand-blue'}}`
      aria-pressed={ctype === t}
      id={`community-type-${t.toLowerCase()}}`
    >
      {t}
    </button>
  ))}
</div>

{/* Sort Filter Dropdown */}
<div className="flex items-center gap-2 lg:ml-auto">
  <SlidersHorizontal size={14} className="text-brand-grey" aria-hidd
en="true" />
  <div className="relative min-w-[150px]">
    <button
      type="button"
      onClick={() => {
        setIsSortOpen(!isSortOpen)
        setIsDomainOpen(false)
      }}
      className="w-full flex items-center justify-between pl-4 pr-3.
5 py-2.5 rounded-full border border-brand-sand/80 bg-white font-body text-xs sm:
text-sm text-brand-grey focus:outline-none focus:border-brand-blue-light focus:r
ing-4 focus:ring-brand-blue/5 transition-all duration-300 cursor-pointer text-le
ft"
      id="community-sort"
      aria-haspopup="listbox"
      aria-expanded={isSortOpen}
    >
      <span className="truncate">
        {sort === 'newest' && 'Newest First'}
        {sort === 'oldest' && 'Oldest First'}
        {sort === 'az' && 'A-Z'}
      </span>
      <ChevronDown size={14} className={cn("text-brand-grey/80 trans
ition-transform duration-200 flex-shrink-0 ml-2", isSortOpen && "transform rotat
e-180")} />
    </button>
    {isSortOpen && (

```

```

        <div className="fixed inset-0 z-40" onClick={() => setIsSort
Open(false)} />
        <ul className="absolute top-[calc(100%+6px)] right-0 w-full
bg-white border border-brand-sand/40 rounded-2xl shadow-card overflow-hidden z-5
0 py-1.5 animate-[fadeIn_0.15s_ease-out]">
          {[
            { value: 'newest', label: 'Newest First' },
            { value: 'oldest', label: 'Oldest First' },
            { value: 'az', label: 'A-Z' },
          ]}.map((item) => (
            <li key={item.value}>
              <button
                type="button"
                onClick={() => {
                  setSort(item.value as any)
                  setIsSortOpen(false)
                }}
                className={cn(
                  "w-full text-left px-4 py-2 text-xs sm:text-sm fon
t-body transition-colors duration-150 cursor-pointer",
                  sort === item.value
                    ? "bg-brand-blue/5 text-brand-blue font-semibold
"
                    : "text-brand-grey hover:bg-[#FBF7F0] hover:text
-brand-blue"
                )}
              >
                {item.label}
              </button>
            </li>
          ))
        </ul>
      </div>
    </div>
  </div>
  {/* PAGE BACKGROUND GLOW */}
  <div
    className="absolute top-1/2 left-1/2 -translate-x-1/2 w-[600px] h-[4
00px] pointer-events-none z-0"
    style={{
      background: 'radial-gradient(ellipse, rgba(232,165,61,0.06) 0%, tr
ansparent 70%)'
    }}
  />
  {/* SECTION HEADER */}
  <div className="relative text-center mb-16 z-10">
    {/* EYEBROW */}
    <div className="inline-flex items-center justify-center gap-3 mb-4">
      <div
        className="h-px w-12"
        style={{
          background: 'linear-gradient(90deg, transparent, #E8A53D)'
        }}
      />
      <span
        className="font-body"
        style={{

```

```

        fontSize: '11px',
        letterSpacing: '3px',
        textTransform: 'uppercase',
        fontWeight: '700',
        color: '#E8A53D'
    }}
    >
    Our Community
  </span>
  <div
    className="h-px w-12"
    style={{
      background: 'linear-gradient(90deg, #E8A53D, transparent)'
    }}
  />
</div>

{/* MAIN HEADING */}
<h2
  className="text-[#0A1A3A] font-bold tracking-tight mb-4 font-headi
  style={{ fontSize: 'clamp(28px, 4vw, 42px)', lineHeight: '1.15' }}
  >
  The Faces Behind
  <span
    style={{
      display: 'block',
      background: 'linear-gradient(135deg, #C8860D, #E8A53D, #F4C06A
    )',
      WebkitBackgroundClip: 'text',
      WebkitTextFillColor: 'transparent',
      backgroundClip: 'text'
    }}
  >
  Every Act of Kindness
  </span>
</h2>

{/* SUBTITLE */}
<p
  className="max-w-lg mx-auto leading-relaxed font-body"
  style={{
    fontSize: '15px',
    color: 'rgba(10,26,58,0.55)'
  }}
  >
  Meet the extraordinary people who make our mission possible – one
  act of generosity at a time.
  </p>

{/* GOLD ORNAMENT */}
<div className="flex items-center justify-center gap-3 mt-6">
  <div className="h-px w-16" style={{ background: 'rgba(232,165,61,0
.3)' }} />
  <span style={{ color: '#E8A53D', fontSize: '14px' }}>+</span>
  <div className="h-px w-16" style={{ background: 'rgba(232,165,61,0
.3)' }} />
  </div>
</div>

{/* MEMBER COUNT PILL */}
<div className="flex justify-center mb-10 relative z-10">

```

```

ont-body"
    <div
      className="inline-flex items-center gap-2 px-5 py-2 rounded-full f
    style={{
      background: 'rgba(10,26,58,0.04)',
      border: '1px solid rgba(10,26,58,0.08)'
    }}
  >
    <div className="w-2 h-2 rounded-full bg-emerald-400 animate-pulse"
  />
    <span
      style={{
        fontSize: '13px',
        color: 'rgba(10,26,58,0.6)',
        fontWeight: '500'
      }}
    >
      Showing {filtered.length} active members
    </span>
  </div>
</div>

{ /* ===== CARDS GRID ===== */ }
{ filtered.length > 0 ? (
  <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 xl:gr
id-cols-4 gap-5 relative z-10">
    { filtered.map((m, idx) => (
      <div
        key={m.name}
        className="animate-fade-in-up flex"
        style={{
          animationDelay: `${idx * 80}ms`,
          animationFillMode: 'both'
        }}
      >
        <CommunityCard {...m} className="w-full" />
      </div>
    )) }
  </div>
) : (
  <div className="text-center py-20">
    <Users size={32} className="text-brand-grey mx-auto mb-3 opacity-4
0" />
    <p className="font-heading text-xl text-brand-charcoal mb-2">No me
mbers found</p>
    <p className="font-body text-sm text-brand-grey">Try adjusting you
r filters.</p>
  </div>
) }

{ /* ===== JOIN CTA ===== */ }
<div className="mt-20 grid sm:grid-cols-2 gap-8">
  <ScrollRevealCard delay={0}>
    <div className="bg-gradient-to-br from-[#1A3A5C] via-[#11243B] to-
[#1C1C1E] border border-white/10 rounded-[32px] p-8 text-center h-full flex flex
-col justify-between shadow-card-hover hover:border-brand-amber/30 transition-al
l duration-300 relative overflow-hidden group">
      { /* Gold ambient glow */ }
      <div className="absolute -top-20 -right-20 w-44 h-44 bg-brand-am
ber/10 rounded-full blur-2xl pointer-events-none group-hover:scale-110 transitio
n-transform duration-500" />

```

```

        <div className="relative z-10 flex flex-col items-center">
            <div className="w-14 h-14 bg-brand-amber/15 rounded-2xl flex i
tems-center justify-center mb-5 group-hover:scale-105 transition-transform durat
ion-300">
                <Heart size={26} className="text-brand-amber fill-brand-ambe
r/20" />
            </div>
            <h3 className="font-heading !text-white font-bold text-2xl mb-
3">Become a Donor</h3>
            <p className="font-body text-white/80 text-sm max-w-sm mb-8">
                Your contribution directly funds life-changing health, educa
tion, and nutrition programs across underprivileged communities.
            </p>
        </div>

        <Link href="/contact#donor" className="btn-amber w-full justify-
center py-3.5 font-semibold text-brand-charcoal rounded-full shadow-md hover:sca
le-[1.01] active:scale-95 transition-all cursor-pointer relative z-10" id="commu
nity-donor-cta">
            Become a Donor
        </Link>
    </div>
</ScrollRevealCard>

<ScrollRevealCard delay={0.15}>
    <div className="bg-gradient-to-br from-white to-brand-cream border
border-brand-sand/40 rounded-[32px] p-8 text-center h-full flex flex-col justif
y-between shadow-card hover:shadow-card-hover hover:border-brand-blue-light/30 t
ransition-all duration-300 relative overflow-hidden group">
        { /* Blue ambient glow */ }
        <div className="absolute -top-20 -right-20 w-44 h-44 bg-brand-bl
ue-light/10 rounded-full blur-2xl pointer-events-none group-hover:scale-110 tran
sition-transform duration-500" />

        <div className="relative z-10 flex flex-col items-center">
            <div className="w-14 h-14 bg-brand-blue/10 rounded-2xl flex it
ems-center justify-center mb-5 group-hover:scale-105 transition-transform durati
on-300">
                <Users size={26} className="text-brand-blue" />
            </div>
            <h3 className="font-heading text-brand-charcoal font-bold text
-2xl mb-3">Become a Volunteer</h3>
            <p className="font-body text-brand-grey text-sm max-w-sm mb-8"
>
                Give your time, skills, and energy to volunteer in field off
ices, teach children, support kitchens, or plant trees.
            </p>
        </div>

        <Link href="/contact#volunteer" className="btn-primary bg-brand-
charcoal text-white hover:bg-black w-full justify-center py-3.5 font-semibold ro
unded-full shadow-sm hover:scale-[1.01] active:scale-95 transition-all cursor-po
inter relative z-10" id="community-volunteer-cta">
            Apply to Volunteer
        </Link>
    </div>
</ScrollRevealCard>
</div>
</div>
</section>
</>
)

```



```

}
...

---

### File: `src/app/community/page.tsx`
```tsx
import type { Metadata } from 'next'
import CommunityPageClient from '../CommunityPageClient'

export const metadata: Metadata = {
  title: 'Community – Meet Our Donors & Volunteers',
  description:
    'Meet the extraordinary changemakers – donors and volunteers – who power the Dua Charitable Trust mission.',
}

export default function CommunityPage() {
  return <CommunityPageClient />
}
```

---

### File: `src/app/community/[slug]/page.tsx`
```tsx
import type { Metadata } from 'next'
import Image from 'next/image'
import Link from 'next/link'
import { notFound } from 'next/navigation'
import { ArrowLeft, Calendar, MapPin, ExternalLink } from 'lucide-react'
import { communityMembers } from '@data/communityMembers'
import { cn } from '@lib/utils'

export async function generateStaticParams() {
  return communityMembers.map((m) => ({ slug: m.slug }))
}

interface PageProps {
  params: Promise<{ slug: string }>
}

export async function generateMetadata({ params }: PageProps): Promise<Metadata> {
  {
    const { slug } = await params
    const member = communityMembers.find((m) => m.slug === slug)
    if (!member) {
      return {
        title: 'Member Not Found | Dua Charitable Trust',
      }
    }
  }
  return {
    title: `${member.name} – Community Member | Dua Charitable Trust`,
    description: member.contributionSummary,
  }
}

export default async function CommunityMemberProfilePage({ params }: PageProps) {
  {
    const { slug } = await params
    const member = communityMembers.find((m) => m.slug === slug)
  }
}

```

```

    if (!member) {
      notFound()
    }

    const displayRole = member.role.charAt(0).toUpperCase() + member.role.slice(1).toLowerCase()

    return (
      <main className="bg-[#FBF7F0] min-h-screen pt-24 sm:pt-28 md:pt-32 pb-16 md:pb-24 animate-[fadeIn_0.5s_ease-out]">
        <div className="max-w-5xl mx-auto px-4 lg:px-8 space-y-10">
          {/* Back Link */}
          <div className="flex items-center">
            <Link
              href="/community"
              className="inline-flex items-center gap-2 text-xs font-semibold uppercase tracking-widest text-brand-grey hover:text-brand-blue transition-colors duration-200"
            >
              <ArrowLeft size={14} /> Back to Community
            </Link>
          </div>

          {/* Hero Card */}
          <section
            className="relative bg-white/90 backdrop-blur-md rounded-[32px] border border-brand-sand/30 shadow-card overflow-hidden"
            aria-label={`"${member.name} profile card`}
          >
            {/* Top wide hero image / banner placeholder */}
            <div className="relative h-44 sm:h-56 md:h-72 w-full bg-brand-sand/20"
              {member.heroImageSrc ? (
                <Image
                  src={member.heroImageSrc}
                  alt=""
                  fill
                  className="object-cover"
                  priority
                  sizes="1024px"
                />
              ) : (
                <div className="absolute inset-0 bg-gradient-to-tr from-brand-blue/25 via-brand-amber/10 to-brand-blue/10" />
                <div className="absolute inset-0 bg-gradient-to-t from-white/90 via-transparent to-transparent opacity-60" />
              )}
            </div>

            {/* Overlapping Avatar and Info Grid */}
            <div className="relative z-10 px-6 pb-8 md:px-10 md:pb-10 -mt-16 sm:-mt-20 md:-mt-24">
              <div className="flex flex-col md:flex-row md:items-center gap-6 md:gap-8 text-center md:text-left">
                {/* Profile Avatar */}
                <div className="w-28 h-28 sm:w-32 sm:h-32 md:w-36 md:h-36 min-w-28 min-h-28 sm:min-w-32 sm:min-h-32 md:min-w-36 md:min-h-36 rounded-full bg-gradient-to-tr from-brand-blue to-brand-amber p-[3px] flex-shrink-0 shadow-lg ring-8 ring-white relative mx-auto md:mx-0">
                  <div className="w-full h-full rounded-full overflow-hidden bg-br

```

```

and-cream relative">
    <Image
      src={member.avatarSrc}
      alt={member.name}
      fill
      className="object-cover"
      priority
      sizes="(max-width: 768px) 112px, 144px"
    />
  </div>
</div>

  {/* Main Info */}
  <div className="flex-1 space-y-3">
    <div className="flex flex-wrap items-center justify-center md:ju
stify-start gap-2">
      <span className={cn(
        'text-[10px] font-bold uppercase tracking-wider px-3 py-1 ro
unded-full border shadow-sm',
        member.role === 'DONOR'
          ? 'bg-brand-amber/10 text-brand-amber-dark border-brand-am
ber/25'
          : 'bg-brand-blue/10 text-brand-blue border-brand-blue/25'
      )}>
        {displayRole}
      </span>
      {member.focusTags.map((tag) => (
        <span
          key={tag}
          className="bg-brand-sand/40 text-brand-charcoal/70 text-[1
0px] font-semibold px-3 py-1 rounded-full border border-brand-sand/60"
        >
          {tag}
        </span>
      ))}
    </div>
    <h1 className="font-heading font-bold text-brand-charcoal text-3
xl sm:text-4xl md:text-5xl leading-tight">
      {member.name}
    </h1>
    <p className="text-sm md:text-base font-body font-bold text-bran
d-blue">
      {member.contributionTitle}
    </p>
  </div>
</div>
</div>
</section>

  {/* Details Grid */}
  <div className="grid gap-8 md:grid-cols-[2fr,1.3fr]">
    {/* Left Column: About & Story */}
    <section className="space-y-6" aria-label="About and Bio">
      <div className="bg-white rounded-[32px] p-6 sm:p-8 md:p-10 border bo
rder-brand-sand/30 shadow-card space-y-6">
        <h2 className="font-heading font-bold text-brand-charcoal text-2xl
md:text-3xl">
          About {member.name}
        </h2>
        <div className="prose prose-lg max-w-none font-body text-brand-gre
y leading-relaxed space-y-5">

```

```

        {member.longBio.trim().split('\n\n').map((para, i) => (
          <p key={i} className="text-sm sm:text-base">{para.trim()}</p>
        ))}
      </div>

```

```

      <div className="pt-6 border-t border-brand-sand/30 flex flex-wrap
gap-4 text-xs font-body text-brand-grey/80">
        <span className="flex items-center gap-1.5 bg-[#FBF7F0] px-3.5 p
y-2 rounded-full border border-brand-sand/40">
          <Calendar size={14} className="text-brand-blue" />
          Joined {member.joinedYear}
        </span>
        <span className="flex items-center gap-1.5 bg-[#FBF7F0] px-3.5 p
y-2 rounded-full border border-brand-sand/40">
          <MapPin size={14} className="text-brand-amber-dark" />
          {member.location || 'Location not specified'}
        </span>
      </div>
    </div>
  </section>

```

```

    {/* Right Column: Impact & Highlights */}
    <section className="space-y-6" aria-label="Highlights and Stats">
      {/* Card 1: Key Contribution */}
      <div className="bg-white rounded-[32px] p-6 border border-brand-sand
/30 shadow-card space-y-4">
        <h3 className="font-heading font-bold text-brand-charcoal text-bas
e">Key Contribution</h3>
        <div className="bg-[#FBF7F0]/60 rounded-2xl p-4 border border-bran
d-sand/20 space-y-1">
          <p className="text-[10px] font-body font-bold text-brand-grey up
percase tracking-wider">Contribution</p>
          <p className="text-xs sm:text-sm font-body font-bold text-brand-
blue">{member.contributionTitle}</p>
        </div>
        <p className="text-xs font-body text-brand-grey/90 leading-relaxed
">
          {member.contributionSummary}
        </p>
      </div>

```

```

      {/* Card 2: Impact Snapshot */}
      {member.impactStats && member.impactStats.length > 0 && (
        <div className="bg-white rounded-[32px] p-6 border border-brand-sa
nd/30 shadow-card space-y-4">
          <h3 className="font-heading font-bold text-brand-charcoal text-b
ase">Impact Snapshot</h3>
          <div className="grid gap-3">
            {member.impactStats.map((stat, idx) => (
              <div
                key={idx}
                className="bg-[#FBF7F0]/40 rounded-xl p-4 border border-br
and-sand/20 flex flex-col justify-center gap-1 hover:border-brand-amber/30 trans
ition-all duration-300"
              >
                <p className="font-heading font-bold text-brand-blue text-
lg leading-none">{stat.value}</p>
                <p className="font-body text-[9px] uppercase tracking-wide
r font-bold text-brand-grey/70">{stat.label}</p>
              </div>
            ))}
          </div>
        </div>
      )}

```

```

    </div>
  )}

  {/* Card 3: Connect CTA */}
  <div className="bg-gradient-to-br from-[#1A3A5C] via-[#11243B] to-[#
1C1C1E] border border-white/10 rounded-[32px] p-6 text-white shadow-card-hover r
elative overflow-hidden group">
    {/* Ambient Glow */}
    <div className="absolute -top-20 -right-20 w-32 h-32 bg-brand-ambe
r/15 rounded-full blur-2xl pointer-events-none group-hover:scale-110 transition-
transform duration-500" />

    <div className="relative z-10 space-y-4">
      <h3 className="font-heading font-bold text-base text-white">Conn
ect</h3>
      <p className="font-body text-white/80 text-xs leading-relaxed">
        Interested in collaborating with {member.name} or supporting t
heir initiatives? Reach out via Dua Charitable Trust.
      </p>
      <Link
        href="/contact"
        className="inline-flex items-center gap-1.5 text-xs font-semib
old text-brand-amber hover:text-white transition-colors duration-200"
      >
        Contact Us <ExternalLink size={12} />
      </Link>
    </div>
  </div>
</section>

</div>
</div>
</main>
)
}..

```

---

```

### File: `src/styles/globals.css`

```

```

`css
@import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght
@0,400;0,500;0,600;0,700;1,400;1,600&family=Inter:wght@300;400;500;600;700&displ
ay=swap');

```

```

@import "tailwindcss";

```

```

/* — Keyframes (must be outside @theme) ————— */

```

```

@keyframes fadeUp {
  from {
    opacity: 0;
    transform: translateY(24px);
  }

```

```

  to {
    opacity: 1;
    transform: translateY(0);
  }
}

```

```

@keyframes fadeInUp {
  0% {

```

```

    opacity: 0;
    transform: translateY(32px) scale(0.98);
  }
  100% {
    opacity: 1;
    transform: translateY(0) scale(1);
  }
}

@keyframes shimmer {
  0% { background-position: -200% center; }
  100% { background-position: 200% center; }
}

@keyframes pulseSoft {
  0%, 100% { opacity: 0.6; }
  50% { opacity: 1; }
}

@keyframes pulseDot {
  0%,
  100% {
    transform: scale(1);
    opacity: 1;
  }

  50% {
    transform: scale(1.4);
    opacity: 0.6;
  }
}

/* — Tailwind v4 Theme ————— */
@theme {
  /* Brand Colors */
  --color-brand-blue: #1A3A5C;
  --color-brand-blue-light: #4A7FA5;
  --color-brand-amber: #F0A92A;
  --color-brand-amber-dark: #D48B0E;
  --color-brand-cream: #FBF7F0;
  --color-brand-sand: #F0EAD8;
  --color-brand-charcoal: #1C1C1E;
  --color-brand-grey: #6E6A66;
  --color-brand-white: #FFFFFF;

  /* Font Families */
  --font-family-heading: 'Playfair Display', Georgia, serif;
  --font-family-body: 'Inter', system-ui, sans-serif;

  /* Border Radius */
  --radius-pill: 999px;

  /* Shadows */
  --shadow-card: 0 2px 16px 0 rgba(26, 58, 92, 0.08);
  --shadow-card-hover: 0 8px 32px 0 rgba(26, 58, 92, 0.16);
  --shadow-nav: 0 4px 24px 0 rgba(26, 58, 92, 0.10);

  /* Animations */
  --animate-fade-up: fadeUp 0.6s ease-out both;
  --animate-fade-in-up: fadeInUp 0.6s cubic-bezier(0.23, 1, 0.32, 1) both;
  --animate-shimmer: shimmer 2.5s infinite;

```

```

    --animate-pulse-soft: pulseSoft 3s ease-in-out infinite;
    --animate-pulse-dot: pulseDot 2s ease-in-out infinite;
}

/* — Root Variables ————— */
:root {
    --section-y: clamp(60px, 8vw, 100px);
}

/* — Base Resets ————— */
*,
*::before,
*::after {
    box-sizing: border-box;
}

html {
    scroll-behavior: smooth;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}

body {
    background-color: #FBF7F0;
    color: #1C1C1E;
    font-family: 'Inter', system-ui, sans-serif;
    line-height: 1.65;
    font-size: 16px;
}

@media (min-width: 1024px) {
    body {
        font-size: 18px;
    }
}

h1,
h2,
h3,
h4,
h5,
h6 {
    font-family: 'Playfair Display', Georgia, serif;
    line-height: 1.2;
    color: #1C1C1E;
}

::selection {
    background-color: #F0A92A;
    color: #1C1C1E;
}

*:focus-visible {
    outline: 2px solid #F0A92A;
    outline-offset: 2px;
}

input:focus-visible,
select:focus-visible,
textarea:focus-visible,
.rounded-full:focus-visible {
    outline: none;
}

```

```

}

/* — Layout Utilities — */
.section-padding {
  padding-top: var(--section-y);
  padding-bottom: var(--section-y);
}

.container-wide {
  max-width: 80rem;
  margin-left: auto;
  margin-right: auto;
  padding-left: 1rem;
  padding-right: 1rem;
}

@media (min-width: 640px) {
  .container-wide {
    padding-left: 1.5rem;
    padding-right: 1.5rem;
  }
}

@media (min-width: 1024px) {
  .container-wide {
    padding-left: 2rem;
    padding-right: 2rem;
  }
}

/* — Buttons — */
.btn-primary,
.btn-amber,
.btn-ghost,
.btn-ghost-white {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  gap: 0.5rem;
  padding: 0.75rem 1.5rem;
  border-radius: 999px;
  font-family: 'Inter', system-ui, sans-serif;
  font-weight: 500;
  font-size: 0.875rem;
  min-height: 44px;
  transition: all 0.2s ease;
  border: none;
  cursor: pointer;
  text-decoration: none;
  line-height: 1;
}

.btn-primary {
  background-color: #1A3A5C;
  color: white;
}

.btn-primary:hover {
  background-color: #243f68;
  box-shadow: 0 8px 32px 0 rgba(26, 58, 92, 0.16);
  transform: translateY(-2px);
}

```



```

.btn-primary:active {
  transform: translateY(0);
}

.btn-amber {
  background-color: #F0A92A;
  color: #1C1C1E;
}

.btn-amber:hover {
  background-color: #D48B0E;
  box-shadow: 0 8px 32px 0 rgba(26, 58, 92, 0.16);
  transform: translateY(-2px);
}

.btn-amber:active {
  transform: translateY(0);
}

.btn-ghost {
  border: 1px solid #1A3A5C;
  color: #1A3A5C;
  background: transparent;
}

.btn-ghost:hover {
  background-color: #1A3A5C;
  color: white;
  transform: translateY(-2px);
}

.btn-ghost-white {
  border: 1px solid white;
  color: white;
  background: transparent;
}

.btn-ghost-white:hover {
  background-color: white;
  color: #1A3A5C;
  transform: translateY(-2px);
}

/* — Card ————— */
.card {
  background: white;
  border-radius: 32px;
  box-shadow: 0 2px 16px 0 rgba(26, 58, 92, 0.08);
  transition: all 0.3s ease;
}

.card:hover {
  box-shadow: 0 8px 32px 0 rgba(26, 58, 92, 0.16);
  transform: translateY(-4px);
}

/* — Badges ————— */
.badge {
  display: inline-block;
  padding: 0.25rem 0.75rem;
  border-radius: 999px;

```

```

    font-size: 0.75rem;
    font-weight: 500;
    font-family: 'Inter', system-ui, sans-serif;
}

.badge-blue {
    background: #EFF6FF;
    color: #1A3A5C;
}

.badge-amber {
    background: #FFFBEA;
    color: #D48B0E;
}

.badge-sand {
    background: #F0EAD8;
    color: #6E6A66;
}

/* — Typography Helpers — */
.section-label {
    font-size: 0.75rem;
    font-family: 'Inter', system-ui, sans-serif;
    font-weight: 600;
    letter-spacing: 0.1em;
    text-transform: uppercase;
    color: #4A7FA5;
}

.section-title {
    font-family: 'Playfair Display', Georgia, serif;
    font-size: clamp(1.75rem, 3vw, 3rem);
    color: #1C1C1E;
    line-height: 1.2;
}

.section-subtitle {
    font-family: 'Inter', system-ui, sans-serif;
    font-size: clamp(1rem, 1.5vw, 1.125rem);
    color: #6E6A66;
    line-height: 1.65;
    max-width: 42rem;
}

/* — Navbar Pill — */
.nav-pill {
    position: fixed;
    top: 1rem;
    left: 50%;
    transform: translateX(-50%);
    z-index: 50;
    width: calc(100% - 2rem);
    max-width: 72rem;
    background-color: rgba(255, 255, 255, 0.85);
    backdrop-filter: blur(12px);
    border-radius: 999px;
    box-shadow: 0 4px 24px 0 rgba(26, 58, 92, 0.10);
    border: 1px solid rgba(255, 255, 255, 0.6);
    transition: all 0.3s ease;
}

```

```

/* — Hero Overlay ————— */
.hero-overlay {
  background: linear-gradient(to bottom,
    rgba(26, 58, 92, 0.60) 0%,
    rgba(26, 58, 92, 0.30) 50%,
    rgba(0, 0, 0, 0.15) 100%);
  position: absolute;
  inset: 0;
}

/* — Scroll Reveal ————— */
.reveal {
  opacity: 0;
  transform: translateY(1.5rem);
  transition: all 0.7s ease-out;
}

.reveal.visible {
  opacity: 1;
  transform: translateY(0);
}

/* — Scrollbar ————— */
::-webkit-scrollbar {
  width: 6px;
}

::-webkit-scrollbar-track {
  background: #FBF7F0;
}

::-webkit-scrollbar-thumb {
  background: #4A7FA5;
  border-radius: 999px;
}

::-webkit-scrollbar-thumb:hover {
  background: #1A3A5C;
}
...

```

```

### File: `src/components/ui/BlogCard.tsx`

```

```

` ``tsx
import Link from 'next/link'
import Image from 'next/image'
import { Calendar, User, ArrowRight, Tag } from 'lucide-react'
import { formatDate } from '@lib/utils'

```

```

export interface BlogCardProps {
  slug: string
  title: string
  excerpt: string
  coverImage: string
  author?: string
  publishDate: string
  category: string
  featured?: boolean
}

```

```

export default function BlogCard({

```

```

slug,
title,
excerpt,
coverImage,
author,
publishDate,
category,
featured = false,
}: BlogCardProps) {
  return (
    <article
      className={`card overflow-hidden flex flex-col group border border-brand-s
and/35 hover:border-brand-amber/30 transition-all duration-300 ${featured ? 'md:s
flex-row' : ''}`}
      aria-label={`Blog post: ${title}`}
    >
      {/ * Image */}
      <div className={`relative overflow-hidden flex-shrink-0 ${featured ? 'md:w
-2/5' : ''}`}>
        <div className={`relative ${featured ? 'h-56 md:h-full' : 'h-48'}`}>
          <Image
            src={coverImage}
            alt={title}
            fill
            className="object-cover transition-transform duration-700 group-hove
r:scale-105"
            sizes={featured ? '(max-width:768px) 100vw, 40vw' : '(max-width:768p
x) 100vw, 33vw'}
          />
        </div>
        {/ * Category badge over image - premium top-right position */}
        <span className="absolute top-4 right-4 z-20 bg-gradient-to-r from-brand
-amber to-amber-300 text-brand-charcoal text-[9px] font-bold tracking-widest upp
ercase px-3 py-1.5 rounded-full shadow-lg border border-brand-amber/20 transitio
n-transform group-hover:scale-105 duration-300">
          {category}
        </span>
      </div>

      {/ * Content */}
      <div className="flex flex-col flex-1 p-5">
        {/ * Meta */}
        <div className="flex items-center gap-3 mb-3">
          <span className="flex items-center gap-1 text-xs text-brand-grey font-
body">
            <Calendar size={12} />
            {formatDate(publishDate)}
          </span>
          {author && (
            <span className="flex items-center gap-1 text-xs text-brand-grey fon
t-body">
              <User size={12} />
              {author}
            </span>
          )}
        </div>

        {/ * Title */}
        <h3 className={`font-heading font-semibold text-brand-charcoal mb-2 lead
ing-snug
                                group-hover:text-brand-blue transition-colors duration-2
00

```

```

        ${featured ? 'text-xl sm:text-2xl' : 'text-lg'}}`}>
      {title}
    </h3>

    {/* Excerpt */}
    <p className="font-body text-sm text-brand-grey leading-relaxed line-cla
mp-3 flex-1 mb-4">
      {excerpt}
    </p>

    {/* Read More */}
    <Link
      href={` /blog/${slug}`}
      className="inline-flex items-center gap-1.5 text-sm font-medium font-b
ody text-brand-blue
        hover:text-brand-amber-dark hover:gap-2.5
        transition-all duration-200 mt-auto"
      aria-label={`Read more about ${title}`}
    >
      Read More
    <ArrowRight size={14} />
    </Link>
  </div>
</article>
)
}

```

---

```

### File: `src/components/ui/CommunityCard.tsx`

```

```

` `` `tsx
import Image from 'next/image'
import Link from 'next/link'
import { cn } from '@/lib/utils'

interface CommunityCardProps {
  id: string
  name: string
  avatarSrc: string
  role: 'DONOR' | 'VOLUNTEER' | 'STAFF' | 'PARTNER'
  focusTags: string[]
  joinedYear: string
  contributionTitle: string
  contributionSummary: string
  slug: string
  className?: string
}

```

```

export default function CommunityCard({
  id,
  name,
  avatarSrc,
  role,
  focusTags,
  joinedYear,
  contributionTitle,
  contributionSummary,
  slug,
  className,
}: CommunityCardProps) {
  const category = focusTags[0] || 'Community'

```

```

return (
  <div
    className={cn(
      "group relative overflow-hidden cursor-pointer rounded-[20px] p-5 border
border-[#E8A53D]/15 transition-all duration-[450ms] ease-[cubic-bezier(0.23,1,0
.32,1)] hover:-translate-y-2 hover:scale-[1.01] hover:border-[#E8A53D]/35 hover:
shadow-[0_24px_48px_rgba(10,26,58,0.12),0_8px_20px_rgba(10,26,58,0.08),0_0_0_1px
_rgba(232,165,61,0.2)] flex flex-col justify-between h-full",
      className
    )}
    style={{
      background: 'radial-gradient(ellipse at center, rgba(232,165,61,0.05), t
ransparent 70%), linear-gradient(160deg, #FFFFFF 0%, #FDFAF4 50%, #FAF6ED 100%)'
    },
    boxShadow: '0 1px 2px rgba(10,26,58,0.04), 0 4px 16px rgba(10,26,58,0.06
), 0 12px 32px rgba(10,26,58,0.05)'
  }>
    <div
      className="absolute top-0 left-1/2 -translate-x-1/2 w-2/3 h-[1.5px] poin
ter-events-none"
      style={{
        background: 'linear-gradient(90deg, transparent, rgba(232,165,61,0.7),
transparent)'
      }}
    />

    <div
      className="absolute bottom-0 left-0 right-0 h-[2px] bg-[#E8A53D] origin-
left scale-x-0 group-hover:scale-x-100 transition-transform duration-500 ease-[c
ubic-bezier(0.23,1,0.32,1)] pointer-events-none"
    />

    <svg
      className="absolute top-0 left-0 w-16 h-16 pointer-events-none"
      viewBox="0 0 100 100"
      fill="none"
      xmlns="http://www.w3.org/2000/svg"
      aria-hidden="true"
    >
      <path
        d="M 0 60 A 60 60 0 0 0 60 0"
        stroke="rgba(232, 165, 61, 0.12)"
        strokeWidth="1"
        fill="none"
      />
    </svg>

    <div
      className="absolute -top-5 -right-5 w-28 h-28 rounded-full pointer-event
s-none"
      style={{
        background: 'radial-gradient(circle, rgba(232,165,61,0.05) 0%, transpa
rent 70%)'
      }}
    />
  </div>
)

```

```

    { /* — TINY DOT GRID BOTTOM LEFT — */ }
    <div className="absolute bottom-4 left-4 grid grid-cols-3 gap-1 pointer-ev
ents-none opacity-30">
      {[...Array(9)].map((_, i) => (
        <div
          key={i}
          className="w-0.5 h-0.5 rounded-full"
          style={{ background: 'rgba(232,165,61,0.5)' }}
        />
      ))}
    </div>

    <div>
      { /* ===== PROFILE HEADER ===== */ }
      <div className="relative flex items-center gap-3 mb-4">
        { /* AVATAR */ }
        <div className="relative flex-shrink-0">
          <div
            className="w-[50px] h-[50px] rounded-full p-[2px] group-hover:scal
e-105 transition-transform duration-300"
            style={{
              background: 'linear-gradient(135deg, #E8A53D, #F4C06A, #E8A53D)'
            },
          >
            <div className="w-full h-full rounded-full p-[1.5px] bg-white rela
tive overflow-hidden">
              <Image
                src={avatarSrc}
                alt={name}
                fill
                className="rounded-full object-cover"
                sizes="50px"
              />
            </div>
          </div>

          { /* ROLE DOT */ }
          <div
            className={`absolute -bottom-0.5 -right-0.5 w-3 h-3 rounded-full r
ing-2 ring-white ${
              role === 'DONOR'
                ? 'bg-gradient-to-br from-[#E8A53D] to-[#F4C06A]'
                : 'bg-gradient-to-br from-[#0A1A3A] to-[#1E3A6E]'
            }`}
          />
        </div>

        { /* NAME + BADGES */ }
        <div className="flex-1 min-w-0 font-body">
          { /* NAME */ }
          <h3
            className="text-[#0A1A3A] font-bold leading-tight mb-1.5 truncate
tracking-[-0.3px] group-hover:text-brand-blue transition-colors duration-300"
            style={{ fontSize: '15px' }}
          >
            {name}
          </h3>

          { /* BADGES */ }
          <div className="flex items-center gap-1.5 flex-wrap">
            {role === 'DONOR' && (

```

```

        <span
full text-[9px] font-bold uppercase tracking-[1.2px] text-white"
        style={{
            background: 'linear-gradient(135deg, #C8860D, #E8A53D, #F4C0
6A)',
            boxShadow: '0 2px 8px rgba(232,165,61,0.40)'
        }}
    >
        ♦ Donor
    </span>
)}

{role === 'VOLUNTEER' && (
    <span
full text-[9px] font-bold uppercase tracking-[1.2px] text-white"
    style={{
        background: 'linear-gradient(135deg, #060F22, #0A1A3A, #1E3A
6E)',
        boxShadow: '0 2px 8px rgba(10,26,58,0.35)'
    }}
    >
        + Volunteer
    </span>
)}

{category && (
    <span
ext-[10px] font-medium border"
    style={{
        color: 'rgba(10,26,58,0.60)',
        borderColor: 'rgba(10,26,58,0.12)',
        background: 'rgba(10,26,58,0.03)'
    }}
    >
        {category}
    </span>
)}
</div>
</div>
</div>

{ /* — DIAMOND DIVIDER — */
<div className="relative mb-3">
    <div
        className="h-px w-full"
        style={{
            background: 'linear-gradient(90deg, transparent, rgba(232,165,61,0
.3), transparent)'
        }}
    />
    <div
        className="absolute top-1/2 left-1/2 -translate-x-1/2 -translate-y-1
/2 w-1 h-1 rotate-45"
        style={{ background: 'rgba(232,165,61,0.5)' }}
    />
</div>

{ /* ===== CONTRIBUTION BLOCK ===== */
<div

```



```

        className="relative rounded-xl p-3 mb-3 overflow-hidden"
        style={{
            background: 'linear-gradient(135deg, #FFFDF7 0%, #FDF6E8 100%)',
            border: '1px solid rgba(232,165,61,0.15)',
            boxShadow: 'inset 0 1px 0 rgba(255,255,255,0.8)'
        }}
    >
    { /* LEFT ACCENT */ }
    <div
        className="absolute left-0 top-2.5 bottom-2.5 w-[2.5px] rounded-full"
        style={{
            background: 'linear-gradient(180deg, #F4C06A, #E8A53D, #C8860D)'
        }}
    />

    <p
        className="flex items-center gap-1 pl-3 mb-1"
        style={{
            fontSize: '8px',
            letterSpacing: '2px',
            textTransform: 'uppercase',
            fontWeight: '700',
            color: '#E8A53D'
        }}
    >
    <span>+</span> Contribution
    </p>

    <h4
        className="text-[#0A1A3A] font-bold leading-snug pl-3 font-heading"
        style={{ fontSize: '13px', letterSpacing: '-0.1px' }}
    >
    {contributionTitle}
    </h4>
</div>

{ /* ===== DESCRIPTION ===== */ }
<p
    className="leading-relaxed mb-4 line-clamp-3 font-body"
    style={{
        fontSize: '12.5px',
        color: 'rgba(10,26,58,0.60)',
        lineHeight: '1.6'
    }}
>
    {contributionSummary}
</p>
</div>

<div>
    { /* — BOTTOM DIVIDER — */ }
    <div
        className="h-px mb-3"
        style={{
            background: 'linear-gradient(90deg, transparent, rgba(232,165,61,0.2
5), transparent)'
        }}
    />

    { /* ===== FOOTER ===== */ }
    <div className="flex items-center justify-between font-body">

```

```

    {/* JOINED */}
    <div className="flex items-center gap-1.5">
      <div
        className="w-4 h-4 rounded-full flex items-center justify-center f
flex-shrink-0"
        style={{ background: 'rgba(232,165,61,0.10)' }}
      >
        <svg
          className="w-2 h-2"
          viewBox="0 0 24 24"
          fill="none"
          stroke="#E8A53D"
          strokeWidth="2.5"
          strokeLinecap="round"
          strokeLinejoin="round"
        >
          <rect x="3" y="4" width="18" height="18" rx="2" />
          <line x1="16" y1="2" x2="16" y2="6" />
          <line x1="8" y1="2" x2="8" y2="6" />
          <line x1="3" y1="10" x2="21" y2="10" />
        </svg>
      </div>
      <span
        style={{
          fontSize: '11px',
          color: 'rgba(10,26,58,0.40)',
          fontWeight: '500',
        }}
      >
        Since {joinedYear}
      </span>
    </div>

    {/* VIEW PROFILE */}
    <Link
      href={`\community/${slug}`}
      className="group/btn flex items-center gap-1.5 font-semibold rounded
-ful px-3 py-1.5 hover:gap-2 transition-all duration-250 cursor-pointer text-ce
nter"
      style={{
        fontSize: '11.5px',
        color: '#E8A53D',
        background: 'rgba(232,165,61,0.08)',
        border: '1px solid rgba(232,165,61,0.20)'
      }}
      onMouseEnter={(e) => {
        e.currentTarget.style.background = 'rgba(232,165,61,0.14)'
        e.currentTarget.style.borderColor = 'rgba(232,165,61,0.35)'
        e.currentTarget.style.boxShadow = '0 3px 12px rgba(232,165,61,0.18
)',
      }}
      onMouseLeave={(e) => {
        e.currentTarget.style.background = 'rgba(232,165,61,0.08)'
        e.currentTarget.style.borderColor = 'rgba(232,165,61,0.20)'
        e.currentTarget.style.boxShadow = 'none'
      }}
    >
      View Profile
      <svg
        className="w-2.5 h-2.5 group-hover/btn:translate-x-0.5 transition-
transform duration-200"
        fill="none"

```

```

        viewBox="0 0 24 24"
        stroke="currentColor"
        strokeWidth="2.5"
        strokeLinecap="round"
        strokeLinejoin="round"
      >
        <line x1="5" y1="12" x2="19" y2="12" />
        <polyline points="12 5 19 12 12 19" />
      </svg>
    </Link>
  </div>
</div>
</div>
)
}...

---

### File: `src/components/ui/NewsletterForm.tsx`
`tsx`
'use client'

export default function NewsletterForm({ id = 'newsletter' }: { id?: string }) {
  return (
    <form
      className="flex flex-col sm:flex-row gap-3 max-w-md mx-auto"
      onSubmit={(e) => e.preventDefault()}
      aria-label="Newsletter signup form"
    >
      <input
        type="email"
        placeholder="Enter your email address"
        required
        className="flex-1 px-4 py-3 rounded-full border border-[#F0EAD8] bg-white
          font-body text-sm text-[#1C1C1E] placeholder:text-[#6E6A66]/5
          focus:outline-none focus:border-[#1A3A5C] focus:ring-2 focus:
            ring-[#1A3A5C]/20
          transition-all duration-200"
        aria-label="Email address"
        id={` ${id}-email`}
      />
      <button
        type="submit"
        className="btn-amber flex-shrink-0"
        id={` ${id}-submit-btn`}
      >
        Subscribe
      </button>
    </form>
  )
}...

---

### File: `src/components/ui/ScrollAnimations.tsx`
`tsx`
'use client'

```

```

import React from 'react'
import { motion } from 'framer-motion'

// Typing effect letter-by-letter on scroll
export function ScrollRevealTypewriter({
  text,
  className = "",
  delay = 0,
  once = false
}): {
  text: string
  className?: string
  delay?: number
  once?: boolean
} {
  const words = text.split(" ")

  const container = {
    hidden: { opacity: 0 },
    visible: {
      opacity: 1,
      transition: {
        staggerChildren: 0.02,
        delayChildren: delay,
        ease: "easeOut"
      },
    },
  },
  as any

  const child = {
    visible: {
      opacity: 1,
      y: 0,
      transition: { duration: 0.05, ease: "easeOut" },
    },
    hidden: {
      opacity: 0,
      y: 2,
    },
  },
  as any

  return (
    <motion.span
      style={{ display: "inline-block" }}
      variants={container}
      initial="hidden"
      whileInView="visible"
      viewport={{ once, margin: "-40px" }}
      className={className}
    >
      {words.map((word, wordIndex) => {
        const letters = Array.from(word)
        return (
          <span key={wordIndex} style={{ display: "inline-block", whiteSpace: "n
          owrap" }}>
            {letters.map((char, charIndex) => (
              <motion.span
                variants={child}
                key={charIndex}
                style={{ display: "inline-block" }}
              >
                {char}

```

```

        </motion.span>
      )}}
      {wordIndex < words.length - 1 && (
        <motion.span
          variants={child}
          key={`space-${wordIndex}`}
          style={{ display: "inline-block", whiteSpace: "pre" }}
        >
          {" "}
        </motion.span>
      )}
    </span>
  )}
}
)
}

```

```

// Word-by-word slide up reveal
export function ScrollRevealWords({
  text,
  className = "",
  delay = 0,
  once = false
}: {
  text: string
  className?: string
  delay?: number
  once?: boolean
}) {
  const words = text.split(" ")

  const container = {
    hidden: { opacity: 0 },
    visible: {
      opacity: 1,
      transition: {
        staggerChildren: 0.04,
        delayChildren: delay,
        ease: "easeOut"
      }
    },
  },
  as any

  const child = {
    visible: {
      opacity: 1,
      y: 0,
      transition: {
        type: "spring",
        damping: 15,
        stiffness: 100,
      },
    },
    hidden: {
      opacity: 0,
      y: 12,
    },
  },
  as any

  return (
    <motion.span

```

```

    style={{ display: "inline-block" }}
    variants={container}
    initial="hidden"
    whileInView="visible"
    viewport={{ once, margin: "-50px" }}
    className={className}
  >
    {words.map((word, index) => (
      <motion.span
        variants={child}
        style={{ display: "inline-block", marginRight: "0.25em" }}
        key={index}
      >
        {word}
      </motion.span>
    ))}
  </motion.span>
)
}

```

```

// Card fade-up reveal with stagger delay
export function ScrollRevealCard({
  children,
  className = "",
  delay = 0,
  yOffset = 30,
  once = false
}): {
  children: React.ReactNode
  className?: string
  delay?: number
  yOffset?: number
  once?: boolean
}) {
  return (
    <motion.div
      initial={{ opacity: 0, y: yOffset }}
      whileInView={{ opacity: 1, y: 0 }}
      viewport={{ once, margin: "-80px" }}
      transition={{
        duration: 0.6,
        delay,
        type: "spring",
        damping: 20,
        stiffness: 90
      }}
      className={className}
    >
      {children}
    </motion.div>
  )
}

```

```

// Section fade-in wrapper
export function ScrollRevealSection({
  children,
  className = "",
  once = false
}): {
  children: React.ReactNode
  className?: string
  once?: boolean
}

```

```

}) {
  return (
    <motion.div
      initial={{ opacity: 0 }}
      whileInView={{ opacity: 1 }}
      viewport={{ once, margin: "-120px" }}
      transition={{ duration: 0.8 }}
      className={className}
    >
      {children}
    </motion.div>
  )
}

```

---

### File: `src/components/ui/SocialIcons.tsx`

```tsx

import React from 'react'

export const InstagramIcon = (props: React.SVGProps<SVGSVGElement>) => (

```

  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="2"
    strokeLinecap="round"
    strokeLinejoin="round"
    {...props}
  >
    <rect width="20" height="20" x="2" y="2" rx="5" ry="5" />
    <path d="M16 11.37A4 4 0 1 1 12.63 8 4 4 0 0 1 16 11.37z" />
    <line x1="17.5" x2="17.51" y1="6.5" y2="6.5" />
  </svg>
)

```

export const FacebookIcon = (props: React.SVGProps<SVGSVGElement>) => (

```

  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="2"
    strokeLinecap="round"
    strokeLinejoin="round"
    {...props}
  >
    <path d="M18 2h-3a5 5 0 0 0-5 5v3H7v4h3v8h4v-8h3l1-4h-4V7a1 1 0 0 1 1-1h3z"
  />
  </svg>
)

```

export const XIcon = (props: React.SVGProps<SVGSVGElement>) => (

```

  <svg
    viewBox="0 0 24 24"
    fill="currentColor"
    {...props}
  >
    <path d="M18.244 2.25h3.308l-7.227 8.26 8.502 11.24H16.17l-5.214-6.817L4.99
21.75H1.68l7.73-8.835L1.254 2.25H8.08l4.713 6.231zm-1.161 17.52h1.833L7.084 4.12
6H5.117z" />
  </svg>
)

```

```

)
export const LinkedInIcon = (props: React.SVGProps<SVGSVGElement>) => (
  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="2"
    strokeLinecap="round"
    strokeLinejoin="round"
    {...props}
  >
    <path d="M16 8a6 6 0 0 1 6 6v7h-4v-7a2 2 0 0 0-2-2 2 2 0 0 0-2 2v7h-4v-7a6 6
0 0 1 6-6z" />
    <rect width="4" height="12" x="2" y="9" />
    <circle cx="4" cy="4" r="2" />
  </svg>
)

```

```

export const YouTubeIcon = (props: React.SVGProps<SVGSVGElement>) => (
  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="2"
    strokeLinecap="round"
    strokeLinejoin="round"
    {...props}
  >
    <path d="M22.54 6.42a2.78 2.78 0 0 0-1.94-2C18.88 4 12 4 12 4s-6.88 0-8.646
a2.78 2.78 0 0 0-1.94 2A29 29 0 0 0 1 11.75a29 29 0 0 0 .46 5.33A2.78 2.78 0 0 0
3.4 19c1.72 46 8.6.46 8.6.46s6.88 0 8.6-.46a2.78 2.78 0 0 0 1.94-2 29 29 0 0 0
.46-5.25 29 29 0 0 0-.46-5.33z" />
    <polygon points="9.75 15.02 15.5 11.75 9.75 8.48 9.75 15.02" />
  </svg>
)
...

```

```

---

### File: `src/components/ui/StatCounter.tsx`
`ts
'use client'

import { useEffect, useRef, useState } from 'react'

interface StatCounterProps {
  end: number
  suffix?: string
  prefix?: string
  label: string
  duration?: number
}

export default function StatCounter({
  end,
  suffix = '',
  prefix = '',
  label,
  duration = 2000,
}: StatCounterProps) {
  const [count, setCount] = useState(0)

```



```

const ref = useRef<HTMLDivElement>(null)
const started = useRef(false)

useEffect(() => {
  const observer = new IntersectionObserver(
    ([entry]) => {
      if (entry.isIntersecting && !started.current) {
        started.current = true
        const startTime = performance.now()

        const tick = (now: number) => {
          const elapsed = now - startTime
          const progress = Math.min(elapsed / duration, 1)
          // Ease out cubic
          const eased = 1 - Math.pow(1 - progress, 3)
          setCount(Math.floor(eased * end))
          if (progress < 1) requestAnimationFrame(tick)
        }

        requestAnimationFrame(tick)
      }
    }, {threshold: 0.5}
  )

  if (ref.current) observer.observe(ref.current)
  return () => observer.disconnect()
}, [end, duration])

return (
  <div ref={ref} className="text-center">
    <div className="font-heading text-4xl sm:text-5xl font-bold text-brand-blue mb-2">
      {prefix}{count.toLocaleString(){suffix}
    </div>
    <p className="font-body text-sm text-brand-grey font-medium uppercase tracking-wider">{label}</p>
  </div>
)
}...

---

### File: `src/components/sections/CTASection.tsx`
`tsx`
'use client'

import Link from 'next/link'
import { Heart } from 'lucide-react'
import { motion } from 'framer-motion'

export default function CTASection() {
  return (
    <section className="py-[60px] md:py-[80px] lg:py-[100px] bg-[#FBF7F0] relative overflow-hidden" aria-label="Become part of the change">

      {/* Decorative SVG concentric circles slowly spinning in the background */}

      <motion.div
        animate={{ rotate: 360 }}
        transition={{ duration: 60, repeat: Infinity, ease: 'linear' }}

```

```

        className="absolute inset-0 pointer-events-none opacity-[0.06] flex item
s-center justify-center z-0"
        aria-hidden="true"
    >
    <svg viewBox="0 0 400 400" className="w-[800px] h-[800px] stroke-brand-b
lue" fill="none" strokeWidth="0.75">
        <circle cx="200" cy="200" r="40" strokeDasharray="3 3" />
        <circle cx="200" cy="200" r="80" />
        <circle cx="200" cy="200" r="120" strokeDasharray="6 6" />
        <circle cx="200" cy="200" r="160" />
        <circle cx="200" cy="200" r="200" strokeDasharray="2 4" />
        <circle cx="200" cy="200" r="240" />
    </svg>
</motion.div>

<div className="container-wide relative z-10">
    {/* Centered Dark Surface Card with viewport-triggered reveal animation
*/}
    <motion.div
        initial={{ opacity: 0, scale: 0.96 }}
        whileInView={{ opacity: 1, scale: 1 }}
        viewport={{ once: true, margin: '-100px' }}
        transition={{ duration: 0.7 }}
        className="bg-brand-charcoal text-white rounded-[32px] px-8 py-16 md:p
y-24 text-center max-w-[1000px] mx-auto shadow-card-hover relative overflow-hidd
en border border-white/5"
    >
        {/* Ambient gold glow in card */}
        <div className="absolute -top-20 -right-20 w-64 h-64 bg-brand-amber/10
rounded-full blur-3xl pointer-events-none" />

        <span className="badge bg-brand-amber text-brand-charcoal text-xs font
-semibold tracking-widest uppercase mb-4 inline-block">
            Join the Movement
        </span>

        <h2 className="font-heading text-3xl sm:text-4xl lg:text-5xl font-bold
mb-6 !text-white leading-tight">
            Become Part of <span className="text-brand-amber italic font-normal"
>The Change</span>
        </h2>

        <p className="font-body text-white/70 text-sm sm:text-base mb-10 max-w
-xl mx-auto leading-relaxed">
            Whether you choose to donate, volunteer, or spread the word – every
action creates
            ripples of lasting impact that transform lives.
        </p>

        <div className="flex flex-wrap gap-4 justify-center">
            <Link
                href="/about"
                className="btn-ghost-white px-6 py-3 border border-white text-whit
e hover:bg-white hover:text-brand-charcoal rounded-full font-medium transition-a
ll"
                id="cta-continue-btn"
            >
                Our Mission
            </Link>
            <Link
                href="/projects"
                className="btn-amber px-6 py-3 bg-brand-amber text-brand-charcoal

```

```

hover:bg-brand-amber-dark rounded-full font-semibold transition-all"
      id="cta-donate-btn"
    >
      <Heart size={14} className="inline mr-1.5 fill-current" />
      Donate Now
    </Link>
  </div>
</motion.div>
</div>
</section>
)
}
}

```

---

### File: `src/components/sections/DomainMosaic.tsx`

```tsx

'use client'

```

import Image from 'next/image'
import Link from 'next/link'
import { ArrowRight } from 'lucide-react'
import { cn } from '@lib/utils'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@components/ui/ScrollAnimations'

```

```

const cards = [
  {
    id: 'domains',
    title: 'Domains We Serve',
    desc: 'Empowering communities through education, health, and local program s
support.',
    tag: 'Domains',
    img: 'https://images.unsplash.com/photo-1542838132-92c53300491e?w=800&q=80',
    href: '/about#programs',
  },
  {
    id: 'projects',
    title: 'Our Projects',
    desc: 'Building clean water systems, schools, and health infrastructure dire
ctly with locals.',
    tag: 'Impact',
    img: 'https://images.unsplash.com/photo-1503676260728-1c00da094a0b?w=800&q=8
0',
    href: '/projects',
  },
  {
    id: 'training',
    title: 'Training Mothers',
    desc: 'Vocational training and workshops for maternal health.',
    tag: 'Training',
    img: 'https://images.unsplash.com/photo-1517486808906-6ca8b3f04846?w=800&q=8
0',
    href: '/about#programs',
  },
  {
    id: 'programs',
    title: 'Development Programs',
    desc: 'Targeted support for self-sustaining communities.',
    tag: 'Programs',
    img: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=500&q=8

```

```

0', href: '/about#programs',
  },
]

export default function DomainMosaic() {
  return (
    <section className="py-20 md:py-28 lg:py-32 bg-white overflow-hidden" aria-label="Domains We Serve">
      <div className="container-wide">

        {/* Top: Text & CTA with reveal animation */}
        <div className="flex flex-col lg:flex-row lg:items-end lg:justify-between gap-6 mb-16 px-4">
          <div className="max-w-[720px]">
            <p className="section-label mb-3">What We Do</p>
            <h2 className="section-title mb-6 leading-tight italic">
              <ScrollRevealTypewriter text="Domains We Serve and Build" />
            </h2>
            <p className="section-subtitle text-brand-grey text-base sm:text-lg leading-relaxed">
              <ScrollRevealWords text="Our social impact programs are built directly with the communities we serve. We focus on key verticals including education, healthcare, local infrastructure, and women-led vocational projects to build self-sustaining ecosystems." />
            </p>
          </div>

          <div className="flex-shrink-0">
            <Link
              href="/about"
              className="btn-ghost border-brand-blue text-brand-blue hover:bg-brand-blue hover:text-white cursor-pointer"
              id="domain-learn-btn"
            >
              Learn More About Programs
              <ArrowRight size={14} className="ml-1.5 inline" />
            </Link>
          </div>
        </div>

        {/* Alternating Row Grid (Wix-style layout) */}
        <div className="space-y-12 md:space-y-16 mt-16 px-4 lg:px-8 max-w-[1100px] mx-auto">
          {cards.map((card, idx) => {
            const isImageRight = idx % 2 !== 0
            const cardContent = (
              <div>
                <div className="mb-5 flex items-center">
                  <span className="inline-flex items-center gap-1.5 px-3.5 py-1 rounded-full bg-white/85 border border-brand-sand/60 text-[10px] font-bold tracking-widest text-brand-blue-light uppercase shadow-sm">
                    <span className="w-1.5 h-1.5 rounded-full bg-brand-amber animate-pulse-dot" />
                    {card.tag}
                  </span>
                </div>
                <h3 className="font-heading text-2xl sm:text-3xl font-bold text-brand-blue mb-4 leading-tight group-hover/card:text-brand-amber-dark transition-colors duration-500">
                  {card.title}
                </h3>
              </div>
            )
            // ... (rest of the map function logic)
          })}
        </div>
      </div>
    </section>
  )
}

```

```

        </h3>
        <p className="font-body text-sm sm:text-base text-brand-grey/9
0 leading-relaxed mb-6">
            {card.desc}
        </p>
    </div>

    <div>
        <span className="inline-flex items-center gap-1.5 font-body te
xt-xs sm:text-sm font-semibold text-brand-blue group-hover/card:text-brand-amber
-dark transition-colors cursor-pointer">
            Learn More
            <ArrowRight size={14} className="group-hover/card:translate-
x-1 transition-transform duration-300" />
        </span>
    </div>
)

return (
    <div key={card.id} className="grid grid-cols-1 md:grid-cols-2 gap-
8 lg:gap-16 items-stretch">
        {/* Image Tile */}
        <ScrollRevealCard
            delay={0.1}
            className={cn(
                "w-full order-1 flex flex-col h-full",
                isImageRight ? "md:order-2" : "md:order-1"
            )}
        >
            <div className="relative w-full h-[200px] sm:h-[240px] md:h-fu
11 min-h-[200px] rounded-[32px] overflow-hidden group/img shadow-card border bor
der-brand-sand/30 hover:border-brand-amber/30 hover:-translate-y-2 transition-al
l duration-500 ease-[cubic-bezier(0.16,1,0.3,1)]">
                <Image
                    src={card.img}
                    alt={card.title}
                    fill
                    className="object-cover transition-transform duration-700
group-hover/img:scale-105"
                    sizes="(max-width: 768px) 100vw, 50vw"
                />
                {/* Modern subtle overlay */}
                <div className="absolute inset-0 bg-gradient-to-t from-brand
-blue/15 to-transparent opacity-0 group-hover/img:opacity-100 transition-opacity
duration-500 pointer-events-none" />
            </div>
        </ScrollRevealCard>

        {/* Text Tile */}
        <ScrollRevealCard
            delay={0.2}
            className={cn(
                "w-full order-2 flex flex-col h-full",
                isImageRight ? "md:order-1" : "md:order-2"
            )}
        >
            <Link
                href={card.href}
                className="bg-[#FBF7F0]/90 backdrop-blur-md rounded-[32px] p
-6 md:p-8 lg:p-10 shadow-card hover:shadow-card-hover border border-brand-sand/3
5 hover:border-brand-amber/30 hover:-translate-y-2 transition-all duration-500 e

```

```

ase-[cubic-bezier(0.16,1,0.3,1)] flex flex-col justify-between w-full h-full min
-h-[250px] sm:min-h-[280px] md:min-h-[330px] group/card"
    >
      {cardContent}
    </Link>
  </ScrollRevealCard>
</div>
  )
}
}
</div>
</div>
</section>
)
}
}

```

---

### File: `src/components/sections/HeroSection.tsx`

```tsx

'use client'

```

import { useState, useEffect } from 'react'
import Image from 'next/image'
import Link from 'next/link'
import { Heart, Globe, Users } from 'lucide-react'
import { motion, useScroll, useTransform } from 'framer-motion'

```

```
const words = ['Sustainable', 'Compassionate', 'Meaningful', 'Community-Led']
```

```
function StatCounterInline({ end, duration = 2000, suffix = '' }: { end: number;
duration?: number; suffix?: string }) {
  const [count, setCount] = useState(0)

```

```
  useEffect(() => {
    let startTime: number | null = null

```

```
    const animate = (now: number) => {
      if (!startTime) startTime = now
      const elapsed = now - startTime
      const progress = Math.min(elapsed / duration, 1)
      const eased = 1 - Math.pow(1 - progress, 3) // easeOutCubic
      setCount(Math.floor(eased * end))

```

```
      if (progress < 1) {
        requestAnimationFrame(animate)
      }
    }

```

```
    requestAnimationFrame(animate)
  }, [end, duration])

```

```
  return <>{count.toLocaleString()}{suffix}</>
}

```

```
export default function HeroSection() {
  const [wordIdx, setWordIdx] = useState(0)
  const [subText, setSubText] = useState('')
  const [isDeleting, setIsDeleting] = useState(false)

```

```
  // Typewriter effect logic
  useEffect(() => {

```

```

const activeWord = words[wordIdx]
let timer: NodeJS.Timeout

if (isDeleting) {
  timer = setTimeout(() => {
    setSubText(activeWord.substring(0, subText.length - 1))
  }, 50)
} else {
  timer = setTimeout(() => {
    setSubText(activeWord.substring(0, subText.length + 1))
  }, 120)
}

if (!isDeleting && subText === activeWord) {
  timer = setTimeout(() => setIsDeleting(true), 2000) // Hold word
} else if (isDeleting && subText === '') {
  setIsDeleting(false)
  setWordIdx((prev) => (prev + 1) % words.length)
}

return () => clearTimeout(timer)
}, [subText, isDeleting, wordIdx])

// Parallax scroll effect on background image
const { scrollY } = useScroll()
const bgY = useTransform(scrollY, [0, 800], ['0%', '18%'])

return (
  <section className="relative h-screen flex items-center justify-center overflow-hidden" aria-label="Hero section">
    {/* Parallax Background Image */}
    <motion.div
      style={{ y: bgY }}
      className="absolute inset-0 w-full h-[120%] -top-[10%]"
    >
      <Image
        src="https://images.unsplash.com/photo-1524069290683-0457abfe42c3?w=1600&q=80"
        alt="Dua Trust - Creating sustainable change together"
        fill
        priority
        className="object-cover"
        sizes="100vw"
      />
    </motion.div>

    {/* 20% dark overlay to match spec and maintain readability */}
    <div className="absolute inset-0 bg-black/30 z-0" aria-hidden="true" />

    {/* Hero content */}
    <div className="relative container-wide z-10 text-center px-4">
      <motion.div
        initial={{ opacity: 0, y: 30 }}
        animate={{ opacity: 1, y: 0 }}
        transition={{ duration: 0.8 }}
        className="max-w-[720px] mx-auto flex flex-col items-center"
      >
        <span className="inline-block px-4 py-1.5 rounded-full bg-white/10 backdrop-blur-md border border-white/20 text-brand-amber font-body text-xs font-semibold tracking-widest uppercase mb-6">
          Empowering Communities Since 2006
        </span>
      </motion.div>
    </div>
  </section>
)

```

```

    </span>

    <h1 className="font-heading text-[40px] md:text-[52px] lg:text-[64px]
!text-white font-bold leading-[1.1] mb-6">
      Creating{' '}
      <span className="text-brand-amber italic font-normal min-w-[200px] i
nline-block border-r-2 border-brand-amber pr-1 animate-pulse">
        {subText || '\u00A0'}
      </span>
      <br /> Change Together
    </h1>

    <p className="font-body text-white/90 text-sm sm:text-base md:text-lg
leading-relaxed mb-8 max-w-xl">
      Building strong communities through education, healthcare, and meani
ngful action
      that uplifts lives across India and beyond.
    </p>

    {/* Statistics subheadline */}
    <div className="flex flex-wrap items-center justify-center gap-x-5 gap
-y-2.5 text-white/90 text-xs sm:text-sm font-semibold mb-10 font-body bg-white/5
px-5 py-3 rounded-2xl border border-white/10 shadow-sm max-w-xl mx-auto z-10 re
lative">
      <div className="flex items-center gap-1.5">
        <Globe size={14} className="text-brand-amber" />
        <span>Serving humanity across <strong className="text-brand-amber
font-heading text-sm sm:text-base"><StatCounterInline end={15} /></strong> count
ries</span>
      </div>
      <span className="text-white/20 hidden sm:inline">●</span>
      <div className="flex items-center gap-1.5">
        <Heart size={14} className="text-brand-amber animate-pulse" />
        <span>with <strong className="text-brand-amber font-heading text-s
m sm:text-base"><StatCounterInline end={45} /></strong> active projects</span>
      </div>
      <span className="text-white/20 hidden sm:inline">●</span>
      <div className="flex items-center gap-1.5">
        <Users size={14} className="text-brand-amber" />
        <span>impacting <strong className="text-brand-amber font-heading t
ext-sm sm:text-base"><StatCounterInline end={200000} suffix="+" /></strong> live
s</span>
      </div>
    </div>

    <div className="flex flex-wrap gap-4 justify-center">
      <Link href="/contact" className="btn-amber px-8 py-3.5 rounded-full
text-brand-charcoal font-semibold shadow-md hover:scale-105 transition-transform
" id="hero-get-involved-btn">
        Get Involved
      </Link>
      <Link href="/programmes" className="btn-white-solid px-8 py-3.5 bg-w
hite text-brand-charcoal hover:bg-white/90 hover:scale-105 rounded-full font-med
ium transition-all" id="hero-our-impact-btn">
        Our Impact
      </Link>
    </div>
  </motion.div>
</div>
</section>
)
}

```



...

---

### File: `src/components/sections/WhoWeAre.tsx`  
```tsx

'use client'

```
import Image from 'next/image'
import Link from 'next/link'
import { ArrowRight } from 'lucide-react'
import { cn } from '@lib/utils'
import { ScrollRevealTypewriter, ScrollRevealWords, ScrollRevealCard } from '@components/ui/ScrollAnimations'
```

```
const cards = [
  {
    title: 'Congregational Communities',
    desc: 'Supporting sacred and secular community spaces that foster solidarity',
    img: 'https://images.unsplash.com/photo-1509099836639-18ba1795216d?w=800&q=80',
    tag: 'Community',
  },
  {
    title: 'Maternal Health & Donor',
    desc: 'Providing essential healthcare and support networks for maternal well',
    img: 'https://images.unsplash.com/photo-1502086223501-7ea6ecd79368?w=800&q=80',
    tag: 'Wellness',
  },
  {
    title: 'Food Community Programs',
    desc: 'Nourishing underserved families through community kitchen initiatives',
    img: 'https://images.unsplash.com/photo-1578357078586-491adf1aa5ba?w=800&q=80',
    tag: 'Kitchen',
  },
  {
    title: 'Explore Our Community',
    desc: 'Meet the volunteers, donors, and change-makers driving our daily operations. Check out profiles and personal stories.',
    img: 'https://images.unsplash.com/photo-1522202176988-66273c2fd55f?w=800&q=80',
    tag: 'Directory',
    href: '/community',
  },
]
```

```
export default function WhoWeAre() {
  return (
    <section className="py-20 md:py-28 lg:py-32 bg-white overflow-hidden" aria-label="Who We Are">
      <div className="container-wide">
        { /* Intro text with viewport-triggered entrance animation */ }
        <div className="max-w-[720px] mx-auto text-center mb-16 px-4">
          <p className="section-label mb-3">Who We Are</p>
          <h2 className="section-title mb-6 leading-tight italic">
```

```

    <ScrollRevealTypewriter text="Building Strong Communities" />
    <br />
    <ScrollRevealTypewriter text="through" delay={0.3} />
    <br />
    <span className="inline-block whitespace-nowrap">
      <span className="text-brand-blue italic font-normal">
        <ScrollRevealTypewriter text="Meaningful" delay={0.6} />
      </span>
      <ScrollRevealTypewriter text=" Action" delay={0.9} />
    </span>
  </h2>
  <p className="section-subtitle mx-auto text-base sm:text-lg">
    <ScrollRevealWords text="Since 2006, Dua Trust has been at the forefront of social change, partnering with communities to address education gaps, health disparities, and social inequalities across India and internationally." />
  </p>
</div>

{/* Alternating Row Grid (Wix-style layout) */}
<div className="space-y-12 md:space-y-16 mt-16 px-4 lg:px-8 max-w-[1100px] mx-auto">
  {cards.map((card, idx) => {
    const isImageRight = idx % 2 !== 0
    const cardContent = (
      <div>
        <div className="mb-5 flex items-center">
          <span className="inline-flex items-center gap-1.5 px-3.5 py-1 rounded-full bg-white/85 border border-brand-sand/60 text-[10px] font-bold tracking-widest text-brand-blue-light uppercase shadow-sm">
            <span className="w-1.5 h-1.5 rounded-full bg-brand-amber animate-pulse-dot" />
            {card.tag}
          </span>
        </div>
        <h3 className="font-heading text-2xl sm:text-3xl font-bold text-brand-blue mb-4 leading-tight group-hover/card:text-brand-amber-dark transition-n-colors duration-500">
          {card.title}
        </h3>
        <p className="font-body text-sm sm:text-base text-brand-grey/90 leading-relaxed mb-6">
          {card.desc}
        </p>
      </div>

      {card.href ? (
        <div>
          <span className="inline-flex items-center gap-1.5 font-body text-xs sm:text-sm font-semibold text-brand-blue group-hover/card:text-brand-amber-dark transition-colors cursor-pointer">
            View Directory
            <ArrowRight size={14} className="group-hover/card:translate-x-1 transition-transform duration-300" />
          </span>
        </div>
      ) : null}
    )
  })}
</div>

return (
  <div key={card.title} className="grid grid-cols-1 md:grid-cols-2 g

```

```

ap-8 lg:gap-16 items-stretch">
    { /* Image Tile */ }
    <ScrollRevealCard
        delay={0.1}
        className={cn(
            "w-full order-1 flex flex-col h-full",
            isImageRight ? "md:order-2" : "md:order-1"
        )}
    >
        <div className="relative w-full h-[200px] sm:h-[240px] md:h-fu
ll min-h-[200px] rounded-[32px] overflow-hidden group/img shadow-card border bor
der-brand-sand/30 hover:border-brand-amber/30 hover:-translate-y-2 transition-al
l duration-500 ease-[cubic-bezier(0.16,1,0.3,1)]">
            <Image
                src={card.img}
                alt={card.title}
                fill
                className="object-cover transition-transform duration-700
group-hover/img:scale-105"
                sizes="(max-width: 768px) 100vw, 50vw"
            />
            { /* Modern subtle overlay */ }
            <div className="absolute inset-0 bg-gradient-to-t from-brand
-blue/15 to-transparent opacity-0 group-hover/img:opacity-100 transition-opacity
duration-500 pointer-events-none" />
        </div>
    </ScrollRevealCard>

    { /* Text Tile */ }
    <ScrollRevealCard
        delay={0.2}
        className={cn(
            "w-full order-2 flex flex-col h-full",
            isImageRight ? "md:order-1" : "md:order-2"
        )}
    >
        {card.href ? (
            <Link
                href={card.href}
                className="bg-[#FBF7F0]/90 backdrop-blur-md rounded-[32px]
p-6 md:p-8 lg:p-10 shadow-card hover:shadow-card-hover border border-brand-sand
/35 hover:border-brand-amber/30 hover:-translate-y-2 transition-all duration-500
ease-[cubic-bezier(0.16,1,0.3,1)] flex flex-col justify-between w-full h-full m
in-h-[250px] sm:min-h-[280px] md:min-h-[330px] group/card"
            >
                {cardContent}
            </Link>
        ) : (
            <div className="bg-[#FBF7F0]/90 backdrop-blur-md rounded-[32
px] p-6 md:p-8 lg:p-10 shadow-card hover:shadow-card-hover border border-brand-s
and/35 hover:border-brand-amber/30 hover:-translate-y-2 transition-all duration-
500 ease-[cubic-bezier(0.16,1,0.3,1)] flex flex-col justify-between w-full h-fu
ll min-h-[250px] sm:min-h-[280px] md:min-h-[330px] group/card">
                {cardContent}
            </div>
        )}
    </ScrollRevealCard>
</div>
</div>
</div>
</div>

```

```

    </section>
  )
}
}

---

### File: `src/components/layout/Footer.tsx`
`ts
'use client'

import Link from 'next/link'
import { Heart } from 'lucide-react'
import { InstagramIcon, FacebookIcon, XIcon, LinkedInIcon, YouTubeIcon } from '@
/components/ui/SocialIcons'

const footerNav = {
  pages: [
    { label: 'Home', href: '/' },
    { label: 'About Us', href: '/about' },
    { label: 'Programmes', href: '/programmes' },
    { label: 'Projects', href: '/projects' },
    { label: 'Blog', href: '/blog' },
    { label: 'Community', href: '/community' },
    { label: 'Contact', href: '/contact' },
  ],
  programs: [
    { label: 'Education', href: '/programmes?category=Education' },
    { label: 'Healthcare', href: '/programmes?category=Healthcare' },
    { label: 'Women Empowerment', href: '/programmes?category=Women%20Empowermen
t' },
    { label: 'Environment', href: '/programmes?category=Environment' },
    { label: 'Emergency Relief', href: '/programmes?category=Emergency%20Relief'
},
    { label: 'Community Welfare', href: '/programmes?category=Community%20Welfar
e' },
  ],
  get_involved: [
    { label: 'Volunteer', href: '/contact#volunteer' },
    { label: 'Donate', href: '/projects' },
    { label: 'Join NGO', href: '/contact#join' },
    { label: 'Become a Donor', href: '/contact#donor' },
  ],
},

const socials = [
  { icon: InstagramIcon, label: 'Instagram', href: 'https://instagram.com' },
  { icon: FacebookIcon, label: 'Facebook', href: 'https://facebook.com' },
  { icon: XIcon, label: 'Twitter/X', href: 'https://twitter.com' },
  { icon: LinkedInIcon, label: 'LinkedIn', href: 'https://linkedin.com' },
  { icon: YouTubeIcon, label: 'YouTube', href: 'https://youtube.com' },
]

export default function Footer() {
  return (
    <footer className="relative bg-[#0F233B] text-white border-t border-white/10
overflow-hidden" aria-label="Site footer">
      { /* Decorative Gold Border Line and Soft Top Ambient Glow */ }
      <div className="absolute top-0 left-0 right-0 h-[4px] bg-gradient-to-r fro
m-brand-amber/35 via-brand-amber to-brand-amber/35" />
      <div className="absolute top-0 left-1/2 -translate-x-1/2 w-[600px] h-[120p
x] bg-brand-amber/5 blur-[80px] pointer-events-none rounded-full" />

```

```

    { /* — Main Footer ————— */ }
    <div className="container-wide py-20 relative z-10">
      <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-12 lg
:gap-10">
        { /* Brand Column */ }
        <div className="space-y-6">
          <Link href="/" className="group inline-flex items-center gap-3.5">
            <div className="w-11 h-11 rounded-full bg-gradient-to-tr from-bran
d-amber to-amber-300 flex items-center justify-center flex-shrink-0 shadow-md ri
ng-4 ring-brand-amber/15 group-hover:scale-105 transition-all duration-300">
              <span className="text-brand-charcoal font-heading font-bold text
-lg leading-none">D</span>
            </div>
          </div>
          <p className="font-heading font-bold text-white text-lg tracking
-wide leading-none group-hover:text-brand-amber transition-colors">Dua Charitabl
e Trust</p>
          <p className="font-body text-white/60 text-xs mt-1 tracking-wide
r uppercase">Building Communities Together</p>
        </Link>

        <p className="font-body text-white/95 text-sm leading-relaxed max-w-
sm">
          Creating sustainable change through meaningful action across educa
tion, healthcare,
          and community empowerment.
        </p>

        { /* Social links */ }
        <div className="flex items-center gap-3 pt-2" aria-label="Social med
ia links">
          {socials.map(({ icon: Icon, label, href }) => (
            <a
              key={label}
              href={href}
              target="_blank"
              rel="noopener noreferrer"
              aria-label={label}
              className="group/social w-10 h-10 rounded-full bg-white/5 bord
er border-white/10 flex items-center justify-center
              hover:bg-brand-amber hover:border-brand-amber hover
:shadow-lg hover:shadow-brand-amber/20
              transition-all duration-300"
            >
              <Icon className="w-4.5 h-4.5 text-white group-hover/social:tex
t-brand-charcoal group-hover/social:scale-110 transition-all duration-300" />
            </a>
          ))}
        </div>

        { /* Pages Column */ }
        <div>
          <h3 className="font-body font-bold !text-white text-xs mb-6 uppercas
e tracking-widest relative after:content-[''] after:block after:w-6 after:h-[2px
] after:bg-brand-amber after:mt-2">
            Pages
          </h3>
          <ul className="space-y-3" role="list">

```

```

        {footerNav.pages.map((l) => (
            <li key={l.href}>
                <Link
                    href={l.href}
                    className="font-body text-sm text-white/90 hover:text-brand-
amber hover:translate-x-1 inline-block transition-all duration-200"
                >
                    {l.label}
                </Link>
            </li>
        ))}
    </ul>
</div>

    {/* Programs Column */}
    <div>
        <h3 className="font-body font-bold !text-white text-xs mb-6 uppercas
e tracking-widest relative after:content-[''] after:block after:w-6 after:h-[2px
] after:bg-brand-amber after:mt-2">
            Programs
        </h3>
        <ul className="space-y-3" role="list">
            {footerNav.programs.map((l) => (
                <li key={l.label}>
                    <Link
                        href={l.href}
                        className="font-body text-sm text-white/90 hover:text-brand-
amber hover:translate-x-1 inline-block transition-all duration-200"
                    >
                        {l.label}
                    </Link>
                </li>
            ))}
        </ul>
    </div>

    {/* Get Involved Column */}
    <div>
        <h3 className="font-body font-bold !text-white text-xs mb-6 uppercas
e tracking-widest relative after:content-[''] after:block after:w-6 after:h-[2px
] after:bg-brand-amber after:mt-2">
            Get Involved
        </h3>
        <ul className="space-y-3" role="list">
            {footerNav.get_involved.map((l) => (
                <li key={l.label}>
                    <Link
                        href={l.href}
                        className="font-body text-sm text-white/90 hover:text-brand-
amber hover:translate-x-1 inline-block transition-all duration-200"
                    >
                        {l.label}
                    </Link>
                </li>
            ))}
        </ul>
    </div>
</div>

    {/* — Bottom Bar ————— */}
    <div className="border-t border-white/10 bg-black/10 relative z-10">

```

```

    <div className="container-wide py-6 flex flex-col md:flex-row items-center justify-between gap-4">
      <p className="font-body text-xs text-white/50 order-2 md:order-1 text-center md:text-left">
        © {new Date().getFullYear()} Dua Trust. All rights reserved.
      </p>

      <div className="flex items-center gap-6 order-1 md:order-2">
        <Link href="/privacy" className="font-body text-xs text-white/50 hover:text-brand-amber transition-colors">
          Privacy Policy
        </Link>
        <span className="text-white/20 text-xs">|</span>
        <Link href="/terms" className="font-body text-xs text-white/50 hover:text-brand-amber transition-colors">
          Terms of Use
        </Link>
      </div>

      <p className="font-body text-xs text-white/45 flex items-center gap-1.5 order-3">
        Made with <Heart size={11} className="text-brand-amber fill-brand-amber animate-pulse-dot" /> for community impact
      </p>
    </div>
  </div>
</footer>
)
}
...
---

```

```

### File: `src/components/layout/Navbar.tsx`

```

```

` `` `tsx

```

```

'use client'

```

```

import Link from 'next/link'
import { useState, useEffect } from 'react'
import { usePathname } from 'next/navigation'
import { Menu, X, ChevronDown } from 'lucide-react'
import { cn } from '@lib/utils'

```

```

const navLinks = [
  { label: 'Home', href: '/' },
  {
    label: 'About Us',
    href: '/about',
    subLinks: [
      { label: 'About Us', href: '/about' },
      { label: 'Community', href: '/community' },
    ],
  },
  {
    label: 'Blog',
    href: '/blog',
    subLinks: [
      { label: 'Latest Stories', href: '/blog' },
      { label: 'Achievements', href: '/blog?type=achievement' },
    ],
  },
]

```

```

    { label: 'Contact Us', href: '/contact' },
  ]

export default function Navbar() {
  const [menuOpen, setMenuOpen] = useState(false)
  const [scrolled, setScrolled] = useState(false)
  const pathname = usePathname()

  // Detect scroll state
  useEffect(() => {
    const onScroll = () => setScrolled(window.scrollY > 20)
    window.addEventListener('scroll', onScroll, { passive: true })
    return () => window.removeEventListener('scroll', onScroll)
  }, [])

  return (
    <
      { /* — Desktop Floating Navbar ————— */ }
      <nav
        className="fixed left-1/2 -translate-x-1/2 z-50 text-brand-charcoal hidden lg:flex items-center justify-between"
        style={{
          top: scrolled ? '16px' : '0px',
          width: scrolled ? 'min(1280px, calc(100% - 2rem))' : '100%',
          borderRadius: scrolled ? '999px' : '0px',
          paddingTop: scrolled ? '0.75rem' : '1.25rem',
          paddingBottom: scrolled ? '0.75rem' : '1.25rem',
          paddingLeft: scrolled ? '2rem' : '3rem',
          paddingRight: scrolled ? '2rem' : '3rem',
          background: 'rgba(251, 247, 240, 0.95)',
          backdropFilter: 'blur(12px)',
          border: scrolled ? '1px solid rgba(240, 234, 216, 0.8)' : '1px solid transparent',
          borderBottom: scrolled ? '1px solid rgba(240, 234, 216, 0.8)' : '1px solid rgba(240, 234, 216, 0.5)',
          boxShadow: scrolled ? '0 10px 30px -10px rgba(26, 58, 92, 0.15)' : 'none',
          transition: 'all 500ms cubic-bezier(0.16, 1, 0.3, 1)',
        }}
        aria-label="Main navigation"
      >
        { /* Logo */ }
        <Link href="/" className="flex items-center gap-2.5 flex-shrink-0 group" >
          <div className="w-8 h-8 rounded-full bg-brand-blue flex items-center justify-center transition-transform group-hover:scale-105">
            <span className="text-white font-heading font-bold text-sm leading-none">D</span>
          </div>
          <span className="font-heading font-bold text-sm tracking-wide text-brand-blue transition-colors duration-300">
            Dua Charitable Trust
          </span>
        </Link>

        { /* Nav Links */ }
        <ul className="flex items-center gap-1" role="list">
          {navLinks.map((link) => {
            const isActive = pathname === link.href || (link.subLinks && link.subLinks.some(sub => pathname === sub.href))
            if (link.subLinks) {
              return (

```



```

<li key={link.href} className="relative group/nav-item py-2">
  <div className="flex items-center">
    <Link
      href={link.href}
      className={cn(
        'px-4 py-1.5 rounded-pill text-xs font-body font-medium
transition-all duration-200 flex items-center gap-1 text-brand-grey hover:text-b
rand-blue hover:bg-brand-sand/40',
        isActive && 'bg-brand-blue text-white hover:text-white h
over:bg-brand-blue/90'
      )}>
      >
        {link.label}
        <ChevronDown size={12} className="opacity-60 group-hover/n
av-item:rotate-180 transition-transform duration-300" />
      </Link>
    </div>
    { /* Dropdown menu */ }
    <div className="absolute top-[calc(100%-4px)] left-0 min-w-[16
0px] rounded-2xl overflow-hidden shadow-lg border bg-[#FBF7F0] border-brand-sand
/50 backdrop-blur-md text-brand-charcoal opacity-0 pointer-events-none group-hov
er/nav-item:opacity-100 group-hover/nav-item:pointer-events-auto transition-all
duration-300 transform translate-y-2 group-hover/nav-item:translate-y-0 z-50">
      <div className="py-2 flex flex-col">
        {link.subLinks.map((sub) => {
          const isSubActive = pathname === sub.href
          return (
            <Link
              key={sub.href}
              href={sub.href}
              className={cn(
                'px-4 py-2 text-[11px] font-body font-medium trans
ition-colors text-left block text-brand-grey hover:text-brand-blue hover:bg-bran
d-sand/40',
                isSubActive && 'bg-brand-sand text-brand-blue font
-semibold'
              )}>
              >
                {sub.label}
              </Link>
            )
          )
        })}
      </div>
    </div>
  </li>
)
}

return (
  <li key={link.href}>
    <Link
      href={link.href}
      className={cn(
        'px-4 py-1.5 rounded-pill text-xs font-body font-medium tran
sition-all duration-200 block text-brand-grey hover:text-brand-blue hover:bg-bra
nd-sand/40',
        isActive && 'bg-brand-blue text-white hover:text-white hover
:bg-brand-blue/90'
      )}>
      >
        {link.label}
      </Link>
    </li>
  )
)

```

```

    </li>
  )
}
}
</ul>

{/* Actions: Volunteer (Ghost) + Donate (Filled) */}
<div className="flex items-center gap-3 flex-shrink-0">
  <Link
    href="/contact#volunteer"
    className="btn-ghost text-xs py-2 px-4 border border-brand-blue text
-brand-blue hover:bg-brand-blue hover:text-white transition-all duration-200"
    id="nav-volunteer-btn"
  >
    Volunteer
  </Link>
  <Link
    href="/projects"
    className="btn-amber text-xs py-2 px-4 font-semibold shadow-sm"
    id="nav-donate-btn"
  >
    Donate
  </Link>
</div>
</nav>

{/* — Mobile Navbar ————— */}
<nav
  className="fixed top-0 left-0 right-0 z-50 lg:hidden flex items-center j
ustify-between px-4 py-3 bg-[#FBF7F0] border-b border-brand-sand/30 backdrop-blu
r-md shadow-sm"
  aria-label="Mobile navigation"
>
  {/* Logo: D icon only */}
  <Link href="/" className="w-8 h-8 rounded-full bg-brand-blue flex items-
center justify-center">
    <span className="text-white font-heading font-bold text-sm leading-non
e">D</span>
  </Link>

  {/* Menu toggle */}
  <button
    onClick={() => setMenuOpen(!menuOpen)}
    className="p-2 rounded-xl text-brand-blue hover:bg-brand-sand/40 trans
ition-colors"
    aria-label={menuOpen ? 'Close menu' : 'Open menu'}
    aria-expanded={menuOpen}
    id="mobile-menu-btn"
  >
    {menuOpen ? <X size={20} /> : <Menu size={20} />}
  </button>
</nav>

{/* — Mobile Drawer ————— */}
{menuOpen && (
  <div
    className="fixed inset-0 z-40 lg:hidden"
    role="dialog"
    aria-modal="true"
    aria-label="Navigation menu"
  >
    {/* Backdrop */}
    <div

```

```

        className="absolute inset-0 bg-brand-charcoal/40 backdrop-blur-sm"
        onClick={() => setMenuOpen(false)}
      />
    { /* Drawer */ }
    <div className="absolute top-[56px] left-0 right-0 bg-[#FBF7F0] shadow
-card-hover rounded-b-3xl overflow-hidden animate-fade-up text-bran
nd-charcoal border-b border-brand-sand/30">
      <ul className="py-4 px-4 space-y-1" role="list">
        {navLinks.map((link) => {
          if (link.subLinks) {
            return (
              <li key={link.href} className="space-y-1">
                <div className="px-4 py-2 text-xs font-heading font-semibo
ld uppercase tracking-wider text-brand-grey/50">
                  {link.label}
                </div>
                <ul className="pl-4 space-y-1">
                  {link.subLinks.map((sub) => {
                    const isActive = pathname === sub.href
                    return (
                      <li key={sub.href}>
                        <Link
                          href={sub.href}
                          onClick={() => setMenuOpen(false)}
                          className={cn(
font-medium transition-all duration-200 text-brand-grey hover:text-brand-blue h
over:bg-brand-sand/20',
isSubActive && 'bg-brand-blue text-white'
                        )}
                      >
                        {sub.label}
                      </Link>
                    </li>
                  )}
                </ul>
              </li>
            )
          }
        })}
      </ul>
    </div>
  )
  const isActive = pathname === link.href
  return (
    <li key={link.href}>
      <Link
        href={link.href}
        onClick={() => setMenuOpen(false)}
        className={cn(
dium transition-all duration-200 text-brand-grey hover:text-brand-blue hover:bg-
brand-sand/20',
isActive && 'bg-brand-blue text-white'
      )}
      >
        {link.label}
      </Link>
    </li>
  )
})}
</ul>
<div className="grid grid-cols-2 gap-3 px-8 pb-6 pt-2">
  <Link

```

```

        href="/contact#volunteer"
        onClick={() => setMenuOpen(false)}
        className="btn-ghost justify-center text-xs py-2 px-4 border border-brand-blue text-brand-blue hover:bg-brand-blue hover:text-white"
        id="mobile-volunteer-btn"
      >
        Volunteer
      </Link>
      <Link
        href="/projects"
        onClick={() => setMenuOpen(false)}
        className="btn-amber justify-center text-xs py-2 px-4 text-brand-
- charcoal"
        id="mobile-donate-btn"
      >
        Donate
      </Link>
    </div>
  </div>
</div>
)}
</>
)
}...

```

---

### File: `src/components/layout/WhatsAppFAB.tsx`

```tsx

'use client'

import { MessageCircle } from 'lucide-react'

export default function WhatsAppFAB() {

const number = process.env.NEXT\_PUBLIC\_WHATSAPP?.replace(/D/g, '') ?? '91XXXXXXXXXX'

const message = encodeURIComponent('Hello Dua Charitable Trust, I would like to know more.')

const href = `https://wa.me/\${number}?text=\${message}`

const handleClick = () => {

// GA4 event tracking (will be active once GA is connected)

if (typeof window !== 'undefined' && (window as any).gtag) {

;(window as any).gtag('event', 'whatsapp\_click', {

event\_category: 'engagement',

event\_label: 'whatsapp\_fab',

})

}

}

return (

<a

href={href}

target="\_blank"

rel="noopener noreferrer"

onClick={handleClick}

aria-label="Chat with us on WhatsApp"

id="whatsapp-fab"

className="

fixed bottom-6 right-6 z-50

flex items-center justify-center

```

        w-14 h-14 rounded-full
        bg-[#25D366] text-white shadow-lg
        hover:scale-110 hover:shadow-xl
        active:scale-95
        transition-all duration-200
    "
    group
  >
  { /* Pulse ring */ }
  <span
    className="absolute inset-0 rounded-full bg-[#25D366] animate-pulse-dot
opacity-60 -z-10"
    aria-hidden="true"
  />
  <MessageCircle size={26} strokeWidth={2} />

  { /* Tooltip on hover (desktop) */ }
  <span
    className="
      absolute right-16 whitespace-nowrap
      bg-brand-charcoal text-white text-xs font-body px-3 py-1.5 rounded-lg
      opacity-0 group-hover:opacity-100
      pointer-events-none
      transition-opacity duration-200
      hidden sm:block
    "
    aria-hidden="true"
  >
    Chat with us
  </span>
</a>
)
}

```

---

```

### File: `src/lib/utils.ts`

```

```

`typescript

```

```

import { type ClassValue, clsx } from 'clsx'
import { twMerge } from 'tailwind-merge'

```

```

// Utility function to merge Tailwind classes dynamically

```

```

export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs))
}

```

```

export function formatDate(dateString: string): string {
  return new Date(dateString).toLocaleDateString('en-IN', {
    day: 'numeric',
    month: 'long',
    year: 'numeric',
  })
}

```

```

export function slugify(str: string): string {
  return str
    .toLowerCase()
    .replace(/[^\a-z0-9]+/g, '-')
    .replace(/(^|-|$)/g, '')
}

```

---

```
### File: `src/data/communityMembers.ts`
`typescript
export type CommunityMember = {
  id: string; // stable ID
  slug: string; // e.g. "sara-al-noor"
  name: string;
  role: 'DONOR' | 'VOLUNTEER' | 'STAFF' | 'PARTNER';
  focusTags: string[]; // e.g. ["Women Empowerment"]
  contributionTitle: string;
  contributionSummary: string; // the short description currently on the card
  joinedYear: string;
  location?: string;
  avatarSrc: string;
  heroImageSrc?: string; // optional banner image
  longBio: string; // 2-4 paragraphs
  impactStats?: Array<{
    label: string;
    value: string;
  }>;
};

export const communityMembers: CommunityMember[] = [
  {
    id: 'amina-rashid',
    slug: 'amina-rashid',
    name: 'Amina Rashid',
    role: 'DONOR',
    focusTags: ['Education', 'Girls Empowerment'],
    contributionTitle: '₹5 Lakh Annual Scholarship Fund',
    contributionSummary: 'Amina has funded over 40 scholarships, believing every girl deserves an education.',
    joinedYear: '2022',
    location: 'New Delhi, India',
    avatarSrc: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=400&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1427504494785-3a9ca7044f45?w=1200&q=80',
    longBio: 'Amina is a dedicated philanthropist who believes deeply in the transformative power of education. Born and raised in New Delhi, she pursued a successful career in financial technology before turning her focus towards social impact projects. She believes that education is the single most potent tool for breaking cycles of generational poverty, particularly for young girls in underserved areas.\n\nSince partnering with the Dua Charitable Trust in 2022, Amina has established a dedicated scholarship fund targeting girls who show academic promise but lack financial support. Her contributions go beyond funding; she also participates in quarterly mentoring sessions to guide the students through their academic journeys and inspire them to reach their full potential.',
    impactStats: [
      { label: 'Scholarship Fund', value: '₹5 Lakh / Yr' },
      { label: 'Girls Supported', value: '40+ Students' },
      { label: 'Success Rate', value: '100% Graduation' }
    ]
  },
  {
    id: 'rahul-mehta',
    slug: 'rahul-mehta',
    name: 'Rahul Mehta',
    role: 'VOLUNTEER',
    focusTags: ['Healthcare', 'Rural Outreach'],
  }
]
```

```

    contributionTitle: '200+ Medical Camp Hours',
    contributionSummary: 'A retired doctor who spends weekends at mobile health
camps across rural Maharashtra.',
    joinedYear: '2021',
    location: 'Pune, Maharashtra',
    avatarSrc: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=4
00&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1584824486509-112e4181ff6b?
w=1200&q=80',
    longBio: 'Dr. Rahul Mehta is a retired general practitioner with over 35 yea
rs of clinical experience. After winding down his private clinic in Pune, Rahul
wanted to dedicate his skills and remaining active years to community health ser
vices. He joined Dua Trust as a medical volunteer in 2021 and has since been a p
illar of our rural health outreach program.\n\nRahul coordinates and leads weeke
nd mobile medical camps that travel to remote hamlets across Maharashtra. He pro
vides primary care diagnosis, basic treatments, and crucial health awareness wor
kshops. His warm, empathetic approach has built deep trust with rural families w
ho often lack access to regular clinics.',
    impactStats: [
      { label: 'Volunteer Hours', value: '200+ Hours' },
      { label: 'Patients Diagnosed', value: '1,200+' },
      { label: 'Camps Led', value: '24 Camps' }
    ]
  },
  {
    id: 'sara-al-noor',
    slug: 'sara-al-noor',
    name: 'Sara Al-Noor',
    role: 'DONOR',
    focusTags: ['Women Empowerment', 'Vocational Skills'],
    contributionTitle: 'Skills Lab Equipment Donor',
    contributionSummary: 'Sara donated equipment for 3 vocational training labs,
empowering 300 women annually.',
    joinedYear: '2023',
    location: 'Mumbai, Maharashtra',
    avatarSrc: 'https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=4
00&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1517486808906-6ca8b3f04846?
w=1200&q=80',
    longBio: 'Sara Al-Noor is an entrepreneur and fashion designer who has dedic
ated her philanthropic efforts to helping women achieve economic independence. S
he believes that true empowerment comes from self-reliance and the acquisition o
f marketable vocational skills. After visiting one of the Dua Trust center sites
, she decided to sponsor three new vocational lab training sites.\n\nHer support
has equipped these centers with sewing machines, computer systems, and design s
oftware. She also facilitates guest lectures from industry professionals to help
trainees understand market trends and start their own tailoring or micro-enterp
rises.',
    impactStats: [
      { label: 'Vocational Labs', value: '3 Sponsored' },
      { label: 'Trainees Annually', value: '300+ Women' },
      { label: 'Employment Rate', value: '85%' }
    ]
  },
  {
    id: 'imran-syed',
    slug: 'imran-syed',
    name: 'Imran Syed',
    role: 'VOLUNTEER',
    focusTags: ['Environment', 'Youth Outreach'],
    contributionTitle: 'Led 5 Plantation Drives',
    contributionSummary: 'Imran coordinates tree plantation campaigns with local

```

```

youth groups across 4 cities.',
  joinedYear: '2020',
  location: 'Hyderabad, India',
  avatarSrc: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=400&q=80',
  heroImageSrc: 'https://images.unsplash.com/photo-1542601906990-b4d3fb778b09?w=1200&q=80',
  longBio: 'Imran Syed is an environmentalist and community coordinator. He began volunteering with the Dua Trust during his college years, organizing local neighborhood cleanups. Recognizing a critical need for urban afforestation, he initiated tree plantation drives and community gardening projects in major cities. \n\nToday, Imran leads a network of young green volunteers across Hyderabad, Mumbai, Bangalore, and Pune. He coordinates with local municipal corporations to acquire saplings, secure planting zones, and ensure long-term care for the planted forests. He also leads workshops in local schools teaching kids about biodiversity.',
  impactStats: [
    { label: 'Drives Conducted', value: '5 Large-Scale' },
    { label: 'Trees Planted', value: '10,000+' },
    { label: 'Youth Recruited', value: '150+ Volunteers' }
  ],
},
{
  id: 'priya-sharma',
  slug: 'priya-sharma',
  name: 'Priya Sharma',
  role: 'VOLUNTEER',
  focusTags: ['Education', 'Tech Training'],
  contributionTitle: '500+ Teaching Hours',
  contributionSummary: 'A software engineer by day, Priya runs weekend coding classes for underprivileged teens.',
  joinedYear: '2022',
  location: 'Bangalore, Karnataka',
  avatarSrc: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=400&q=80',
  heroImageSrc: 'https://images.unsplash.com/photo-1503676260728-1c00da094a0b?w=1200&q=80',
  longBio: 'Priya Sharma is a software engineer working at a major tech firm in Bangalore. Believing that tech literacy is the gateway to high-opportunity careers, she began volunteering with the trust to teach basic computer science and programming to teens in underprivileged neighborhoods. \n\nOn weekends, Priya runs interactive coding labs, introducing students to HTML, CSS, and basic JavaScript. She also hosts resume workshops and mentoring circles, helping students prepare for higher education and career paths in the tech sector. Her courses have inspired several students to pursue degrees in computer applications.',
  impactStats: [
    { label: 'Teaching Hours', value: '500+ Hours' },
    { label: 'Students Mentored', value: '120+' },
    { label: 'Placements/Admissions', value: '15 Students' }
  ],
},
{
  id: 'khalid-farooq',
  slug: 'khalid-farooq',
  name: 'Khalid Farooq',
  role: 'DONOR',
  focusTags: ['Emergency Relief', 'Community Welfare'],
  contributionTitle: 'Emergency Relief Corpus Donor',
  contributionSummary: 'Khalid established a dedicated corpus fund that activates automatically during disasters.',
  joinedYear: '2019',
  location: 'Kolkata, West Bengal',

```



```

    avatarSrc: 'https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=400&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=1200&q=80',
    longBio: 'Khalid Farooq is a businessman with deep roots in East India. Having witnessed the devastation caused by regional floods and cyclones, Khalid committed to creating a dedicated disaster response resource that could deploy help without delay. In 2019, he partnered with Dua Trust to establish our Emergency Relief Corpsus.\n\nThis fund is structured to trigger immediate logistical and relief material deployment during cyclones, floods, and earthquakes. Thanks to Khalid\'s foresight and persistent backing, Dua Trust has been able to provide food, shelter, and medical kits to affected families within hours of disaster strikes.',
    impactStats: [
      { label: 'Corpus Established', value: '2019' },
      { label: 'Disasters Responded', value: '6 Deployments' },
      { label: 'Families Helped', value: '8,000+' }
    ],
  },
  {
    id: 'nadia-hussain',
    slug: 'nadia-hussain',
    name: 'Nadia Hussain',
    role: 'VOLUNTEER',
    focusTags: ['Community Welfare', 'Food Security'],
    contributionTitle: 'Community Kitchen Coordinator',
    contributionSummary: 'Nadia manages 3 community kitchens, coordinating 50+ volunteers to feed 2,000 families.',
    joinedYear: '2023',
    location: 'Mumbai, Maharashtra',
    avatarSrc: 'https://images.unsplash.com/photo-1531746020798-e6953c6e8e04?w=400&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1578357078586-491adf1aa5ba?w=1200&q=80',
    longBio: 'Nadia Hussain is a retired nutritionist who spends her time managing public nutrition and food programs. Realizing that nutritional insecurity severely impacts children\'s physical and mental development, she volunteered to expand and streamline Dua Trust\'s community kitchen efforts in urban slums.\n\nNadia oversees three kitchens, ensuring high nutritional standards, hygienic food prep, and efficient volunteer schedules. She coordinates with wholesale vegetable markets and food surplus organizations to minimize food waste while serving hot, balanced meals to thousands of families every week.',
    impactStats: [
      { label: 'Kitchens Managed', value: '3 Centers' },
      { label: 'Active Volunteers', value: '50+ Team' },
      { label: 'Meals Served', value: '2,000+ Families/Wk' }
    ],
  },
  {
    id: 'arjun-patel',
    slug: 'arjun-patel',
    name: 'Arjun Patel',
    role: 'DONOR',
    focusTags: ['Healthcare', 'Rural Outreach'],
    contributionTitle: 'Mobile Medical Unit Sponsor',
    contributionSummary: 'Arjun sponsored 2 mobile medical units, bringing healthcare to 60+ remote villages.',
    joinedYear: '2021',
    location: 'Ahmedabad, Gujarat',
    avatarSrc: 'https://images.unsplash.com/photo-1519085360753-af0119f7cbe7?w=400&q=80',
    heroImageSrc: 'https://images.unsplash.com/photo-1576091160550-2173dba999ef?

```

```
w=1200&q=80',
  longBio: 'Arjun Patel is a corporate executive who strongly believes in improving access to healthcare. After reading about the health disparities faced by tribal and remote villages in Gujarat and Maharashtra, Arjun sponsored two fully equipped mobile medical units.\n\nThese vehicles are staffed with a nurse, diagnostic equipment, and essential pharmacy stocks. They complete weekly rounds to remote villages, providing regular diabetes screenings, maternal health checks, and child immunization support. Arjun continues to support operational funds to expand their reach.',
  impactStats: [
    { label: 'Mobile Units', value: '2 Sponsored' },
    { label: 'Villages Covered', value: '60+ Villages' },
    { label: 'Monthly Checkups', value: '900+ Patients' }
  ]
};
```

---

```
### File: `src/data/publications.ts`
`typescript
export type PublicationType = 'blog' | 'achievement'

export interface PublicationItem {
  id: string
  type: PublicationType
  slug: string
  title: string
  excerpt: string
  coverImage: string
  publishDate: string
  category: string
  author?: string
  featured?: boolean
}

export const publicationsData: PublicationItem[] = [
  {
    id: '1',
    type: 'blog',
    slug: 'empowering-future-generations',
    title: 'Empowering Future Generations Through Education',
    excerpt: 'Our new scholarship program has reached over 1,200 students in rural areas, providing access to quality education and life-changing opportunities for underserved youth.',
    coverImage: 'https://images.unsplash.com/photo-1488521787991-ed7bbaae773c?w=800&q=80',
    author: 'Fatima Ahmed',
    publishDate: '2026-06-10',
    category: 'Education',
    featured: true,
  },
  {
    id: '2',
    type: 'achievement',
    slug: '50k-milestone',
    title: '50,000 Beneficiaries Milestone Reached',
    excerpt: 'A landmark moment for Dua Trust – 50,000 lives touched across 6 key program domains with emergency aid, education support, and medical care.',
    coverImage: 'https://images.unsplash.com/photo-1533750516457-a7f992034fec?w=800&q=80',
  }
]
```

```
publishDate: '2026-05-01',
category: 'Milestones',
},
{
  id: '3',
  type: 'blog',
  slug: 'maternal-health-initiative',
  title: 'Maternal Health Initiative Reaches 500 Villages',
  excerpt: 'Our mobile healthcare units have provided prenatal care to thousands of mothers across remote villages, reducing maternal mortality by 30%.',
  coverImage: 'https://images.unsplash.com/photo-1584515933487-779824d29309?w=800&q=80',
  author: 'Dr. Raza Khan',
  publishDate: '2026-05-28',
  category: 'Healthcare',
},
{
  id: '4',
  type: 'blog',
  slug: 'community-food-program',
  title: 'Community Food Program Celebrates 3rd Year',
  excerpt: 'What started as a small initiative now feeds over 10,000 families monthly through our growing network of community kitchens.',
  coverImage: 'https://images.unsplash.com/photo-1593113598332-cd288d649433?w=800&q=80',
  author: 'Ahmed Siddiqui',
  publishDate: '2026-05-15',
  category: 'Community',
},
{
  id: '5',
  type: 'achievement',
  slug: 'ngo-award-2026',
  title: 'National NGO Excellence Award 2026',
  excerpt: 'Dua Charitable Trust has been recognized by the Ministry of Social Justice for outstanding and transparent community service in rural development.',
  coverImage: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=800&q=80',
  publishDate: '2026-04-15',
  category: 'Awards',
},
{
  id: '6',
  type: 'blog',
  slug: 'women-empowerment-skills',
  title: 'Skills Training Program Transforms 800 Women',
  excerpt: 'Our vocational training initiative has equipped 800 women with marketable skills, enabling financial independence and entrepreneurship.',
  coverImage: 'https://images.unsplash.com/photo-1522202176988-66273c2fd55f?w=800&q=80',
  author: 'Zara Hussain',
  publishDate: '2026-04-20',
  category: 'Projects',
},
{
  id: '7',
  type: 'blog',
  slug: 'annual-medical-camp',
  title: 'Annual Medical Camp: 3,000 Patients Treated',
  excerpt: 'Our largest free medical camp to date brought together 80+ doctors and specialists to provide healthcare to underserved communities.'
```

```
coverImage: 'https://images.unsplash.com/photo-1576091160550-2173dba999ef?w=
800&q=80',
author: 'Dr. Nadia Rehman',
publishDate: '2026-04-05',
category: 'Events',
},
{
  id: '8',
  type: 'achievement',
  slug: '20th-anniversary',
  title: 'Two Decades of Compassion: 20th Anniversary',
  excerpt: 'Reflecting on 20 years of sustainable impact, restoring dignity, a
nd creating community-led solutions for vulnerable populations.',
  coverImage: 'https://images.unsplash.com/photo-1540575467063-178a50c2df87?w=
800&q=80',
  publishDate: '2026-03-15',
  category: 'Milestones',
},
{
  id: '9',
  type: 'blog',
  slug: 'tree-plantation-drive',
  title: '10,000 Trees Planted in Environmental Drive',
  excerpt: 'Community volunteers joined forces to plant 10,000 saplings across
deforested areas, contributing to regional climate resilience.',
  coverImage: 'https://images.unsplash.com/photo-1542601906990-b4d3fb778b09?w=
800&q=80',
  author: 'Omar Khan',
  publishDate: '2026-03-21',
  category: 'Environment',
},
{
  id: '10',
  type: 'blog',
  slug: 'winter-relief-camp',
  title: 'Winter Relief Camp Distributed 5,000 Kits',
  excerpt: 'Emergency warm clothing and nutrition kits successfully reached fl
ood-affected families in remote mountainous terrains before the peak of winter.'
,
  coverImage: 'https://images.unsplash.com/photo-1469571486292-0ba58a3f068b?w=
800&q=80',
  author: 'Dua Welfare Team',
  publishDate: '2025-12-10',
  category: 'Community',
},
{
  id: '11',
  type: 'achievement',
  slug: 'fundraiser-2025',
  title: '₹2 Crore Fundraiser Goal Surpassed',
  excerpt: 'Thanks to our global network of donors, our annual charity fundrai
ser exceeded expectations, securing funding for three major new projects.',
  coverImage: 'https://images.unsplash.com/photo-1532629345422-7515f3d16bb6?w=
800&q=80',
  publishDate: '2025-11-20',
  category: 'Campaigns',
},
{
  id: '12',
  type: 'blog',
  slug: 'scholarship-2025',
  title: 'Scholarship Fund Opens for 2025-26 Season',
```

```
excerpt: 'Applications are officially open for 500 new academic scholarships
supporting higher education for girls and marginalized youth.',
coverImage: 'https://images.unsplash.com/photo-1523050854058-8df90110c9f1?w=
800&q=80',
author: 'Fatima Ahmed',
publishDate: '2025-09-01',
category: 'Education',
},
],
---
```