

PSORIATIC DISEASE TREATMENT COMPARISON CHART

Biologics and Oral Systemics

This chart is for educational use only. Please read the full prescription insert for known side effects, precautions, or warnings. Also, please talk with your health care provider for the specific dose and frequency that is right for you. The National Psoriasis Foundation does not endorse any specific treatment for psoriatic disease.

This chart is organized by mechanism of action and alphabetized within each mechanism of action.

BIOLOGIC TREATMENTS

Brand Name (generic name)	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
CIMZIA® (certolizumab pegol)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	cimzia.com UCB	- Psoriatic Arthritis (Adults), 2013 - Psoriasis (Adults), 2018	Subcutaneous self-injection	For Psoriatic Arthritis: Starter dose: Two 200 mg injections at Week 0, 2 and 4. Maintenance dose: One 200 mg injection every 2 weeks or two 200 mg injections every 4 weeks For Psoriasis: Starter dose: Two 200 mg injections at Week 0, 2, and 4. Maintenance dose: Two 200 mg injections every two weeks. For some patients weighing 90 kg or less, consider giving 400 mg (as 2 subcutaneous injections of 200 mg each) on treatment weeks 0, 2, and 4, then reduce every 2 weeks starting on treatment week 6. Cimzia Full Prescribing Information
ENBREL® (etanercept)	Tumor Necrosis Factor (TNF) inhibitor	enbrel.com Amgen	- Psoriatic Arthritis (Adults), 2002 - Psoriasis (Adults), 2004 - Psoriasis (ages 4-17), 2016 - Psoriatic Arthritis (2 years & up), 2023	Subcutaneous self-injection	For Psoriatic Arthritis: 50 mg once weekly with or without methotrexate (MTX) For Adult Psoriasis: Starting dose: 50 mg twice weekly for 3 months Maintenance dose: 50 mg weekly for 3 months For Pediatric Psoriasis & Psoriatic Arthritis: 0.8 mg/kg weekly, with a maximum of 50 mg per week Enbrel Full Prescribing Information
HUMIRA® (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	humira.com AbbVie	- Psoriatic Arthritis (Adults), 2005 - Psoriasis (Adults), 2008 - Fingernail Psoriasis (Adults), 2017	Subcutaneous self-injection	For Psoriatic Arthritis: Every other week starting on Day 1, 40 mg For Psoriasis: Starter dose: 80 mg once on Day 1 Maintenance dose: 40 mg once on Day 8 and every other week thereafter Humira Full Prescribing Information

Brand Name (generic name)	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
REMICADE® (infliximab)	Tumor Necrosis Factor (TNF) inhibitor	remicade.com Janssen	• Psoriatic Arthritis (Adults), 2005 • Psoriasis (Adults), 2006	IV infusion by a health care provider	For Psoriatic Arthritis and Psoriasis: Starter dose: 5 mg/kg at weeks 0, 2, and 6. Maintenance dose: 5 mg/kg every 8 weeks. Remicade Full Prescribing Information
SIMPONI ARIA® (golimumab)	Tumor Necrosis Factor (TNF) inhibitor	simponiaria.com Janssen	• Psoriatic Arthritis (Adults), 2017 • Psoriatic Arthritis (2 years & up), 2020	IV infusion by a health care provider	For Adult Psoriatic Arthritis: Starting dose: Initial dose and then 4 weeks later, 2 mg/kg Maintenance dose: Every 8 weeks, 2 mg/kg For Pediatric Psoriatic Arthritis: Starting dose: Initial dose and then 4 weeks later, 80 mg/m ² Maintenance dose: Every 8 weeks, 80 mg/m ² Simponi Aria Full Prescribing Information
SIMPONI® (golimumab)	Tumor Necrosis Factor (TNF) inhibitor	simponi.com Janssen	• Psoriatic Arthritis (Adults), 2009	Subcutaneous self-injection	For Adult Psoriatic Arthritis: 50 mg once a month Simponi Full Prescribing Information
COSENTYX® (secukinumab)	IL-17A inhibitor	cosentyx.com Novartis	• Psoriasis (Adults), 2015 • Psoriatic Arthritis (Adults), 2016 • Psoriasis (6 years & up), 2021 • Psoriatic Arthritis (2 years & up), 2021	Subcutaneous self-injection	For Psoriasis: Starter dose: 300 mg at weeks 0, 1, 2, 3, and 4 Maintenance dose: 300 mg every 4 weeks For some patients, a dose of 150 mg may be acceptable For Psoriatic Arthritis: Starter dose: 150 mg at weeks 0, 1, 2, 3, and 4 Maintenance dose: 150 mg every 4 weeks Without a loading dosage: 150 mg every 4 weeks For Pediatric Psoriasis & Psoriatic Arthritis: Starter dose: Dosage based on body weight (75 mg or 150 mg) and administered at weeks 0, 1, 2, 3, and 4. Maintenance dose: Dosage based on body weight (75 mg or 150 mg) and administered every 4 weeks. Cosentyx Full Prescribing Information
SILIQ® (brodalumab)	IL-17 receptor blocker	siliq.com Ortho Dermatologics	• Psoriasis (Adults), 2017	Subcutaneous self-injection	For Psoriasis: Starting dose: 210 mg weeks 0, 1, and 2 Maintenance dose: 210 mg once every 2 weeks thereafter Siliq Full Prescribing Information



Brand Name (generic name)	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
TALTZ ® (ixekizumab)	IL-17A inhibitor	taltz.com Eli Lilly and Company	• Psoriasis (Adults), 2016 • Psoriatic Arthritis (Adults), 2017 • Psoriasis in the Genital Area (Adults), 2018 • Psoriasis (6-18 years), 2020	Subcutaneous self-injection	For Adults with Psoriasis: Starter dose: 160 mg (two 80 mg injections) at Week 0, followed by 80 mg at Weeks 2, 4, 6, 8, 10, and 12 Maintenance dose: 80 mg every 4 weeks thereafter. For Adults with Psoriatic Arthritis: Starter dose: : Initial dose at Week 0, 160 mg Maintenance dose: 80 mg every 4 weeks thereafter For Pediatric (6-18 years) Psoriasis: Dosing for children is based on weight. Please refer to: taltz.com/dosing-schedule/child-plaque-psoriasis Taltz Full Prescribing Information
BIMZELX ® (bimekizumab-bkzx)	IL-17A and IL-17F inhibitor	bimzelx.com UCB	• Psoriasis (Adults), 2023 • Psoriatic Arthritis (Adults) 2024	Subcutaneous self-injection	For Psoriasis: Starter dose: 320mg (two 160mg injections) at Weeks 0, 4, 8, 12, and 16 Maintenance dose: 320mg every 8 weeks thereafter For Psoriatic Arthritis: 160mg every 4 weeks BIMZELX Full Prescribing Information
STELARA ® (ustekinumab)	IL-12 and -23 inhibitor	stelarainfo.com Janssen	• Psoriasis (Adults), 2009 • Psoriatic Arthritis (Adults), 2013 • Psoriasis (12 years and up), 2017 • Psoriasis (6-11 years), 2020 • Psoriatic Arthritis (6 years and up), 2022	Subcutaneous self-injection	For Psoriasis and Psoriatic Arthritis: Starting dose: Week 0 and 4, 45 or 90 mg (depending on weight) Maintenance dose: Every 12 weeks thereafter, 45 or 90 mg (depending on weight) For Pediatric Psoriasis and Psoriatic Arthritis: Dosing for children is based on weight, please refer to the prescribing information. Stelara Full Prescribing Information
ILUMYA ® (tildrakizumab-asmn)	IL-23 inhibitor	ilumya.com Sun Pharma	• Psoriasis (Adults), 2018	Subcutaneous injection by a health care provider	For Psoriasis: Starter dose: 100 mg at week 0 and 4 Maintenance dose: 100 mg every 12 weeks thereafter Ilumya Full Prescribing Information
SKYRIZI ® (Risankizumab)	IL-23 inhibitor	skyrizi.com AbbVie	• Psoriasis (Adults), 2019 • Psoriatic Arthritis (Adults), 2022	Subcutaneous self-injection	For Psoriasis and Psoriatic Arthritis: Starting dose: 150 mg at week 0 and 4 Maintenance dose: 150 mg every 12 weeks thereafter Skyrizi Full Prescribing Information
TREMFYA ® (guselkumab)	IL-23 inhibitor	tremfya.com Janssen	• Psoriasis (Adults), 2017 • Psoriatic Arthritis (Adults), 2020	Subcutaneous self-injection	For Psoriasis and Psoriatic Arthritis: Starting dose: 100 mg at week 0 and 4 Maintenance dose: 100 mg every 8 weeks thereafter Tremfya Full Prescribing Information
SPEVIGO ® (spesolimab-sbzo)	IL-36 receptor antagonist	boehringer-ingelheim.us Boehringer Ingelheim Pharmaceuticals	• Generalized Pustular Psoriasis Flares (Adults), 2022 • Generalized Pustular Psoriasis Flares (12 years and up), 2024	IV infusion by a health care provider	For Generalized Pustular Psoriasis Flares Given as a single 900 mg dose by intravenous infusion over 90 minutes. If flare symptoms continue, a second 900 mg dose may be given intravenously 1 week after the initial dose was given. SPEVIGO Full Prescribing Information




Brand Name (generic name)	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
ORENCIA® (abatacept)	Selective T cell co- stimulation modulator	orencia.com Bristol-Myers Squibb	Psoriatic Arthritis (Adults), 2017	Subcutaneous self-injection Intravenous (IV) infusion by a health care provider	For Psoriatic Arthritis: Subcutaneous self-injection: Once weekly, 125 mg Intravenous (IV) infusion: Starter dose: Weeks 0, 2, and 4; 500 mg, 750 mg, or 1000 mg (depending on weight) Maintenance dose: Every 4 weeks thereafter; 500 mg, 750 mg, or 1000 mg (depending on weight) Orencia Full Prescribing Information

BIOSIMILAR TREATMENTS



Biologic (“Reference product”)	Biosimilar
ENBREL	- Erelzi (etanercept-szzs) - Eticovo (etanercept-ykro)
HUMIRA	- Abrilada (adalimumab-afzb) - AMJEVITA (adalimumab-atto) - CYLTEZO (adalimumab-adbm) - HADLIMA (adalimumab-bwwd) - HULIO (adalimumab-fkjp) - Hyrimoz (adalimumab-adaz) - Idacio (adalimumab- aacf) - Yuflyma (adalimumab-aaty) - YUSIMRY (adalimumab- aqvh)
REMICADE	- Avsola (infliximab-axxq) - Inflectra (infliximab-dyyb) - Ixifi (infliximab-qbtix) - Renflexis (infliximab-abda)
STELARA	Wezlana (ustekinumab-auub)

Resource: <https://www.drugs.com/medical-answers/many-biosimilars-approved-united-states-3463281/>

Brand Name (generic name)	Biologic Reference Product	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
AMJEVITA® (adalimumab-atto)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	amjevita.com Amgen	• Psoriatic Arthritis (Adults), 2016 • Psoriasis (Adults), 2016	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. AMJEVITA Full Prescribing Information
CYLTEZO® (adalimumab-adbm)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	cyltezo.com Boehringer Ingelheim	• Psoriatic Arthritis (Adults), 2017 • Psoriasis (Adults), 2017	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. CYLTEZO Full Prescribing Information
HADLIMA® (adalimumab-bwwd)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	hadlima.com Samsung Bioepis	• Psoriatic Arthritis (Adults), 2019 • Psoriasis (Adults), 2019	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. HADLIMA Full Prescribing Information
HULIO® (adalimumab-fkjp)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	hulio.com Biocon Bio- logics	• Psoriatic Arthritis (Adults), 2020 • Psoriasis (Adults), 2020	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. HULIO Full Prescribing Information
Hyrimoz® (adalimumab- adaz)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	hyrimoz.com Sandoz	• Psoriatic Arthritis (Adults), 2018 • Psoriasis (Adults), 2018	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. Hyrimoz Full Prescribing Information
IDACIO® (adalimumab-aacf)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	idaciohcp.com Fresenius Kabi	• Psoriatic Arthritis (Adults), 2018 • Psoriasis (Adults), 2018	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. IDACIO Full Prescribing Information



Brand Name (generic name)	Biologic Reference Product	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
Yuflyma® (adalimumab-aaty)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	yuflyma.com Celltrion Healthcare	• Psoriatic Arthritis (Adults), 2023 • Psoriasis (Adults), 2023	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. Yuflyma Full Prescribing Information
YUSIMRY® (adalimumab-aqvh)	Humira (adalimumab)	Tumor Necrosis Factor alpha (TNF- α) inhibitor	yusimry.com Coherus Biosciences	• Psoriatic Arthritis (Adults), 2018 • Psoriasis (Adults), 2018	Subcutaneous self-injection	For Psoriatic Arthritis: 40 mg every other week For Psoriasis: Starter dose: 80 mg once Maintenance dose: 40mg every other week starting 1 week after initial dose. YUSIMRY Full Prescribing Information
Wezlana® (ustekinumab-auub)	Stelara (ustekinumab)	IL-12 and IL-23 inhibitor	Amgen	• Psoriasis (Adults), 2023 • Psoriatic Arthritis (Adults), 2023 • Psoriasis (6 years and up), 2023 • Psoriatic Arthritis (6 years and up), 2023	Subcutaneous self-injection	For Psoriasis and Psoriatic Arthritis: Starter dose: Week 0 and 4, 45 or 90 mg (depending on weight) Maintenance dose: Every 12 weeks thereafter, 45 or 90 mg (depending on weight) For Pediatric Psoriasis and Psoriatic Arthritis: Dosing for children is based on weight, please refer to the prescribing information.

ORAL SYSTEMIC TREATMENTS

Brand Name (generic name)	Mechanism of Action	Website and Manufacturer	Indication and Date of FDA approval	Method of Delivery	Dosing and Links for Dosing Information*
SORIATANE® (acitretin)	Retinoids	soriatane.com Stiefel	• Psoriasis (Adults), 1996	Orally in pill form	25-50 mg daily • Soriatane Full Prescribing Information
OTEZLA® (apremilast)	PDE4 inhibitor	otezla.com Amgen	• Psoriasis (Adults), 2014 • Psoriatic Arthritis (Adults), 2014	Orally in pill form	30 mg, twice a day • Otezla Full Prescribing Information
GENGRAF, NEORAL, SANDIMMUNE® (cyclosporine)	Inhibits the transcription of interleukin 2	N/A Various	• Psoriasis (Adults), 1997	Orally in liquid or pill form	Daily, 1.25-5 mg/kg/day in divided doses • Cyclosporine Summary
SOTYKTU® (deucravacitinib)	Tyrosine kinase 2 (TYK2) inhibitor	sotyktu.com Bristol-Myers Squibb	• Psoriasis (Adults), 2022	Orally in pill form	Daily, 6mg dose • Sotyktu Full Prescribing Information
RHEUMATREX, TREXALL® (methotrexate)	Folic acid antagonist	N/A Various	• Psoriasis (Adults), 1972 • Psoriatic Arthritis (off-label use with adults)	Orally in liquid or pill form and subcutaneous self-injection	Weekly: Dose dependent on the method of delivery. Some start with a test dose of 2.5-5mg per week Maintenance dose: 1-25 mg per week • Methotrexate Summary
RINVOQ® (upadacitinib)	Selective Janus kinase (JAK) inhibitor	rinvoq.com Abbvie	• Psoriatic Arthritis (Adults), 2021	Orally in pill form	Daily, 15 mg dose • Rinvoq Full Prescribing Information
XELJANZ AND XELJANZ XR® (tofacitinib)	Janus kinase (JAK) inhibitor	xeljanz.com Pfizer	• Psoriatic Arthritis (Adults), 2017	Orally in pill form	Xeljanz 5 mg twice daily or Xeljanz XR 11 mg once daily • Xeljanz Full Prescribing Information

*Dosing information included is from Product Inserts, FDA-approved label and/or Prescriber's Digital Reference (PDR.net).

For Patients:

Please read the full prescription insert for known side effects, precautions, or warnings. Also, please talk with your provider for the specific dose and frequency that is right for you.

There are times when your health care provider may choose to prescribe a dose or medication for your psoriatic disease that has been U.S. Food and Drug Administration (FDA) approved to treat a different condition (ex. rheumatoid arthritis, eczema). This is called an “off-label” prescription. Prescribing treatments off-label is quite common and is an accepted medical practice. Your provider will talk with you about your treatment options and let you know if they are recommending an off-label dose or treatment for you.

The National Psoriasis Foundation (NPF) is a 501(c)(3) organization governed by a Board of Directors and advised on medical issues by the Medical Board and the Scientific Advisory Committee. National Psoriasis Foundation education materials are reviewed by the NPF Research Team and by lead Medical/Scientific advisors as appropriate and are not intended to replace the counsel of a health care provider. The Foundation does not endorse any medications, products, or treatments for psoriasis or psoriatic arthritis and advises you to consult with a health care provider before initiating any treatment.

Updated October 2024

© 2020-2024 National Psoriasis Foundation

