# VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"Jnana Sangama", Belgaum -590014, Karnataka.



# PROJECT WORK REPORT

On
"OOJ LAB REPORT"

Submitted by

VARNITH D RAMESH (1BM22CS319)

Under the Guidance of

**SNEHA S BAGALKOT** 

**ASSISTANT PROFESSR** 

in partial fulfillment for the award of the degree of

**BACHELOR OF ENGINEERING** 

in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING (Autonomous Institution under VTU) BENGALURU-560019 Mar 2024

B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)
Department of Computer Science and Engineering



# **CERTIFICATE**

This is to certify that the project work entitled "OOJ LAB REPORT" carried out by VARNITH D RAMESH(1BM22CS319) who are bonafide students of B. M. S. College of Engineering. It is in partial fulfillment for the award of Bachelor of Engineering in Computer Science and Engineering of the Visveswaraiah Technological University, Belgaum during the year 2024. The project report has been approved as it satisfies the academic requirements in respect of OOJ LAB REPORT work prescribed for the said degree.

Signature of the Guide Signature of the HOD

Sneha S Bagalkot Dr. Jyothy S Nayak Assistant Professor Prof & Head of Dept of CSE

BMSCE, Bengaluru BMSCE, Bengaluru

External Viva

Name of the Examiner Signature with date

# **B.M.S. COLLEGE OF ENGINEERING**

# DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



# **DECLARATION**

I, **VARNITH D RAMESH** (1BM22CS319) of 3<sup>rd</sup> Semester, B.E, Department of Computer Science and Engineering, BMS College of Engineering, Bangalore, hereby declare that, this PROJECT entitled "OOJ LAB REPORT" has been carried out by me under the guidance of Sneha S Bagalkot, Assistant Professor, Department of CSE, BMS College of Engineering, Bangalore during the academic semester Dec 2023 - Mar 2024.

We also declare that to the best of our knowledge and belief, the development reported here is not from part of any other report by any other students.

Signature

**VARNITH D RAMESH (1BM22CS319)** 

# TABLE OF CONTENTS

Serial No.	TITLE	PAGE NO.
1	Week 1-	2-4
	<b>Program 1:</b> Develop a Java program that prints all real solutions to the quadratic equation ax2+bx+c= 0. Read in a, b, c and use the quadratic formula. If the discriminant b2-4ac is negative, display a message stating that there are no real solutions.	
2	Week 2-	5-7
	<b>Program 2:</b> Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and amethod to calculate SGPA of a student.	
3	Week 3-	8-12
	Program 3: Create a class Book which contains four members: name, author, price, num_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString() method that could display the complete details of the book. Develop a Java program to create n book objects.	
	<b>Program 4:</b> Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea(). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contains only the method printArea() that prints the area of the given shape.	
4	Week 4-	13-19
	<b>Program 5:</b> Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls belowthis level, a service charge is imposed.	
	Create a class Account that stores customer name, account number and type of	
	account. From this derive the classes Cur-acct and Sav-acct to make them more specific to their requirements. Include the necessary methods in order to achieve the following tasks:	
	<ul><li>a) Accept deposit from customer and update the balance.</li><li>b) Display the balance.</li></ul>	
	c) Compute and deposit interest d) Permit withdrawal and update the balance	
	d) Permit withdrawal and update the balance Check for the minimum balance, impose penalty if necessary and update the balance.	

5	Week 5 — <b>Program 6:</b> Create a package CIE which has two classes- Student and Internals. The class Personal has members like usn, name, sem. The class internals has an array that stores the internal marksscored in five courses of the current semester of the student. Createanother package SEE which has the class External which is a derived class of Student. This class has an array that stores the SEE marks	20-22
	scored in five courses of the current semester of the student. Import the two packages in a file that declares the final marks of nstudents in all five courses.	
6	Week 6 – <b>Program 7:</b> Write a program that demonstrates handling of exceptions in inheritance tree. Create a base class called "Father" and derived class called "Son" which extends the base class. In Father class, implement a constructor which takes the age and throws the exception WrongAge() when the input age<0. In Son class, implement a constructor that cases both father and son's ageand throws an exception if son's age is >=father's age. <b>Program 8:</b> Write a program which creates two threads, one thread displaying "BMS College of Engineering" once every ten seconds and another displaying "CSE" once every two seconds.	23-27
7	Week 7 – <b>Program 9:</b> Write a program that creates a user interface to perform integer divisions. The user enters two numbers in the text fields, Num1 and Num2. The division of Num1 and Num2 is displayed in the Result field when the Divide button is clicked. If Num1 or Num2 were not an integer, the program would throw a NumberFormatException. If Num2 were Zero, the program would throw an  Arithmetic Exception Display the exception in a message dialog box.	28-31

**Program 1:** Develop a Java program that prints all real solutions to the quadratic equation ax2+bx+c= 0. Read in a, b, c and use the quadratic formula. If the discriminant b2-4ac is negative, display a message stating that there are no real solutions.

```
import java.util.*;
public class QuadEq
  public static void main(String args[])
     float a, b, c, d=0.0f, r1=0.0f, r2=0.0f;
     System.out.println("Enter values of a, b, c: ");
     Scanner read= new Scanner(System.in);
     a=read.nextFloat();
     b=read.nextFloat();
     c=read.nextFloat();
     if(a==0||b==0||c==0)
       System.out.println("Invalid Input");
     else
       d=b*b-4*a*c;
       if(d>0)
         r1=(float)(-b+Math.sqrt(d))/(2*a);
         r2=(float)(-b-Math.sqrt(d))/(2*a);
         System.out.println("Roots are real and distinct\nR1= "+r1+"\tR2= "+r2);
       else if(d<0)
         System.out.println("Roots are imaginary");
       else
```

```
 r1=-b/(2*a); \\ r2=r1; \\ System.out.println("Roots are real and equal \nR1="+r1+"\tR2="+r2); \\ \} \\ System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319"); \\ \} \\ \}
```

```
Enter values of a, b, c:
1
4
-4
Roots are real and distinct
R1= 0.82842714 R2= -4.8284273
Name: Varnith D Ramesh
USN: 1BM22CS319
```

```
Enter values of a, b, c:

1

-4

4

Roots are real and equal

R1= 2.0 R2= 2.0

Name: Varnith D Ramesh

USN: 1BM22CS319
```

```
Enter values of a, b, c:
2
3
4
Roots are imaginary
Name: Varnith D Ramesh
USN: 1BM22CS319
```

```
Enter values of a, b, c:
7
0
3
Invalid Input
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 2:** Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and a method to calculate SGPA of a student.

```
import java.util.*;
public class Student {
  String name, usn;
  int credits[], marks[];
  public void display(double res) {
     System.out.println("Name : " + name);
     System.out.println("USN: " + usn);
     for (int i = 0; i < credits.length; i++) {
       System.out.println("Subject " + (i + 1) + " :\t Marks= " + marks[i] + "\tCredits= " +
credits[i]);
     }
     System.out.println("\nSGPA : " + res);
  public double sgpa() {
     double tc = 0;
     double tgp = 0;
     for (int i = 0; i < credits.length; i++) {
       tc += credits[i];
       tgp += calgp(marks[i]) * credits[i];
     return (tgp / tc);
  public double calgp(int m) {
     if (m >= 90) {
       return 10;
     } else if (m >= 80) {
       return 9;
     } else if (m >= 70) {
       return 8;
     \} else if (m >= 60) {
       return 7;
```

```
} else if (m >= 50) {
     return 6;
  } else {
    return 0;
}
public static void main(String args[]) {
  Scanner read = new Scanner(System.in);
  Student ob = new Student();
  System.out.print("\nEnter name: ");
  ob.name = read.nextLine();
  System.out.print("\nEnter USN: ");
  ob.usn = read.next();
  System.out.print("\nEnter no. of subjects: ");
  int n = read.nextInt();
  ob.credits = new int[n];
  ob.marks = new int[n];
  System.out.println("Enter marks and credits:");
  for (int i = 0; i < n; i++) {
    System.out.println("Marks for subject " + (i + 1) + ": ");
     ob.marks[i] = read.nextInt();
    System.out.println("Credits for subject " + (i + 1) + ": ");
    ob.credits[i] = read.nextInt();
  }
  double res = ob.sgpa();
  ob.display(res);
  System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319");
}
```

```
Enter name: Varnith
Enter USN: 1BM22CS319
Enter no. of subjects: 6
Enter marks and credits:
Marks for subject 1:
91
Credits for subject 1:
Marks for subject 2:
Credits for subject 2:
Marks for subject 3:
Credits for subject 3:
Marks for subject 4:
Credits for subject 4:
Marks for subject 5:
Credits for subject 5:
Marks for subject 6:
96
Credits for subject 6:
Name : Varnith
USN: 1BM22CS319
                               Credits= 4
Subject 1 :
               Marks= 91
Subject 2 :
                               Credits= 4
                Marks= 87
Subject 3 :
                Marks= 95
                               Credits= 3
Subject 4:
                               Credits= 3
                Marks= 78
Subject 5 :
                Marks= 98
                               Credits= 2
                               Credits= 2
Subject 6:
                Marks= 96
SGPA: 9.44444444444445
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 3:** Create a class Book which contains four members: name, author, price, num\_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString() method that could display the complete details of the book. Develop a Java program to create n book objects.

```
import java.util.*;
class Book {
  Scanner input = new Scanner(System.in);
  private String name;
  private String author;
  private double price;
  private int pages;
  Book(String name, String author, double price, int pages) {
     this.name = name;
     this.author = author;
     this.price = price;
     this.pages = pages;
  void setName(String name) {
     this.name = name;
  String getName() {
     return name;
  void setAuthor(String author) {
     this.author = author;
  String getAuthor() {
     return author;
  void setPrice(double price) {
     this.price = price;
  double getPrice() {
     return price;
  void setPages(int pages) {
     this.pages = pages;
```

```
int getPages() {
    return pages;
  public String toString() {
    return ("Book Details: \nName: " + name + "\nAuthor: " + author + "\nPrice: " + price +
"\nNo. Of pages: " + pages);
}
class BookTest {
  public static void main(String args[]) {
    System.out.println("Enter the number of books");
     Scanner sc = new Scanner(System.in);
    int n = sc.nextInt();
    Book book[] = new Book[n];
    for (int i = 0; i < n; i++) {
       System.out.println("Enter details of book number " + (i + 1) + "\nName: ");
       String na = sc.nextLine();
       System.out.println("Author: ");
       String a = sc.nextLine();
       System.out.println("Price: ");
       double p = sc.nextDouble();
       System.out.println("No. Of pages: ");
       int num = sc.nextInt();
       book[i] = new Book(na, a, p, num);
       sc.nextLine(); // consume newline character
     }
    for (int i = 0; i < n; i++) {
       System.out.println(book[i].toString());
    System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319"); }
```

```
Enter the number of books
Enter details of book number 1
Name:
Author:
Elsa Scott
Price:
700
No. Of pages:
Enter details of book number 2
Name:
Harry Potter
Author:
J K Rowling
Price:
900
No. Of pages:
450
Book Details:
Name:
Author: Elsa Scott
Price: 700.0
No. Of pages: 500
Book Details:
Name: Harry Potter
Author: J K Rowling
Price: 900.0
No. Of pages: 450
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 4:** Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea(). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contains only the method printArea() that prints the area of the given shape.

```
import java.util.*;
abstract class Shape
 int x,y;
 void printArea()
class Rectangle extends Shape
 Rectangle(int l,int b)
   x=1;
   y=b;
  void printArea()
    int area=x*y;
    System.out.println("Rectangle Area is :" + area);
class Triangle extends Shape
 Triangle(int l,int h)
   x=1;
   y=h;
  void printArea()
   double area = 0.5*x*y;
   System.out.println("Triangle Area is :" +area);
class Circle extends Shape
```

```
Circle(int r)
   x=r;
 void printArea()
   double area = Math.PI*x*x;
   System.out.println("Circle Area is :" +area);
class ShapeTest
 public static void main(String args[])
       Scanner s=new Scanner(System.in);
       System.out.println("Enter length and breadth");
       int a= s.nextInt();
       int b= s.nextInt();
    Shape ob=new Rectangle(a,b);
    ob.printArea();
    Shape ob1=new Triangle(a,b);
    ob1.printArea();
    System.out.println("Enter radius");
    int r=s.nextInt();
    Shape ob2=new Circle(r);
    ob2.printArea();
    System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319"); }
}
```

```
Enter length and breadth
20
10
Rectangle Area is :200
Triangle Area is :100.0
Enter radius
7
Circle Area is :153.93804002589985
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 5:** Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls below this level, a service charge is imposed.

Create a class Account that stores customer name, account number and type of account. From this derive the classes Cur-acct and Sav-acct to make them more specific to their requirements. Include the necessary methods in order to achieve the following tasks:

- a) Accept deposit from customer and update the balance.
- b) Display the balance.
- c) Compute and deposit interest
- d) Permit withdrawal and update the balance

Check for the minimum balance, impose penalty if necessary and update the balance.

```
import java.util.Scanner;

class Account {
    String customerName;
    int accountNumber;
    String accountType;
    double balance;

Account(String name, int number, String type, double initialBalance) {
        customerName = name;
        accountNumber = number;
        accountType = type;
        balance = initialBalance;
    }

    void deposit(double amount) {
```

```
if (amount > 0) {
       balance += amount;
       System.out.println("Deposit of INR " + amount + " successful");
     } else {
       System.out.println("Invalid deposit amount. Please enter a positive value.");
  }
  void displayBalance() {
     System.out.println("Account Number: " + accountNumber);
    System.out.println("Customer Name: " + customerName);
    System.out.println("Account Type: " + accountType);
    System.out.println("Balance: INR " + balance);
  }
  void withdraw(double amount) {
    if (balance >= amount) {
       balance -= amount;
       System.out.println("Withdrawal of INR " + amount + " successful");
     } else {
       System.out.println("Insufficient funds");
void computeInterest() {
  void checkMinimumBalance(double minBalance, double serviceCharge) {
class SavAcct extends Account {
  double interestRate = 0.05;
  SavAcct(String name, int number, String type, double initialBalance) {
     super(name, number, type, initialBalance);
  }
  void computeInterest() {
     double interest = balance * interestRate;
    balance += interest;
    System.out.println("Interest of INR " + interest + " added to the account");
```

```
}
class CurAcct extends Account {
  double minBalance = 1000;
  double serviceCharge = 50;
  CurAcct(String name, int number, String type, double initialBalance) {
     super(name, number, type, initialBalance);
  }
 void checkMinimumBalance(double minBalance, double serviceCharge) {
    if (balance < minBalance) {
       System.out.println("Service charge of INR " + serviceCharge + " imposed");
       balance -= serviceCharge;
public class Bank {
  public static void main(String[] args) {
System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319");
    Scanner scanner = new Scanner(System.in);
     System.out.print("Enter the number of users: ");
    int numUsers = scanner.nextInt();
     Account[] accounts = new Account[numUsers];
     for (int i = 0; i < numUsers; i++) {
       System.out.println("\nUser" + (i + 1));
       System.out.print("Enter customer name: ");
       scanner.nextLine();
       String name = scanner.nextLine();
       System.out.print("Enter account number: ");
       int accNumber = scanner.nextInt();
       System.out.print("Enter initial deposit amount: INR");
       double initialDeposit = scanner.nextDouble();
       System.out.print("Enter account type (Savings/Current): ");
       scanner.nextLine();
  String accType = scanner.nextLine();
       if (accType.equalsIgnoreCase("Savings")) {
```

```
accounts[i] = new SavAcct(name, accNumber, accType, initialDeposit);
       } else if (accType.equalsIgnoreCase("Current")) {
         accounts[i] = new CurAcct(name, accNumber, accType, initialDeposit);
       } else {
         System.out.println("Invalid account type entered. Defaulting to Account.");
         accounts[i] = new Account(name, accNumber, "Account", initialDeposit);
    boolean exit = false;
    while (!exit) {
      System.out.println("\nChoose an option:");
      System.out.println("1. Deposit");
      System.out.println("2. Withdraw");
      System.out.println("3. Display Balance");
      System.out.println("4. Compute Interest (Savings only)");
      System.out.println("5. Exit");
      System.out.print("Enter your choice: ");
       while (!scanner.hasNextInt()) {
         System.out.println("Invalid input. Please enter a number.");
         scanner.next();
      int choice = scanner.nextInt();
      switch (choice) {
         case 1:
           System.out.print("Enter account number: ");
int accNum = scanner.nextInt();
           System.out.print("Enter deposit amount: INR ");
           double depositAmount = scanner.nextDouble();
           for (Account acc : accounts) {
              if (acc.accountNumber == accNum) {
                acc.deposit(depositAmount);
              }
           break;
         case 2:
           System.out.print("Enter account number: ");
           accNum = scanner.nextInt();
           System.out.print("Enter withdrawal amount: INR");
           double withdrawAmount = scanner.nextDouble();
```

```
for (Account acc : accounts) {
            if (acc.accountNumber == accNum) {
               acc.withdraw(withdrawAmount);
            }
          break;
       case 3:
          System.out.print("Enter account number: ");
          accNum = scanner.nextInt();
          for (Account acc : accounts) {
            if (acc.accountNumber == accNum) {
               acc.displayBalance();
          }
break;
       case 4:
          System.out.print("Enter account number (for Savings account): ");
          accNum = scanner.nextInt();
          for (Account acc : accounts) {
            if (acc.accountNumber == accNum && acc instanceof SavAcct) {
               ((SavAcct) acc).computeInterest();
            }
          }
          break;
       case 5:
          exit = true;
          break;
       default:
          System.out.println("Invalid choice. Please enter a valid option.");
     }
```

```
Name: Varnith D Ramesh
USN: 1BM22CS319
Enter the number of users: 1
Enter customer name: Amulya
Enter account number: 036
Enter initial deposit amount: INR 6000
Enter account type (Savings/Current): Savings
Choose an option:
1. Deposit
2. Withdraw
3. Display Balance
4. Compute Interest (Savings only)
5. Exit
Enter your choice: 1
Enter account number: 036
Enter deposit amount: INR 5000
Deposit of INR 5000.0 successful
Choose an option:
1. Deposit
2. Withdraw
3. Display Balance
4. Compute Interest (Savings only)
5. Exit
Enter your choice: 3
Enter account number: 036
Account Number: 36
Customer Name: Amulya
Account Type: Savings
Balance: INR 11000.0
Choose an option:
1. Deposit
2. Withdraw
3. Display Balance
4. Compute Interest (Savings only)
5. Exit
Enter your choice: 2
Enter account number: 036
Enter withdrawal amount: INR 2000
Withdrawal of INR 2000.0 successful
```

# Choose an option: 1. Deposit 2. Withdraw 3. Display Balance

4. Compute Interest (Savings only)

5. Exit

Enter your choice: 3 Enter account number: 036

Account Number: 36 Customer Name: Amulya Account Type: Savings Balance: INR 9000.0

#### Choose an option:

1. Deposit 2. Withdraw

3. Display Balance

4. Compute Interest (Savings only)

5. Exit

Enter your choice: 4

Enter account number (for Savings account): 036

Interest of INR 450.0 added to the account

# Choose an option:

1. Deposit

2. Withdraw

3. Display Balance

4. Compute Interest (Savings only)

5. Exit

Enter your choice: 5

**Program 6:** Create a package CIE which has two classes- Student and Internals. The class Personal has members like usn, name, sem. The class internals has an array that stores the internal marks scored in five courses of the current semester of the student. Create another package SEE which has the class External which is a derived class of Student. This class has an array that stores the SEE marks scored in five courses of the current semester of the student. Import the two packages in a file that declares the final marks of n students in all five courses.

```
package CIE;
import java.util.*;
public class Student{
       public String name;
       public String usn;
       public int sem;
       public void accept()
              Scanner input=new Scanner(System.in);
              System.out.println("Enter name, usn and semester: ");
              name= input.nextLine();
              usn=input.nextLine();
              sem= input.nextInt();
package CIE;
public class Internals
       public int int_marks[]=new int[5];
package SEE;
import CIE.Student;
public class External extends Student
       public int ext_marks[]=new int[5];
import java.util.*;
import CIE.*;
import SEE.*;
public class FinalMarks
```

```
public static void main(String args[])
       int final_marks[]=new int[5];
       Scanner sc=new Scanner(System.in);
       System.out.println("Enter no. of students: ");
       int n=sc.nextInt();
       CIE.Internals obj[]=new CIE.Internals[n];
       SEE.External obj1[]=new SEE.External[n];
       for(int i=0;i<n;i++)
              obj[i]=new CIE.Internals();
              obj1[i]=new SEE.External();
              System.out.println("Enter details of student "+(i+1));
              obj1[i].accept();
              for(int j=0; j<5; j++)
                      System.out.println("Enter Internal & final marks of subject"+(j+1));
                      obj[i].int_marks[j]=sc.nextInt();
                      obj1[i].ext_marks[j]=sc.nextInt();
                      final_marks[j]=obj[i].int_marks[j]+ obj1[i].ext_marks[j];
              System.out.println("Final marks of "+obj1[i].name);
              for(int k=0;k<5;k++)
                      System.out.println("Course "+(k+1)+": "+final_marks[k]);
       System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319");
}
```

}

```
C:\Users\varni\OneDrive\Desktop\java\Packages>javac -d . Student.java
C:\Users\varni\OneDrive\Desktop\java\Packages>javac -d . External.java
C:\Users\varni\OneDrive\Desktop\java\Packages>javac -d . Internals.java
C:\Users\varni\OneDrive\Desktop\java\Packages>javac FinalMarks.java
C:\Users\varni\OneDrive\Desktop\java\Packages>java FinalMarks
Enter no. of students:
Enter details of student 1
Enter name, usn and semester:
varnith
1bm22cs319
Enter Internal & final marks ofsubject1
45
47
Enter Internal & final marks ofsubject2
48
Enter Internal & final marks ofsubject3
47
Enter Internal & final marks ofsubject4
37
Enter Internal & final marks ofsubject5
45
Final marks of varnith
Course 1: 92
Course 2: 95
Course 3: 90
Course 4: 76
Course 5: 85
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 7:** Write a program that demonstrates handling of exceptions in inheritance tree. Create a base class called "Father" and derived class called "Son" which extends the base class. In Father class, implement a constructor which takes the age and throws the exception WrongAge() when the input age<0. In Son class, implement a constructor that cases both father and son's age and throws an exception if son's age is >=father's age.

```
import java.util.*;
class WrongAge extends Exception
       String message;
       public WrongAge(String msg)
              this.message=msg;
              System.out.println(msg);
class Father
       int f_age;
       Father(int f_age) throws WrongAge
              if(f age < 0)
                     throw new WrongAge("Age cant be less than 0");
              this.f_age=f_age;
class Son extends Father
       int s_age;
       Son(int f_age,int s_age) throws WrongAge
              super(f_age);
              if(f_age<=s_age)
              throw new WrongAge("Father can't be younger than son");
              this.s_age=s_age;
```

```
}
class AgeTest
{
    public static void main(String args[])
    {
        int f,s;
        Scanner input=new Scanner(System.in);
        System.out.println("Enter age of father and son\n");
        f=input.nextInt();
        s=input.nextInt();
        try{
            Father ob1=new Father(f);
            Son ob2=new Son(f,s);
        }
        catch(WrongAge e)
        {
            System.out.println("Caught");
        }
        System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319");
    }
}
```

```
Enter age of father and son
50
Name: Varnith D Ramesh
USN: 1BM22CS319
C:\Users\varni\OneDrive\Desktop\java>java AgeTest
Enter age of father and son
30
40
Father can't be younger than son
Caught
Name: Varnith D Ramesh
USN: 1BM22CS319
C:\Users\varni\OneDrive\Desktop\java>java AgeTest
Enter age of father and son
-30
Age cant be less than 0
Caught
Name: Varnith D Ramesh
USN: 1BM22CS319
```

**Program 8:** Write a program which creates two threads, one thread displaying "BMS College of Engineering" once every ten seconds and another displaying "CSE" once every two seconds.

```
class DisplayThread extends Thread {
  private String message;
  private int intervalMillis;
  public DisplayThread(String message, int intervalMillis) {
     this.message = message;
     this.intervalMillis = intervalMillis;
  }
  public void run() {
     while (true) {
       try {
          System.out.println(message);
          Thread.sleep(intervalMillis);
       } catch (InterruptedException e) {
          e.printStackTrace();
       }
public class Demo {
```

```
public static void main(String[] args) {
System.out.println("Name: Varnith D Ramesh \nUSN: 1BM22CS319");
    DisplayThread thread1 = new DisplayThread("BMS College of Engineering", 10000); // 10 seconds
    DisplayThread thread2 = new DisplayThread("CSE", 2000); // 2 seconds
    thread1.start();
    thread2.start();
}
```

```
Name: Varnith D Ramesh
                         USN:1BM22CS319
BMS College of Engineering
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
```

**Program 9:** Write a program that creates a user interface to perform integer divisions. The user enters two numbers in the text fields, Num1 and Num2. The division of Num1 and Num2 is displayed in the Result field when the Divide button is clicked. If Num1 or Num2 were not an integer, the program would throw a NumberFormatException. If Num2 were Zero, the program would throw an Arithmetic Exception Display the exception in a message dialog box.

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
class SwingDemo
  SwingDemo()
    JFrame ifrm= new JFrame("Divider app");
    jfrm.setSize(265,150);
    jfrm.setLayout(new FlowLayout());
    jfrm.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    JLabel jlab=new JLabel("Enter the divider and divident: ");
    JTextField aitf=new JTextField(8);
    JTextField bjtf=new JTextField(8);
    JButton button = new JButton("Calculate");
    JLabel err=new JLabel();
    JLabel alab=new JLabel();
    JLabel blab= new JLabel();
    JLabel anslab=new JLabel();
    //add in order
    jfrm.add(err);//to display error
    jfrm.add(jlab);
    jfrm.add(ajtf);
    jfrm.add(bjtf);
    jfrm.add(button);
    jfrm.add(alab);
```

```
jfrm.add(blab);
jfrm.add(anslab);
ActionListener I = new ActionListener()
  public void actionPerformed(ActionEvent evt)
    System.out.println("Action event from a text field");
};
ajtf.addActionListener(I);
bitf.addActionListener(I);
button.addActionListener(new ActionListener()
  public void actionPerformed(ActionEvent evt)
    if (err.getText()!=null)
       err.setText("");
  try
    int a =Integer.parseInt(ajtf.getText());
    int b =Integer.parseInt(bjtf.getText());
    int ans= a/b;
     alab.setText("\nA = "+a);
    blab.setText("\nB= "+b);
     anslab.setText("\nAns= "+ans+" Varnith D Ramesh [1BM22CS319]");
  catch(NumberFormatException e)
     alab.setText("");
    blab.setText("");
    anslab.setText("Varnith D Ramesh [1BM22CS319]");
    err.setText("Enter only Integers!");
  catch(ArithmeticException e)
     alab.setText("");
    blab.setText("");
```





