



```
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> select*
    -> from student
    -> where score>(select avg(score)
    -> from student
    -> );
+------------+--------------+-------+----------+
| student_id | student_name | score | class_id |
+------------+--------------+-------+----------+
|          1 | Arun         |    85 |      101 |
|          3 | Charan       |    90 |      102 |
+------------+--------------+-------+----------+
2 rows in set (0.00 sec)
```


vivo T4 Lite 5G
R.D.X 444 Oct 26, 2026, 13:36




```
Records: 7  Duplicates: 0  Warnings: 0

mysql> SELECT *
    -> FROM Student
    -> WHERE student_id IN (
    ->     SELECT student_id
    ->     FROM Assessment
    ->     GROUP BY student_id
    ->     HAVING COUNT(assessment_id) > 1
    -> );
+------------+--------------+
| student_id | student_name |
+------------+--------------+
|          1 | Arun         |
|          3 | Charan       |
+------------+--------------+
2 rows in set (0.00 sec)
```

vivo T4 Lite 5G
R.D.X 444 Oct 26, 2026, 13:37


Records: 4 Duplicates: 0 Warnings: 0
mysql> select*
-> from faculty
-> where joining_date = (select max(joining_date)
-> from faculty
->);
| faculty_id | faculty_name | joining_date |
| 4 | nagababu | 2027-07-10 |
1 row in set (0.00 sec)
mysql>
vivo T4 Lite 5G
R.D.X 444 Oct 26, 2026, 13:51



```
)' at line 3
mysql> SELECT course_name, score
    -> FROM Assessment a1
    -> WHERE score > (
    ->     SELECT AVG(score)
    ->     FROM Assessment a2
    ->     WHERE a2.course_name = a1.course_name
    -> );
+-------------+-------+
| course_name | score |
+-------------+-------+
| Java        |    85 |
| Java        |    90 |
| Python      |    80 |
+-------------+-------+
3 rows in set (0.00 sec)
```

vivo T4 Lite 5G
R.D.X 444 Oct 26, 2026, 14:06