SKILL - 1

2400031539

Keerthi Vardhan Agarwal

Section - 56

Step 1:

```
MINGW64:/c/Users/DELL/git-skill1

DELL@DESKTOP-PTLF53I MINGW64 ~
$ mkdir git-skill1

DELL@DESKTOP-PTLF53I MINGW64 ~
$ cd git-skill1

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1
$ git init
Initialized empty Git repository in C:/Users/DELL/git-skill1/.git/

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git config --global user.name "Keerthi Vardhan"

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git config --global user.email "2400031539@kluniversity.in"

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Keerthi Vardhan
user.email=2400031539@kluniversity.in
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$
```

Step 2:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ touch main.java notes.txt

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ echo "Hello Git" > main.java

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ echo "Git Skill 1 notes" > notes.txt

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        main.java
        notes.txt

nothing added to commit but untracked files present (use "git add" to track)

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git add .
warning: in the working copy of 'main.java', LF will be replaced by CRLF the nex
t time Git touches it
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the nex
t time Git touches it

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   main.java
        new file:   notes.txt


DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$
```

Step 3:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git commit -m "Initial commit with main.java and notes.txt"
[master (root-commit) ee2b170] Initial commit with main.java and notes.txt
 2 files changed, 2 insertions(+)
 create mode 100644 main.java
 create mode 100644 notes.txt

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ |
```

Step 4:




```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git remote add origin https://github.com/Vardhan2858/git-skill1.git

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (master)
$ git branch -M main
g
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 313 bytes | 156.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Vardhan2858/git-skill1.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
```

Step 5:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git checkout -b feature-update
Switched to a new branch 'feature-update'

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (feature-update)
$ echo "Feature update added" >> main.java

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (feature-update)
$ git add main.java
warning: in the working copy of 'main.java', LF will be replaced by CRLF the nex
t time Git touches it
git
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (feature-update)
$ git commit -m "Added feature update"
[feature-update 44550e7] Added feature update
 1 file changed, 1 insertion(+)

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (feature-update)
$ |
```

Step 6:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (feature-update)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git checkout -b bug-fix
Switched to a new branch 'bug-fix'

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (bug-fix)
$ echo "Bug fixed here" >> main.java

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (bug-fix)
$ git add main.java
warning: in the working copy of 'main.java', LF will be replaced by CRLF the nex
t time Git touches it
g
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (bug-fix)
$ git commit -m "Bug fix applied"
[bug-fix 2bf7d30] Bug fix applied
 1 file changed, 1 insertion(+)
```

Step 7:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (bug-fix)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
g
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git merge feature-update
Updating ee2b170..44550e7
Fast-forward
 main.java | 1 +
 1 file changed, 1 insertion(+)

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git merge bug-fix
Auto-merging main.java
CONFLICT (content): Merge conflict in main.java
Automatic merge failed; fix conflicts and then commit the result.

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main|MERGING)
$
```

Step 8:

```
DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main|MERGING)
$ git add .

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main|MERGING)
$ git commit -m "Resolved merge conflict"
[main fffabcf] Resolved merge conflict

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ git log --oneline --graph
*   fffabcf (HEAD -> main) Resolved merge conflict
|\
| * 2bf7d30 (bug-fix) Bug fix applied
* | 44550e7 (feature-update) Added feature update
|/
* ee2b170 (origin/main) Initial commit with main.java and notes.txt

DELL@DESKTOP-PTLF53I MINGW64 ~/git-skill1 (main)
$ |
```

GIT REPOSITORY LINK :

https://github.com/Vardhan2858/git-skill1