

# URL Shortening Service API

## Base URL

`https://mdpls.in`

## Authentication

**None.** All endpoints are publicly accessible with no authentication required.

## Endpoints

### 1. Create Short URL

**Endpoint:** `GET /shorten-api/shorten`

| Parameter             | Type    | Required | Description                                                                                |
|-----------------------|---------|----------|--------------------------------------------------------------------------------------------|
| <code>longUrl</code>  | String  | Yes      | The original URL to shorten. Must start with <code>http://</code> or <code>https://</code> |
| <code>noOfDays</code> | Integer | No       | Expiry in days. Must be between <b>1 and 365</b> . If omitted, defaults to <b>30 days</b>  |

#### Validation rules:

- `longUrl` cannot be null or empty
- `longUrl` must start with `http://` or `https://`
- `noOfDays`, if provided, must be between **1 and 365** (inclusive)

**Response format:** Plain text — the shortened URL on success, error message on failure.

| Scenario                 | Response                                    |
|--------------------------|---------------------------------------------|
| Success                  | <code>https://mdpls.in/MEDPLS/7GF0f1</code> |
| Empty or invalid longUrl | <code>given long url is not valid</code>    |

#### Sample request (with custom expiry):

```
curl "https://mdpls.in/shorten-api/shorten?longUrl=https://www.medplusmart.com/products/aspirin&noOfDays=60"
```

#### Sample response:

```
https://mdpls.in/MEDPLS/7GF0f1
```

#### Sample request (default 30-day expiry):

```
curl "https://mdpls.in/shorten-api/shorten?longUrl=https://www.medplusmart.com/products/aspirin"
```

#### Sample response:

```
https://mdpls.in/MEDPLS/aB3xYz
```

### 2. Get Long URL (API)

**Endpoint:** `GET /shorten-api/long`

| Parameter             | Type   | Required | Description                  |
|-----------------------|--------|----------|------------------------------|
| <code>shortUrl</code> | String | Yes      | The shortened URL to resolve |

#### Validation rules:

- `shortUrl` cannot be null or empty

**Response format:** Plain text — the original long URL on success, error message on failure.

| Scenario                                | Response                                                  |
|-----------------------------------------|-----------------------------------------------------------|
| Success                                 | <code>https://www.medplusmart.com/products/aspirin</code> |
| Short URL not found or expired in Redis | <code>given url is invalid or may be expired</code>       |
| Empty shortUrl                          | <code>given url is invalid or may be expired</code>       |

#### Sample request:

```
curl "https://mdpls.in/shorten-api/long?shortUrl=https://mdpls.in/MEDPLS/7GF0f1"
```

#### Sample response:

```
https://www.medplusmart.com/products/aspirin
```

#### Sample request (expired/invalid):

```
curl "https://mdpls.in/shorten-api/long?shortUrl=https://mdpls.in/MEDPLS/xxxxxx"
```

#### Sample response:

```
given url is invalid or may be expired
```