



Git Handson Lab – 1

Task 1: Git Configuration



The screenshot shows the Visual Studio Code (VS Code) interface. The Explorer panel on the left indicates 'NO FOLDER OPENED'. The main editor area displays the Git logo. The TERMINAL panel at the bottom shows the following commands and output:


```
PS C:\Users\shari> git --version
git version 2.51.0.windows.1
PS C:\Users\shari>
```




The screenshot shows the Visual Studio Code (VS Code) interface. The Explorer panel on the left indicates 'NO FOLDER OPENED'. The main editor area displays the Git logo. The TERMINAL panel at the bottom shows the following commands and output:


```
PS C:\Users\shari> git --version
git version 2.51.0.windows.1
PS C:\Users\shari> git config --global user.name "Sharon Varghese"
PS C:\Users\shari> git config --global user.email "sharingum1@gmail.com"
PS C:\Users\shari> git config --global --list
user.name=Sharon Varghese
user.email=sharingum1@gmail.com
PS C:\Users\shari>
```

Task 2: Notepad++ Integration



Task 3: Creating Repository





This screenshot shows the initial setup of a Git repository in a new folder. The terminal window is open, displaying the following commands and their outputs:

```
shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder
$ git init gitdemo
Initialized empty Git repository in C:/Users/shari/OneDrive/Desktop/New folder/gitdemo/.git/

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder
$ cd gitdemo

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ ls -al
total 4
drwxr-xr-x 1 shari 197609 0 Jun 30 10:32 ./
drwxr-xr-x 1 shari 197609 0 Jun 30 10:32 ../
drwxr-xr-x 1 shari 197609 0 Jun 30 10:32 .git/

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ echo "Welcome to version control" > welcome.txt

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt


nothing added to commit but untracked files present (use "git add" to track)

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git commit -m "initial commit"
[master (root-commit) 8d7260e] initial commit
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$
```

The status bar at the bottom indicates the current branch is 'master'.



This screenshot shows the continuation of the Git setup, including adding a remote repository and creating a new branch. The terminal window displays the following commands and their outputs:

```
shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git commit -m "initial commit"
[master (root-commit) 8d7260e] initial commit
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git remote add origin https://github.com/Varghese778/gitdemo.git

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git remote -v
origin https://github.com/Varghese778/gitdemo.git (fetch)
origin https://github.com/Varghese778/gitdemo.git (push)

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (master)
$ git branch -M main

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (main)
$ git push -u origin main
remote: Repository not found.
fatal: repository 'https://github.com/Varghese778/gitdemo.git/' not found

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (main)
$ git remote add origin https://github.com/Varghese778/gitdemo.git
error: remote origin already exists.

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 246 bytes | 123.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Varghese778/gitdemo.git
 * [new branch] main -> main
branch 'main' set up to track 'origin/main'.

shari@Varghese_7229 MINGW64 ~/OneDrive/Desktop/New folder/gitdemo (main)
$
```

The status bar at the bottom indicates the current branch is 'main'.

