

Test Run Report — Run #107

Environment: Development • Trigger: Manual • Started: Aug 5, 2026 03:29 • Ended: Aug 5, 2026 04:40
Generated: 8/5/2026, 4:52:47 AM

Summary

189

Total Tests

95.8%

Pass Rate (excl. skipped)

181 / 8

Passed / Failed

0

Skipped (connection)

Failures (8)

Failure Cluster	Category	Failures
LLM Reasoning Issues	Llm Reasoning	3
Data Availability Issues	Data Availability	3
Tool Execution Failures	Tool Execution	2

LLM Reasoning Issues LLM REASONING (3 failures)

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 05:56 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

TECHNICAL EVIDENCE

Exception	AttributeError: 'NoneType' object has no attribute 'rule_code'
Agent/Tool	data_agent / extract_timeseries_data_ag
Endpoint	/testuser1/ai_agent_chat
Location	agent_graph.py:916

API call: GET /testuser2/ai_agent_chat → 400

Raw API response:

```
{
  "displayed_response": "Sorry, we encountered an issue processing your request. Our team has been notified
and will investigate.",
  "coding_response": [
    "===== ERROR SUMMARY =====\nAPI ENDPOINT: /testuser1/ai_agent_chat\nAGEN
T: data_agent\nTOOL: extract_timeseries_data_ag\nERROR TYPE: AttributeError\nERROR MESSAGE: 'NoneType' obje
ct has no attribute 'rule_code'\nLOCATION: agent_graph.py:916\n=====
    ]
}
```

```
===== ERROR SUMMARY =====
API ENDPOINT: /testuser1/ai_agent_chat
AGENT: data_agent
TOOL: extract_timeseries_data_ag
ERROR TYPE: AttributeError
ERROR MESSAGE: 'NoneType' object has no attribute 'rule_code'
LOCATION: agent_graph.py:916
=====
```

Console errors: Failed to load resource: the server responded with a status of 400 (Bad Request)



Are you satisfied with the answer?



Time taken: 36s, token: 0 tokens

Is there shading happening with my plant?
Please analyze the pyranometer and check for frequent dips at certain times



Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.

05:56 AM



Do you want to report this error?

YES NO

Time taken: s, token: tokens

connected to Mathkor Gid



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

2. BF_Wheeling

Development • 27.6s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i cannot'): The last available BOM-related data I can confirm showed up by 2026-08-05 03:30:00. However, the `source` field in the queried data does not explicitly contain a BOM label in the returned rows, so

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "The last available BOM-related data I can confirm showed up by 2026-08-05 03:30:00.\n\nHowever, the `source` field in the queried data does not explicitly contain a BOM label in the returned rows, so I cannot verify a distinct later BOM-tagged timestamp beyond that. In this extract, the latest recorded timestamp overall is 2026-08-05 03:30:00.",
    "coding_response": [
      "The last available BOM-related data I can confirm showed up by 2026-08-05 03:30:00.\n\nHowever, the `source` field in the queried data does not explicitly contain a BOM label in the returned rows, so I cannot verify a distinct later BOM-tagged timestamp beyond that. In this extract, the latest recorded timestamp overall is 2026-08-05 03:30:00."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "execute_custom_code",
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```

When was the last time the BOM data showed up

TE



The last available BOM-related data I can confirm showed up by 2026-08-05 03:30:00.

However, the `source` field in the queried data does not explicitly contain a BOM label in the returned rows, so I cannot verify a distinct later BOM-tagged timestamp beyond that. In this extract, the latest recorded timestamp overall is 2026-08-05 03:30:00.

06:53 AM



Are you satisfied with the answer?



Time taken: 13s, token: 0 tokens

connected to BF Wheeling



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 07:38 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

TECHNICAL EVIDENCE

Exception	PydanticSerializationError: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>
Agent/Tool	data_agent / unknown
Endpoint	/testuser1/ai_agent_chat
Location	agent_graph.py:916


API call: GET /testuser2/ai_agent_chat → 400

Raw API response:

```
{
  "displayed_response": "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.",
  "coding_response": [
    "===== ERROR SUMMARY =====\nAPI ENDPOINT: /testuser1/ai_agent_chat\nAGENT: data_agent\nTOOL: unknown\nERROR TYPE: PydanticSerializationError\nERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>\nLOCATION: agent_graph.py:916\n======"
  ]
}
```

```
===== ERROR SUMMARY =====
API ENDPOINT: /testuser1/ai_agent_chat
AGENT: data_agent
TOOL: unknown
ERROR TYPE: PydanticSerializationError
ERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>
LOCATION: agent_graph.py:916
=====
```

Console errors: Failed to load resource: the server responded with a status of 400 (Bad Request)



Data Availability Issues DATA AVAILABILITY (3 failures)

1. BF_Wheeling

Development • 53.4s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```



Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AL_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'

06:47 AM

Are you satisfied with the answer?



- < Click here for Source
- < Click here for Steps
- < Click here for Tools

Time taken: 38s, token: 0 tokens

connected to BF Wheeling



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

2. BF_Wheeling

Development • 42.9s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv.

Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Please generate December 2025 performance report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```

Please generate December 2025 performance report



Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AL_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'

06:57 AM



Are you satisfied with the answer?



Time taken: 28s, token: 0 tokens

connected to BF Wheeling



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

3. BF_Wheeling

Development • 46.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well


Error reason: AI indicated failure (matched 'no data available'): Clipping Loss Breakdown — Last 2 Months (2026-06-05 to 2026-08-05) Key Findings: - The clipping-loss tool encountered an internal digital-twin error and failed twice during calculation. - No valid cl

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well",
    "displayed_response": "Clipping Loss Breakdown – Last 2 Months (2026-06-05 to 2026-08-05)\n\nKey Findings:\n- The clipping-loss tool encountered an internal digital-twin error and failed twice during calculation.\n- No valid clipping-loss values were returned for any inverter in the requested period.\n\nDetailed Clipping Loss by Inverter:\n- inverter1: No data available\n- inverter2: No data available\n- inverter3: No data available\n- inverter4: No data available\n- inverter5: No data available\n- inverter6: No data available\n\nVisualization:\n- The visualization has been prepared showing clipping loss by inverter for the last two months.",
    "coding_response": [
      "I couldn't calculate the clipping loss breakdown because the clipping-loss tool failed twice for the requested period with an internal digital-twin error: `unsupported operand type(s) for /: 'NoneType' and 'int'`. \n\nI attempted it for 2026-06-05 to 2026-08-05, monthly, per inverter, including all 6 inverters, but no valid loss values were returned. \n\nCalled period:\n- 2026-06-05 to 2026-08-05\n\nRequested breakdown:\n- inverter1\n- inverter2\n- inverter3\n- inverter4\n- inverter5\n- inverter6\n\nBecause the tool did not return values, I can't provide a trustworthy clipping-loss table for this period.",
      {
        "type": "graph",
        "series": [
          "",
          "",
          "",
          ""
        ],
        "graphTitle": "Clipping Loss by Inverter – Last 2 Months",
        "yAxisTitle": "Clipping Loss (kWh)"
      }
    ],
    "used_agents": [
      "data_agent",
      "graph_agent"
    ],
    "used_tools": [
      "functions.inspect_xpool",
      "functions.calculate_clipping_or_curtailment_losses_ag",
      "functions.summarize_data_problems_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from June 5, 2026, to August 5, 2026, making sure the end date is included.\n2. I find all relevant inverter power columns in the dataset, making sure to leave out any columns related to reactive power or flags.\n3. I check that the required power columns are actually present in the data.\n4. I improve the quality of the plane of array (POA) irradiance data by filling in any missing values using a method that accounts for daily sunlight patterns.\n5. For each inverter power column, I calculate the energy losses by finding the difference between the measured power and the inverter's rated AC power during periods when losses are detected.\n- I identify clipping events using both a machine learning approach (the rdtools XGBoost clip filter) and a rule that flags power readings above 85% of the inverter's rated AC power.\n6. I convert these power losses into energy lost (in kWh) by multiplying the loss by the time interval (0.0833 hours).\n7. I sum up the energy losses for each inverter, grouping the results by the chosen time period (such as by day, month, or year).\n8. I provide a detailed breakdown of the loss values for each inverter and each time period.\n9. I organize the results into a table, with each inverter as a column and each time period as a row.\n10. I return the results as a dictionary, where each key is a time period (or a single total, depending on the settings), making it easy to use the data elsewhere."
  }
}
```



Tool Execution Failures TOOL EXECUTION (2 failures)

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'internal error'): Clipping Loss Breakdown (Last 6 Months) •

Data Availability: No reliable per-inverter clipping loss values could be calculated due to an internal error in the clipping-loss tool (unsupported operand

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well",
    "displayed_response": "Clipping Loss Breakdown (Last 6 Months)\n\n Data Availability: No reliable per-inverter clipping loss values could be calculated due to an internal error in the clipping-loss tool (unsupported operand type(s) for '/': 'NoneType' and 'int').\n As a result, we do not have trustworthy clipping loss figures by inverter for this period.\n\nVisualization\n\n The graph showing \"Clipping Loss for Each Inverter Over the Last 6 Months\" has been prepared.",
    "coding_response": [
      "I couldn't calculate the clipping loss breakdown because the clipping-loss tool failed for this 6-month period with an internal error: \"unsupported operand type(s) for /: 'NoneType' and 'int'\" while calculating the digital twin. As a result, I don't have trustworthy per-inverter clipping loss values to report.",
      {
        "type": "graph",
        "series": [
          "",
          "",
          "",
          ""
        ],
        "graphTitle": "Clipping Loss for Each Inverter Over the Last 6 Months",
        "yAxisTitle": "Clipping Loss (kWh)"
      }
    ],
    "used_agents": [
      "data_agent",
      "graph_agent"
    ],
    "used_tools": [
      "functions.calculate_clipping_or_curtailment_losses_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from February 5, 2026, to August 5, 2026, including the end date.\n2. I find all relevant inverter power columns in the dataset, making sure to leave out any columns related to reactive power or flags.\n3. I check that the chosen power columns are actually present in the dataset.\n4. I clean up the plane of array (POA) irradiance data by filling in any missing values using a method that accounts for daily sunlight patterns.\n5. For each inverter power column, I calculate power losses by taking the absolute difference between the measured power and the inverter's rated AC power during periods when losses are detected.\n - I identify clipping events using both a machine learning approach (rdtools XGBoost clip filter) and a simple threshold, flagging times when power is above 85% of the rated AC power.\n6. I convert the detected power losses into energy lost (in kWh) by multiplying by the time interval of 0.0833 hours.\n7. I group the energy loss values by the chosen time period (such as day, month, or year) for each inverter.\n8. I add up the grouped values to get a total loss for each inverter over the selected period.\n9. I organize the results into a DataFrame, with each inverter as a column and each time period as a row.\n10. I return the results as a dictionary, either broken down by time period or as a single total, depending on the settings."
  }
}
```



Clipping Loss Breakdown (Last 6 Months)

- Data Availability: No reliable per-inverter clipping loss values could be calculated due to an internal error in the clipping-loss tool (unsupported operand type(s) for '/': 'NoneType' and 'int').
- As a result, we do not have trustworthy clipping loss figures by inverter for this period.

Visualization

- The graph showing "Clipping Loss for Each Inverter Over the Last 6 Months" has been prepared.



06:54 AM



Are you satisfied with the answer?



Time taken: 31s, token: 0 tokens

connected to BF Wheeling



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-08-04), your plant produced 3,954.76 kWh. Key performance: - Specific yield: 5.31 kWh/kWp - Performance ratio: unavailable from the tool output for that day - Technical/contractual availability: unavailable due to a tool error\n\nAgainst benchmark:\n- August theoretical P50 energy: 121,783.19 kWh for the full month\n- MTD period performance shown by the tool for 2026-08-04 data loaded into August: 3.25% of the monthly P50\n\nOverall: energy production looks solid for a single day, with a daily specific yield of 5.31 kWh/kWp. I can't reliably report PR or availability for yesterday because those tool calls did not return usable values."

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-08-04), your plant produced 3,954.76 kWh.\n\nKey performance:\n- Specific yield: 5.31 kWh/kWp\n- Performance ratio: unavailable from the tool output for that day\n- Technical/contractual availability: unavailable due to a tool error\n\nAgainst benchmark:\n- August theoretical P50 energy: 121,783.19 kWh for the full month\n- MTD period performance shown by the tool for 2026-08-04 data loaded into August: 3.25% of the monthly P50\n\nOverall: energy production looks solid for a single day, with a daily specific yield of 5.31 kWh/kWp. I can't reliably report PR or availability for yesterday because those tool calls did not return usable values.",
    "coding_response": [
      "Yesterday (2026-08-04), your plant produced 3,954.76 kWh.\n\nKey performance:\n- Specific yield: 5.31 kWh/kWp\n- Performance ratio: unavailable from the tool output for that day\n- Technical/contractual availability: unavailable due to a tool error\n\nAgainst benchmark:\n- August theoretical P50 energy: 121,783.19 kWh for the full month\n- MTD period performance shown by the tool for 2026-08-04 data loaded into August: 3.25% of the monthly P50\n\nOverall: energy production looks solid for a single day, with a daily specific yield of 5.31 kWh/kWp. I can't reliably report PR or availability for yesterday because those tool calls did not return usable values."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I select data from August 4, 2026, including that day.\n2. I group the data by day.\n3. I make sure every day in the range is included.\n4. I calculate the total energy produced during this period using the plant's power readings and the time interval of 0.0833 hours.\n5. I divide the total energy by the plant's installed capacity to get the specific yield in kWh per kWp.\n6. I provide the specific yield for each day as a detailed breakdown.\n\n1. I select data from August 4, 2026, including that day.\n2. I pick out the columns for power, irradiance, and temperature.\n3. I clean the data by removing or marking any invalid power or irradiance values.\n4. I calculate the actual energy produced by multiplying power by the time interval (0.0833 hours) and adjusting the units.\n5. I also calculate the expected energy without considering temperature effects.\n6. If the system is bifacial, I apply extra corrections based on factors like ground reflectivity, area, and shading.\n7. I group both actual and expected energy by day.\n8. I calculate the performance ratio for each day, including bifacial corrections if needed.\n9. I return the average performance ratio across all days.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n1. I select data from August 4, 2026, including that day.\n2. I find all inverter power columns and their rated DC powers from the plant's metadata.\n3. I set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, I filter the data to times when irradiance is above the threshold, then count the total useful time and downtime intervals.\n5. I convert these counts into hours based on the data interval.\n6. I calculate each inverter's technical availability as (useful time minus downtime) divided by useful time, times 100.\n7. I return a dictionary showing the availability percentage for each inverter.\n\n1. I select data from August 4, 2026, including that day.\n2. I use the active_power column(s) for calculations.\n3. I clean the data by removing or flagging invalid power readings.\n4. I calculate the energy for each data point as (Power × 0.0833 hours), converting units as needed (e.g., from Watts to kW).\n5. I include all days in the calculation.\n6. I sum up all the energy values for the selected period"
```

Against benchmark:

- August theoretical P50 energy: 121,783.19 kWh for the full month

- MTD period performance shown by the tool for 2026-08-04 data loaded into August: 3.25% of the monthly P50

Overall: energy production looks solid for a single day, with a daily specific yield of 5.31 kWh/kWp. I can't reliably report PR or availability for yesterday because those tool calls did not return usable values.

07:17 AM



Are you satisfied with the answer?



Time taken: 14s, token: 0 tokens

● connected to Abdali Mall Netmetering



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.