

Test Run Report — Run #130

Environment: Development • Website: aepec2-dev.p2agentx.com • Trigger: Scheduled • Started: Aug 11, 2026 00:34 • Ended: Aug 11, 2026 01:03
Generated: 8/11/2026, 1:09:14 AM

Summary

231

Total Tests

96.3%

Pass Rate (excl. skipped)

182 / 7

Passed / Failed

42

Skipped (connection)

Failures (7)

Failure Cluster	Category	Failures
LLM Reasoning Issues	Llm Reasoning	5
Data Availability Issues	Data Availability	2

LLM Reasoning Issues LLM REASONING (5 failures)

1. Galleria_Mall

Development • 195.1s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request.
04:13 PM Do you want to report this error? YES NO Click here for Source Click here for Steps Click here for Tools
Time taken: s, token: tokens c

TECHNICAL EVIDENCE

Network failures: GET https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/ai_agent_chat?plant_name=Galleria_Mall&query=Please%20generate%20last%20months%20report (net::ERR_ABORTED)

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat, and Teams. The chat history shows a greeting from the AI agent at 04:10 PM. A user message at 04:13 PM requests to generate a report. The AI agent responds with an error message and offers options to report the error, including links for Source, Steps, and Tools. The interface also shows a 'Time taken: s, token: tokens' status and a 'connected to Galleria Mall' indicator. At the bottom, there is a feedback section with a 'LEAVE ANY FEEDBACK' link and a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

Question: How can I shut down my inverters?

Error reason: AI indicated failure (matched 'unable to provide'): The manual documents for your inverters do not contain information about the shutdown procedure, or the necessary plant and inverter mapping is missing. As a result, I am unable to provide step-by-ste

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "How can I shut down my inverters?",
    "displayed_response": "The manual documents for your inverters do not contain information about the shutdown procedure, or the necessary plant and inverter mapping is missing. As a result, I am unable to provide step-by-step shutdown instructions at this time.\n\nFor the most accurate and safe shutdown procedure, please consult the specific inverter's user manual on-site, or provide the inverter model number and plant information so I can search the relevant documents.",
    "coding_response": [
      "The manual documents for your inverters do not contain information about the shutdown procedure, or the necessary plant and inverter mapping is missing. As a result, I am unable to provide step-by-step shutdown instructions at this time.\n\nFor the most accurate and safe shutdown procedure, please consult the specific inverter's user manual on-site, or provide the inverter model number and plant information so I can search the relevant documents."
    ],
    "used_agents": [
      "manual_agent"
    ],
    "used_tools": [
      "functions.manual_rag_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```

How can I shut down my inverters?

TE

The manual documents for your inverters do not contain information about the shutdown procedure, or the necessary plant and inverter mapping is missing. As a result, I am unable to provide step-by-step shutdown instructions at this time.

For the most accurate and safe shutdown procedure, please consult the specific inverter's user manual on-site, or provide the inverter model number and plant information so I can search the relevant documents.

04:42 PM

Are you satisfied with the answer?

👍 🗨

Time taken: 69s, token: 0 tokens

connected to Abdali Mali Barza

How can we help you today?

LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 05:33 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

TECHNICAL EVIDENCE

Exception	AttributeError: 'NoneType' object has no attribute 'rule_code'
Agent/Tool	data_agent / extract_timeseries_data_ag
Endpoint	/testuser1/ai_agent_chat
Location	agent_graph.py:916

API call: GET /testuser2/ai_agent_chat → 400

Raw API response:

```
{
  "displayed_response": "Sorry, we encountered an issue processing your request. Our team has been notified
and will investigate.",
  "coding_response": [
    "===== ERROR SUMMARY =====\nAPI ENDPOINT: /testuser1/ai_agent_chat\nAGEN
T: data_agent\nTOOL: extract_timeseries_data_ag\nERROR TYPE: AttributeError\nERROR MESSAGE: 'NoneType' obje
ct has no attribute 'rule_code'\nLOCATION: agent_graph.py:916\n=====
  ]
}
```

```
===== ERROR SUMMARY =====
API ENDPOINT: /testuser1/ai_agent_chat
AGENT: data_agent
TOOL: extract_timeseries_data_ag
ERROR TYPE: AttributeError
ERROR MESSAGE: 'NoneType' object has no attribute 'rule_code'
LOCATION: agent_graph.py:916
=====
```

Console errors: Failed to load resource: the server responded with a status of 400 (Bad Request)



Are you satisfied with the answer?



Time taken: 18s, token: 0 tokens

Is there shading happening with my plant?
Please analyze the pyranometer and check for frequent dips at certain times



Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.

05:33 PM



Do you want to report this error?

YES NO

Time taken: s, token: tokens

● connected to Mathkor Gid



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

4. BF_Wheeling

Development • 67.2s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request.

06:38 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Bf

Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 500

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

Console errors: Failed to load resource: the server responded with a status of 500 (Internal Server Error)


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The chat area shows a conversation with an AI agent. The chat history includes a message from the AI agent at 06:37 PM asking 'Are you satisfied with the answer?' and a message from the user at 06:38 PM asking 'When was the last time the BOM data showed up'. The AI agent's response at 06:38 PM says 'Sorry, there was an error processing your request.' and asks 'Do you want to report this error?' with options 'YES' and 'NO'. The chat interface also includes a footer with a feedback link and a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

5. BF_Wheeling

Development • 17.0s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'an error'): AI Brain Job Cards Maintenance Chat Teams Active Power is 185638W Wind Speed is 1.4m/s Weather Temperature is 35.6°C Last updated: 8/10/2026, 03:00 PM 06:30 PM Good afternoon. How can I h



Data Availability Issues DATA AVAILABILITY (2 failures)

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'no data available'): I can't assess yesterday's performance because there is no data available for 2026-08-09 in the database. What I found for 2026-08-09: - Energy by inverter: - inverter1: NaN kWh - inverte

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "I can't assess yesterday's performance because there is no data available for 2026-08-09 in the database.\n\nWhat I found for 2026-08-09:\n- Energy by inverter:\n  - inverter1: NaN kWh\n  - inverter2: NaN kWh\n  - inverter3: NaN kWh\n- Specific yield: no data\n- Performance ratio: no data\n- Availability by inverter:\n  - inverter1: NaN\n  - inverter2: NaN\n  - inverter3: NaN\n- Hourly inverter power and pyranometer data: empty\n\nSo the correct conclusion is that yesterday's plant performance cannot be determined from the currently available dataset.",
    "coding_response": [
      "I can't assess yesterday's performance because there is no data available for 2026-08-09 in the database.\n\nWhat I found for 2026-08-09:\n- Energy by inverter:\n  - inverter1: NaN kWh\n  - inverter2: NaN kWh\n  - inverter3: NaN kWh\n- Specific yield: no data\n- Performance ratio: no data\n- Availability by inverter:\n  - inverter1: NaN\n  - inverter2: NaN\n  - inverter3: NaN\n- Hourly inverter power and pyranometer data: empty\n\nSo the correct conclusion is that yesterday's plant performance cannot be determined from the currently available dataset."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-08-09 to 2026-08-09, including the end date.\n2. I find all inverter power columns and their DC rated power values using the plant metadata.\n3. I set calculation parameters like the irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, I filter the data to only include intervals where irradiance is above the threshold, then count the total number of useful intervals (T_useful) and downtime intervals (T_down).\n5. I convert these interval counts into hours based on the data interval length.\n6. I calculate the Technical Availability for each inverter using the formula: (T_useful - T_down) / T_useful * 100.\n7. I return a dictionary showing the availability percentage for each inverter.\n\n--\n\n1. I select data from 2026-08-09 to 2026-08-09, including the end date.\n2. I identify all inverter power columns in the dataset, ignoring columns related to reactive power or flags.\n3. I clean the data by removing or marking any invalid measurements in each inverter's power column.\n4. For each inverter, I calculate the energy produced by multiplying the power by the time interval (0.0833 hours), and adjust for units if needed (for example, divide by 1000 if the data is in Watts).\n5. I include all days in the calculation for each inverter.\n6. I sum up all the energy values for the selected period to get a total energy value for each inverter.\n7. I organize the results into a DataFrame, with inverters as columns and aggregation periods as the index.\n8. I return the results as a dictionary, either by aggregation period or as a single total row, depending on the settings.\n\n---\n\n1. I select data from 2026-08-09 to 2026-08-09, including the end date.\n2. I identify the relevant columns for power, irradiance, and temperature.\n3. I clean the data by removing or flagging any invalid values in the power and irradiance columns.\n4. I calculate the actual energy produced by multiplying power by the time interval (0.0833 hours) and adjusting for units.\n5. I calculate the expected energy output without applying temperature correction.\n6. If the system is bifacial, I apply extra correction factors based on metadata like ground albedo, area normalization, and shading losses.\n7. I group the actual and expected energy values by day.\n8. I calculate the performance ratio for each interval, including bifacial corrections if needed.\n9. I return a detailed breakdown of the performance ratio for each interval.\n10. I cap
```

- Performance ratio: no data

- Availability by inverter:

- inverter1: NaN

- inverter2: NaN

- inverter3: NaN

- Hourly inverter power and pyranometer data: empty

So the correct conclusion is that yesterday's plant performance cannot be determined from the currently available dataset.

05:51 PM

Are you satisfied with the answer?



Time taken: 25s, token: 0 tokens

● connected to Kupco Hq Dajeej



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

2. BF_Wheeling

Development • 53.4s

Question: Please generate last months report


Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AL_Mushagar'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```



Skipped (42)

Plant	Question	Env	Skip reason
SADAFCO	Please generate last months report	Development	Plant connection failed
SADAFCO	Based on pvsyst report, what is the rated power of this plant and array configuration	Development	Plant connection failed
SADAFCO	Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2	Development	Plant connection failed
SADAFCO	Please plot last 3 days hourly performance ratio for my Strings for inverter 2	Development	Plant connection failed
SADAFCO	Please plot the last 4 days hourly performance ratio for all my inverters	Development	Plant connection failed
SADAFCO	Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3	Development	Plant connection failed
SADAFCO	Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)	Development	Plant connection failed
SADAFCO	How can I shut down my inverters?	Development	Plant connection failed

Plant	Question	Env	Skip reason
SADAFCO	I have a COMMUNICATION_FAULT what do I do to my inverters?	Development	Plant connection failed
SADAFCO	When was the last time the BOM data showed up	Development	Plant connection failed
SADAFCO	Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well	Development	Plant connection failed
SADAFCO	Was there any 0 production days in the last 7 days?	Development	Plant connection failed
SADAFCO	Please change to dark mode	Development	Plant connection failed
SADAFCO	Pull up the latest cleaning log	Development	Plant connection failed
SADAFCO	Jim cleaned the pyranometer today, can you add it to the cleaning log?	Development	Plant connection failed
SADAFCO	Please generate December 2025 performance report	Development	Plant connection failed
SADAFCO	How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?	Development	Plant connection failed
SADAFCO	How did my plant perform yesterday?	Development	Plant connection failed
SADAFCO	Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt	Development	Plant connection failed
SADAFCO	Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times	Development	Plant connection failed
SADAFCO	Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well	Development	Plant connection failed
SAK_1	Please generate last months report	Development	Plant connection failed
SAK_1	Based on pvsyst report, what is the rated power of this plant and array configuration	Development	Plant connection failed
SAK_1	Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2	Development	Plant connection failed
SAK_1	Please plot last 3 days hourly performance ratio for my Strings for inverter 2	Development	Plant connection failed

Plant	Question	Env	Skip reason
SAK_1	Please plot the last 4 days hourly performance ratio for all my inverters	Development	Plant connection failed
SAK_1	Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3	Development	Plant connection failed
SAK_1	Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)	Development	Plant connection failed
SAK_1	How can I shut down my inverters?	Development	Plant connection failed
SAK_1	I have a COMMUNICATION_FAULT what do I do to my inverters?	Development	Plant connection failed
SAK_1	When was the last time the BOM data showed up	Development	Plant connection failed
SAK_1	Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well	Development	Plant connection failed
SAK_1	Was there any 0 production days in the last 7 days?	Development	Plant connection failed
SAK_1	Please change to dark mode	Development	Plant connection failed
SAK_1	Pull up the latest cleaning log	Development	Plant connection failed
SAK_1	Jim cleaned the pyranometer today, can you add it to the cleaning log?	Development	Plant connection failed
SAK_1	Please generate December 2025 performance report	Development	Plant connection failed
SAK_1	How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?	Development	Plant connection failed
SAK_1	How did my plant perform yesterday?	Development	Plant connection failed
SAK_1	Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt	Development	Plant connection failed
SAK_1	Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times	Development	Plant connection failed
SAK_1	Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well	Development	Plant connection failed

