Customer readiness test
Lahoun Solar Plant

One-time browser test · 2026-11-12T12:28:50.040916+00:00 UTC
https://main.d3o3iryvy33gj9.amplifyapp.com/portfolio

23/23	16	5	2
Questions attempted	Passed functional checks	Failed checks	Review / blocked

Key findings

- November 12, 2026, 12:28–12:39 UTC: all 23 questions completed; 16 functional/retrieval passes, 5 failures and 2 informational/unverified results.
- P1 API failures persist: Q27 July clipping endpoint DNS/name resolution failed for all six inverters; Q18 availability calculation returned an internal error.
- P2 memory failure persists: Q7 changed from the original three-day hourly Inverter 2 MPPT scope to six months across all inverters.
- Two additional feature failures: Q4 silently substituted aggregate inverter PR for requested string-level PR; Q15 explicitly said cleaning records cannot be saved from this chat.
- Improvement: Q11 now includes both the numerical per-inverter clipping totals and chart, whereas the previous run returned only a chart.
- Q10's claimed BOM timestamp remains unverified: supporting measurement is pyranometer_1, not an identified BOM source. Q14 found no current-month cleaning logs.
- Three monthly PDF links validated for plant/month: October 2026 (13 pages), December 2025 (12 pages), September 2026 (13 pages). Retrieval passes do not establish numerical accuracy or fresh recomputation.
- Four customer UI areas and six existing job-card details checked. No cleaning record saved, card status changed or team-chat message sent.
- Read-only S3 snapshot at 12:29:01 UTC: api_error=false, last modified 12:01:48 UTC. The upstream update flag does not establish healthy chat analytics or data freshness.
- Compared with the previous run: Q4: review → failed; Q11: review → passed; Q15: review → failed

> API/tool errors are highest priority, followed by failed application responses. Missing data is reported separately. An answer or HTTP 200 alone is not a functional pass. Numerical results have not been independently recomputed. This test did not change daily schedules or run the upstream pipeline.

Single-plant pipeline snapshot

Abdali_Mall_Lahoun.json · api_error: **false**

S3 last modified: 2026-11-12T12:01:48.000Z

Checked: 2026-11-12T12:29:01.740Z

Question results

ID	Test question	Result	Finding
Q9	I have a COMMUNICATION_FAULT what do I do to my inverters?	**PASSED**	Manual troubleshooting guidance, diagram references and manufacturer PDF reference returned. Retrieval/response pass only; instructions were not independently safety-certified and no equipment actions performed.
Q27	Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026	**FAILED**	P1 API/tool failure persists: July clipping via clipping_loss_via_requests reported ipv-api.ndtensor.ai DNS/name-resolution failure for all six inverters. No requested clipping calculation result.
Q1	Please generate last months report	**PASSED**	October 2026 report downloaded as a readable 13-page Lahoun PDF for the requested period. Retrieval verified, not independent numerical accuracy or fresh recomputation.
Q12	Was there any 0 production days in the last 7 days?	**PASSED**	Returned seven nonzero daily production values for November 6–12 and explicitly marked November 12 as partial through 14:50. This window includes today rather than seven completed days. Numerical values not independently recalculated.
Q16	Please generate December 2025 performance report	**PASSED**	December 2025 report downloaded as a readable 12-page Lahoun PDF for the correct month. Retrieval verified, not calculation accuracy.
Q17	How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?	**PASSED**	Returned 206 daytime samples, zero missing POA/power samples, 130 POA mismatches and zero power-mismatch cases, with thresholds and a 14:50 data cutoff disclosed. A data-quality finding is not an API failure.

ID	Test question	Result	Finding
Q3	Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2	**PASSED**	Hourly Inverter 2 MPPT PR chart returned with 12 populated traces for the requested recent period.
Q4	Please plot last 3 days hourly performance ratio for my Strings for inverter 2	**FAILED**	P2 wrong-scope response: request explicitly asked for Inverter 2 Strings, but the returned chart was aggregate Inverter 2 performance ratio with one trace. No string-level breakdown and no disclosure of this substitution. Not an API outage.
Q5	Please plot the last 4 days hourly performance ratio for all my inverters	**PASSED**	Four-day hourly performance-ratio chart returned with all six inverter traces and populated timestamps.
Q11	Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well	**PASSED**	Improved from the previous partial result: now lists numerical six-month clipping totals for all six inverters and supplies the six-trace monthly chart. Numerical correctness was not independently recomputed.
Q18	How did my plant perform yesterday?	**FAILED**	P1 API/tool failure persists: yesterday's production, yield, PR, weather and per-inverter energy returned, but availability failed with an explicitly reported internal plant-level calculation error.
Q20	Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times	**PASSED**	Returned quantified 30-day pyranometer timing analysis with morning/afternoon windows, hourly ratios and alternative sensor/model explanations. Shading interpretation not confirmed on site or independently recalculated.
Q2	Based on pvsyst report, what is the rated power of this plant and array configuration	**PASSED**	PVsyst retrieval found two relevant plant-specific report sections and table-image references. Limited source-retrieval pass: rated power and array configuration were not extracted into prose.
Q6	Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3	**PASSED**	Inverter 3 current and voltage chart returned eight traces at raw five-minute granularity.

ID	Test question	Result	Finding
Q10	When was the last time the BOM data showed up	**REVIEW**	Claims BOM data last appeared at November 12 15:25 but gives pyranometer_1 as the supporting measurement. No BOM-specific rows or source mapping exposed; source identity remains unverified and may be confused with measured POA.
Q19	Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt	**PASSED**	Returned daily-POA median, mean and kurtosis, explicit five-minute integration conversion and missing/partial-day caveats. Full daily series not listed; statistics not independently recomputed.
Q14	Pull up the latest cleaning log	**REVIEW**	Informational/no records: no cleaning logs this month. This does not establish whether an older latest cleaning log exists.
Q15	Jim cleaned the pyranometer today, can you add it to the cleaning log?	**FAILED**	P2 unavailable requested save: assistant prepared a cleaning record but explicitly stated records cannot be saved from this chat yet, so nothing was added. It also inferred Routine soiling and Completed without the user specifying them. No confirmation or extra fields submitted by tester.
Q8	How can I shut down my inverters?	**PASSED**	Manual shutdown guidance, diagram references and manufacturer PDF reference returned. Retrieval/response pass only; no shutdown performed and instructions not independently safety-certified.
Q13	Please change to dark mode	**PASSED**	Dark-mode action returned and the fresh screenshot visibly confirms the dark interface.
Q21	Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well	**PASSED**	Returned six per-inverter two-month clipping totals and populated six-trace daily chart. Numerical values and success of every underlying named tool not independently verified.

ID	Test question	Result	Finding
Q7	Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)	**FAILED**	P2 memory/context failure persists: first plot was hourly Inverter 2 MPPT PR over three days; follow-up instead returned all-inverter specific yield/energy over six months. Twelve traces and dual axes do not compensate for lost original scope.
Q46	Can you generate report for moth of september 2026	**PASSED**	September 2026 report downloaded as a readable 13-page Lahoun PDF for the correct period. Retrieval verified, not numerical accuracy.

Application UI checks

Area	Result	Finding
AI_brain_UI	passed	Customer AI Brain feed, diagnostic/time disclosures and plant heatmap rendered. Legacy fullscreen/layout parity was not exhaustively asserted.
Maintenance_UI	passed	Task/filter/calendar interface loaded; previous/next-month controls showed October then November. Customer site states once-a-year maintenance; legacy scheduling controls absent by design.
Job_cards_UI	passed	All six existing open job-card detail pages inspected and captured. No create/resolve/reassign actions; viewing may mark cards as read.
Teams_UI	passed	Customer Team Chat participant list, message history and composer rendered. No message or notification sent; not a Microsoft Teams integration test.

Customer navigation differs from the legacy daily-test site. Unavailable legacy tabs are not counted as passes.

Q9 · passed

I have a COMMUNICATION_FAULT what do I do to my inverters?

Duration: 37.4 seconds · Manual troubleshooting guidance, diagram references and manufacturer PDF reference returned. Retrieval/response pass only; instructions were not independently safety-certified and no equipment actions performed.

Observed answer

To troubleshoot a COMMUNICATION_FAULT on your inverters, please follow these manufacturer-recommended steps:

Access the internal components by rotating the cover in the direction indicated by arrow 1 and secure it with two screws (see:
).
Before any work, locate the four critical areas shown by arrows and ensure the toggle switch is in the correct ON or OFF position (diagram:
).
Inspect the cable assembly for communication connections: align the top component (1), secure the middle piece (2), and fasten the cable at the bottom (3) as per this guide (diagram:
).
Ensure the communication cable is correctly connected to the specified port; position the connector exactly as shown to maintain functionality (diagram:
).
Check cable routing: use the proper routing way (shown with a green check on the right), and avoid the incorrect routing (red X on the left) (diagram:
).
Confirm negative (A) and positive (B) DC connector configuration. Do NOT disconnect connectors under load (diagram:
).
For further access, unlock and slide open the cover as shown in steps 1 and 2 in this diagram:
.
For multiple cable connections, follow the sequence and direction indicated by arrows, repeating as shown (diagram:
).
Unlock the device by inserting a key into the locking slot as depicted, aligning it correctly (diagram:
).

Please reference each diagram to ensure proper identification of components and follow each step carefully.

Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.c...

STP_110-60_Manual.pdf
PDF report
Preview
Open in a new tab
How this was worked out

Technical details
Answered by Manual Agent
· 19.5s


Browser evidence

PT

I have a COMMUNICATION FA...


To troubleshoot a COMMUNICATION_FAULT on your inverters, please follow these manufacturer-recommended steps:

1. Access the internal components by rotating the cover in the direction indicated by arrow 1 and secure it with two screws (see:



).

2. Before any work, locate the four critical areas shown by arrows and ensure the toggle switch is in the correct ON or OFF position (diagram:



).

3. Inspect the cable assembly for communication connections: align the top component (1), secure the middle piece (2), and fasten the cable at the bottom (3) as per this guide (diagram:



Ask about Lahoun Solar Plant

Q27 · failed

Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Duration: 26.8 seconds · P1 API/tool failure persists: July clipping via clipping_loss_via_requests reported ipv-api.ndtensor.ai DNS/name-resolution failure for all six inverters. No requested clipping calculation result.

Observed answer

I used clipping_loss_via_requests for 2026-07-01 to 2026-07-31, but it failed for all six inverters because the external analytics endpoint could not be reached (ipv-api.ndtensor.ai DNS/name resolution failure).

So I cannot determine from that tool whether there was any clipping loss in July 2026.

Result from the requested tool:

inverter1: request failed
inverter2: request failed
inverter3: request failed
inverter4: request failed
inverter5: request failed
inverter6: request failed
overall status: Failed
How this was worked out
Technical details
Answered by Data Agent
· 9.3s

Browser evidence

PT

I have a COMMUNICATION FA...



).

Please reference each diagram to ensure proper identification of components and follow each step carefully.

Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.c...

STP_110-60_Manual.pdf
PDF report

Preview | Open in a new tab

› How this was worked out

› Technical details

Answered by Manual Agent · 19.5s

Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all six inverters because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS/name resolution failure).

So I cannot determine from that tool whether there was any clipping loss in July 2026.

Result from the requested tool:

- inverter1: request failed
- inverter2: request failed
- inverter3: request failed
- inverter4: request failed
- inverter5: request failed
- inverter6: request failed
- overall status: Failed

› How this was worked out

› Technical details

Answered by Data Agent · 9.3s

Ask about Lahoun Solar Plant

Q1 · passed

Please generate last months report


Duration: 15.2 seconds · October 2026 report downloaded as a readable 13-page Lahoun PDF for the requested period. Retrieval verified, not independent numerical accuracy or fresh recomputation.

Observed answer

I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'

Abdali_Mall_Lahoun_October_2026_external_report.pdf
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent
· 4.2s

Browser evidence


PT
I have a COMMUNICATION FA...
Answered by Manual Agent · 19.5s
Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026
I used clipping_loss_via_requests for 2026-07-01 to 2026-07-31, but it failed for all six inverters because the external analytics endpoint could not be reached (ipv-api.ndtensor.ai DNS/name resolution failure).
So I cannot determine from that tool whether there was any clipping loss in July 2026.
Result from the requested tool:
inverter1: request failed
inverter2: request failed
inverter3: request failed
inverter4: request failed
inverter5: request failed
inverter6: request failed
overall status: Failed
How this was worked out
Technical details
Answered by Data Agent · 9.3s
Please generate last months report
I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'
Abdali_Mall_Lahoun_October_2026_exte...
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent · 4.2s
Ask about Lahoun Solar Plant

Q12 · passed

Was there any 0 production days in the last 7 days?

Duration: 22.2 seconds · Returned seven nonzero daily production values for November 6–12 and explicitly marked November 12 as partial through 14:50. This window includes today rather than seven completed days. Numerical values not independently recalculated.

Observed answer

No. There were no 0-production days in the last 7 days based on actual plant production data.


Daily plant production:

2026-11-06: 3054.89 kWh
2026-11-07: 2424.63 kWh
2026-11-08: 3207.16 kWh
2026-11-09: 4152.37 kWh
2026-11-10: 4009.04 kWh
2026-11-11: 4002.97 kWh
2026-11-12: 3139.42 kWh

Note: 2026-11-12 is partial-day data only; the latest recorded point is 14:50:00.

How this was worked out
Technical details
Answered by Data Agent
· 9.4s

Browser evidence


PT
I have a COMMUNICATION FA...
How this was worked out
Technical details
Answered by Data Agent · 9.3s
Please generate last months report
I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'
Abdali_Mall_Lahoun_October_2026_exte...
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent · 4.2s
Was there any 0 production days in the last 7 days?
No. There were no 0-production days in the last 7 days based on actual plant production data.
Daily plant production:
2026-11-06: 3054.89 kWh
2026-11-07: 2424.63 kWh
2026-11-08: 3207.16 kWh
2026-11-09: 4152.37 kWh
2026-11-10: 4009.04 kWh
2026-11-11: 4002.97 kWh
2026-11-12: 3139.42 kWh
Note: 2026-11-12 is partial-day data only; the latest recorded point is 14:50:00.
How this was worked out
Technical details
Answered by Data Agent · 9.4s
Ask about Lahoun Solar Plant

Q16 · passed

Please generate December 2025 performance report


Duration: 14.3 seconds · December 2025 report downloaded as a readable 12-page Lahoun PDF for the correct month. Retrieval verified, not calculation accuracy.

Observed answer

I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'

Abdali_Mall_Lahoun_December_2025_external_report.pdf
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent
· 3.7s

Browser evidence


PT
I have a COMMUNICATION FA...
Preview
Open in a new tab
How this was worked out
Answered by Report Agent · 4.2s
Was there any 0 production days in the last 7 days?
No. There were no 0-production days in the last 7 days based on actual plant production data.
Daily plant production:
2026-11-06: 3054.89 kWh
2026-11-07: 2424.63 kWh
2026-11-08: 3207.16 kWh
2026-11-09: 4152.37 kWh
2026-11-10: 4009.04 kWh
2026-11-11: 4002.97 kWh
2026-11-12: 3139.42 kWh
Note: 2026-11-12 is partial-day data only; the latest recorded point is 14:50:00.
How this was worked out
Technical details
Answered by Data Agent · 9.4s
Please generate December 2025 performance report
I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'
Abdali_Mall_Lahoun_December_2025_ex...
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent · 3.7s
Ask about Lahoun Solar Plant

Q17 · passed

How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Duration: 27.8 seconds · Returned 206 daytime samples, zero missing POA/power samples, 130 POA mismatches and zero power-mismatch cases, with thresholds and a 14:50 data cutoff disclosed. A data-quality finding is not an API failure.

Observed answer

For the available recent window (2026-11-11 00:00 to 2026-11-12 14:50), the data quality assessment is:

Daytime samples assessed: 206
Missing POA irradiance during daytime: 0 instances
Missing plant power during daytime: 0 instances
POA mismatches vs modelled/satellite-aligned POA (>20% relative difference): 130 instances
Power mismatch cases (zero power while POA >= 400 W/m²): 0 instances


POA mismatch statistics:

Valid POA comparison points: 206
Mean relative error: 33.7%
Median relative error: 29.9%
Max relative error: 76.7%

Notes:

I used pyranometer_1 against modelled_poa_1 as the POA prediction reference.
The dataset does not yet extend to the end of 2026-11-12; it currently ends at 14:50, which is normal for near-real-time data refresh.
Based on this window, missing-data quality looks good for both POA and plant power during daytime, but POA shows frequent disagreement with the prediction reference.
How this was worked out
Technical details
Answered by Data Agent
· 17.4s

Browser evidence


PT
I have a COMMUNICATION FA...
How this was worked out
Answered by Report Agent · 3.7s
How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?
For the available recent window (2026-11-11 00:00 to 2026-11-12 14:50), the data quality assessment is:
• Daytime samples assessed: 206
• Missing POA irradiance during daytime: 0 instances
• Missing plant power during daytime: 0 instances
• POA mismatches vs modelled/satellite-aligned POA (>20% relative difference): 130 instances
• Power mismatch cases (zero power while POA >= 400 W/m²): 0 instances
POA mismatch statistics:
• Valid POA comparison points: 206
• Mean relative error: 33.7%
• Median relative error: 29.9%
• Max relative error: 76.7%
Notes:
• I used pyranometer_1 against modelled_poa_1 as the POA prediction reference.
• The dataset does not yet extend to the end of 2026-11-12; it currently ends at 14:50, which is normal for near-real-time data refresh.
• Based on this window, missing-data quality looks good for both POA and plant power during daytime, but POA shows frequent disagreement with the prediction reference.
How this was worked out
Technical details
Answered by Data Agent · 17.4s
Ask about Lahoun Solar Plant

Q3 · passed

Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Duration: 34.7 seconds · Hourly Inverter 2 MPPT PR chart returned with 12 populated traces for the requested recent period.

Observed answer

I've created the visualization for you.

Hourly Performance Ratio for Inverter 2 MPPTs (Last 3 Days)
Pin
How this was worked out
Answered by Graph Agent
· 16.9s

Browser evidence

PT

I have a COMMUNICATION FA...

- Median relative error: 29.9%
- Max relative error: 76.7%

Notes:

- I used pyranometer_1 against modelled_poa_1 as the POA prediction reference.
- The dataset does not yet extend to the end of 2026-11-12; it currently ends at 14:50, which is normal for near-real-time data refresh.
- Based on this window, missing-data quality looks good for both POA and plant power during daytime, but POA shows frequent disagreement with the prediction reference.

› How this was worked out


› Technical details

Answered by Data Agent · 17.4s

Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

I've created the visualization for you.

Hourly Performance Ratio for I... Pin



› How this was worked out

Answered by Graph Agent · 16.9s

Ask about Lahoun Solar Plant

Q4 · failed

Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Duration: 26.3 seconds · P2 wrong-scope response: request explicitly asked for Inverter 2 Strings, but the returned chart was aggregate Inverter 2 performance ratio with one trace. No string-level breakdown and no disclosure of this substitution. Not an API outage.


Observed answer

I've created the visualization for you.

Hourly Performance Ratio for Inverter 2 (Last 3 Days)
Pin
How this was worked out
Answered by Graph Agent
· 16.2s

Browser evidence

I have a COMMUNICATION FA...




› How this was worked out

Answered by Graph Agent · 16.9s

Please plot last 3 days hourly performance ratio for my Strings for inverter 2

I've created the visualization for you.

Hourly Performance Ratio for I... Pin



› How this was worked out

Answered by Graph Agent · 16.2s

Ask about Lahoun Solar Plant

Q5 · passed

Please plot the last 4 days hourly performance ratio for all my inverters

Duration: 24.8 seconds · Four-day hourly performance-ratio chart returned with all six inverter traces and populated timestamps.


Observed answer

I've created the visualization for you.

Hourly Performance Ratio for All Inverters - Last 4 Days
Pin
How this was worked out
Answered by Graph Agent
· 13.9s

Browser evidence

I have a COMMUNICATION FA...




› How this was worked out

Answered by Graph Agent · 16.2s

Please plot the last 4 days hourly performance ratio for all my inverters

I've created the visualization for you.

Hourly Performance Ratio for A... Pin



› How this was worked out

Answered by Graph Agent · 13.9s

Ask about Lahoun Solar Plant

Q11 · passed

Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Duration: 46.1 seconds · Improved from the previous partial result: now lists numerical six-month clipping totals for all six inverters and supplies the six-trace monthly chart. Numerical correctness was not independently recomputed.

Observed answer

Clipping loss over the last six months (2026-05-12 to 2026-11-12):

Inverter 1: 30,337.05 kWh
Inverter 2: 17,538.77 kWh
Inverter 3: 28,975.66 kWh
Inverter 4: 20,864.61 kWh
Inverter 5: 17,987.42 kWh
Inverter 6: 11,486.98 kWh

Data status: Good.

The chart showing monthly clipping loss by inverter has been prepared.

Monthly Clipping Loss by Inverter (Last 6 Months)
Pin
How this was worked out
Technical details
Answered by Data Agent, Graph Agent
· 35s

Browser evidence

PT

I have a COMMUNICATION FA...

> How this was worked out

Answered by Graph Agent · 13.9s

Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well


Clipping loss over the last six months (2026-05-12 to 2026-11-12):

- Inverter 1: 30,337.05 kWh
- Inverter 2: 17,538.77 kWh
- Inverter 3: 28,975.66 kWh
- Inverter 4: 20,864.61 kWh
- Inverter 5: 17,987.42 kWh
- Inverter 6: 11,486.98 kWh

Data status: Good.

The chart showing monthly clipping loss by inverter has been prepared.

Monthly Clipping Loss by Invert... Pin



> How this was worked out

> Technical details

Answered by Data Agent, Graph Agent · 35s

Ask about Lahoun Solar Plant

Q18 · failed

How did my plant perform yesterday?

Duration: 27.9 seconds · P1 API/tool failure persists: yesterday's production, yield, PR, weather and per-inverter energy returned, but availability failed with an explicitly reported internal plant-level calculation error.

Observed answer

Yesterday (2026-11-11), your plant performed well overall.

Total energy: 4,002.97 kWh
Specific yield: 5.09 kWh/kWp
Performance ratio (PR): 0.921

Operating summary:

Generation began around 06:00 and tapered off by 18:00.
Peak hourly average plant power was at 09:00: 517.8 kW.
Peak hourly average irradiance was at 12:00: 637.1 W/m².
Ambient temperature ranged from about 7.82°C to 19.47°C.
Wind speed was generally low, peaking around 3.33 m/s at 15:00.

Per-inverter energy yesterday:

inverter1: 764.44 kWh
inverter2: 750.34 kWh
inverter3: 742.21 kWh
inverter4: 720.97 kWh
inverter5: 703.17 kWh
inverter6: 321.84 kWh


Notable point:

inverter6 produced substantially less energy than the others, so it likely underperformed relative to the rest of the fleet yesterday.

Availability could not be retrieved because the availability tool returned an internal error for plant-level calculation.

How this was worked out
Technical details
Answered by Data Agent
· 16.9s

Browser evidence


PT
I have a COMMUNICATION FA...
Answered by Data Agent, Graph Agent
· 35s
How did my plant perform yesterday?
Yesterday (2026-11-11), your plant performed well overall.
• Total energy: 4,002.97 kWh
• Specific yield: 5.09 kWh/kWp
• Performance ratio (PR): 0.921
Operating summary:
• Generation began around 06:00 and tapered off by 18:00.
• Peak hourly average plant power was at 09:00: 517.8 kW.
• Peak hourly average irradiance was at 12:00: 637.1 W/m².
• Ambient temperature ranged from about 7.82°C to 19.47°C.
• Wind speed was generally low, peaking around 3.33 m/s at 15:00.
Per-inverter energy yesterday:
• inverter1: 764.44 kWh
• inverter2: 750.34 kWh
• inverter3: 742.21 kWh
• inverter4: 720.97 kWh
• inverter5: 703.17 kWh
• inverter6: 321.84 kWh
Notable point:
• inverter6 produced substantially less energy than the others, so it likely underperformed relative to the rest of the fleet yesterday.
Availability could not be retrieved because the availability tool returned an internal error for plant-level calculation.
How this was worked out
Technical details
Answered by Data Agent · 16.9s
Ask about Lahoun Solar Plant

Q20 · passed

Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Duration: 49.1 seconds · Returned quantified 30-day pyranometer timing analysis with morning/afternoon windows, hourly ratios and alternative sensor/model explanations. Shading interpretation not confirmed on site or independently recalculated.

Observed answer

I analyzed the last 30 days of measured pyranometer data against modelled POA irradiance, using daytime periods only.

Conclusion: yes, there is a consistent time-of-day dip pattern that could indicate shading, mainly in the early morning and late afternoon.

Main pattern

Strongest recurring dip window: roughly 07:10–08:00
Secondary recurring dip window: roughly 16:30–17:00
Midday does not show the same behavior; the measured/modelled ratio is highest around 11:00–13:00

Most affected clock times

07:15: median measured/modelled ratio 0.216
07:10: 0.232
07:25: 0.257
07:20: 0.261
07:30: 0.278
07:35: 0.290
16:40: 0.298
07:40: 0.305
08:00: 0.309
07:45: 0.314
16:30: 0.315
07:55: 0.317

Hourly summary of the measured/modelled POA ratio

07:00: 0.287
08:00: 0.391
09:00: 0.569
10:00: 0.755
11:00: 0.885
12:00: 0.928
13:00: 0.872
14:00: 0.715

15:00: 0.532
16:00: 0.357
17:00: 0.336

Interpretation

The shape is strongly time-dependent, with depressed irradiance readings near sunrise and before sunset and much stronger agreement around solar noon.
That pattern is compatible with fixed-object shading on the sensor or nearby horizon obstructions. However, because the measured/modelled ratio is low across much of the day, this may not be pure shading alone. It could also reflect sensor tilt/orientation mismatch, calibration bias, dirt, or a modelling mismatch.


Important caution

I can assess shading-like dip patterns from pyranometer timing behavior.
I cannot evaluate soiling losses or quantify soiling impact here.

Bottom line

There are frequent recurring dips at particular times, especially around 07:10–08:00 and 16:30–17:00, which are consistent with possible shading of the pyranometer.
The broad low bias outside midday suggests an additional systematic issue may also be present, not just discrete shading events.
How this was worked out
Technical details
Answered by Data Agent
· 38.5s

Browser evidence


PT
I have a COMMUNICATION FA...
I analyzed the last 30 days of measured pyranometer data against modelled POA irradiance, using daytime periods only.
Conclusion: yes, there is a consistent time-of-day dip pattern that could indicate shading, mainly in the early morning and late afternoon.
Main pattern
Strongest recurring dip window: roughly 07:10–08:00
Secondary recurring dip window: roughly 16:30–17:00
Midday does not show the same behavior; the measured/modelled ratio is highest around 11:00–13:00
Most affected clock times
07:15: median measured/modelled ratio 0.216
07:10: 0.232
07:25: 0.257
07:20: 0.261
07:30: 0.278
07:35: 0.290
16:40: 0.298
07:40: 0.305
08:00: 0.309
07:45: 0.314
16:30: 0.315
07:55: 0.317
Hourly summary of the measured/modelled POA ratio
07:00: 0.287
08:00: 0.391
09:00: 0.569
10:00: 0.755
11:00: 0.885
12:00: 0.928
13:00: 0.872
14:00: 0.715
15:00: 0.532
16:00: 0.357
17:00: 0.336
Interpretation
Ask about Lahoun Solar Plant

Q2 · passed

Based on pvsyst report, what is the rated power of this plant and array configuration

Duration: 17.3 seconds · PVsyst retrieval found two relevant plant-specific report sections and table-image references. Limited source-retrieval pass: rated power and array configuration were not extracted into prose.

Observed answer

Found 2 relevant PVsyst report sections:

[Abdali_Mall_Lahoun] System summary (Page 2, Table 2)
[Abdali_Mall_Lahoun] PV Array Characteristics, including array configurations (Page 3, Table 2)

Please access the URLs to view the report details.

How this was worked out
Technical details
Answered by PVsyst Agent
· 6.8s

Browser evidence

PT

I have a COMMUNICATION FA...

- That pattern is compatible with fixed-object shading on the sensor or nearby horizon obstructions.
- However, because the measured/modelled ratio is low across much of the day, this may not be pure shading alone. It could also reflect sensor tilt/orientation mismatch, calibration bias, dirt, or a modelling mismatch.

Important caution

- I can assess shading-like dip patterns from pyranometer timing behavior.
- I cannot evaluate soiling losses or quantify soiling impact here.

Bottom line

- There are frequent recurring dips at particular times, especially around 07:10–08:00 and 16:30–17:00, which are consistent with possible shading of the pyranometer.
- The broad low bias outside midday suggests an additional systematic issue may also be present, not just discrete shading events.

› How this was worked out

› Technical details

Answered by Data Agent · 38.5s


Based on pvsyst report, what is the rated power of this plant and array configuration

Found 2 relevant PVsyst report sections:

1. [Abdali_Mall_Lahoun] System summary (Page 2, Table 2)
2. [Abdali_Mall_Lahoun] PV Array Characteristics, including array configurations (Page 3, Table 2)

Please access the URLs to view the report details.





› How this was worked out

Ask about Lahoun Solar Plant

Q6 · passed

Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Duration: 24.9 seconds · Inverter 3 current and voltage chart returned eight traces at raw five-minute granularity.

Observed answer

I've created the visualization for you.

Inverter 3 Current and Voltage (Raw 5-minute Data)
Pin
How this was worked out
Answered by Graph Agent
· 14.4s

Browser evidence

PT

I have a COMMUNICATION FA...

Found 2 relevant PVsyst report sections:

1. [Abdali_Mall_Lahoun] System summary (Page 2, Table 2)
2. [Abdali_Mall_Lahoun] PV Array Characteristics, including array configurations (Page 3, Table 2)

Please access the URLs to view the report details.



› How this was worked out


› Technical details

Answered by PVsyst Agent · 6.8s

Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

I've created the visualization for you.

Inverter 3 Current and Voltage ... Pin



› How this was worked out

Answered by Graph Agent · 14.4s

Ask about Lahoun Solar Plant

Q10 · review

When was the last time the BOM data showed up

Duration: 20.3 seconds · Claims BOM data last appeared at November 12 15:25 but gives pyranometer_1 as the supporting measurement. No BOM-specific rows or source mapping exposed; source identity remains unverified and may be confused with measured POA.

Observed answer

The most recent timestamp with BOM data available is 2026-11-12 15:25:00.
Date: 2026-11-12
Latest pyranometer_1 value: 355.183 W/m²

How this was worked out
Technical details
Answered by Data Agent
· 10.1s

Browser evidence

PT

I have a COMMUNICATION FA...


› Technical details

Answered by PVsyst Agent · 6.8s

Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

I've created the visualization for you.

Inverter 3 Current and Voltage ... Pin



› How this was worked out

Answered by Graph Agent · 14.4s

When was the last time the BOM data showed up

The most recent timestamp with BOM data available is 2026-11-12 15:25:00.
Date: 2026-11-12
Latest pyranometer_1 value: 355.183 W/m²

› How this was worked out

› Technical details

Answered by Data Agent · 10.1s

Ask about Lahoun Solar Plant

Q19 · passed

Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Duration: 24.8 seconds · Returned daily-POA median, mean and kurtosis, explicit five-minute integration conversion and missing/partial-day caveats. Full daily series not listed; statistics not independently recomputed.

Observed answer

Using pyranometer_1 over the last 12 months (2025-11-12 to 2026-11-12), I summed the 5-minute POA irradiance readings to daily totals in Wh/m²/day.


Results for the daily POA totals:

Median: 5664.47 Wh/m²/day
Mean: 5681.08 Wh/m²/day
Kurtosis: -0.2850

Notes:

Conversion used: each 5-minute W/m² reading × (5/60) = Wh/m², then summed by day.
The data returned through 2026-11-12 15:25:00, so the last day (2026-11-12) is a partial day.
There are also several days with missing daily totals (NaN) in the period; the median, mean, and kurtosis were computed on non-null daily totals only.
How this was worked out
Technical details
Answered by Data Agent
· 13.6s

Browser evidence


PT
I have a COMMUNICATION FA...
When was the last time the BOM data showed up
The most recent timestamp with BOM data available is 2026-11-12 15:25:00.
Date: 2026-11-12
Latest pyranometer_1 value: 355.183 W/m²
How this was worked out
Technical details
Answered by Data Agent · 10.1s
Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt
Using pyranometer_1 over the last 12 months (2025-11-12 to 2026-11-12), I summed the 5-minute POA irradiance readings to daily totals in Wh/m²/day.
Results for the daily POA totals:
Median: 5664.47 Wh/m²/day
Mean: 5681.08 Wh/m²/day
Kurtosis: -0.2850
Notes:
Conversion used: each 5-minute W/m² reading × (5/60) = Wh/m², then summed by day.
The data returned through 2026-11-12 15:25:00, so the last day (2026-11-12) is a partial day.
There are also several days with missing daily totals (NaN) in the period; the median, mean, and kurtosis were computed on non-null daily totals only.
How this was worked out
Technical details
Answered by Data Agent · 13.6s
Ask about Lahoun Solar Plant

Q14 · review

Pull up the latest cleaning log


Duration: 14.3 seconds · Informational/no records: no cleaning logs this month. This does not establish whether an older latest cleaning log exists.

Observed answer

There are no cleaning activity logs for Abdali_Mall_Lahoun so far this month.

Technical details
Answered by Data Entry Agent
· 4.5s

Browser evidence


PT
I have a COMMUNICATION FA...
How this was worked out
Technical details
Answered by Data Agent · 10.1s
Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt
Using pyranometer_1 over the last 12 months (2025-11-12 to 2026-11-12), I summed the 5-minute POA irradiance readings to daily totals in Wh/m²/day.
Results for the daily POA totals:
Median: 5664.47 Wh/m²/day
Mean: 5681.08 Wh/m²/day
Kurtosis: -0.2850
Notes:
Conversion used: each 5-minute W/m² reading × (5/60) = Wh/m², then summed by day.
The data returned through 2026-11-12 15:25:00, so the last day (2026-11-12) is a partial day.
There are also several days with missing daily totals (NaN) in the period; the median, mean, and kurtosis were computed on non-null daily totals only.
How this was worked out
Technical details
Answered by Data Agent · 13.6s
Pull up the latest cleaning log
There are no cleaning activity logs for Abdali_Mall_Lahoun so far this month.
Technical details
Answered by Data Entry Agent · 4.5s
Ask about Lahoun Solar Plant

Q15 · failed

Jim cleaned the pyranometer today, can you add it to the cleaning log?

Duration: 14.2 seconds · P2 unavailable requested save: assistant prepared a cleaning record but explicitly stated records cannot be saved from this chat yet, so nothing was added. It also inferred Routine soiling and Completed without the user specifying them. No confirmation or extra fields submitted by tester.

Observed answer


You're about to add a cleaning activity log. Please confirm the details below.

Cleaning
DATE SITE FAULT CAUSE ACTION TAKEN STATUS
2026-11-12 Abdali_Mall_Lahoun Routine soiling on pyranometer Jim cleaned the pyranometer Completed
CSV

Records cannot be saved from this chat yet, so nothing was added.

Answered by Data Entry Agent
· 4.2s

Browser evidence


I have a COMMUNICATION FA...
Conversion used: each 5-minute W/m² reading × (5/60) = Wh/m², then summed by day.
The data returned through 2026-11-12 15:25:00, so the last day (2026-11-12) is a partial day.
There are also several days with missing daily totals (NaN) in the period; the median, mean, and kurtosis were computed on non-null daily totals only.
How this was worked out
Technical details
Answered by Data Agent · 13.6s
Pull up the latest cleaning log
There are no cleaning activity logs for Abdali_Mall_Lahoun so far this month.
Technical details
Answered by Data Entry Agent · 4.5s
Jim cleaned the pyranometer today, can you add it to the cleaning log?
You're about to add a cleaning activity log. Please confirm the details below.
Cleaning
DATE
SITE
FAULT CAUSI
2026-11-12
Abdali_Mall_Lahoun
Routine soiling on pyranometer
CSV
Records cannot be saved from this chat yet, so nothing was added.
Answered by Data Entry Agent · 4.2s
Ask about Lahoun Solar Plant

Q8 · passed

How can I shut down my inverters?

Duration: 23.4 seconds · Manual shutdown guidance, diagram references and manufacturer PDF reference returned. Retrieval/response pass only; no shutdown performed and instructions not independently safety-certified.

Observed answer

Shutdown Procedure and Safety Precautions (per manufacturer manual):

Disconnect the AC miniature circuit breaker for the inverter and secure it against reconnection.
Switch off all 4 DC load-break switches of the inverter and secure them against reconnection. Refer to the diagram showing the switch positions here:
Wait until all LEDs on the inverter have gone out before proceeding further.
Use a current clamp (as shown in the diagram) to verify no current is present in the DC cables. The device should read 0A. See diagram:
If needed, disconnect the DC connector as indicated in the diagram:

Important Safety Precautions:

Only use measuring devices rated for DC input voltages of 1100 V or higher.
Failing to follow the proper shutdown sequence can result in overvoltage, electric shock, or serious injury.

PDF Manual Reference: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.c...

STP_110-60_Manual.pdf
PDF report
Preview
Open in a new tab
How this was worked out
Technical details
Answered by Manual Agent
· 12.6s

Browser evidence

PT

I have a COMMUNICATION FA...


Records cannot be saved from this chat yet, so nothing was added.

Answered by Data Entry Agent · 4.2s


How can I shut down my inverters?

Shutdown Procedure and Safety Precautions (per manufacturer manual):

1. Disconnect the AC miniature circuit breaker for the inverter and secure it against reconnection.
2. Switch off all 4 DC load-break switches of the inverter and secure them against reconnection. Refer to the diagram showing the switch positions here:



3. Wait until all LEDs on the inverter have gone out before proceeding further.
4. Use a current clamp (as shown in the diagram) to verify no current is present in the DC cables. The device should read 0A. See diagram:



5. If needed, disconnect the DC connector as indicated in the diagram:

Ask about Lahoun Solar Plant

Q13 · passed

Please change to dark mode

Duration: 12.8 seconds · Dark-mode action returned and the fresh screenshot visibly confirms the dark interface.

Observed answer


Sure, I will turn on dark mode

Answered by UI Agent
· 2.2s


Browser evidence

PT

I have a COMMUNICATION FA...



5. If needed, disconnect the DC connector as indicated in the diagram:



Important Safety Precautions:

- Only use measuring devices rated for DC input voltages of 1100 V or higher.
- Failing to follow the proper shutdown sequence can result in overvoltage, electric shock, or serious injury.

PDF Manual Reference: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.c...

STP_110-60_Manual.pdf
PDF report

Preview | Open in a new tab

› How this was worked out

› Technical details

Answered by Manual Agent · 12.6s

Please change to dark mode

Sure, I will turn on dark mode

Answered by UI Agent · 2.2s

Ask about Lahoun Solar Plant

Q21 · passed

Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Duration: 35.9 seconds · Returned six per-inverter two-month clipping totals and populated six-trace daily chart. Numerical values and success of every underlying named tool not independently verified.

Observed answer

Clipping loss by inverter

For the last two months (2026-09-12 to 2026-11-12), clipping losses were:

Inverter 1: 2,771.00 kWh
Inverter 2: 2,905.52 kWh
Inverter 3: 1,208.40 kWh
Inverter 4: 1,289.26 kWh
Inverter 5: 1,072.97 kWh
Inverter 6: 893.27 kWh

Data status: Good.

The requested chart showing daily clipping loss by inverter has been prepared.

Daily Clipping Loss by Inverter - Last 2 Months
Pin
How this was worked out
Technical details
Answered by Data Agent, Graph Agent
· 25.5s

Browser evidence

PT

I have a COMMUNICATION FA...

Answered by UI Agent · 2.2s

Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Clipping loss by inverter


For the last two months (2026-09-12 to 2026-11-12), clipping losses were:

- Inverter 1: 2,771.00 kWh
- Inverter 2: 2,905.52 kWh
- Inverter 3: 1,208.40 kWh
- Inverter 4: 1,289.26 kWh
- Inverter 5: 1,072.97 kWh
- Inverter 6: 893.27 kWh

Data status: Good.

The requested chart showing daily clipping loss by inverter has been prepared.

Daily Clipping Loss by Inverter ... Pin



› How this was worked out

› Technical details

Answered by Data Agent, Graph Agent · 25.5s

Ask about Lahoun Solar Plant

Q7 · failed

Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Duration: 29.5 seconds · P2 memory/context failure persists: first plot was hourly Inverter 2 MPPT PR over three days; follow-up instead returned all-inverter specific yield/energy over six months. Twelve traces and dual axes do not compensate for lost original scope.

Observed answer


I've created the visualization for you.

Last 6 Months: Inverter Specific Yield and Energy Production
Pin
How this was worked out
Answered by Graph Agent
· 19.4s

Browser evidence

PT

I have a COMMUNICATION FA...



› How this was worked out


› Technical details

Answered by Data Agent, Graph Agent
· 25.5s

Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

I've created the visualization for you.

Last 6 Months: Inverter Specifi... Pin



› How this was worked out

Answered by Graph Agent · 19.4s

Ask about Lahoun Solar Plant

Q46 · passed

Can you generate report for moth of september 2026

Duration: 14.2 seconds · September 2026 report downloaded as a readable 13-page Lahoun PDF for the correct period. Retrieval verified, not numerical accuracy.

Observed answer

I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'

Abdali_Mall_Lahoun_September_2026_external_report.pdf
PDF report
Preview
Open in a new tab
How this was worked out
Answered by Report Agent
· 4.1s


Browser evidence

I have a COMMUNICATION FA...

Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

I've created the visualization for you.

Last 6 Months: Inverter Specifi... Pin



How this was worked out

Answered by Graph Agent · 19.4s

Can you generate report for moth of september 2026

I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.c...'

Abdali_Mall_Lahoun_September_2026_e...
PDF report


Preview Open in a new tab

How this was worked out


Answered by Report Agent · 4.1s

Ask about Lahoun Solar Plant


AI_brain_UI


Lahoun Solar Plant
Jordan · 0.79 MWp · 6 inverters
Action needed
Thu 15:29 plant time · day
Live
PT
AI Brain
11/12/2026
Peter Tran
Admin · AEPC
Dark mode
Settings
Sign out
0
High alarms
0
Medium alarms
35
Low alarms
191
Job cards raised
15:28
Last check, 1 min ago
All 837
Alarms 35
Job cards 191
Any level
Search messages, devices, values
Newest first
15:29
now
Plant time. A new check lands about every 5 minutes.
15:00
23 messages
15:28:25
from 15:05
Low
Data expected but not received.
15 times
Hide the times
15:05:11
15:06:16
15:08:10
15:10:11
15:11:08
15:12:56
15:15:11
15:16:13
15:18:24
15:20:11
15:21:07
15:22:57
15:25:11
15:26:15
15:28:25
15:03:26
26 min ago
Low
Daily PR Audit: Abdali_Mall_Lahoun - ISSUES FOUND
6 checks, 6 with issues
inverter1_PR: LOW EFFICIENCY
15:03:26
Issues: 0.0% < 70.0%
Efficiency Gap: 70.0%
value 0
target 0.7
inverter2_PR: LOW EFFICIENCY
15:03:26
Issues: 0.0% < 70.0%
Efficiency Gap: 70.0%
value 0
target 0.7
inverter3_PR: LOW EFFICIENCY
15:03:26
Issues: 0.0% < 70.0%
Efficiency Gap: 70.0%
value 0
target 0.7
inverter4_PR: LOW EFFICIENCY
15:03:26
Issues: 0.0% < 70.0%
Efficiency Gap: 70.0%
value 0
target 0.7
inverter5_PR: LOW EFFICIENCY
15:03:26
Issues: 0.0% < 70.0%
Efficiency Gap: 70.0%
value 0
target 0.7
Plant
Heatmap
Drawing
LIVE
Nov 12, 2026 14:50 (Amman)
Plant average 0.0508 kWh/kWp per 5 min
Inverter
MPPT
Below -10%
-10% to -5%
Within ±5%
Above +5%
No data
Point at the map for the numbers, click to open it on the map.
Open the map
From the heatmap
Worked out from the specific yield the map shows.
Inverter 5 MPPT 5 is -51.4% against its inverter
It runs on row A-16 (strings 5.5.1, 5.5.2 on the drawing). The plant reports each MPPT as a whole, so its strings cannot be told apart.
Check the strings of this MPPT on site: fuses, MC4 connectors and the DC isolator, then shading, soiling or a stalled tracker.
Open job cards (7)
Communication Error - Weather and Inverter Data Both Missing
2026-11-11 · high · unread
2026-11-09 · medium
Portfolio
Maps
Views
AI Brain
Job Cards
Reports
Maintenance
Team Chat
P2Dingo
Learn

Maintenance_UI




Job_cards_UI


AEPCO
Lahoun Solar Plant
Jordan · 0.79 MWp · 6 inverters
Action needed
Thu 15:30 plant time · day
Live
PT
Peter Tran
Admin · AEPC
Dark mode
Settings
Sign out
Job cards
Board
List
Sort: Priority
Any priority (436)
Drag a card to another column to assign, resolve or reopen it, or open the card to do it there. Nothing changes until you confirm.
TO DO 4
Open, nobody assigned yet
Communication error
NEW
Communication Error - Weather and Inverter Data Both Missing
Whole plant
1d
General inaccuracy pyranometer
Pyranometer POA_1 - 16.8% Daytime Deviation from Satellite Reference
Pyranometer 1 (plane of array)
6d
General inaccuracy temperature probe
Module Temperature Probe 1 - 38.2% Daytime Deviation from Faiman Reference
Temperature probe 1
3d
Tracker malfunction error
Pyranometer 1 tracker-shape mismatch vs satellite POA
Pyranometer 1 (plane of array)
8d
IN PROGRESS 0
Open and assigned
Nothing here
VERIFY ON SITE 3
The AI reports it fixed, still open
General inaccuracy temperature probe
Module Temperature Probe_1 - 33.8% Daytime Deviation from Faiman Reference
Temperature probe 1
7d
Electrical fault voltage
Inverter 2 MPPT 7 - Voltage 682 V vs Ideal 734 V, Alarms on 3/119 Points
Inverter 2 MPPT 7 +1
9d
Electrical fault voltage
Inverter 5 MPPT 5 - Voltage 674 V vs Ideal 734 V, Alarms on 4/119 Points
Inverter 5 MPPT 5 +1
9d
DONE 429
Resolved, most recent first
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
11h
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
15h
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
20h
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
22h
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
1d
Data unavailable
Sustained Data Loss - 32 Consecutive Missing Cycles (160 min)
Whole plant
2d
Data unavailable
Portfolio
Maps
Views
AI Brain
35
Job Cards
1
Reports
Maintenance
Team Chat
P2Dingo
Learn


Job card evidence

Pyranometer POA_1 - 16.8% Daytime Deviation from Satellite Reference




Job card evidence

Module Temperature Probe 1 - 38.2% Daytime Deviation from Faiman Reference




Job card evidence

Pyranometer 1 tracker-shape mismatch vs satellite POA




Job card evidence

Module Temperature Probe_1 - 33.8% Daytime Deviation from Faiman Reference




Job card evidence

Inverter 2 MPPT 7 - Voltage 682 V vs Ideal 734 V, Alarms on 3/119 Points




Job card evidence

Inverter 5 MPPT 5 - Voltage 674 V vs Ideal 734 V, Alarms on 4/119 Points



Teams_UI


Lahoun Solar Plant
Jordan · 0.79 MWp · 6 inverters
Action needed
Thu 15:30 plant time · day
Live
PT
Peter Tran
Admin · AEPC
Dark mode
Settings
Sign out
People (9)
Everyone with access to Lahoun Solar Plant. Click a name to mention them.
testuser2
Active 8 Nov
testuser1 (you)
Active 2 Nov
hassan
No recent messages
mohammad
No recent messages
oday
No recent messages
osama
No recent messages
osama_2026
No recent messages
raed
No recent messages
sabbagh
No recent messages
Team chat
Lahoun Solar Plant
Search messages
hi
5:16 pm Reply
testuser2
hi
10:34 pm Reply
Tuesday 3 November
testuser2
hi
5:17 pm Reply
Wednesday 4 November
testuser2
hi
1:30 am Reply
Thursday 5 November
testuser2
hi
5:03 pm Reply
Friday 6 November
testuser2
hi
12:16 am Reply
Sunday 8 November
testuser2
hi
11:13 pm Reply
Message the team. Type @ to mention someone.
Enter sends, Shift+Enter adds a line. Photos, PDFs, documents and voice notes up to 10 MB.
Portfolio
Maps
Views
AI Brain
Job Cards
Reports
Maintenance
Team Chat
P2Dingo
Learn

Scope and limitations

- One-time standalone test; daily schedules and application source unchanged.
- Credentials and browser authentication state are not saved.
- Enabled suite texts and dates preserved; no independent calculation verification.
- A new standalone repeat run; previous evidence files were preserved.
- Functional review used current answers and artifact payloads, not earlier verdicts.
- No alert email, Teams message, GitHub upload, upstream pipeline invocation or S3 write was performed.
- Opening existing job cards may mark them as read; no cards created, resolved or reassigned.
- No independent numerical recalculation, security audit or load test was performed.