Test Run Report — Run #280

Environment: **Development** • Website: **aepc2-dev.p2agentx.com** • Trigger: Scheduled • Started: Oct 13, 2026 13:00 • Ended: Oct 13, 2026 16:51

Generated: 10/14/2026, 4:17:23 AM

Summary

242	91.7%	222 / 20	0
Total Tests	Pass Rate (excl. skipped)	Passed / Failed	Skipped (connection)

Plant-wise Summary

11 plants

Pass rate is based on completed tests only: passed, failed, and errors. Skipped tests are excluded.

Plant	Environment	Total	Passed	Failed	Errors	Skipped	Pass rate
Abdali_Mall_Barza	Development	22	22	0	0	0	100.0%
Abdali_Mall_Lahoun	Development	22	20	2	0	0	90.9%
Abdali_Mall_Netmetering	Development	22	21	1	0	0	95.5%
BF_Wheeling	Development	22	21	1	0	0	95.5%
Galleria_Mall	Development	22	18	4	0	0	81.8%
GID	Development	22	19	3	0	0	86.4%
KUPCO_HQ_DAJEEJ	Development	22	22	0	0	0	100.0%
MOF	Development	22	20	2	0	0	90.9%
Noor_Al_Aqaba	Development	22	21	1	0	0	95.5%
SADAFCO	Development	22	18	4	0	0	81.8%
SAK_1	Development	22	20	2	0	0	90.9%

Failures (20)

Failure Cluster	Category	Failures
LLM Reasoning Issues	Llm Reasoning	10
Tool Execution Failures	Tool Execution	7
Data Availability Issues	Data Availability	3

LLM Reasoning Issues LLM REASONING (10 failures)

1. Galleria_Mall

Development • 37.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'couldn't determine'): I couldn't determine the plant's actual performance for yesterday because the dataset for 2026-10-12 is empty. What I could confirm: - Total energy generated: 0 kWh returned, but the tool status

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "I couldn't determine the plant's actual performance for yesterday because the dataset for 2026-10-12 is empt
y.\n\nWhat I could confirm:\n- Total energy generated: 0 kWh returned, but the tool status says the dataframe is empty, so this should b
e treated as no available data rather than true zero production.\n- Performance ratio (PR): NaN / unavailable\n- Specific yield: unavail
able\n- Reference yield: unavailable\n- Performance index: unavailable\n- Technical/contractual availability: returned as null for all 1
2 inverters\n\nInverter-level energy returned by the tool, listed explicitly:\n- inverter1: 0 kWh\n- inverter2: 0 kWh\n- inverter3: 0 kW
h\n- inverter4: 0 kWh\n- inverter5: 0 kWh\n- inverter6: 0 kWh\n- inverter7: 0 kWh\n- inverter8: 0 kWh\n- inverter9: 0 kWh\n- inverter10:
0 kWh\n- inverter11: 0 kWh\n- inverter12: 0 kWh\n\nBottom line: there is no usable recorded data for yesterday in the database, so actua
l performance KPIs cannot be reported reliably.",
    "coding_response": [
      "I couldn't determine the plant's actual performance for yesterday because the dataset for 2026-10-12 is empty.\n\nWhat I could co
nfirm:\n- Total energy generated: 0 kWh returned, but the tool status says the dataframe is empty, so this should be treated as no avail
able data rather than true zero production.\n- Performance ratio (PR): NaN / unavailable\n- Specific yield: unavailable\n- Reference yie
ld: unavailable\n- Performance index: unavailable\n- Technical/contractual availability: returned as null for all 12 inverters\n\nInvert
er-level energy returned by the tool, listed explicitly:\n- inverter1: 0 kWh\n- inverter2: 0 kWh\n- inverter3: 0 kWh\n- inverter4: 0 kWh
\n- inverter5: 0 kWh\n- inverter6: 0 kWh\n- inverter7: 0 kWh\n- inverter8: 0 kWh\n- inverter9: 0 kWh\n- inverter10: 0 kWh\n- inverter11:
0 kWh\n- inverter12: 0 kWh\n\nBottom line: there is no usable recorded data for yesterday in the database, so actual performance KPIs ca
nnot be reported reliably."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I find all inverter power columns and their
DC rated powers using the plant metadata.  \n3. I set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (u
sually 0.1 kW), and data interval (typically 5 minutes).  \n4. For each inverter, I filter the data to times when irradiance is above th
e threshold, then count the total useful intervals (T_useful) and the intervals when the inverter was down (T_down).  \n5. I convert the
se interval counts into hours based on the data interval.  \n6. I calculate the Technical Availability for each inverter using the formu
la: (T_useful - T_down) / T_useful × 100.  \n7. I return a dictionary showing the availability percentage for each inverter.\n\n---\n\n
1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I filter the plant data to only include plane of array (PO
A) irradiance readings from the pyranometer sensor.  \n3. I convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying by the time
interval (0.0833 hours).  \n4. I sum up the irradiation values by the chosen period (like daily or monthly) to get total irradiation for
each period.  \n5. I normalize these totals by dividing by the standard test condition irradiance (1000 W/m²) to get the Reference Yiel
d.  \n6. I return the Reference Yield values as a dictionary, with each period as a key, representing peak sun hours or kWh/kWp.\n\n---
\n\n1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I identify the relevant columns for power, irradiance,
and temperature.  \n3. I clean the data by removing or flagging invalid power and irradiance measurements.  \n4. I calculate the actual
energy produced by mul
```




2. Galleria_Mall

Development • 28.0s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'couldn't determine'): I couldn't determine a last BOM timestamp from the available data. I checked for the BOM/source field up to 2026-10-13 16:15:08, and the returned dataframe was empty for that range, so there is no BOM

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "I couldn't determine a last BOM timestamp from the available data. I checked for the BOM/source field up to 2
026-10-13 16:15:08, and the returned dataframe was empty for that range, so there is no BOM data showing in the queried window.",
    "coding_response": [
      "I couldn't determine a last BOM timestamp from the available data. I checked for the BOM/source field up to 2026-10-13 16:15:08,
and the returned dataframe was empty for that range, so there is no BOM data showing in the queried window."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```




3. Galleria_Mall

Development • 20.1s

Question: How can I shut down my inverters?

Error reason: AI indicated failure (matched 'an error'): The manual documents do not contain relevant information or there was an error retrieving them for your plant. As a result, I am unable to provide shutdown instructions for your inverters from the ava

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How can I shut down my inverters?",
    "displayed_response": "The manual documents do not contain relevant information or there was an error retrieving them for your plan
t. As a result, I am unable to provide shutdown instructions for your inverters from the available manuals.",
    "coding_response": [
      "The manual documents do not contain relevant information or there was an error retrieving them for your plant. As a result, I am
unable to provide shutdown instructions for your inverters from the available manuals."
    ],
    "used_agents": [
      "manual_agent"
    ],
    "used_tools": [
      "functions.manual_rag_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```




4. GID

Development • 62.9s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 02:13 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

TECHNICAL EVIDENCE

Exception	`PydanticSerializationError: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>`
Agent / Tool	`data_agent / unknown`
Endpoint	`/testuser1/ai_agent_chat`
Location	`agent_graph.py:917`

API call: `GET /testuser2/ai_agent_chat → 400`

Raw API response:

```
{
  "displayed_response": "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.",
  "coding_response": [
    "==================== ERROR SUMMARY ====================\nAPI ENDPOINT: /testuser1/ai_agent_chat\nAGENT: data_agent\nTOOL: unknown\n
ERROR TYPE: PydanticSerializationError\nERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>\nLOCATIO
N: agent_graph.py:917\n============================================================"
  ]
}
```

```
==================== ERROR SUMMARY ====================
API ENDPOINT: /testuser1/ai_agent_chat
AGENT: data_agent
TOOL: unknown
ERROR TYPE: PydanticSerializationError
ERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>
LOCATION: agent_graph.py:917
============================================================
```

Console errors: Failed to load resource: the server responded with a status of 400 (Bad Request)



5. Abdali_Mall_Lahoun

Development • 33.8s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'calculation failed'): Yesterday (2026-10-12), your plant performed as follows: - Energy produced: 3,396.81 kWh - Specific yield: 4.322 kWh/kWp - Performance ratio: 87.38% - Reference yield: 4.178 kWh/kWp Interp

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 3,396.81 kWh\n- Specific yiel
d: 4.322 kWh/kWp\n- Performance ratio: 87.38%\n- Reference yield: 4.178 kWh/kWp\n\nInterpretation: this was a strong day. The plant's sp
ecific yield was slightly above the reference yield scaled by the measured irradiance, and a PR of 87.38% indicates good conversion perf
ormance.\n\nNote: I couldn't report technical/contractual availability because that calculation failed in the tool for this plant.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 3,396.81 kWh\n- Specific yield: 4.322 kWh/kWp\n- P
erformance ratio: 87.38%\n- Reference yield: 4.178 kWh/kWp\n\nInterpretation: this was a strong day. The plant's specific yield was slig
htly above the reference yield scaled by the measured irradiance, and a PR of 87.38% indicates good conversion performance.\n\nNote: I c
ouldn't report technical/contractual availability because that calculation failed in the tool for this plant."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from 2026-10-12 (including the end date).\n2. I pick out the columns that con
tain power, irradiance, and temperature readings.\n3. I clean the data by removing or marking any invalid values in the power and irradi
ance columns.\n4. I calculate the actual energy produced by multiplying the power by the time interval (0.0833 hours) and converting uni
ts as needed.\n5. I compute the expected energy output without adjusting for temperature.\n6. If the system is bifacial, I apply extra c
orrections using metadata like ground reflectivity, area adjustments, and shading losses.\n7. I sum up the actual and expected energy fo
r each day.\n8. I calculate the performance ratio for each day, including bifacial corrections if needed.\n9. I return the average perfo
rmance ratio across all days.\n10. I cap the performance ratio at 1.3 to prevent unrealistic results.\n\n---\n\n1. I filter the data to
only include records from 2026-10-12 (including the end date).\n2. I identify all inverter power columns and their DC rated capacities f
rom the plant's metadata.\n3. I set calculation parameters, such as the irradiance threshold (usually 50 W/m²), power threshold (usually
0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, I filter the data to times when irradiance is above the thresho
ld, then count the total useful intervals (T_useful) and downtime intervals (T_down).\n5. I convert these interval counts into hours bas
ed on the data interval.\n6. I calculate the technical availability for each inverter using the formula: (T_useful - T_down) / T_useful
× 100.\n7. I return a dictionary showing the availability percentage for each inverter.\n\n---\n\n1. I filter the data to only include r
ecords from 2026-10-12 (including the end date).\n2. I use the active_power column(s) for the calculation.\n3. I clean the data by remov
ing or flagging invalid values in the power column(s).\n4. I calculate the energy for each data point by multiplying the power by 0.0833
hours and dividing by the appropriate unit (e.g., 1000 to convert Watts to kW).\n5. I include all days in the calculation.\n6. I sum up
all the energy values for the selected period to get the total energy produced.\n\n---\n\n1. I filter the data to only include records f
rom 2026-10-12 (including the end date).\n2. I select only the plane of array (POA) irradiance measurements from the pyranometer senso
r.\n3. I convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying by the time interval (0.0833 hours).\n4. I sum up the irradiat
ion values by day (or other chosen period) to get total irradiation for each period.\n5. I normalize the total irradiation by divi
```




6. Abdali_Mall_Lahoun

Development • 38.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 03:57 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

TECHNICAL EVIDENCE

Exception	`PydanticSerializationError: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>`
Agent / Tool	`data_agent / unknown`
Endpoint	`/testuser1/ai_agent_chat`
Location	`agent_graph.py:917`

API call: `GET /testuser2/ai_agent_chat → 400`

Raw API response:


```
{
  "displayed_response": "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.",
  "coding_response": [
    "==================== ERROR SUMMARY ====================\nAPI ENDPOINT: /testuser1/ai_agent_chat\nAGENT: data_agent\nTOOL: unknown\n
ERROR TYPE: PydanticSerializationError\nERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>\nLOCATIO
N: agent_graph.py:917\n============================================================"
  ]
}
```


```
==================== ERROR SUMMARY ====================
API ENDPOINT: /testuser1/ai_agent_chat
AGENT: data_agent
TOOL: unknown
ERROR TYPE: PydanticSerializationError
ERROR MESSAGE: Unable to serialize unknown type: <class 'pandas.core.frame.DataFrame'>
LOCATION: agent_graph.py:917
============================================================
```

Console errors: Failed to load resource: the server responded with a status of 400 (Bad Request)



7. SADAFCO

Development • 195.0s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 04:10 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are

TECHNICAL EVIDENCE

Network failures: GET https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/ai_agent_chat?plant_name=SADAFCO&query=Please%20generate%20last%20months%20report (net::ERR_ABORTED)



8. SADAFCO

Development • 195.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 04:20 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are

TECHNICAL EVIDENCE

Network failures: GET https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/ai_agent_chat?plant_name=SADAFCO&query=Please%20figure%20out%20how%20much%20clipping%20loss%20was%20found%20in%20the%20last%206%20months%20bro



9. SADAFCO

Development • 50.7s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 04:24 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

Console errors: Failed to load resource: the server responded with a status of 500 (Internal Server Error)



10. SADAFCO

Development • 145.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 04:30 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are

TECHNICAL EVIDENCE

Console errors: Access to fetch at 'https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/ai_agent_chat?plant_name=SADAFCO&query=Please%20figure%20out%20how%20much%20clipping%20loss%20was%20found%20in%20the%20last%202%20months%20bro

Network failures: GET https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/ai_agent_chat?plant_name=SADAFCO&query=Please%20figure%20out%20how%20much%20clipping%20loss%20was%20found%20in%20the%20last%202%20months%20bro



Tool Execution Failures TOOL EXECUTION (7 failures)

1. Galleria_Mall

Development • 26.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return clipping loss values. Error returned by the tool: `COLUMN_NOT_FOUND: Column 'wind_speed_1' canno

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return clipping loss values.\n\nError returned by the tool:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested resources`\n\nSo I can't provide the July 2026 clipping loss from that tool for this plant as-is.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return clipping loss values.\n\nError returned by the tool:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested resources`\n\nSo I can't provide the July 2026 clipping loss from that tool for this plant as-is."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```




2. MOF

Development • 23.1s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for July 2026, but it failed internally because the query expects a column named `wind_speed_1`, which is not available in this plant's dataset. Error returned:

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used `clipping_loss_via_requests` for July 2026, but it failed internally because the query expects a colum
n named `wind_speed_1`, which is not available in this plant's dataset.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' can
not be resolved`\n\nSo I can't provide a clipping-loss value from `clipping_loss_via_requests` for this plant/month with the current dat
a structure.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for July 2026, but it failed internally because the query expects a column named `wind_speed_
1`, which is not available in this plant's dataset.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\n
So I can't provide a clipping-loss value from `clipping_loss_via_requests` for this plant/month with the current data structure."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```




3. MOF

Development • 38.4s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Key plant metrics for yesterday (2026-10-12): - Total energy generated: 1,472.02 kWh - Specific yield: 3.004 kWh/kWp - Performance ratio (PR): 0.828 - Reference yield (Yr): 3.062 kWh/kWp N

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Key plant metrics for yesterday (2026-10-12):\n\n- Total energy generated: 1,472.02 kWh\n- Specific yield: 3.004 kWh/kWp\n- Performance ratio (PR): 0.828\n- Reference yield (Yr): 3.062 kWh/kWp\n\nNotes:\n- All returned metrics indicate the dataset for yesterday is incomplete.\n- Energy / yield data spans 05:45 to 17:45.\n- PR data spans 06:00 to 11:00 only, so treat the PR as less reliable than the energy figure.\n- Plant availability could not be calculated due to a tool error.\n- Performance index could not be calculated due to a tool error.",
    "coding_response": [
      "Key plant metrics for yesterday (2026-10-12):\n\n- Total energy generated: 1,472.02 kWh\n- Specific yield: 3.004 kWh/kWp\n- Performance ratio (PR): 0.828\n- Reference yield (Yr): 3.062 kWh/kWp\n\nNotes:\n- All returned metrics indicate the dataset for yesterday is incomplete.\n- Energy / yield data spans 05:45 to 17:45.\n- PR data spans 06:00 to 11:00 only, so treat the PR as less reliable than the energy figure.\n- Plant availability could not be calculated due to a tool error.\n- Performance index could not be calculated due to a tool error."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Find all inverter power columns and their DC rated powers using the plant metadata.  \n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).  \n4. For each inverter, filter the data to times when irradiance is above the threshold, then count the total useful intervals (T_useful) and downtime intervals (T_down).  \n5. Convert these interval counts into hours based on the data interval.  \n6. Calculate Technical Availability for each inverter using: (T_useful - T_down) / T_useful × 100.  \n7. Return a dictionary with the availability percentage for each inverter.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Filter the plant data to only include plane of array (POA) irradiance readings from the pyranometer sensor.  \n3. Convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying by the time interval (0.0833 hours).  \n4. Sum up the irradiation values by your chosen period (like daily or monthly) to get total irradiation for each period.  \n5. Normalize the total irradiation by dividing by the standard test condition irradiance (1000 W/m²) to get the Reference Yield.  \n6. Return the Reference Yield for each period as a dictionary, representing peak sun hours or kWh/kWp.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Identify the columns for power, irradiance, and temperature.  \n3. Clean the data by removing or flagging any invalid power or irradiance values.  \n4. Calculate the actual energy produced by multiplying power by the time interval (0.25 hours) and adjusting units as needed.  \n5. Calculate the expected energy without applying temperature correction.  \n6. If the system is bifacial, apply extra correction factors using metadata like ground albedo, area normalization, and shading losses.  \n7. Group the actual and expected energy by day.  \n8. Calculate the performance ratio for each day, including bifacial correction if needed.  \n9. Return the average performance ratio across all days.  \n10. Cap the performance ratio at 1.3 to avoid unrealistic results.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Use the active_power column(s) for calculations.  \n3. Clean the data by removing or flagging invalid power values.  \n4. For each data point, calculate energy as (Power × 0.25 hours) divided by the appropriate unit conversion (e.g., 1000 for Watts to kW).  \n5. Include all days in th
```




4. GID

Development • 91.7s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: HIVE_CURSOR_ERROR: Failed to read Parquet file: s3://database-aepco-sydney/athena/Mathkor_GID/Mathkor_GID.par

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Query failed: HIVE_CURSOR_ERROR:
Failed to read Parquet file: s3://database-aepco-sydney/athena/Mathkor_GID/Mathkor_GID.parquet'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Query failed: HIVE_CURSOR_ERROR: Faile
d to read Parquet file: s3://database-aepco-sydney/athena/Mathkor_GID/Mathkor_GID.parquet'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```




5. GID

Development • 33.9s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant performed as follows: - Energy produced: 18,796.04 kWh - Specific yield: 5.10 kWh/kWp - Performance ratio: 0.4222 - Reference yield: 5.3797 kWh/kWp - PVsy

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 18,796.04 kWh\n- Specific yiel
d: 5.10 kWh/kWp\n- Performance ratio: 0.4222\n- Reference yield: 5.3797 kWh/kWp\n- PVsyst expected energy: 21,006.45 kWh\n- Actual vs PV
syst expectation: 89.48%\n\nNotes:\n- The performance ratio call reported data up to 23:50 rather than 23:55, which is just one 5-minute
interval short.\n- I could not provide contractual/technical availability because that tool failed on the backend for plant-level availa
bility.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 18,796.04 kWh\n- Specific yield: 5.10 kWh/kWp\n- P
erformance ratio: 0.4222\n- Reference yield: 5.3797 kWh/kWp\n- PVsyst expected energy: 21,006.45 kWh\n- Actual vs PVsyst expectation: 8
9.48%\n\nNotes:\n- The performance ratio call reported data up to 23:50 rather than 23:55, which is just one 5-minute interval short.\n-
I could not provide contractual/technical availability because that tool failed on the backend for plant-level availability."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.specific_yield_ag",
      "multi_tool_use.parallel",
      "functions.total_energy_func_ag",
      "functions.perf_ratio_ag",
      "functions.pvsyst_expectation_ag",
      "functions.reference_yield_plant_ag",
      "functions.technical_contractual_availability_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from October 12, 2026 (including the end date).\n2. I pick out the columns th
at contain power, irradiance, and temperature readings.\n3. I clean up the data by removing or marking any invalid values in the power a
nd irradiance columns.\n4. I figure out how much energy the plant actually produced by multiplying the power by the time interval (0.083
3 hours) and converting units if needed.\n5. I calculate the expected energy output without adjusting for temperature.\n6. If the system
uses bifacial panels, I apply extra correction factors based on things like ground reflectivity, area, and shading, using the plant's me
tadata.\n7. I sum up both the actual and expected energy for each day.\n8. I calculate the performance ratio for each day, including bif
acial corrections if needed.\n9. I take the average of all the daily performance ratios.\n10. I cap the performance ratio at 1.3 to avoi
d unrealistic results.\n\n---\n\n1. I filter the data to only include records from October 12, 2026 (including the end date).\n2. I use
the active_power column(s) for my calculations.\n3. I clean the data by removing or flagging any invalid values in the power columns.\n
4. For each data point, I calculate energy by multiplying the power by 0.0833 hours and dividing by the appropriate unit (like 1000 to c
onvert Watts to kilowatts).\n5. I make sure all days in the period are included.\n6. I add up all the energy values for the selected per
iod to get the total energy produced.\n\n---\n\n1. I filter the data to only include records from October 12, 2026 (including the end da
te).\n2. I select only the plane of array (POA) irradiance readings from the pyranometer sensor.\n3. I convert the irradiance values (in
W/m²) to irradiation (in kWh/m²) by multiplying by the time interval (0.0833 hours).\n4. I sum up the irradiation values for each day (o
r other chosen period) to get the total irradiation.\n5. I normalize the total irradiation by dividing by the standard test condition ir
radiance (1000 W/m²) to get the Reference Yield.\n6. I return the Reference Yield for each period as a dictionary, showing peak sun hour
s or kWh per kWp.\n\n---\n\n1. I filter the data to only include records from October 12, 2026 (including the end date).\n2. I find all
inverter power columns and their DC rated powers from the plant's metadata.\n3. I set calculation parameters like the i
```




6. BF_Wheeling

Development • 46.2s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant performed as follows: - Energy produced: 1,543.84 kWh - Specific yield: 4.248 kWh/kWp - Performance ratio: 0.703 - PVsyst expected energy: 1,593.58 kWh -

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 1,543.84 kWh\n- Specific yiel
d: 4.248 kWh/kWp\n- Performance ratio: 0.703\n- PVsyst expected energy: 1,593.58 kWh\n- Versus PVsyst expectation: 96.9% of expected, or
49.74 kWh below expected\n\nI couldn't report technical availability because that tool failed for this plant on this query.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Energy produced: 1,543.84 kWh\n- Specific yield: 4.248 kWh/kWp\n- P
erformance ratio: 0.703\n- PVsyst expected energy: 1,593.58 kWh\n- Versus PVsyst expectation: 96.9% of expected, or 49.74 kWh below expe
cted\n\nI couldn't report technical availability because that tool failed for this plant on this query."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.period_performance_plant_ag",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Find all inverter power columns and their DC r
ated powers using the plant's metadata.  \n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usual
ly 0.1 kW), and data interval (typically 5 minutes).  \n4. For each inverter, filter data to times when irradiance is above the threshol
d, then count the total number of valid intervals (T_useful) and the number of downtime intervals (T_down).  \n5. Convert these interval
counts into hours based on the data interval.  \n6. Calculate each inverter's Technical Availability as: (T_useful - T_down) / T_useful
× 100.  \n7. Return a dictionary with the availability percentage for each inverter.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10
-12, including the end date.  \n2. Calculate the total energy produced by the plant, grouped by month.  \n3. Check that the data is corr
ectly grouped by month, making sure the index shows the last day of each month.  \n4. Get the theoretical P50 energy benchmarks from the
plant's metadata for comparison.  \n5. Combine the actual monthly energy data with the P50 benchmarks using the month names.  \n6. For e
ach month, calculate performance as the percentage of actual energy compared to the P50 benchmark.  \n7. Add up the actual and P50 energ
y values over the whole period.  \n8. Calculate the overall performance for the period as the percentage of total actual energy versus t
otal P50 energy.  \n9. Include all months in the results.  \n10. Return all calculated columns in the results.  \n11. Provide the result
s as a dictionary, using the index for easy lookup.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n
2. Group the data by days (or by minute, hour, day, month, or year as needed).  \n3. Include all days in the calculation.  \n4. Calculat
e the total energy produced during the selected period using the plant's power data, adjusting for the time interval (0.0833 hours).  \n
5. Normalize the total energy by dividing by the plant's installed capacity (rated power) to get the specific yield in kWh per kWp.  \n
6. Return the specific yield for each time interval as a detailed breakdown.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, inc
luding the end date.  \n2. Use the active_power column(s) for calculations.  \n3. Clean the data by removing or flagging invalid values
in the power column(s).  \n4. For each data point, calculate energy as (Power × 0.0833 hours), converting units as needed (e.g., divide
by 1000 to go from Watts to kW).  \n5. Include all days in the calculation.  \n6. Add up all energy values in the selected period to get
the total energy produced.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Identify the columns fo
r power, irradiance, and temperature.  \n3. Clean the data by removing or flagging invalid val
```




7. Abdali_Mall_Netmetering

Development • 37.4s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-10-12), your plant performed as follows: - Total energy: 2,040.09 kWh - Specific yield: 2.737 kWh/kWp - Performance ratio: 0.8042 - Reference yield: 3.0955 kWh/kWp In short

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 2,040.09 kWh\n- Specific yield: 2.737 kWh/kWp\n- Performance ratio: 0.8042\n- Reference yield: 3.0955 kWh/kWp\n\nIn short: the plant delivered a solid day, converting about 80.4% of the available irradiance into usable energy after real-world system losses.\n\nNotes:\n- Performance index could not be calculated due to a tool error.\n- Technical/contractual availability also could not be calculated due to a tool error.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 2,040.09 kWh\n- Specific yield: 2.737 kWh/kWp\n- Performance ratio: 0.8042\n- Reference yield: 3.0955 kWh/kWp\n\nIn short: the plant delivered a solid day, converting about 80.4% of the available irradiance into usable energy after real-world system losses.\n\nNotes:\n- Performance index could not be calculated due to a tool error.\n- Technical/contractual availability also could not be calculated due to a tool error."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.technical_contractual_availability_ag",
      "functions.total_energy_func_ag",
      "functions.performance_index_ag",
      "multi_tool_use.parallel",
      "functions.specific_yield_ag",
      "functions.perf_ratio_ag",
      "functions.reference_yield_plant_ag"
    ],
    "urls": [],
    "steps": "1. Choose data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Find all inverter power columns and their DC rated powers using the plant's metadata.  \n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).  \n4. For each inverter, filter the data to times when irradiance is above the threshold, then count the total number of valid intervals (T_useful) and the number of downtime intervals (T_down).  \n5. Convert these interval counts into hours based on the data interval.  \n6. Calculate Technical Availability for each inverter using: (T_useful - T_down) / T_useful × 100.  \n7. Return a dictionary showing the availability percentage for each inverter.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Use the active_power column(s) for calculations.  \n3. Clean the data by removing or flagging any invalid power measurements.  \n4. For each data point, calculate energy as (Power × 0.0833 hours), converting units if needed (e.g., divide by 1000 to get kWh).  \n5. Include all days in the calculation.  \n6. Add up all the energy values for the selected period to get the total energy produced.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Group the data by day (or by minute, hour, month, or year as needed).  \n3. Include all days in the calculation.  \n4. Calculate the total energy produced during the selected period using the plant's power data, adjusting for the time interval (0.0833 hours).  \n5. Normalize the total energy by dividing by the plant's installed capacity (rated power) to get the specific yield in kWh per kWp.  \n6. Return the specific yield for each time interval as a detailed breakdown.\n\n---\n\n1. Select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. Filter the data to only include plane of array (POA) irradiance readings from the pyranometer sensor.  \n3. Convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying by the time interval (0.0833 hours).  \n4. Group the irradiation values by day (or other desired period) to get total irradiation for each period.  \n5. Normalize the total irradiation by dividing by the standard test condition irradiance (1000 W/m²) to calculate the Reference Yield.  \n6. Return the Reference Yield for each period, representing peak sun hours or kWh/kWp.\n\n---\n\n1. Select data from 2026-"
  }
}
```




Data Availability Issues DATA AVAILABILITY (3 failures)

1. Noor_Al_Aqaba

Development • 46.1s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'i can't'): Yesterday (2026-10-12), the key plant metrics are: - Total energy generated: 27,681.18 kWh - Performance ratio (PR): mixed by inverter, mostly ~0.70–0.77 - Availability: unavailable/NaN from th

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), the key plant metrics are:\n\n- Total energy generated: 27,681.18 kWh\n- Performance
ratio (PR): mixed by inverter, mostly ~0.70-0.77\n- Availability: unavailable/NaN from the availability calculation for all inverter act
ive power channels\n- Specific yield: mostly ~5.17-5.41 kWh/kWp across inverters\n\nKey KPI breakdown:\n- Best specific yield: inverter1
4 = 5.4061 kWh/kWp\n- Lowest non-null specific yield: inverter12 = 5.1712 kWh/kWp\n- inverter11 produced 0.00 kWh and has null PR / null
specific yield, indicating it was not generating or had missing/invalid data\n\nPer-inverter energy (kWh):\n- inverter1: 1948.75\n- inve
rter2: 1930.80\n- inverter3: 1941.00\n- inverter4: 1939.01\n- inverter5: 1853.06\n- inverter6: 1949.97\n- inverter7: 1951.44\n- inverter
8: 1891.73\n- inverter9: 1948.01\n- inverter10: 1870.95\n- inverter11: 0.00\n- inverter12: 1873.27\n- inverter13: 1953.42\n- inverter14:
1958.36\n- inverter15: 1871.41\n\nPer-inverter PR:\n- inverter1: 0.7730\n- inverter2: 0.7447\n- inverter3: 0.7653\n- inverter4: 0.7629\n
- inverter5: 0.7617\n- inverter6: 0.7617\n- inverter7: 0.7534\n- inverter8: 0.7069\n- inverter9: 0.7510\n- inverter10: 0.7502\n- inverte
r11: NaN\n- inverter12: 0.6997\n- inverter13: 0.7499\n- inverter14: 0.7484\n- inverter15: 0.7514\n\nPer-inverter availability:\n- invert
er1_active_power: NaN\n- inverter2_active_power: NaN\n- inverter3_active_power: NaN\n- inverter4_active_power: NaN\n- inverter5_active_p
ower: NaN\n- inverter6_active_power: NaN\n- inverter7_active_power: NaN\n- inverter8_active_power: NaN\n- inverter9_active_power: NaN\n-
inverter10_active_power: NaN\n- inverter11_active_power: NaN\n- inverter12_active_power: NaN\n- inverter13_active_power: NaN\n- inverter
14_active_power: NaN\n- inverter15_active_power: NaN\n\nPer-inverter specific yield (kWh/kWp):\n- inverter1: 5.3796\n- inverter2: 5.3300
\n- inverter3: 5.3582\n- inverter4: 5.3527\n- inverter5: 5.3479\n- inverter6: 5.3829\n- inverter7: 5.3870\n- inverter8: 5.2222\n- invert
er9: 5.3775\n- inverter10: 5.3996\n- inverter11: NaN\n- inverter12: 5.1712\n- inverter13: 5.3925\n- inverter14: 5.4061\n- inverter15: 5.
4009\n\nNotes:\n- There is no true plant-level power channel available; inverter level is the highest top-level view.\n- The availabilit
y result returned all NaN values, so I can't report a valid availability KPI for yesterday from this calculation.\n- The performance ind
ex calculation failed in the tool, so it cannot be included reliably.",
    "coding_response": [
      "Yesterday (2026-10-12), the key plant metrics are:\n\n- Total energy generated: 27,681.18 kWh\n- Performance ratio (PR): mixed by
inverter, mostly ~0.70-0.77\n- Availability: unavailable/NaN from the availability calculation for all inverter active power channels\n-
Specific yield: mostly ~5.17-5.41 kWh/kWp across inverters\n\nKey KPI breakdown:\n- Best specific yield: inverter14 = 5.4061 kWh/kWp\n-
Lowest non-null specific yield: inverter12 = 5.1712 kWh/kWp\n- inverter11 produced 0.00 kWh and has null PR / null specific yield, indic
ating it was not generating or had missing/invalid data\n\nPer-inverter energy (kWh):\n- inverter1: 1948.75\n- inverter2: 1930.80\n- inv
erter3: 1941.00\n- inverter4: 1939.01\n- inverter5: 1853.06\n- inverter6: 1949.97\n- inverter7: 1951.44\n- inverter8: 1891.73\n- inverte
r9: 1948.01\n- inverter10: 1870.95\n- inverter11: 0.00\n- inverter12: 1873.27\n- inverter13: 1953.42\n- inverter14: 1958.36\n- inverter1
5: 1871.41\n\nPer-inverter PR:\n- inverter1: 0.7730\n- inverter2: 0.7447\n- inverter3: 0.7653\n- inverter4: 0.7629\n- inverter5: 0.7617
\n- inverter6: 0.7617\n- inverter7: 0.7534\n- inverter8: 0.7069\n- inverter9: 0.7510\n- inverter10: 0.7502\n- inverter11: NaN\n- inverte
r12: 0.6997\n- inverter13: 0.7499\n- inverter14: 0.7484\n- inverter15: 0.7514\n\nPer-inverter availability:\n- inverter1_active_power: N
aN\n- inverter2_ac
```




2. SAK_1

Development • 80.8s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in e
xternal_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF,
Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in externa
l_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galler
ia_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```




3. SAK_1

Development • 56.5s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate December 2025 performance report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```




Passed (222)

1. Galleria_Mall

Development • 23.2s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The information required to diagnose and resolve the COMMUNICATION_FAULT error is not available in the current manual documents. Please check if the correct manual for your inverter model and plant is available or provide additional documentation. 01:01 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`2`
Network failures	`0`



2. Galleria_Mall

Development • 117.8s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_September_2026_external_report.pdf' Galleria_Mall Report 01:04 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 102s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



3. Galleria_Mall

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: I couldn't confirm any 0-production days in the last 7 days because there is no energy data available for 2026-10-06 to 2026-10-12. The query returned an empty dataframe for that whole period. 01:04 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



4. Galleria_Mall

Development • 73.5s

Question: Please generate December 2025 performance report

Response: I've generated the December 2025 external performance report. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_December_2025_external_report.pdf' Galleria_Mall Report 01:06 PM Are you satisfied with the answer? Time taken: 58s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



5. Galleria_Mall

Development • 25.0s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: I couldn't assess the POA/power data quality because the queried time window (2026-10-12 to 2026-10-13) returned an empty dataframe, so there are no records to count daytime missing points or satellite mismatches from that range. 01:07 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



6. Galleria_Mall

Development • 57.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:08 PM ★ Are you satisfied with the answer? Time taken: 42s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



7. Galleria_Mall

Development • 29.3s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 01:09 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



8. Galleria_Mall

Development • 24.7s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. 01:09 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



9. Galleria_Mall

Development • 97.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: I've created the visualization for you. View Fullscreen 01:11 PM ★ Are you satisfied with the answer? Time taken: 82s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

10. Galleria_Mall

Development • 24.7s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I couldn't analyze shading-related irradiance dips because the requested recent window returned no data. The extract for 2026-10-06 to 2026-10-13 was empty, so there are no pyranometer readings available in that range to detect frequent dips or shading times. If you want, provide a different date range that you know contains data, and I can analyze pyranometer_1 against modelled POA and inverter power to identify likely shading periods. 01:13 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



11. Galleria_Mall

Development • 29.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Galleria_Mall] Front Page - Grid connected system with rated power (Page 1, Table 1) 2. [Galleria_Mall] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_3_image_2.png 01:13 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Galleria_Mall → 200`
Console errors	`3`
Network failures	`1`



12. Galleria_Mall

Development • 27.2s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:14 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 11s, token: 0 tokens What can I do? connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`3`
Network failures	`0`



13. Galleria_Mall

Development • 55.0s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA summed as Wh/m² is only available for the plant's recorded data window, not the full last 12 months requested. Available period: - 2026-04-05 to 2026-09-11 - 160 daily values Statistics on daily POA sum using `pyranometer_1`: - Median: 7040.02 Wh/m² - Mean: 6768.26 Wh/m² - Kurtosis: 8.42 Note: the dataset is incomplete for the requested 12-month period. The tool reported data starts at 2026-04-05 00:00:00 and ends at 2026-09-11 19:00:00. If you want the daily series itself, here it is for the available window: - 2026-04-05: 6704.45 Wh/m² - 2026-04-06: 6793.26 Wh/m² - 2026-04-07: 6895.94 Wh/m² - 2026-04-08: 6760.17 Wh/m² - 2026-04-09: 4432.46 Wh/m² - 2026-04-10: 6675.47 Wh/m² - 2026-04-11: 3938.75 Wh/m² - 2026-04-12: 4342.20 Wh/m² - 2026-04-13: 6634.87 Wh/m² - 2026-04-14: 6945.42 Wh/m² - 2026-04-15: 7216.21 Wh/m² - 2026-04-16: 6011.90 Wh/m² - 2026-04-17: 7068.52 Wh/m² - 2026-04-18: 6363.57 Wh/m² - 2026-04-19: 4021.91 Wh/m²

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



14. Galleria_Mall

Development • 20.0s

Question: Pull up the latest cleaning log

Response: No cleaning logs found for Galleria_Mall in October 2026. 01:16 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



15. Galleria_Mall

Development • 20.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:17 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



16. Galleria_Mall

Development • 19.3s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:18 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



17. Galleria_Mall

Development • 64.3s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-13 to 2026-10-13) - inverter1: 0.430 kWh - inverter2: 0.000 kWh - inverter3: 0.000 kWh - inverter4: 0.000 kWh - inverter5: 0.000 kWh - inverter6: 0.000 kWh - inverter7: 0.000 kWh - inverter8: 0.000 kWh - inverter9: 0.000 kWh - inverter10: 0.000 kWh - inverter11: 50.291 kWh - inverter12: 0.000 kWh Data Quality Status: Good Visualization: - The line chart titled "Daily Clipping Loss by Inverter (Last 2 Months)" has been created to show daily clipping loss for each inverter over the requested period. Clipping Loss Summary (2026-08-13 to 2026-10-13) - inverter1: 0.430 kWh - inverter2: 0.000 kWh - inverter3: 0.000 kWh - inverter4: 0.000 kWh - inverter5: 0.000 kWh - inverter6: 0.000 kWh - inverter7: 0.000 kWh - inverter8: 0.000 kWh - inverter9: 0.000 kWh - inverter10: 0.000 kWh - inverter11: 50.291 kWh - inverter12: 0.000 kWh Data Quality Status: Good Visualization: - The line chart titled "Daily

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



18. Galleria_Mall

Development • 36.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:20 PM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.generate_graphs_via_code, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



19. Abdali_Mall_Barza

Development • 21.6s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information about troubleshooting or resolving a COMMUNICATION_FAULT for your inverters. Please consult your manufacturer's technical support or other support resources for further assistance. 01:22 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



20. Abdali_Mall_Barza

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026 was 2,446.1131 kWh for each inverter: - inverter1_active_power: 2,446.1131 kWh - inverter2_active_power: 2,446.1131 kWh - inverter3_active_power: 2,446.1131 kWh - inverter4_active_power: 2,446.1131 kWh - inverter5_active_power: 2,446.1131 kWh - inverter6_active_power: 2,446.1131 kWh Status: Good 01:22 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



21. Abdali_Mall_Barza

Development • 70.3s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_September_2026_external_report.pdf' Abdali_Mall_Barza Report 01:24 PM Are you satisfied with the answer? Time taken: 55s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



22. Abdali_Mall_Barza

Development • 26.3s

Question: Was there any 0 production days in the last 7 days?

Response: There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-07: 2450.54 kWh - 2026-10-08: 2029.47 kWh - 2026-10-09: 2193.15 kWh - 2026-10-10: 2196.14 kWh - 2026-10-11: 1327.58 kWh - 2026-10-12: 1884.77 kWh - 2026-10-13: 1779.39 kWh Note: 2026-10-13 is incomplete because data currently only extends to 15:55. 01:24 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



23. Abdali_Mall_Barza

Development • 70.6s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_December_2025_external_report.pdf' Abdali_Mall_Barza Report 01:26 PM Are you satisfied with the answer? Time taken: 54s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



24. Abdali_Mall_Barza

Development • 36.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Data quality summary for 2026-10-12 to 2026-10-13 15:55: - Daytime points assessed: 238 - Missing POA during daytime: 0 - Missing plant power during daytime: 0 - POA mismatches vs satellite/modelled prediction: 114 - Power mismatches vs satellite/modelled prediction: 0 Notes: - Daytime was defined as modelled POA > 50 W/m². - POA mismatch was flagged when |measured POA - modelled POA| > 200 W/m² or relative difference > 30%. - Power mismatch was flagged for high-irradiance periods (modelled POA > 600 W/m²) when plant active power was missing or below 1% of daytime max power. - The latest available data ends at 2026-10-13 15:55:00, so this summary does not include later points on 2026-10-13. 01:27 PM Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



25. Abdali_Mall_Barza

Development • 32.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:27 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

26. Abdali_Mall_Barza

Development • 35.0s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:28 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

27. Abdali_Mall_Barza

Development • 29.2s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:29 PM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



28. Abdali_Mall_Barza

Development • 55.2s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss (Last 6 Months) by Inverter: - Inverter 1: 10,574.86 kWh - Inverter 2: 10,492.35 kWh - Inverter 3: 10,578.23 kWh - Inverter 4: 10,444.02 kWh - Inverter 5: 10,456.42 kWh - Inverter 6: 10,272.15 kWh Data Quality: - Status: Good Visualization: - A bar chart has been created illustrating monthly clipping loss per inverter for the last 6 months. Clipping Loss (Last 6 Months) by Inverter: - Inverter 1: 10,574.86 kWh - Inverter 2: 10,492.35 kWh - Inverter 3: 10,578.23 kWh - Inverter 4: 10,444.02 kWh - Inverter 5: 10,456.42 kWh - Inverter 6: 10,272.15 kWh Data Quality: - Status: Good Visualization: - A bar chart has been created illustrating monthly clipping loss per inverter for the last 6 months. View Fullscreen 01:30 PM ★ Are you satisfied with the answer? Time taken: 40s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

29. Abdali_Mall_Barza

Development • 37.0s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-12), your plant performed as follows: - Energy produced: 1,884.77 kWh - Specific yield: 4.796 kWh/kWp - Performance ratio (PR): 0.824 - PVsyst expected energy: 1,994.84 kWh - Actual vs PVsyst expectation: 94.5% Important note: the dataset is incomplete for that day. Available data only runs from 06:35 to 18:45, so these results should be treated with caution. Also, I could not provide plant availability or performance index because those tool calls failed for this request. 01:31 PM Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



30. Abdali_Mall_Barza

Development • 43.1s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 7 days of raw 5-minute pyranometer data against modelled POA irradiance and flagged short negative excursions that are consistent with shading-like dips. Findings: - Total dip events found: 27 - Likely sensor-only dip events: 27 - Data available through: 2026-10-13 16:25 Most frequent dip times: - By 15-minute bin: - 10:15 → 2 events - 10:30 → 2 events - 11:30 → 2 events - 13:15 → 2 events - 09:15, 12:45, 14:00, 16:15, 16:30, 17:00 → 1 event each Example detected dip start times: - 2026-10-06 09:40 - 2026-10-06 10:10 - 2026-10-06 10:40 - 2026-10-06 11:35 - 2026-10-06 16:15 - 2026-10-06 16:40 - 2026-10-06 17:05 - 2026-10-11 10:20 - 2026-10-11 11:40 - 2026-10-11 12:55 - 2026-10-12 12:00 - 2026-10-12 12:40 - 2026-10-12 13:45 - 2026-10-12 14:25 - 2026-10-12 15:15 - 2026-10-12 15:35 - 2026-10-13 08:05 - 2026-10-13 10:35 - 2026-10-13 11:20 Interpretation: - The dips do not show a single strong

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



31. Abdali_Mall_Barza

Development • 26.3s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Front page of the PVsyst report (Page 1, Table 1) 2. [Abdali_Mall_Barza] System Summary section (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_2_image_2.png 01:33 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	5
Last API call	`GET /chat-history/Abdali_Mall_Barza → 200`
Console errors	3
Network failures	1



32. Abdali_Mall_Barza

Development • 33.8s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:33 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



33. Abdali_Mall_Barza

Development • 32.2s

Question: When was the last time the BOM data showed up

Response: The last BOM data timestamp available is 2026-10-13 16:25:00. At that timestamp, the `source` value is `0.0`. 01:34 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



34. Abdali_Mall_Barza

Development • 31.2s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA irradiation over the last 12 months was computed from `pyranometer_1` and summarized across the available daily values. Results: - Median daily POA irradiation: 6648.97 Wh/m² - Mean daily POA irradiation: 6146.62 Wh/m² - Kurtosis: -0.2281 - Days with valid daily values used: 311 Notes: - The query window was 2025-10-13 to 2026-10-13 inclusive. - Data available up to 2026-10-13 16:25:00, so the last day is partial. - Several days in the 12-month window are missing (`NaN`) and were excluded from the statistics. 01:35 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



35. Abdali_Mall_Barza

Development • 20.1s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for October 2026 at Abdali_Mall_Barza. 01:36 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



36. Abdali_Mall_Barza

Development • 20.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (today's date will be used: 2026-10-13) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility (Jim will be used unless you want to specify differently) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:36 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



37. Abdali_Mall_Barza

Development • 23.1s

Question: How can I shut down my inverters?

Response: The information on how to shut down inverters is not available in the manual documents. If you have a specific model or additional details about your inverter, please provide them so I can attempt a more targeted search. 01:37 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



38. Abdali_Mall_Barza

Development • 19.4s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:37 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



39. Abdali_Mall_Barza

Development • 46.2s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here is the clipping loss summary by inverter for the requested period: 2026-08 (Full Month) - Inverter 1: 353.55 kWh - Inverter 2: 459.02 kWh - Inverter 3: 1 195.95 kWh - Inverter 4: 1 448.78 kWh - Inverter 5: 1 150.21 kWh - Inverter 6: 705.41 kWh 2026-09 (Full Month) - Inverter 1: 112.41 kWh - Inverter 2: 118.69 kWh - Inverter 3: 1 288.49 kWh - Inverter 4: 1 211.27 kWh - Inverter 5: 1 121.47 kWh - Inverter 6: 278.86 kWh 2026-10 (Month-to-Date through 2026-10-13) - Inverter 1: 6.49 kWh - Inverter 2: 7.35 kWh - Inverter 3: 184.32 kWh - Inverter 4: 179.01 kWh - Inverter 5: 173.31 kWh - Inverter 6: 19.32 kWh Data status: Good The visualization has been prepared showing daily clipping losses by inverter for the last two months. Here is the clipping loss summary by inverter for the requested period: 2026-08 (Full Month) - Inverter 1: 353.55 kWh - Inverter 2: 459.02 kWh - Inverter 3: 1 195.95 kWh - Inverter 4: 1 448.78 kWh - In

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



40. Abdali_Mall_Barza

Development • 46.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: Here are the performance metrics for the last two full months, broken down by inverter: • August 2026 - Inverter 1: 223.07 kWh/kWp, 14 294.29 kWh - Inverter 2: 227.71 kWh/kWp, 14 591.51 kWh - Inverter 3: 224.98 kWh/kWp, 14 416.98 kWh - Inverter 4: 225.47 kWh/kWp, 14 448.27 kWh - Inverter 5: 224.15 kWh/kWp, 14 363.82 kWh - Inverter 6: 234.68 kWh/kWp, 15 038.25 kWh • September 2026 - Inverter 1: 188.45 kWh/kWp, 12 075.58 kWh - Inverter 2: 197.10 kWh/kWp, 12 630.35 kWh - Inverter 3: 197.36 kWh/kWp, 12 646.75 kWh - Inverter 4: 198.45 kWh/kWp, 12 716.82 kWh - Inverter 5: 197.60 kWh/kWp, 12 661.89 kWh - Inverter 6: 201.01 kWh/kWp, 12 880.50 kWh I've created a dual-axes plot showing daily Specific Yield on one axis and daily Energy Production on the other for the requested period. Here are the performance metrics for the last two full months, broken down by inverter: • August 2026 - Inverter 1: 223.07 kWh/kWp, 14 294.29 kWh -

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.total_energy_func_ag, total_energy_func_ag, specific_yield_ag, multi_tool_use.parallel, functions.specific_yield_ag, generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



41. MOF

Development • 20.1s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information about troubleshooting COMMUNICATION_FAULT issues for your inverters. Please consult the manufacturer documentation or support for assistance. 01:40 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



42. MOF

Development • 77.8s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_September_2026_external_report.pdf' MOF Report 01:43 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 62s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



43. MOF

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-07: 1636.59 kWh - 2026-10-08: 1682.06 kWh - 2026-10-09: 1602.03 kWh - 2026-10-10: 1638.44 kWh - 2026-10-11: 1452.68 kWh - 2026-10-12: 1472.02 kWh - 2026-10-13: 1249.93 kWh Note: 2026-10-13 is incomplete because the latest available data only goes to 14:45, but it is still clearly not a 0-production day. 01:43 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



44. MOF

Development • 73.4s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_December_2025_external_report.pdf' MOF Report 01:45 PM Are you satisfied with the answer? Time taken: 58s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



45. MOF

Development • 36.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Assessed period: 2026-10-12 00:00 to 2026-10-13 15:00. During daytime hours, defined as modelled_poa_1 > 20 W/m²: - Total daytime points: 81 - Missing POA points (pyranometer_1): 10 - Missing plant power points (active_power): 1 Mismatch counts versus prediction/expected daytime behavior: - POA mismatches vs modelled/satellite-aligned POA: 43 out of 71 comparable daytime points - Power mismatches: 1 out of 64 points where modelled_poa_1 > 200 W/m² Criteria used: - POA mismatch: |pyranometer_1 - modelled_poa_1| > 50 W/m² and > 20% of modelled_poa_1 - Power mismatch: active_power <= 0 or NaN when modelled_poa_1 > 200 W/m² Note: available data did not extend to the full requested current day; the latest record was 2026-10-13 15:00. 01:46 PM Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



46. MOF

Development • 24.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. 01:46 PM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.inspect_xpool, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



47. MOF

Development • 33.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:47 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



48. MOF

Development • 29.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:48 PM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

49. MOF

Development • 44.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Monthly Clipping Loss by Inverter (Last 6 Months) - Reporting period available: April 2026 (2026-04-30) Clipping loss (kWh) by inverter: - Inverter 1: NaN - Inverter 2: 4.70 - Inverter 3: NaN - Inverter 4: NaN - Inverter 5: NaN - Inverter 6: NaN - Inverter 7: 4.74 - Inverter 8: 15.08 Data quality note: - Only one monthly period (April 2026) was returned instead of a full six-month series. The visualization has been prepared. Monthly Clipping Loss by Inverter (Last 6 Months) - Reporting period available: April 2026 (2026-04-30) Clipping loss (kWh) by inverter: - Inverter 1: NaN - Inverter 2: 4.70 - Inverter 3: NaN - Inverter 4: NaN - Inverter 5: NaN - Inverter 6: NaN - Inverter 7: 4.74 - Inverter 8: 15.08 Data quality note: - Only one monthly period (April 2026) was returned instead of a full six-month series. The visualization has been prepared. View Fullscreen 01:49 PM ★ Are you satisfied with the answer? Time taken: 29s,

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



50. MOF

Development • 41.4s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I found repeatable pyranometer dips consistent with likely shading-type events, mainly in the early morning. Key findings from the last 30 days analyzed (2026-09-13 to 2026-10-13, data available through 2026-10-13 15:00): - Strongest recurring dip window: 06:30–07:15 - Most severe specific timestamps: - 06:45: median measured/modelled POA ratio 0.806, 10th percentile 0.405, dip depth 0.401 - 07:00: median 0.813, 10th percentile 0.436, dip depth 0.378 - 06:30: median 0.718, 10th percentile 0.425, dip depth 0.294 - 07:15: median 0.878, 10th percentile 0.697, dip depth 0.181 - Secondary repeatable dip: - 13:45: median 0.719, 10th percentile 0.552, dip depth 0.167 Hourly pattern: - 06:00 hour: strongest repeatable variability, dip depth 0.277 - 07:00 hour: also very strong, dip depth 0.245 - 08:00 hour: weaker but still noticeable, dip depth 0.085 - Late afternoon 16:00–17:00 shows some dips too, but less strongly recurrent than the morning event

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



51. MOF

Development • 26.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [MOF] Project Overview – Rated Power and Location (Page 1, Table 1) 2. [MOF] PV Array Configuration – Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_1_image_1.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_3_image_2.jpg 01:51 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`6`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`3`
Network failures	`1`



52. MOF

Development • 32.7s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:52 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens What can I do? connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



53. MOF

Development • 29.2s

Question: When was the last time the BOM data showed up

Response: The last BOM/weather data showed up at 2026-10-13 15:00:00. The dataset status also indicates records currently end at 2026-10-13 15:00:00, so that is the latest available timestamp right now. 01:53 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



54. MOF

Development • 65.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA irradiation from `pyranometer_1` over the last 12 months: - Median: 1336.03 Wh/m²/day - Mean: 2533.43 Wh/m²/day - Kurtosis: -1.6538 - Days analyzed: 366 Note: the extracted data ends at 2026-10-13 15:00:00, so the last day is partial. Daily summed POA irradiation series (Wh/m²/day): 2025-10-13: 916.74 2025-10-14: 890.44 2025-10-15: 989.56 2025-10-16: 943.14 2025-10-17: 930.87 2025-10-18: 891.16 2025-10-19: 885.85 2025-10-20: 904.79 2025-10-21: 889.05 2025-10-22: 878.82 2025-10-23: 858.98 2025-10-24: 840.18 2025-10-25: 827.76 2025-10-26: 794.18 2025-10-27: 840.57 2025-10-28: 827.31 2025-10-29: 825.42 2025-10-30: 787.88 2025-10-31: 765.16 2025-11-01: 784.85 2025-11-02: 857.27 2025-11-03: 835.38 2025-11-04: 818.88 2025-11-05: 786.32 2025-11-06: 699.71 2025-11-07: 648.38 2025-11-08: 626.68 2025-11-09: 667.28 2025-11-10: 666.11 2025-11-11: 672.94 2025-11-12: 592.17 2025-11-13: 547.42 2025-11-14

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



55. MOF

Development • 20.0s

Question: Pull up the latest cleaning log

Response: No cleaning logs have been recorded for this plant in October 2026. 01:55 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



56. MOF

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:55 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



57. MOF

Development • 23.1s

Question: How can I shut down my inverters?

Response: The information on how to shut down inverters is not available in the manual documents. If you provide additional details such as the inverter model or plant name, I can search for more specific shutdown procedures. 01:56 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



58. MOF

Development • 19.3s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:56 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



59. MOF

Development • 36.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: I've created the visualization for you. View Fullscreen 01:57 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



60. MOF

Development • 46.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:58 PM ★ Are you satisfied with the answer? Time taken: 31s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.inspect_xpool, functions.calculate_clipping_or_curtailment_losses_ag, functions.total_energy_func_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



61. GID

Development • 27.6s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting Steps for COMMUNICATION_FAULT: 1. Inspect the communication cable and terminal blocks for any visible abnormalities or damage. Ensure reliable connections as indicated in the product's wiring diagram or installation instructions (no diagram image was present in the manual). 2. Reconnect the communication cable connected to the meter or to parallel inverters to ensure there are no loose connections. Secure all wiring as needed. 3. If the fault is not cleared by correcting wiring and reconnecting, contact Sungrow Customer Service for further troubleshooting. 4. Additionally, check for foreign materials, environmental anomalies, or other wiring faults at the terminal connection points. Safety Note: Always turn off the power and follow safe handling procedures before performing any checks or corrections on wiring and terminals. No diagram images were available in the manual for this fault. Please refer specifically to the installation and wiring sections for cable and te

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



62. GID

Development • 32.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026 is: - inverter1_active_power: 31,189.9486 kWh - inverter2_active_power: 31,079.4484 kWh - inverter3_active_power: 31,194.9013 kWh - inverter4_active_power: 31,190.0687 kWh - inverter5_active_power: 36,155.4914 kWh - inverter6_active_power: 36,155.4914 kWh - inverter7_active_power: 36,145.1083 kWh - inverter8_active_power: 36,145.1083 kWh - inverter9_active_power: 36,155.4914 kWh Status: Good 02:00 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



63. GID

Development • 27.7s

Question: Was there any 0 production days in the last 7 days?

Response: No — there were no days with zero energy production in the last 7 days. Daily plant energy: - 2026-10-07: 25,742.672 kWh - 2026-10-08: 21,694.783 kWh - 2026-10-09: 21,903.469 kWh - 2026-10-10: 21,696.103 kWh - 2026-10-11: 14,225.588 kWh - 2026-10-12: 18,796.038 kWh - 2026-10-13: 18,524.556 kWh Note: 2026-10-13 is partial-day data up to 16:55, not a full completed day. 02:03 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



64. GID

Development • 116.7s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_December_2025_external_report.pdf' Mathkor_GID Report 02:05 PM Are you satisfied with the answer? Time taken: 101s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`4`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



65. GID

Development • 47.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the available data window analyzed (2026-10-12 00:00 to 2026-10-13 16:55), daytime data quality is good overall. Daytime coverage - Daytime points analyzed: 260 - Note: data does not extend to the full requested end of 2026-10-13; latest available timestamp is 16:55. Missing data during daytime - pyranometer_1: 1 missing, 0.38% - active_power: 1 missing, 0.38% - inverter1_active_power: 1 missing, 0.38% - inverter2_active_power: 1 missing, 0.38% - inverter3_active_power: 1 missing, 0.38% - inverter4_active_power: 1 missing, 0.38% - inverter5_active_power: 1 missing, 0.38% - inverter6_active_power: 1 missing, 0.38% - inverter7_active_power: 1 missing, 0.38% - inverter8_active_power: 1 missing, 0.38% - inverter9_active_power: 1 missing, 0.38% POA mismatch vs satellite/modelled POA Using pyranometer_1 against modelled_poa_1 as the satellite/model-based POA reference: - Valid daytime comparison points: 259 - Mean bias: -59.49 W/m² - Mean absolu

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



66. GID

Development • 32.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:07 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



67. GID

Development • 38.4s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:08 PM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.inspect_xpool, functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



68. GID

Development • 32.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:08 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

69. GID

Development • 116.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Total clipping loss over the last 6 months, broken down by inverter: - Inverter 1: 132,707.84 kWh - Inverter 2: 132,188.03 kWh - Inverter 3: 132,313.07 kWh - Inverter 4: 132,404.26 kWh - Inverter 5: 155,952.17 kWh - Inverter 6: 155,943.04 kWh - Inverter 7: 156,405.17 kWh - Inverter 8: 156,416.20 kWh - Inverter 9: 155,957.05 kWh Data quality status: Good I've created a bar chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" to visualize these values. Total clipping loss over the last 6 months, broken down by inverter: - Inverter 1: 132,707.84 kWh - Inverter 2: 132,188.03 kWh - Inverter 3: 132,313.07 kWh - Inverter 4: 132,404.26 kWh - Inverter 5: 155,952.17 kWh - Inverter 6: 155,943.04 kWh - Inverter 7: 156,405.17 kWh - Inverter 8: 156,416.20 kWh - Inverter 9: 155,957.05 kWh Data quality status: Good I've created a bar chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" to visualize these values. View Fullscreen

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

70. GID

Development • 27.8s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Mathkor_GID] System summary (Page 2, Table 2) 2. [Mathkor_GID] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed rated power and array configuration. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_3_image_2.jpg 02:13 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`5`
Last API call	`GET /chat-history/Mathkor_GID → 200`
Console errors	`3`
Network failures	`1`



71. GID

Development • 36.9s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:14 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



72. GID

Development • 37.1s

Question: When was the last time the BOM data showed up

Response: The last available BOM-related weather data appears to be at 2026-10-13 16:55:00. I checked the latest available timestamp in the weather/source data up to the current time. Note that the `source` field did not explicitly contain a visible `BOM` label in the returned data, but the latest available weather-source record itself was timestamped 2026-10-13 16:55:00. 02:15 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



73. GID

Development • 38.3s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Computed daily POA summed values for the last 12 months using POA reference yield converted to Wh/m². Results: - Median daily POA: 7277.00 Wh/m² - Mean daily POA: 6956.56 Wh/m² - Kurtosis: -0.9459 - Number of daily values: 365 Note: the dataset is slightly incomplete at the boundaries because available data starts at 2025-10-13 00:05 and ends at 2026-10-13 16:55, so the first and last days may be partial. If you want, I can also return the 365 daily POA values as a CSV-style table. 02:16 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 23s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`reference_yield_plant_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



74. GID

Development • 20.1s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs recorded for Mathkor_GID in October 2026. 02:16 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



75. GID

Development • 20.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 02:17 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



76. GID

Development • 29.3s

Question: How can I shut down my inverters?

Response: To safely shut down your inverters, follow these steps as specified in the manual: 1. Set the DC switch to the "OFF" position. Ensure the indicator on the switch aligns with the "OFF" marking as illustrated in this diagram: 2. Use the specialized disconnection tool to carefully disconnect the cables from the inverter connectors. Position the tool as shown in the diagram to disengage the connector and then remove the cable. Refer to this diagram: Please make sure to reference the indicated diagrams for the correct switch and tool locations. Full manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/manula-pdf/SUNGROW-SG320_350HX-User-Manual-en+.pdf 02:18 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



77. GID

Development • 21.8s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 02:18 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



78. GID

Development • 78.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses over the last 2 months, broken down by inverter: - Inverter 1: 31,649.77 kWh - Inverter 2: 31,652.97 kWh - Inverter 3: 31,652.97 kWh - Inverter 4: 31,390.46 kWh - Inverter 5: 38,891.76 kWh - Inverter 6: 38,893.18 kWh - Inverter 7: 38,891.76 kWh - Inverter 8: 38,891.76 kWh - Inverter 9: 38,896.16 kWh Status: Good I've created a line chart showing daily clipping loss for each inverter over the last 2 months. Here are the total clipping losses over the last 2 months, broken down by inverter: - Inverter 1: 31,649.77 kWh - Inverter 2: 31,652.97 kWh - Inverter 3: 31,652.97 kWh - Inverter 4: 31,390.46 kWh - Inverter 5: 38,891.76 kWh - Inverter 6: 38,893.18 kWh - Inverter 7: 38,891.76 kWh - Inverter 8: 38,891.76 kWh - Inverter 9: 38,896.16 kWh Status: Good I've created a line chart showing daily clipping loss for each inverter over the last 2 months. View Fullscreen 02:20 PM ★ Are you satisfied with the ans

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



79. GID

Development • 41.5s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 02:21 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`generate_graphs_via_code, specific_yield_ag, total_energy_func_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



80. KUPCO_HQ_DAJEEJ

Development • 21.5s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information regarding troubleshooting steps or actions for a COMMUNICATION_FAULT on your inverters. Please consult the manufacturer or technical support for further assistance. 02:22 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`14`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



81. KUPCO_HQ_DAJEEJ

Development • 29.1s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026 via `clipping_loss_via_requests`: - inverter1_active_power: 487.1175 kWh - inverter2_active_power: 1744.3757 kWh - inverter3_active_power: 1061.5417 kWh Total across all inverters: 3293.0349 kWh Status: Good 02:23 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



82. KUPCO_HQ_DAJEEJ

Development • 77.8s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 02:24 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 63s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



83. KUPCO_HQ_DAJEEJ

Development • 26.3s

Question: Was there any 0 production days in the last 7 days?

Response: There were no days with zero energy production in the last 7 days (2026-10-07 to 2026-10-13). Daily inverter energy was positive on every day: - 2026-10-07 - 2026-10-08 - 2026-10-09 - 2026-10-10 - 2026-10-11 - 2026-10-12 - 2026-10-13 02:25 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



84. KUPCO_HQ_DAJEEJ

Development • 53.6s

Question: Please generate December 2025 performance report

Response: I've generated the December 2025 performance report. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' KUPCO_HQ_Dajeej Report 02:26 PM Are you satisfied with the answer? Time taken: 38s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



85. KUPCO_HQ_DAJEEJ

Development • 49.0s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the available data window 2026-10-12 to 2026-10-13 15:55, the daytime data-quality summary is: - Daytime points (zenith < 90): 255 - Strong-sun points used for mismatch checks (modelled_poa_1 >= 200 W/m²): 196 Missing daytime data points - pyranometer_1: 1 - inverter1_active_power: 0 - inverter2_active_power: 2 - inverter3_active_power: 0 - Any inverter active power missing: 2 timestamps - All inverter active powers missing: 0 timestamps POA mismatch vs satellite/modelled prediction - Basis: |pyranometer_1 - modelled_poa_1| / modelled_poa_1, evaluated only when zenith < 90 and modelled_poa_1 >= 200 W/m² - Mismatches > 20%: 116 of 195 evaluated points - Mismatches > 30%: 54 of 195 evaluated points Active power mismatch vs irradiance expectation - Basis: zero or NaN active power during zenith < 90 and modelled_poa_1 >= 200 W/m² - inverter1_active_power: 0 - inverter2_active_power: 2 - inverter3_active_power: 0 - All inverters zero/NaN while s

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



86. KUPCO_HQ_DAJEEJ

Development • 33.9s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:28 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

87. KUPCO_HQ_DAJEEJ

Development • 26.2s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 02:29 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



88. KUPCO_HQ_DAJEEJ

Development • 30.9s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:29 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

89. KUPCO_HQ_DAJEEJ

Development • 78.1s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping loss for the last 6 months by inverter: - Inverter 1: 2,500.29 kWh - Inverter 2: 8,997.45 kWh - Inverter 3: 5,762.65 kWh Data quality status: Good I've created a line chart showing monthly clipping loss per inverter for the last 6 months. Clipping loss for the last 6 months by inverter: - Inverter 1: 2,500.29 kWh - Inverter 2: 8,997.45 kWh - Inverter 3: 5,762.65 kWh Data quality status: Good I've created a line chart showing monthly clipping loss per inverter for the last 6 months. View Fullscreen 02:31 PM ★ Are you satisfied with the answer? Time taken: 63s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



90. KUPCO_HQ_DAJEEJ

Development • 37.0s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-12), your plant's top-level view is inverter-level only. - Total energy: 1,159.58 kWh - inverter1: 148.45 kWh - inverter2: 520.35 kWh - inverter3: 490.78 kWh - Specific yield: - inverter1: 4.158 kWh/kWp - inverter2: 3.832 kWh/kWp - inverter3: 3.790 kWh/kWp - Performance ratio (PR): - inverter1: 0.453 - inverter2: 0.368 - inverter3: 0.440 - Reference yield (plant-level irradiance-based): 3.166 kWh/kWp - Technical/contractual availability: - inverter1_active_power: NaN - inverter2_active_power: NaN - inverter3_active_power: NaN Summary: inverter2 and inverter3 delivered most of the energy, while inverter1 materially underperformed on total energy. PR was also weakest on inverter2, while inverter1 had the highest specific yield but much lower total energy than the other two, suggesting the inverters likely have different capacities. 02:32 PM Are you satisfied with the answer? Time taken: 21s, token: 0

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel(functions.total_energy_func_ag, functions.specific_yield_ag, functions.perf_ratio_ag, functions.technical_contractual_availability_ag, functions.reference_yield_plant_ag)`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



91. KUPCO_HQ_DAJEEJ

Development • 44.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last ~30 days of `pyranometer_1` against `modelled_poa_1`, focusing on daytime periods and looking for recurring negative deviations at the same times of day. Findings suggesting possible shading: - Strongest recurring dip window: 07:35 - dip frequency: 63.3% - dip count: 19 - median dip depth: -16.2% - Other recurring morning dips: - 07:40: 41.9%, count 13, median dip -14.5% - 07:30: 26.7%, count 8, median dip -17.9% - 07:25: 17.2%, count 5, median dip -15.0% - Weaker late-afternoon recurrence: - 16:35: 16.7%, count 4, median dip -15.0% - 16:30: 15.4%, count 4, median dip -17.5% Hourly view: - 07:00 hour shows clear recurring dips. - 16:00 hour shows weaker recurrence. - 17:00 looked elevated, but that is likely less reliable because it is based on fewer edge-of-day points. Conclusion: - Yes, there is a clear and repeated irradiance dip pattern around 07:25–07:40, centered on 07:35, which is consistent with morning

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



92. KUPCO_HQ_DAJEEJ

Development • 32.3s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [KUPCO_HQ_Dajeej] Plant Rated Power – Front page (Page 1, Table 1) 2. [KUPCO_HQ_Dajeej] PV Array Configuration – PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_3_image_2.png 02:34 PM Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`6`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`3`
Network failures	`1`



93. KUPCO_HQ_DAJEEJ

Development • 34.8s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:34 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens What can I do? connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



94. KUPCO_HQ_DAJEEJ

Development • 27.6s

Question: When was the last time the BOM data showed up

Response: The most recent BOM/environmental data entry visible is **2026-10-13 15:55:00**. I determined this from the latest available `pyranometer_1` record, which is a BOM/environmental sensor stream. Compared with the current time (**2026-10-13 17:35:32**), that is about **1 hour 40 minutes earlier**. 02:35 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



95. KUPCO_HQ_DAJEEJ

Development • 52.0s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA sensor, I retrieved the available daily data over the requested last 12 months window. Important note: the dataset is incomplete for the full 12-month period. Available data starts on 2026-04-12 and ends on 2026-10-13 15:55, so the statistics below are based on 185 daily values, not a full 12 months. Results for daily summed POA irradiance: - Mean: 242.78 Wh/m² - Median: 259.48 Wh/m² - Kurtosis: 1.2377 - Number of days used: 185 Daily values (Wh/m²): 2026-04-12: 174.14 2026-04-13: 270.68 2026-04-14: 272.67 2026-04-15: 279.28 2026-04-16: 230.05 2026-04-17: 300.29 2026-04-18: 266.46 2026-04-19: 164.61 2026-04-20: 63.30 2026-04-21: 201.37 2026-04-22: 288.67 2026-04-23: 210.93 2026-04-24: 243.13 2026-04-25: 203.01 2026-04-26: 225.65 2026-04-27: 270.22 2026-04-28: 280.74 2026-04-29: 286.06 2026-04-30: 282.25 2026-05-01: 281.24 2026-05-02: 290.33 2026-05-03: 297.31 2026-05-04: 278.92 2026-05-05:

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



96. KUPCO_HQ_DAJEEJ

Development • 21.6s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for KUPCO_HQ_Dajeej: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-06 KUPCO_HQ_Dajeej Routine soiling on pyranometer sensor Pyranometer cleaned by Jim Completed - - - - - - - - - 02:37 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
Tools used	`get_activity_logs_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



97. KUPCO_HQ_DAJEEJ

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning, Inspection, HSE Incident, Spare Parts Usage, General Site Activity) 02:37 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



98. KUPCO_HQ_DAJEEJ

Development • 21.6s

Question: How can I shut down my inverters?

Response: The information on how to shut down your inverters is not available in the manual documents. Please consult your inverter's specific manual or contact the manufacturer for detailed shutdown instructions. 02:38 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



99. KUPCO_HQ_DAJEEJ

Development • 19.4s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 02:39 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



100. KUPCO_HQ_DAJEEJ

Development • 52.2s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping losses over the last 2 months by inverter: - inverter1: 367.8004 kWh - inverter2: 1301.8011 kWh - inverter3: 743.2199 kWh Data status: Good The visualization has been prepared: Daily Clipping Loss by Inverter (Last 2 Months). Clipping losses over the last 2 months by inverter: - inverter1: 367.8004 kWh - inverter2: 1301.8011 kWh - inverter3: 743.2199 kWh Data status: Good The visualization has been prepared: Daily Clipping Loss by Inverter (Last 2 Months). View Fullscreen 02:40 PM ★ Are you satisfied with the answer? Time taken: 38s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



101. KUPCO_HQ_DAJEEJ

Development • 35.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 02:40 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`specific_yield_ag, total_energy_func_ag, generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



102. Noor_Al_Aqaba

Development • 26.1s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain information related to troubleshooting a COMMUNICATION_FAULT. Please check with the manufacturer or support resources for further assistance. 02:42 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 12s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



103. Noor_Al_Aqaba

Development • 38.3s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026 is as follows (kWh): - inverter1_active_power: 34,258.2605 - inverter2_active_power: 34,257.4975 - inverter3_active_power: 34,257.4975 - inverter4_active_power: 34,257.4975 - inverter5_active_power: 29,015.9477 - inverter6_active_power: 34,250.2521 - inverter7_active_power: 34,258.2605 - inverter8_active_power: 34,250.2521 - inverter9_active_power: 34,242.4765 - inverter10_active_power: 29,010.0137 - inverter11_active_power: 8,005.5913 - inverter12_active_power: 34,456.9157 - inverter13_active_power: 34,456.9157 - inverter14_active_power: 34,456.9157 - inverter15_active_power: 28,320.7443 Status: Good 02:42 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



104. Noor_Al_Aqaba

Development • 133.0s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_September_2026_external_report.pdf' Noor_Al_Aqaba Report 02:45 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 118s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



105. Noor_Al_Aqaba

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No — there were no 0-production days in the last 7 days. From 2026-10-07 to 2026-10-13, every day had positive energy on the reporting inverters. One exception: inverter11 shows NaN for all days, which indicates missing/unavailable data for that inverter rather than confirmed zero production. If you include today (2026-10-13), it is also not a 0-production day. 02:46 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



106. Noor_Al_Aqaba

Development • 78.0s

Question: Please generate December 2025 performance report

Response: I've generated the external performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_December_2025_external_report.pdf' Noor_Al_Aqaba Report 02:47 PM Are you satisfied with the answer? Time taken: 63s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



107. Noor_Al_Aqaba

Development • 41.5s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-13, using available data up to 16:55:00: - Daytime points assessed: 117 - Daytime missing POA points (pyranometer_1): 3 - Daytime power points with all inverters missing: 3 - Daytime POA mismatches vs satellite/modelled prediction: 10 - Daytime power mismatches vs satellite/modelled prediction: 3 Per-inverter daytime missing power points: - inverter1: 3 - inverter10: 3 - inverter11: 117 - inverter12: 3 - inverter13: 3 - inverter14: 3 - inverter15: 3 - inverter2: 3 - inverter3: 3 - inverter4: 3 - inverter5: 3 - inverter6: 3 - inverter7: 3 - inverter8: 3 - inverter9: 3 Notes: - Daytime was defined as zenith < 85° and modelled_poa_1 > 20 W/m². - Mismatch screening used periods with modelled_poa_1 >= 200 W/m². - POA mismatch means pyranometer_1 was outside 50% to 150% of modelled_poa_1. - Power mismatch means daylight/high predicted irradiance but summed inverter power was missing or <= 1000 W. - inverter11 stands out as

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



108. Noor_Al_Aqaba

Development • 23.1s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. 02:49 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



109. Noor_Al_Aqaba

Development • 38.9s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:50 PM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.perf_ratio_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



110. Noor_Al_Aqaba

Development • 34.0s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:50 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



111. Noor_Al_Aqaba

Development • 139.2s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (2026-04-13 to 2026-10-13): - inverter1: 112,408.12 kWh - inverter2: 113,107.78 kWh - inverter3: 113,092.32 kWh - inverter4: 112,806.59 kWh - inverter5: 94,660.14 kWh - inverter6: 113,102.56 kWh - inverter7: 113,115.47 kWh - inverter8: 113,102.56 kWh - inverter9: 111,993.69 kWh - inverter10: 94,911.43 kWh - inverter11: 50,538.22 kWh - inverter12: 113,294.79 kWh - inverter13: 113,294.79 kWh - inverter14: 113,294.79 kWh - inverter15: 93,976.93 kWh Note: These values are likely underestimated due to partial results returned (rate-limit errors from 2026-09-12 onward). The visualization has been prepared showing monthly clipping loss per inverter for the last six months. Clipping Loss by Inverter (2026-04-13 to 2026-10-13): - inverter1: 112,408.12 kWh - inverter2: 113,107.78 kWh - inverter3: 113,092.32 kWh - inverter4: 112,806.59 kWh - inverter5: 94,660.14 kWh - inverter6: 113,102.56 kWh - inverter7: 113,115.47 kW

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`4`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



112. Noor_Al_Aqaba

Development • 67.9s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last month of pyranometer data (2026-09-13 to 2026-10-13 16:55) against modelled POA to look for recurring time-of-day irradiance depressions consistent with shading. Findings: - The dedicated shading tool found no confirmed shading events in this period. - However, the pyranometer shows recurring dips at specific times, mainly near sunrise and late afternoon, which are consistent with possible horizon/obstruction shading or angle-of-incidence effects. - Overall daytime median measured/modelled irradiance ratio was 1.042, so broad daytime shading is not indicated. Most frequent dip times: - Morning cluster: 07:15-07:40 - 07:15: median ratio 0.746, 50.0% of samples below 0.75, azimuth 94.554° - 07:20: median ratio 0.850, 30.8% below 0.75, azimuth 96.344° - 07:25: median ratio 0.900, 28.6% below 0.75, azimuth 97.370° - 07:30: median ratio 0.927, 28.6% below 0.75, azimuth 98.017° - 07:40: median ratio 0.978, 32.1% below 0.75, azimuth 99.327

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code, calculate_shading_loss_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



113. Noor_Al_Aqaba

Development • 29.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Noor_Al_Aqaba] Project Summary (front page) - Rated Power of the Plant (Page 1, Table 1) 2. [Noor_Al_Aqaba] PV Array Characteristics - Array Configuration Details (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_3_image_2.png 02:56 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`6`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`3`
Network failures	`1`



114. Noor_Al_Aqaba

Development • 37.1s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:57 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens What can I do? connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



115. Noor_Al_Aqaba

Development • 30.7s

Question: When was the last time the BOM data showed up

Response: I couldn't find any BOM entries in the available `source` data over the checked period, so there's no observed "last BOM timestamp" to report. What I checked: - Period queried: 2026-10-10 to 2026-10-13 - Latest available timestamp in that data: 2026-10-13 16:55:00 - Result: 0 rows where `source` contained `BOM` So, based on the available data, BOM data did not show up in that period. 02:58 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



116. Noor_Al_Aqaba

Development • 55.1s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: I found that the requested 12-month window is incomplete in the available data. Available period - Requested: 2025-10-13 to 2026-10-13 - Available POA data starts: 2026-05-09 10:45 - Available POA data ends: 2026-10-13 16:55 - Daily records available: 158 days Daily POA summary - Median: 10,200.33 Wh/m²/day - Mean: 9,868.40 Wh/m²/day - Kurtosis: 2.4543 Notes - These statistics are computed only from the available daily data between 2026-05-09 and 2026-10-13. - The daily POA values were derived from daily aggregated pyranometer_1 data. Daily POA (Wh/m²) by day - 2026-05-09: 9987.02 - 2026-05-10: 8749.50 - 2026-05-11: 10391.67 - 2026-05-12: 9233.67 - 2026-05-13: 10041.08 - 2026-05-14: 10073.25 - 2026-05-15: 6948.17 - 2026-05-16: 9748.33 - 2026-05-17: 9177.75 - 2026-05-18: 8215.33 - 2026-05-19: 9160.42 - 2026-05-20: 7635.75 - 2026-05-21: 10173.92 - 2026-05-22: 10097.75 - 2026-05-23: 10162.50 - 2026-05-24: 10834.20 - 2026-05-2

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



117. Noor_Al_Aqaba

Development • 23.1s

Question: Pull up the latest cleaning log

Response: The latest cleaning log entries for Noor_Al_Aqaba are from 2026-08-10. Details are provided below. Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-08-10 Noor_Al_Aqaba Pyranometer required cleaning Jim cleaned the pyranometer Completed - - - - - - - - - 2026-08-10 Noor_Al_Aqaba - Pyranometer cleaned by Jim Completed - - - - - - - - - 03:00 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



118. Noor_Al_Aqaba

Development • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning record, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (Noor_Al_Aqaba). Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 03:00 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



119. Noor_Al_Aqaba

Development • 21.7s

Question: How can I shut down my inverters?

Response: The information regarding the shutdown procedure for your inverters is not available in the manual documents provided. Please consult your manufacturer documentation or contact technical support for further assistance. 03:01 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



120. Noor_Al_Aqaba

Development • 20.1s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:01 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



121. Noor_Al_Aqaba

Development • 87.8s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses over the last 2 months, broken down by inverter: - inverter1: 37,980.34 kWh - inverter2: 38,691.60 kWh - inverter3: 38,688.56 kWh - inverter4: 38,402.82 kWh - inverter5: 30,984.18 kWh - inverter6: 38,693.63 kWh - inverter7: 38,693.63 kWh - inverter8: 38,693.63 kWh - inverter9: 38,453.56 kWh - inverter10: 31,230.53 kWh - inverter11: 0.00 kWh - inverter12: 38,691.60 kWh - inverter13: 38,691.60 kWh - inverter14: 38,691.60 kWh - inverter15: 30,985.12 kWh I've created a line chart showing daily clipping losses by inverter for the last two months. Here are the total clipping losses over the last 2 months, broken down by inverter: - inverter1: 37,980.34 kWh - inverter2: 38,691.60 kWh - inverter3: 38,688.56 kWh - inverter4: 38,402.82 kWh - inverter5: 30,984.18 kWh - inverter6: 38,693.63 kWh - inverter7: 38,693.63 kWh - inverter8: 38,693.63 kWh - inverter9: 38,453.56 kWh - inverter10: 31,230.53 kWh - inv

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



122. Noor_Al_Aqaba

Development • 64.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: Here's the requested summary with the axes interchanged: Data Summary (Last 2 Months) - Specific Yield (kWh/kWp) by inverter and month: - 2026-08: • inverter1: 131.11 • inverter2: 133.62 • inverter3: 152.10 • inverter4: 146.50 • inverter5: 149.99 • inverter6: 147.37 • inverter7: 147.31 • inverter8: 143.26 • inverter9: 155.36 • inverter10: 154.99 • inverter11: 0.00 • inverter12: 141.91 • inverter13: 147.00 • inverter14: 156.23 • inverter15: 156.91 - 2026-09: • inverter1: 226.35 • inverter2: 215.14 • inverter3: 236.30 • inverter4: 237.78 • inverter5: 237.04 • inverter6: 234.48 • inverter7: 238.11 • inverter8: 227.10 • inverter9: 238.07 • inverter10: 237.53 • inverter11: 0.00 • inverter12: 221.39 • inverter13: 229.30 • inverter14: 243.56 • inverter15: 250.07 - 2026-10 (through 10-13): • i

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.total_energy_func_ag, functions.generate_graphs_via_code, functions.specific_yield_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



123. BF_Wheeling

Development • 20.1s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information regarding COMMUNICATION_FAULT troubleshooting steps for inverters. Please consult the official manufacturer documentation or support resources for further assistance. 03:05 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



124. BF_Wheeling

Development • 29.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 1760.9091 kWh - inverter2_active_power: 618.5402 kWh - inverter3_active_power: 1760.9091 kWh - inverter4_active_power: 1760.9091 kWh - inverter5_active_power: 618.5402 kWh - inverter6_active_power: 1255.2086 kWh Status: Good 03:06 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



125. BF_Wheeling

Development • 67.4s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_September_2026_external_report.pdf' BF_Wheeling Report 03:07 PM Are you satisfied with the answer? Time taken: 52s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



126. BF_Wheeling

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no zero-production days in the last 7 days (2026-10-06 to 2026-10-12). Daily plant energy: - 2026-10-06: 1679.05 kWh - 2026-10-07: 2069.31 kWh - 2026-10-08: 1806.44 kWh - 2026-10-09: 1878.21 kWh - 2026-10-10: 1929.60 kWh - 2026-10-11: 1316.24 kWh - 2026-10-12: 1543.84 kWh 03:08 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



127. BF_Wheeling

Development • 53.7s

Question: Please generate December 2025 performance report

Response: I've generated the external performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_December_2025_external_report.pdf' BF_Wheeling Report 03:09 PM Are you satisfied with the answer? Time taken: 39s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



128. BF_Wheeling

Development • 40.3s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Daytime data assessed for 2026–10–13 up to 17:55. - Daytime samples: 131 - POA missing during daytime: 0 - Power missing during daytime: - active_power: 1 - inverter1_active_power: 2 - inverter2_active_power: 2 - inverter3_active_power: 2 - inverter4_active_power: 2 - inverter5_active_power: 2 - inverter6_active_power: 2 - POA mismatches vs satellite/model prediction during daytime: 83 - Power mismatches during daytime: 2 Mismatch definitions used: - POA mismatch: |pyranometer_1 - modelled_poa_1| > max(100 W/m², 20% of modelled_poa_1) - Power mismatch: |active_power - sum of inverter active power| > max(5000 W, 5% of inverter sum) Note: the available data ends at 2026–10–13 17:55:00, which is normal given the current time and data refresh timing. 03:10 PM Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



129. BF_Wheeling

Development • 34.5s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:11 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

130. BF_Wheeling

Development • 38.4s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:12 PM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

131. BF_Wheeling

Development • 29.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:13 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



132. BF_Wheeling

Development • 56.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Total clipping loss for the last 6 months (2026-04-13 to 2026-10-13) broken down by inverter: - inverter1: 7,954.0841 kWh - inverter2: 2,351.4847 kWh - inverter3: 7,952.8074 kWh - inverter4: 7,953.0115 kWh - inverter5: 2,351.4847 kWh - inverter6: 5,427.4547 kWh Data quality status: Good I've created a chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" to visualize these values. Total clipping loss for the last 6 months (2026-04-13 to 2026-10-13) broken down by inverter: - inverter1: 7,954.0841 kWh - inverter2: 2,351.4847 kWh - inverter3: 7,952.8074 kWh - inverter4: 7,953.0115 kWh - inverter5: 2,351.4847 kWh - inverter6: 5,427.4547 kWh Data quality status: Good I've created a chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" to visualize these values. View Fullscreen 03:14 PM ★ Are you satisfied with the answer? Time taken: 42s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are pos

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.execute_custom_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



133. BF_Wheeling

Development • 41.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I checked the last 8 days of 5-minute pyranometer data against modelled POA and flagged short downward excursions consistent with possible shading-type dips. Detected frequent dip times: - 2026-10-11 13:40 for 5 min - 2026-10-11 14:10 for 5 min - 2026-10-12 13:00 for 5 min - 2026-10-12 14:40–14:45 for 10 min Days with the most repeated dips: - 2026-10-11: 2 events - 2026-10-12: 2 events Dip severity summary: - 2026-10-11 13:40: measured/modelled POA minimum = 0.875, max local dip = 0.205 - 2026-10-11 14:10: measured/modelled POA minimum = 0.734, max local dip = 0.147 - 2026-10-12 13:00: measured/modelled POA minimum = 0.793, max local dip = 0.160 - 2026-10-12 14:40–14:45: measured/modelled POA minimum = 0.562, max local dip = 0.225 Interpretation: - The most suspicious repeated shading-like behavior is on 2026-10-11 and 2026-10-12 in the 13:00–14:45 window. - The strongest event was 2026-10-12 14:40–14:45. - These are short, localized irradiance di

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



134. BF_Wheeling

Development • 26.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections containing the plant's rated power and array configuration: 1. [Blue_Fig] Front Page – Grid-connected system title with rated power and location (Page 1, Table 1) 2. [Blue_Fig] PV Array Characteristics – Module and inverter nominal power, total PV power, DC/AC ratio, sub-array details (Page 3, Table 2) 3. [Blue_Fig_Extension] Front Page – Grid-connected system title with rated power and location (Page 1, Table 1) 4. [Blue_Fig_Extension] PV Array Characteristics – Module and inverter nominal power, total PV power, DC/AC ratio, sub-array details (Page 3, Table 2) Please access the URLs below to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_3_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`5`
Last API call	`GET /chat-history/BF_Wheeling → 200`
Console errors	`3`
Network failures	`1`



135. BF_Wheeling

Development • 34.3s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:17 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



136. BF_Wheeling

Development • 30.7s

Question: When was the last time the BOM data showed up

Response: No relevant "Bill of Materials (BOM)" sections were found in the available PVsyst reports. 03:18 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



137. BF_Wheeling

Development • 62.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as POA irradiance and converting 5-minute W/m² samples to daily Wh/m² sums, the requested 12-month window is only partially available in the database. Available data coverage: - Requested: 2025-10-13 to 2026-10-13 - Available: 2026-05-01 to 2026-10-13 - Daily values used: 166 days Statistics of daily POA sums over the available period: - Median: 7154.42 Wh/m² - Mean: 6923.87 Wh/m² - Kurtosis: 6.93 Notes: - The dataset is incomplete for the full last 12 months. - Kurtosis is reported as Fisher kurtosis. If you want the daily sums listed explicitly, here they are: 2026-05-01: 7911.33 Wh/m² 2026-05-02: 7017.00 Wh/m² 2026-05-03: 7527.92 Wh/m² 2026-05-04: 6764.50 Wh/m² 2026-05-05: 4143.92 Wh/m² 2026-05-06: 5267.67 Wh/m² 2026-05-07: 7690.00 Wh/m² 2026-05-08: 7496.00 Wh/m² 2026-05-09: 6864.33 Wh/m² 2026-05-10: 7718.58 Wh/m² 2026-05-11: 7777.25 Wh/m² 2026-05-12: 6374.17 Wh/m² 2026-05-13: 7614.42 Wh/m² 2026-05-14: 703

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



138. BF_Wheeling

Development • 21.6s

Question: Pull up the latest cleaning log

Response: No cleaning logs found for BF_Wheeling for October 2026. 03:20 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



139. BF_Wheeling

Development • 20.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 03:20 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



140. BF_Wheeling

Development • 23.1s

Question: How can I shut down my inverters?

Response: The manual documents do not contain relevant information about how to shut down your inverters. Please consult your manufacturer's user guide or contact technical support for detailed shutdown procedures. 03:21 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



141. BF_Wheeling

Development • 19.6s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:22 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



142. BF_Wheeling

Development • 44.6s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (Last 2 Months): - Inverter 1: 2311.2528 kWh - Inverter 2: 435.5558 kWh - Inverter 3: 2311.2528 kWh - Inverter 4: 2310.1803 kWh - Inverter 5: 435.5558 kWh - Inverter 6: 1441.7727 kWh Data Quality: Good Visualization: - The chart “Clipping Loss by Inverter - Last 2 Months” has been prepared to illustrate these values graphically. 03:23 PM Are you satisfied with the answer? Time taken: 30s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.inspect_xpool, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



143. BF_Wheeling

Development • 39.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 03:23 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`specific_yield_ag, generate_graphs_via_code, inspect_xpool, total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



144. Abdali_Mall_Netmetering

Development • 21.6s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information for troubleshooting a COMMUNICATION_FAULT on your inverters. Please consult the manufacturer's support or refer to physical manuals supplied with your inverter system for further assistance. 03:25 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



145. Abdali_Mall_Netmetering

Development • 35.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 218.943 kWh - inverter2_active_power: 131.9139 kWh - inverter3_active_power: 188.2499 kWh - inverter4_active_power: 318.8087 kWh - inverter5_active_power: 467.7012 kWh - inverter6_active_power: 0.0 kWh - inverter7_active_power: 0.0 kWh - inverter8_active_power: 13.2321 kWh - inverter9_active_power: 0.0 kWh - inverter10_active_power: 0.0 kWh - inverter11_active_power: 0.0 kWh - inverter12_active_power: 0.0 kWh - inverter13_active_power: 0.0 kWh - inverter14_active_power: 3.2616 kWh - inverter15_active_power: 0.0 kWh Total clipping loss across all inverters: 1,342.1104 kWh Status: Good 03:25 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 20s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



146. Abdali_Mall_Netmetering

Development • 117.5s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Netmetering Report 03:28 PM Are you satisfied with the answer? Time taken: 102s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



147. Abdali_Mall_Netmetering

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-07: 2709.95 kWh - 2026-10-08: 2444.70 kWh - 2026-10-09: 2486.51 kWh - 2026-10-10: 2522.43 kWh - 2026-10-11: 1941.06 kWh - 2026-10-12: 2040.09 kWh - 2026-10-13: 2270.09 kWh Note: today's data is partial and currently available up to 2026-10-13 17:55:00. 03:28 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



148. Abdali_Mall_Netmetering

Development • 70.3s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Netmetering Report 03:30 PM Are you satisfied with the answer? Time taken: 55s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



149. Abdali_Mall_Netmetering

Development • 36.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the available data window 2026-10-12 00:00 to 2026-10-13 17:55: - Daytime points assessed: 268 - POA missing during daytime: 0 - Power missing during daytime: 0 - POA mismatches vs satellite/modelled prediction: 139 - Power mismatches vs satellite/modelled prediction: 0 Notes: - The data currently ends at 2026-10-13 17:55, so the rest of 2026-10-13 is not yet available. - I used `modelled_poa_1` as the prediction reference for POA mismatch screening, since that is the available POA prediction-type series in the dataset. - Mismatch screening used daytime points only, with daytime defined as modelled POA > 20 W/m². - POA mismatch was flagged when |measured POA - modelled POA| > 100 W/m² and relative deviation > 20%. - Power mismatch was flagged when active_power <= 0 while modelled POA > 200 W/m². 03:31 PM Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are pos

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



150. Abdali_Mall_Netmetering

Development • 35.4s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:31 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



151. Abdali_Mall_Netmetering

Development • 29.3s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:32 PM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

152. Abdali_Mall_Netmetering

Development • 32.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:33 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



153. Abdali_Mall_Netmetering

Development • 76.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months (By Inverter): - inverter1: 883.0433 kWh - inverter2: 577.1241 kWh - inverter3: 774.9887 kWh - inverter4: 1242.3069 kWh - inverter5: 1795.1404 kWh - inverter6: 0.0410 kWh - inverter7: 0.0000 kWh - inverter8: 89.7529 kWh - inverter9: 0.0000 kWh - inverter10: 1.0476 kWh - inverter11: 0.0000 kWh - inverter12: 0.0000 kWh - inverter13: 0.0000 kWh - inverter14: 52.6886 kWh - inverter15: 3.3360 kWh Note: Results may be understated due to partial data retrieval caused by rate-limit errors (HTTP 429) during the later period. • The visualization has been prepared. Clipping Loss Over the Last 6 Months (By Inverter): - inverter1: 883.0433 kWh - inverter2: 577.1241 kWh - inverter3: 774.9887 kWh - inverter4: 1242.3069 kWh - inverter5: 1795.1404 kWh - inverter6: 0.0410 kWh - inverter7: 0.0000 kWh - inverter8: 89.7529 kWh - inverter9: 0.0000 kWh - inverter10: 1.0476 kWh - inverter11: 0.0000 kWh - inverte

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

154. Abdali_Mall_Netmetering

Development • 43.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed `pyranometer_1` for the last ~2 days available in the data (`2026-10-12 00:00` to `2026-10-13 18:25`) and screened for short irradiance dips versus `modelled_poa_1` during daylight conditions. Findings: - Daylight points analyzed: 180 - Irradiance dip events detected: 3 - Frequency by day: - 2026-10-12: 2 events - 2026-10-13: 1 event Detected dip times: 1. 2026-10-12 13:05 to 13:05 - Duration: 5 min - Minimum measured/modelled ratio: 0.391 - Maximum dip: 171.3 W/m² 2. 2026-10-12 13:50 to 13:50 - Duration: 5 min - Minimum measured/modelled ratio: 0.533 - Maximum dip: 147.4 W/m² 3. 2026-10-13 11:00 to 11:10 - Duration: 15 min - Minimum measured/modelled ratio: 0.333 - Maximum dip: 224.2 W/m² Interpretation: - The dips are infrequent rather than frequent over this window. - The strongest event was on 2026-10-13 from 11:00 to 11:10. - These events are consistent with transient shading or cloud pass

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



155. Abdali_Mall_Netmetering

Development • 35.4s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 12 relevant PVsyst report sections with rated power and array configuration: 1. [AMC_Zone_A] Front Page (Page 1, Table 1) 2. [AMC_Zone_A] System Summary (Page 2, Table 2) 3. [AMC_Zone_B] Front Page (Page 1, Table 1) 4. [AMC_Zone_B] PV Array Characteristics (Page 3, Table 2) 5. [AMC_Zone_C] Front Page (Page 1, Table 1) 6. [AMC_Zone_C] PV Array Characteristics (Page 3, Table 2) 7. [AMC_Zone_E] Front Page (Page 1, Table 1) 8. [AMC_Zone_E] System Summary (Page 2, Table 2) 9. [AMC_Zone_F&G] System Summary (Page 2, Table 2) 10. [AMC_Zone_F&G] PV Array Characteristics (Page 3, Table 2) 11. [AMC_Zone_H] Front Page (Page 1, Table 1) 12. [AMC_Zone_H] PV Array Characteristics (Page 3, Table 2) Please access the URLs below to view these sections in detail. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Netmetering/AMC_Zone_A/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Abdali_Mall_Netmetering → 200`
Console errors	`3`
Network failures	`1`



156. Abdali_Mall_Netmetering

Development • 34.7s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:38 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



157. Abdali_Mall_Netmetering

Development • 33.7s

Question: When was the last time the BOM data showed up

Response: The last BOM data showed up at 2026-10-13 18:25:00. That is 14 minutes before the stated current time of 2026-10-13 18:39:00. 03:39 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



158. Abdali_Mall_Netmetering

Development • 58.1s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1`, I computed daily POA irradiation sums as: daily POA (Wh/m²) = sum of 5-min `pyranometer_1` samples × 5/60 h Results for the last 12 months request are only partially available in the database: - Available data range: 2026-04-01 00:05 to 2026-10-13 18:25 - Requested range: 2025-10-13 to 2026-10-13 - So the statistics below are for the available daily sums only. Summary statistics of daily POA sums: - Median: 5773.58 Wh/m² - Mean: 5469.43 Wh/m² - Kurtosis: 3.1149 - Number of daily sums used: 191 Notable data-quality caveat: - There are suspiciously low daily totals on 2026-09-03 = 0.00 Wh/m² and 2026-09-16 = 39.70 Wh/m², which likely reflect missing/bad data and will affect the statistics. Daily sums (Wh/m²): 2026-04-01: 1336.30 2026-04-02: 3648.51 2026-04-03: 4473.41 2026-04-04: 5132.93 2026-04-05: 4362.45 2026-04-06: 4437.39 2026-04-07: 4125.43 2026-04-08: 4305.31 2026-04-09: 5567.46 2026-04-10: 5637.33 2026-04

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



159. Abdali_Mall_Netmetering

Development • 21.5s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for Abdali_Mall_Netmetering. Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-01 Abdali_Mall_Netmetering Pyranometer cleaning required Jim cleaned the pyranometer Completed - - - - - - - - - 03:40 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



160. Abdali_Mall_Netmetering

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 03:41 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



161. Abdali_Mall_Netmetering

Development • 21.5s

Question: How can I shut down my inverters?

Response: The manual documents do not contain information about how to shut down your inverters. Please refer to your inverter's physical labels or contact your installer for specific shutdown instructions. 03:42 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



162. Abdali_Mall_Netmetering

Development • 19.2s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:42 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



163. Abdali_Mall_Netmetering

Development • 58.3s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping loss over the last 2 months (2026-08-13 to 2026-10-13): - inverter1: 1.6589 kWh - inverter2: 0.7094 kWh - inverter3: 1.1797 kWh - inverter4: 5.3392 kWh - inverter5: 23.6292 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0435 kWh - inverter9: 0.0 kWh - inverter10: 0.0 kWh - inverter11: 0.0 kWh - inverter12: 0.0 kWh - inverter13: 0.0 kWh - inverter14: 0.0 kWh - inverter15: 0.0 kWh I've created a line chart titled "Daily Clipping Loss by Inverter — Last 2 Months" showing the daily clipping loss for each inverter over the requested period. Clipping loss over the last 2 months (2026-08-13 to 2026-10-13): - inverter1: 1.6589 kWh - inverter2: 0.7094 kWh - inverter3: 1.1797 kWh - inverter4: 5.3392 kWh - inverter5: 23.6292 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0435 kWh - inverter9: 0.0 kWh - inverter10: 0.0 kWh - inverter11: 0.0 kWh - inverter12: 0.0 kWh - inverter13: 0.0 kWh - inverter1

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



164. Abdali_Mall_Netmetering

Development • 67.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: Here are the inverter-level monthly results for the period 2026-08-13 to 2026-10-13: - Inverter 1 • Aug Energy: 5 674.62 kWh / Specific Yield: 90.44 kWh/kWp • Sep Energy: 6 976.28 kWh / Specific Yield: 111.18 kWh/kWp • Oct Energy: 2 509.16 kWh / Specific Yield: 39.99 kWh/kWp - Inverter 2 • Aug Energy: 5 585.78 kWh / Specific Yield: 90.96 kWh/kWp • Sep Energy: 7 171.30 kWh / Specific Yield: 116.78 kWh/kWp • Oct Energy: 2 381.63 kWh / Specific Yield: 38.78 kWh/kWp - Inverter 3 • Aug Energy: 4 773.69 kWh / Specific Yield: 76.62 kWh/kWp • Sep Energy: 6 273.74 kWh / Specific Yield: 100.70 kWh/kWp • Oct Energy: 2 309.73 kWh / Specific Yield: 37.07 kWh/kWp - Inverter 4 • Aug Energy: 5 326.30 kWh / Specific Yield: 83.12 kWh/kWp • Sep Energy: 6 626.35 kWh / Specific Yield: 103.41 kWh/kWp • Oct Energy: 2 192.30 kWh / Specific Yield: 34.21 kWh/kWp - Inverter 5 • Aug Energy: 5 052.69 kWh / Specific Yield:

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`multi_tool_use.parallel, multi_tool_use.parallel(functions.total_energy_func_ag, functions.specific_yield_ag), functions.generate_graphs_via_code, functions.specific_yield_ag, functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



165. Abdali_Mall_Lahoun

Development • 36.8s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT on your Sunny Tripower inverter, please follow these steps referencing the manual and its diagrams: 1. Open your inverter's cover to access the internal connections. Locate the Communication Interface labeled "B" inside the inverter. View the diagram here: 2. Find the cable glands and communication ports. Ensure your communication cables are fed through the cable gland labeled "C". Reference diagram: 3. Check that the RJ45 plug for your network is securely and correctly inserted into the communication assembly's network jack. See the correct insertion here: 4. Inspect the routing of your RJ45 cable inside the inverter. Make sure there are no loops or kinks—cable should follow the path shown and avoid unnecessary slack. Compare your layout with: 5. If you find any loose, damaged, or improperly seated connectors, securely re-insert them until you feel or hear a firm click as indicated in the assembly diagrams. 6. Tighten the cable gland

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



166. Abdali_Mall_Lahoun

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 4748.8347 kWh - inverter2_active_power: 4748.8347 kWh - inverter3_active_power: 4748.8347 kWh - inverter4_active_power: 3402.0295 kWh - inverter5_active_power: 3402.0295 kWh - inverter6_active_power: 1908.1348 kWh Status: Good 03:47 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



167. Abdali_Mall_Lahoun

Development • 90.0s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Lahoun Report 03:49 PM Are you satisfied with the answer? Time taken: 75s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



168. Abdali_Mall_Lahoun

Development • 26.2s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy for 2026-10-06 to 2026-10-12: - 2026-10-06: 3280.66 kWh - 2026-10-07: 4566.98 kWh - 2026-10-08: 3701.10 kWh - 2026-10-09: 4195.34 kWh - 2026-10-10: 4018.39 kWh - 2026-10-11: 2402.84 kWh - 2026-10-12: 3396.81 kWh 03:49 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



169. Abdali_Mall_Lahoun

Development • 87.1s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Lahoun Report 03:51 PM Are you satisfied with the answer? Time taken: 72s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



170. Abdali_Mall_Lahoun

Development • 36.8s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-13 up to the latest available data at 18:30: - Daytime points assessed: 134 - Missing POA readings during daytime: 2 - Missing plant power readings during daytime: 2 - POA mismatches vs modelled/satellite-derived POA prediction: 90 - Power mismatches vs daytime irradiance prediction: 0 Notes: - I treated daytime as intervals where measured or modelled POA exceeded 20 W/m². - POA mismatch was counted when measured POA differed from modelled POA by more than 30%, using intervals with modelled POA > 50 W/m². - Power mismatch was counted when modelled POA was > 200 W/m² during daytime but plant active power was zero or negative. - Data for the day is incomplete beyond 18:30, so this is a partial-day assessment. 03:52 PM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



171. Abdali_Mall_Lahoun

Development • 33.9s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:53 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

172. Abdali_Mall_Lahoun

Development • 36.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:53 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

173. Abdali_Mall_Lahoun

Development • 30.8s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:54 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



174. Abdali_Mall_Lahoun

Development • 69.2s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses recorded over the last 6 months (2026-04-13 to 2026-10-13), broken down by inverter: - inverter1: 20,380.19 kWh - inverter2: 20,345.65 kWh - inverter3: 20,386.00 kWh - inverter4: 14,442.81 kWh - inverter5: 14,441.92 kWh - inverter6: 8,163.27 kWh Data quality status: Good The visualization has been prepared to show monthly clipping loss by inverter for the requested period. Here are the total clipping losses recorded over the last 6 months (2026-04-13 to 2026-10-13), broken down by inverter: - inverter1: 20,380.19 kWh - inverter2: 20,345.65 kWh - inverter3: 20,386.00 kWh - inverter4: 14,442.81 kWh - inverter5: 14,441.92 kWh - inverter6: 8,163.27 kWh Data quality status: Good The visualization has been prepared to show monthly clipping loss by inverter for the requested period. View Fullscreen 03:56 PM ★ Are you satisfied with the answer? Time taken: 53s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE A

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



175. Abdali_Mall_Lahoun

Development • 24.8s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Lahoun] System Information (Page 2, Table 2) 2. [Abdali_Mall_Lahoun] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_3_image_2.jpg 03:58 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Abdali_Mall_Lahoun → 200`
Console errors	`3`
Network failures	`1`



176. Abdali_Mall_Lahoun

Development • 35.6s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:59 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 20s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



177. Abdali_Mall_Lahoun

Development • 32.2s

Question: When was the last time the BOM data showed up

Response: The last BOM data appears at 2026-10-13 18:30:00. I checked the BOM-style weather columns (temperature_2m, wind_speed_10m, wind_direction_10m, shortwave_radiation_instant, diffuse_radiation_instant, direct_normal_irradiance_instant, surface_pressure, azimuth, zenith, source), and the extracted dataset ends at 2026-10-13 18:30:00. 04:00 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



178. Abdali_Mall_Lahoun

Development • 30.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA for the last 12 months (from `pyranometer_1`) was retrieved and summarized. Statistics on daily summed POA (Wh/m²): - Median: 5964.54 Wh/m² - Mean: 5922.77 Wh/m² - Kurtosis: 0.2126 Notes: - The daily POA values were derived from the daily aggregated `pyranometer_1` series. - The latest day is partial: data ends at 2026-10-13 18:30:00, not end-of-day. - There are multiple missing days in the period (shown as null in the extracted series), so the statistics were calculated on non-null daily values only. 04:00 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



179. Abdali_Mall_Lahoun

Development • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs recorded for Abdali_Mall_Lahoun in October 2026. 04:01 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



180. Abdali_Mall_Lahoun

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 04:01 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



181. Abdali_Mall_Lahoun

Development • 38.3s

Question: How can I shut down my inverters?

Response: To safely shut down your Sunny Tripower STP110-60-Core2 inverters, follow these steps: 1. Use a current clamp to ensure no current is present in the DC cables. Clamp onto the connectors as illustrated and confirm a reading of 0.0A: Diagram: 2. Locate the four DC load-break switches on the inverter. Rotate each switch from the "ON" to the "OFF" position to disconnect DC input: Diagram: 3. Verify all DC load-break switches are in the "OFF" position to make sure the system is protected against accidental reconnection: Diagram: 4. To remove the DC connectors safely, use a flat-blade screwdriver in the side slots as shown in the diagram: Diagram: 5. Use a multimeter to check all AC terminals (L1, L2, L3, PE) and ensure the meter reads 0.0 V between all combinations: Diagram: Important: - Wear appropriate PPE during all steps - Confirm zero current and voltage before proceeding - Follow illustrated tool usage to avoid connector/cable damage Manual reference (P

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



182. Abdali_Mall_Lahoun

Development • 20.2s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 04:03 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



183. Abdali_Mall_Lahoun

Development • 55.2s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss per Inverter - Last 2 Months (2026-08-13 to 2026-10-13) - inverter1: 2253.0942 kWh - inverter2: 2253.0942 kWh - inverter3: 2253.0942 kWh - inverter4: 1334.6688 kWh - inverter5: 1333.7777 kWh - inverter6: 842.8768 kWh Data status: Good The visualization has been prepared. Clipping Loss per Inverter - Last 2 Months (2026-08-13 to 2026-10-13) - inverter1: 2253.0942 kWh - inverter2: 2253.0942 kWh - inverter3: 2253.0942 kWh - inverter4: 1334.6688 kWh - inverter5: 1333.7777 kWh - inverter6: 842.8768 kWh Data status: Good The visualization has been prepared. View Fullscreen 04:04 PM ★ Are you satisfied with the answer? Time taken: 41s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



184. Abdali_Mall_Lahoun

Development • 41.8s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 04:05 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.total_energy_func_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



185. SADAFCO

Development • 21.5s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information for troubleshooting the COMMUNICATION_FAULT error. Please consult other resources or the manufacturer's support for further assistance. 04:06 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
API calls made	`16`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



186. SADAFCO

Development • 36.8s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: I ran `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 12 inverters. Result: - No clipping loss value could be computed for July 2026 with this tool. Reason: - Every 8-day chunk returned HTTP 413 (`payload too large`) for every inverter. - Failed chunks for each inverter were: - 2026-07-01 to 2026-07-09 - 2026-07-09 to 2026-07-17 - 2026-07-17 to 2026-07-25 - 2026-07-25 to 2026-08-01 Affected inverters: - inverter1_active_power - inverter2_active_power - inverter3_active_power - inverter4_active_power - inverter5_active_power - inverter6_active_power - inverter7_active_power - inverter8_active_power - inverter9_active_power - inverter10_active_power - inverter11_active_power - inverter12_active_power So the calculation using `clipping_loss_via_requests` was unsuccessful for July 2026. 04:07 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Tim

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



187. SADAFCO

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. In the last 7 days with available data, there were no 0-production days. Daily plant energy: - 2026-10-07: 5088.76 kWh - 2026-10-08: 4974.79 kWh - 2026-10-09: 4717.67 kWh - 2026-10-10: 4874.76 kWh - 2026-10-11: 4851.42 kWh - 2026-10-12: 2486.02 kWh (partial day) Note: the data currently only runs to 2026-10-12 12:25, so 2026-10-13 cannot be assessed yet. 04:11 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



188. SADAFCO

Development • 88.5s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/SADAFCO_Solar_Plant_December_2025_external_report.pdf' SADAFCO Report 04:13 PM Are you satisfied with the answer? Time taken: 73s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



189. SADAFCO

Development • 38.3s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Using the available data returned, for the latest available window ending 2026-10-12 12:25:00: - Daytime points assessed: 360 - POA missing during daytime: 4 points - Power missing during daytime: 0 points - POA or power missing during daytime: 4 points - POA mismatches vs satellite prediction: 27 points - Power mismatches vs satellite expectation: 0 points Notes: - I assessed daytime as zenith < 85° and satellite irradiance > 20 W/m². - POA mismatch was flagged when pyranometer_1 / satellite irradiance was < 0.5 or > 1.5. - Power mismatch was flagged when satellite irradiance > 200 W/m² but active_power <= 0. - The dataset did not extend to the requested current date; it only reached 2026-10-12 12:25:00, so this assessment is limited to the data available. 04:14 PM Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



190. SADAFCO

Development • 42.9s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 04:15 PM ★ Are you satisfied with the answer? Time taken: 27s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



191. SADAFCO

Development • 30.7s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 04:15 PM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.inspect_xpool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



192. SADAFCO

Development • 32.5s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 04:16 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

193. SADAFCO

Development • 39.9s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-12), your plant produced 2,486.02 kWh. Key performance metrics: - Specific yield: 1.703 kWh/kWp - Performance ratio (PR): 0.663 - Reference yield: 2.686 kWh/kWp Important note: the dataset for yesterday is incomplete. The available data starts at 06:14 and ends at 12:25, so this is only a partial-day assessment, not a full-day result. Because of that, the numbers above indicate your plant performed at a moderate level during the recorded window, but they should not be treated as the full-day performance for yesterday. 04:21 PM Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel, functions.reference_yield_plant_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



194. SADAFCO

Development • 46.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed `pyranometer_1` over the latest available period in the request window and detected frequent short irradiance dips consistent with intermittent shading or passing obstructions/cloud-edge effects. Period actually analyzed: - 2026-10-06 07:30 to 2026-10-12 12:25 - Note: data did not extend through 2026-10-13. Method used: - Compared measured `pyranometer_1` against `modelled_poa_1` - Kept daytime points with meaningful irradiance - Flagged dips where measured irradiance dropped materially below a rolling local baseline and below expected POA - Grouped contiguous flagged points into events Results: - Total detected dip events: 20 - Active event days: 4 days - Average frequency on active days: 5.0 events/day - Median event duration: 2 minutes Event frequency by day: - 2026-10-06: 1 event - 2026-10-08: 4 events - 2026-10-09: 8 events - 2026-10-10: 7 events Detected event times: - 2026-10-06 08:56 to 08:57 — 2 min - 2026-10-08 07:40 t

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



195. SADAFCO

Development • 24.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: No relevant PVsyst report sections were found for rated power. Please ensure the PVsyst report is available or provide the correct report identifier so I can locate the appropriate section. 04:22 PM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



196. SADAFCO

Development • 29.3s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 04:23 PM ★ Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



197. SADAFCO

Development • 32.5s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA source, I fetched the daily data over the requested last 12 months window. However, the database only has available data from 2026-06-18 to 2026-10-12, so the 12-month result is incomplete. Daily POA summed values were computed as Wh/m² per day from the daily aggregated irradiance values. Results over the available 117 days: - Mean daily POA: 5164.70 Wh/m² - Median daily POA: 5267.07 Wh/m² - Kurtosis: -0.1919 Data coverage note: - Requested window: 2025-10-13 to 2026-10-13 - Available data used: 2026-06-18 to 2026-10-12 - Days available: 117 04:25 PM Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



198. SADAFCO

Development • 21.6s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs recorded for SADAFCO so far in October 2026. 04:25 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



199. SADAFCO

Development • 20.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add this cleaning activity record, please provide the following required details: - Date (e.g., 2026-10-13) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 04:26 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



200. SADAFCO

Development • 23.2s

Question: How can I shut down my inverters?

Response: The information on how to shut down your inverters is not available in the manual documents. If you need specific shutdown steps, please provide additional details about your inverter model or check the manufacturer's official documentation for further assistance. 04:27 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



201. SADAFCO

Development • 20.1s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 04:27 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



202. SADAFCO

Development • 32.3s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 04:31 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.total_energy_func_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



203. SAK_1

Development • 21.5s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not contain relevant information for troubleshooting the "COMMUNICATION_FAULT" issue. Please refer to your inverter manufacturer's specific documentation or contact technical support for further assistance. 04:32 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`13`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



204. SAK_1

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 6585.0801 kWh - inverter2_active_power: 6585.0801 kWh - inverter3_active_power: 6585.0801 kWh - inverter4_active_power: 6585.0801 kWh - inverter5_active_power: 6585.0801 kWh - inverter6_active_power: 6585.0801 kWh - inverter7_active_power: 6585.0801 kWh - inverter8_active_power: 6582.6539 kWh Status: Good 04:32 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



205. SAK_1

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-07: 6661.83 kWh - 2026-10-08: 5569.28 kWh - 2026-10-09: 6199.39 kWh - 2026-10-10: 5043.94 kWh - 2026-10-11: 2844.05 kWh - 2026-10-12: 5067.13 kWh - 2026-10-13: 5498.13 kWh Note: 2026-10-13 is incomplete because the latest data only goes to 19:25. 04:35 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



206. SAK_1

Development • 39.8s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the data available today up to 2026-10-13 19:25:00: - Daytime records assessed: 133 - Daytime records with missing POA values: 0 - Daytime records with missing power values: 0 - Daytime records with either POA or power missing: 0 - Daytime records with POA mismatching satellite/modelled POA: 57 - Daytime records with power mismatching satellite-derived expectation: 52 Assessment basis: - Daytime = pyranometer_1 > 20 W/m² or modelled_poa_1 > 20 W/m² - POA mismatch = |measured POA - modelled POA| > 150 W/m² and > 25% relative difference - Power mismatch = modelled POA > 200 W/m² and |active_power - expected power from modelled POA| > 15% of plant AC rating and > 25% relative difference Note: the returned dataset does not extend to end-of-day; it ends at 19:25, which is normal for current-day partial data. 04:37 PM Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Do

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.query_plant_details_ag, multi_tool_use.parallel, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



207. SAK_1

Development • 34.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 04:37 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



208. SAK_1

Development • 35.7s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 04:38 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.inspect_xpool, functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



209. SAK_1

Development • 29.2s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 04:39 PM ★ Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

210. SAK_1

Development • 59.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: I've created the visualization for you. View Fullscreen 04:40 PM ★ Are you satisfied with the answer? Time taken: 45s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

211. SAK_1

Development • 43.0s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-12), your plant performed as follows: - Total energy: 5,067.13 kWh - Specific yield: 4.844 kWh/kWp - Performance ratio: 0.710 - Reference yield: 5.075 kWh/kWp Quick read: performance was decent, with actual yield reaching about 95.4% of the reference yield (4.844 / 5.075). Important note: the PR result was based on an incomplete dataset. The data available for analysis runs from 06:35 to 16:05, so early/late-day data appears to be missing and that can affect the PR interpretation. I could not provide plant availability or performance index because those tool calls failed for this date range. 04:41 PM Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



212. SAK_1

Development • 46.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of pyranometer behavior against modelled POA irradiance and checked for repeatable time-of-day dips, which are the main signature of fixed shading on the sensor or plant. Result: I do not see clear evidence of frequent, repeatable shading dips. Key findings: - Period analyzed: 2026-09-13 to 2026-10-13 - Data available through: 2026-10-13 19:25 - Daytime points analyzed: 3,938 - Median pyranometer/modelled-POA ratio: 0.808 - Morning median ratio: 0.899 - Afternoon median ratio: 0.476 - Repeated time-of-day dip slots flagged: 0 Interpretation: - There were no specific 5-minute time slots that repeatedly dropped below their normal value often enough to indicate consistent shading. - That means no strong pattern such as “every day around 08:30” or “every day around 16:10” was detected. - However, the afternoon pyranometer-to-model ratio is much lower than the morning ratio. That suggests a broad afternoon bias relative to the model,

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag, query_plant_details_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



213. SAK_1

Development • 26.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections: 1. [SR_Final_Part_1] Front Page – Grid connected system title showing rated power and location (Page 1, Table 1) 2. [SR_Final_Part_1] System Summary – PV array details including number of modules and rated power (Page 2, Table 2) 3. [SR_Final_Part_2] Front Page – Grid connected system title showing rated power and location (Page 1, Table 1) 4. [SR_Final_Part_2] System Summary – PV array details including number of modules and rated power (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_2_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/SAK_1 → 200`
Console errors	`3`
Network failures	`1`



214. SAK_1

Development • 33.5s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 04:44 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



215. SAK_1

Development • 68.8s

Question: When was the last time the BOM data showed up

Response: Found 2 relevant PVsyst report sections showing Bill of Materials data: 1. [SR_Final_Part_1] PV Array Characteristics & Inverter Details (Page: 3, Table: 2) 2. [SR_Final_Part_2] PV Array Characteristics & Inverter Details (Page: 3, Table: 2) Please access the URLs provided to view the detailed BOM information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_3_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_3_image_2.png 04:45 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 54s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`6`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`3`
Network failures	`1`



216. SAK_1

Development • 39.9s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA from `pyranometer_1` over the requested last 12 months could only be computed for the available data range: 2026-07-09 to 2026-10-13. The dataset does not contain a full 12 months. Summary statistics for daily summed POA (Wh/m²): - Median: 9175.92 Wh/m² - Mean: 8457.70 Wh/m² - Kurtosis: -0.8497 - Number of days: 97 Daily summed POA (Wh/m²): 2026-07-09: 10462.00 2026-07-10: 11383.92 2026-07-11: 11368.50 2026-07-12: 11239.83 2026-07-13: 11270.25 2026-07-14: 11337.83 2026-07-15: 11197.08 2026-07-16: 11263.00 2026-07-17: 11075.67 2026-07-18: 11304.83 2026-07-19: 10163.58 2026-07-20: 11082.50 2026-07-21: 11162.67 2026-07-22: 9375.42 2026-07-23: 10053.17 2026-07-24: 9706.75 2026-07-25: 9117.17 2026-07-26: 10240.50 2026-07-27: 10972.42 2026-07-28: 10920.75 2026-07-29: 10941.42 2026-07-30: 10827.08 2026-07-31: 10449.58 2026-08-01: 10249.83 2026-08-02: 10120.83 2026-08-03: 8661.92 2026-08-04: 7778.92 2026-08-

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



217. SAK_1

Development • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs recorded for SAK_1 so far in October 2026. 04:47 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



218. SAK_1

Development • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning log entry, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes For this entry, you may want to specify the cleaning task details, any issues found (fault cause), and the outcome or current status. 04:47 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



219. SAK_1

Development • 21.5s

Question: How can I shut down my inverters?

Response: The manual documents do not contain relevant information regarding the shutdown procedure for your inverters. Please refer to the manufacturer's official documentation or contact support for assistance. 04:48 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



220. SAK_1

Development • 20.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 04:48 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



221. SAK_1

Development • 58.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses for each inverter over the last two months (2026-08-13 to 2026-10-13): - inverter1: 6534.3786 kWh - inverter2: 6622.5486 kWh - inverter3: 6620.0695 kWh - inverter4: 6622.5486 kWh - inverter5: 6534.3786 kWh - inverter6: 6622.5486 kWh - inverter7: 6622.5486 kWh - inverter8: 6534.3786 kWh Data quality status: Good I've created a bar chart showing clipping loss by inverter for the last two months. Here are the total clipping losses for each inverter over the last two months (2026-08-13 to 2026-10-13): - inverter1: 6534.3786 kWh - inverter2: 6622.5486 kWh - inverter3: 6620.0695 kWh - inverter4: 6622.5486 kWh - inverter5: 6534.3786 kWh - inverter6: 6622.5486 kWh - inverter7: 6622.5486 kWh - inverter8: 6534.3786 kWh Data quality status: Good I've created a bar chart showing clipping loss by inverter for the last two months. View Fullscreen 04:50 PM ★ Are you satisfied with the answer? Time taken: 42s, token:

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



222. SAK_1

Development • 37.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 04:50 PM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`