

Test Run Report — Run #178

Environment: Development • Website: aepec2-dev.p2agentx.com • Trigger: Manual • Started: Aug 20, 2026 03:26 • Ended: Aug 20, 2026 03:41
Generated: 8/20/2026, 3:52:19 AM

Summary

18

Total Tests

66.7%

Pass Rate (excl. skipped)

12 / 6

Passed / Failed

0

Skipped (connection)

Failures (6)

Failure Cluster	Category	Failures
LLM Reasoning Issues	Llm Reasoning	5
Tool Execution Failures	Tool Execution	1

LLM Reasoning Issues LLM REASONING (5 failures)

Question: Are there any critical alerts I should know about?

Error reason: AI indicated failure (matched 'i cannot'): No critical alert is evident from the latest available data. What I found: - Latest recorded timestamp is 2026-08-19 16:30:00, so the data is stale relative to the current time you provided. -

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Are there any critical alerts I should know about?",
    "displayed_response": "No critical alert is evident from the latest available data.\n\nWhat I found:\n- Latest recorded timestamp is 2026-08-19 16:30:00, so the data is stale relative to the current time you provided.\n- At that latest timestamp, the plant was producing normally:\n  - Plant active power: 269,889.466 W\n  - POA irradiance: 543.2 W/m²\n- All inverters were online with non-null active power, reactive power, and insulation resistance values:\n  - inverter1: 44,979.8 W, insulation resistance 375,880\n  - inverter2: 44,874.583 W, insulation resistance 310,642\n  - inverter3: 44,815.383 W, insulation resistance 333,838\n  - inverter4: 44,812.15 W, insulation resistance 361,931\n  - inverter5: 44,774.333 W, insulation resistance 385,256\n  - inverter6: 45,633.217 W, insulation resistance 294,998\n- Estimated communication losses over the checked period: 0.0 kWh for all inverters.\n- Estimated RISO losses over the checked period: 0.0 kWh for all inverters.\n- No daytime outage-like or critical underperformance pattern was detected in the available recent data.\n\nImportant caveat:\n- The only issue I can flag is stale telemetry: the dataset currently stops at 2026-08-19 16:30:00, so I cannot confirm the plant state up to 2026-08-20 06:29:32.",
    "coding_response": [
      "No critical alert is evident from the latest available data.\n\nWhat I found:\n- Latest recorded timestamp is 2026-08-19 16:30:00, so the data is stale relative to the current time you provided.\n- At that latest timestamp, the plant was producing normally:\n  - Plant active power: 269,889.466 W\n  - POA irradiance: 543.2 W/m²\n- All inverters were online with non-null active power, reactive power, and insulation resistance values:\n  - inverter1: 44,979.8 W, insulation resistance 375,880\n  - inverter2: 44,874.583 W, insulation resistance 310,642\n  - inverter3: 44,815.383 W, insulation resistance 333,838\n  - inverter4: 44,812.15 W, insulation resistance 361,931\n  - inverter5: 44,774.333 W, insulation resistance 385,256\n  - inverter6: 45,633.217 W, insulation resistance 294,998\n- Estimated communication losses over the checked period: 0.0 kWh for all inverters.\n- Estimated RISO losses over the checked period: 0.0 kWh for all inverters.\n- No daytime outage-like or critical underperformance pattern was detected in the available recent data.\n\nImportant caveat:\n- The only issue I can flag is stale telemetry: the dataset currently stops at 2026-08-19 16:30:00, so I cannot confirm the plant state up to 2026-08-20 06:29:32."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.execute_custom_code",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I select data from August 19, 2026, through August 20, 2026, at 06:29:32, including the end date.\n2. I pick out the columns for active power, reactive power, insulation resistance, temperature, and irradiance.\n3. I filter the data to include only daytime hours, based on the solar zenith angle.\n4. For each inverter, I figure out the insulation resistance (R-ISO) trip threshold by looking at insulation resistance values and power output, using a rolling window of size {window_limit} to reduce false alarms.\n5. I find times when insulation resistance drops below this threshold, which signals an R-ISO fault.\n6. I check the quality flags for irradiance and temperature data, and if any values are flagged as bad, I replace them with modeled or satellite data.\n7. I estimate the potential power output during R-ISO fault periods using the PVWatts model, adjusting for temperature and inverter efficiency (0.986).\n8. I make sure the estimated power doesn't exceed the inverter's AC power limit.\n9. I convert the estimated power to energy by multiplying by the time interval (0.0833 hours) and adjusting units as needed.\n10. I sum up the estimated lost energy by
```

- Estimated communication losses over the checked period: 0.0 kWh for all inverters.

- Estimated RISO losses over the checked period: 0.0 kWh for all inverters.

- No daytime outage-like or critical underperformance pattern was detected in the available recent data.

Important caveat:

- The only issue I can flag is stale telemetry: the dataset currently stops at 2026-08-19 16:30:00, so I cannot confirm the plant state up to 2026-08-20 06:29:32.

06:29 AM

Are you satisfied with the answer?

Time taken: 26s, token: 0 tokens

connected to Abdali Mali Barza

+ How can we help you today?  

LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

Question: Show availability across all sites this week

Error reason: AI indicated failure (matched 'i can't'): Availability this week is 82.80%. Note: the available data only runs through 2026-08-19 16:30:00, so this is a partial-week value rather than a complete current-week figure. Also, I only have the c

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Show availability across all sites this week",
    "displayed_response": "Availability this week is 82.80%.\n\nNote: the available data only runs through 2026-08-19 16:30:00, so this is a partial-week value rather than a complete current-week figure. Also, I only have the current site's data here, not multiple sites, so I can't show an across-all-sites comparison.",
    "coding_response": [
      "Availability this week is 82.80%.\n\nNote: the available data only runs through 2026-08-19 16:30:00, so this is a partial-week value rather than a complete current-week figure. Also, I only have the current site's data here, not multiple sites, so I can't show an across-all-sites comparison."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.energy_based_availability_ag",
      "functions.technical_contractual_availability_ag"
    ],
    "urls": [],
    "steps": "1. I choose data from August 17, 2026, to August 20, 2026, including both start and end dates. \n2. I find all inverter power columns and their DC rated capacities using the plant's metadata. \n3. I set calculation parameters, such as the irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and the data interval (typically 5 minutes). \n4. For each inverter, I filter the data to only include times when the irradiance is above the threshold, then count the total number of useful intervals (T_useful) and the number of downtime intervals (T_down). \n5. I convert these interval counts into hours, based on the data interval length. \n6. I calculate the Technical Availability for each inverter using this formula: (T_useful - T_down) / T_useful × 100. \n7. I provide a dictionary showing the availability percentage for each inverter.\n\n---\n\n1. I select data from August 17, 2026, to August 20, 2026, including the end date. \n2. I calculate the total energy produced by the plant during this time. \n3. I identify and sum up all significant energy losses during the period, except for baseline and actual measured energy, using a loss classification method. \n4. I determine the energy-based availability by dividing the delivered energy by the total of delivered and lost energy, then express it as a percentage. \n5. I return the energy-based availability value, which will be between 0% and 100%."
  }
}
```



Availability this week is 82.80%.

Note: the available data only runs through 2026-08-19 16:30:00, so this is a partial-week value rather than a complete current-week figure. Also, I only have the current site's data here, not multiple sites, so I can't show an across-all-sites comparison.

06:35 AM



Are you satisfied with the answer?



< [Click here for Source](#)

< [Click here for Steps](#)

< [Click here for Tools](#)

Time taken: 20s, token: 0 tokens

● connected to Abdali Mali Barza



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

3. Abdali_Mall_Barza

Development • 18.5s

Question: Set an alert if PR drops below 72% on any site

Error reason: AI indicated failure (matched 'i'm sorry'): I'm sorry, I cannot assist with setting alerts. Please use the plant performance report or monitoring features for alert configurations. 06:38 AM Are you satisfied with the answer? Time taken: 4s,

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Set an alert if PR drops below 72% on any site",
    "displayed_response": "I'm sorry, I cannot assist with setting alerts. Please use the plant performance report or monitoring features for alert configurations.",
    "coding_response": [
      [
        {
          "answer": "I'm sorry, I cannot assist with setting alerts. Please use the plant performance report or monitoring features for alert configurations.",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "ui_agent"
    ],
    "used_tools": [],
    "urls": [],
    "steps": []
  }
}
```

- Notes

06:37 AM

Are you satisfied with the answer?

Time taken: 4s, token: 0 tokens

Set an alert if PR drops below 72% on any site

TE

I'm sorry, I cannot assist with setting alerts. Please use the plant performance report or monitoring features for alert configurations.

06:38 AM

Are you satisfied with the answer?

Time taken: 4s, token: 0 tokens

connected to Abdali Mali Barza

How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

4. Abdali_Mall_Barza

Development • 21.6s

Question: Schedule monthly reports emailed every 1st of the month

Error reason: AI indicated failure (matched 'i'm sorry'): I'm sorry, but scheduling and generating plant performance reports is handled by a different system. Please contact the report agent or use the relevant reporting module for this request. 06:38 AM A

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Schedule monthly reports emailed every 1st of the month",
    "displayed_response": "I'm sorry, but scheduling and generating plant performance reports is handled by a different system. Please contact the report agent or use the relevant reporting module for this request.",
    "coding_response": [
      [
        {
          "answer": "I'm sorry, but scheduling and generating plant performance reports is handled by a different system. Please contact the report agent or use the relevant reporting module for this request.",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "ui_agent"
    ],
    "used_tools": [],
    "urls": [],
    "steps": []
  }
}
```




Are you satisfied with the answer?



Time taken: 4s, token: 0 tokens

Schedule monthly reports emailed every 1st of the month



I'm sorry, but scheduling and generating plant performance reports is handled by a different system. Please contact the report agent or use the relevant reporting module for this request.

06:38 AM



Are you satisfied with the answer?



Time taken: 6s, token: 0 tokens

connected to Abdali Mali Barza



How can we help you today?



LEAVE ANY
FEEDBACK



Mistakes in P2Chat are possible. Double-check key information.

Question: Who made changes to Kuwait-01 config last week?

Error reason: AI indicated failure (matched 'i'm sorry'): I'm sorry, I cannot access audit or configuration change history directly from the UI assistant. Please consult the system administrator or relevant audit/logs section for this information. 06:41 AM


TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "Who made changes to Kuwait-01 config last week?",
    "displayed_response": "I'm sorry, I cannot access audit or configuration change history directly from the UI assistant. Please consult the system administrator or relevant audit/logs section for this information.",
    "coding_response": [
      [
        {
          "answer": "I'm sorry, I cannot access audit or configuration change history directly from the UI assistant. Please consult the system administrator or relevant audit/logs section for this information.",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "ui_agent"
    ],
    "used_tools": [],
    "urls": [],
    "steps": []
  }
}
```

Console errors: Failed to load resource: the server responded with a status of 404 (Not Found)



Tool Execution Failures

TOOL EXECUTION (1 failure)

Question: How is the portfolio performing this month?


Error reason: AI indicated failure (matched 'tool error'): Current month to date (2026-08-01 to 2026-08-20): - Total energy generated: 53,562.57 kWh - Average performance ratio: 0.7728 - Specific yield: 136.29 kWh/kWp - DC capacity: 393 kWp Key in

TECHNICAL EVIDENCE

API call: GET /testuser2/ai_agent_chat → 200

Raw API response:

```
{
  "result": {
    "user_input": "How is the portfolio performing this month?",
    "displayed_response": "Current month to date (2026-08-01 to 2026-08-20):\n\n- Total energy generated: 53,562.57 kWh\n- Average performance ratio: 0.7728\n- Specific yield: 136.29 kWh/kWp\n- DC capacity: 393 kWp\n\nKey indicators:\n- PR indicates solid performance month-to-date.\n- Data is incomplete for the requested period: available data starts at 2026-08-01 01:25 and ends at 2026-08-19 15:10-16:30 depending on metric, so August 20 is not yet fully represented.\n- Technical/contractual availability could not be computed due to a tool error.\n- Performance index could not be computed due to a tool error.",
    "coding_response": [
      "Current month to date (2026-08-01 to 2026-08-20):\n\n- Total energy generated: 53,562.57 kWh\n- Average performance ratio: 0.7728\n- Specific yield: 136.29 kWh/kWp\n- DC capacity: 393 kWp\n\nKey indicators:\n- PR indicates solid performance month-to-date.\n- Data is incomplete for the requested period: available data starts at 2026-08-01 01:25 and ends at 2026-08-19 15:10-16:30 depending on metric, so August 20 is not yet fully represented.\n- Technical/contractual availability could not be computed due to a tool error.\n- Performance index could not be computed due to a tool error."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.performance_index_ag",
      "functions.query_plant_details_ag",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Choose data from August 1, 2026, to August 20, 2026, including both start and end dates.\n2. Use the 'active_power' column for your calculations. \n3. Clean the data by removing or marking any invalid values in the power column. \n4. For each data point, calculate energy by multiplying the power value by 0.0833 hours, then divide by the appropriate unit (e.g., 1000 to convert Watts to kilowatts). \n5. Make sure to include every day in this period. \n6. Add up all the calculated energy values for the selected dates to get the total energy.\n\n---\n1. Select data from August 1 to August 20, 2026, including the end date. \n2. Group the data by month (or by minute, hour, day, month, or year as needed). \n3. Include all days in your calculations. \n4. Calculate the total energy produced during this period using the plant's power data, adjusting for the 0.0833-hour time interval. \n5. Divide the total energy by the plant's rated (installed) capacity to get the specific yield in kWh per kWp. \n6. Provide the specific yield for each time interval as a detailed breakdown.\n\n---\n1. Select data from August 1 to August 20, 2026, including the end date. \n2. Identify the columns for power, irradiance, and temperature. \n3. Clean the data by removing or flagging invalid values in the power and irradiance columns. \n4. Calculate the actual energy produced by multiplying power by the time interval (0.0833 hours) and adjusting for units. \n5. Calculate the expected energy without considering temperature effects. \n6. If the system is bifacial, apply extra corrections for factors like ground reflectivity, area, and shading, using metadata. \n7. Group both actual and expected energy by month. \n8. Calculate the performance ratio for each interval, including bifacial corrections if needed. \n9. Return the average performance ratio across all intervals. \n10. Cap the performance ratio at 1.3 to avoid unrealistic results.\n\n---\n1. When you ask about a specific plant detail (like 'power(kW DC)'), \n2. I look up the plant's metadata, which contains all system information. \n3. I focus on the 'System' section of the metadata, where key plant details are stored. \n4. I search for the 'power(kW DC)' field within this section.\n\n---\n1. Select data from August 1 to August 20, 2026, including the end date. \n2. Identify all inverter power columns and their DC rated powers from the plant's"
  }
}
```



Passed (12)

1. Abdali_Mall_Barza

Development • 26.1s

Question: Which inverter had the most downtime this quarter

Response: All inverters are tied for the most downtime this quarter. - inverter1: 99.8011% availability - inverter2: 99.8011% availability - inverter3: 99.8011% availability - inverter4: 99.8011% availability - inverter5: 99.8011% availability - inverter6: 99.8011% availability So none had more downtime than the others based on the availability result. Note: this quarter-to-date result is based on incomplete data. Available data runs from 2026-07-01 05:50:00 to 2026-08-19 16:30:00. 06:27 AM Are you satisfied with the answer? [Click here for Source](#) [Click here for Steps](#) [Click here for Tools](#) Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	functions.technical_contractual_availability_ag
API calls made	1
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0

The screenshot displays the AEP CO P2Chat web application. At the top, there's a navigation bar with the AEP CO logo and several menu items: "AI Brain", "Job Cal...", "Mainten...", "Chat" (highlighted), and "Teams". The main chat area shows a message from the system stating that inverters 5 and 6 have a 99.8011% availability, which is higher than other units based on downtime results. It includes a note about the data being incomplete and runs from 2026-07-01 to 2026-08-19. Below the message are options to click for source, steps, or tools. At the bottom, there's a feedback section asking if the user is satisfied with the answer, with thumbs up/down icons and a link to provide feedback.

2. Abdali_Mall_Barza

Development • 45.9s

Question: Flag strings with clipping losses above 2 percent

Response: No strings can be flagged because string-level columns are not available for this plant. Using inverter-level data for 2026-08-01 to 2026-08-20, the clipping loss as a percent of inverter energy is: - inverter1: 15.43% - inverter2: 4.57% - inverter3: 15.60% - inverter4: 14.29% - inverter5: 15.12% - inverter6: 3.65% Flagged above 2%: - inverter1 - inverter2 - inverter3 - inverter4 - inverter5 - inverter6 Note: the energy data ends at 2026-08-19 16:30:00, so the requested window is incomplete through 2026-08-20. 06:28 AM Are you satisfied with the answer? [Click here for Source](#) [Click here for Steps](#) [Click here for Tools](#) Time taken: 30s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	functions.execute_custom_code, functions.calculate_clipping_or_curtailment_losses_ag, multi_tool_use.parallel
API calls made	2
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0



Alternative
Energy
Projects
Company






AI Brain

Job Card

Mainten...

Chat

Teams

- inverter3

- inverter4

- inverter5

- inverter6

Note: the energy data ends at 2026-08-19 16:30:00, so the requested window is incomplete through 2026-08-20.

06:28 AM

Are you satisfied with the answer?




[Click here for Source](#)
[Click here for Steps](#)
[Click here for Tools](#)

Time taken: 30s, token: 0 tokens

connected to Abdali Mall Barza

How can we help you today?

LEAVE ANY
FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

3. Abdali_Mall_Barza

Development • 33.7s

Question: Show me inverter performance for the last 7 days

Response: Inverter performance for the last 7 days (daily): **Performance Ratio (PR)** - inverter1: 2026-08-13 0.786, 2026-08-14 0.797, 2026-08-15 0.789, 2026-08-16 0.779, 2026-08-17 0.783, 2026-08-18 0.779, 2026-08-19 0.785 - inverter2: 2026-08-13 0.819, 2026-08-14 0.836, 2026-08-15 0.826, 2026-08-16 0.825, 2026-08-17 0.825, 2026-08-18 0.815, 2026-08-19 0.816 - inverter3: 2026-08-13 0.786, 2026-08-14 0.797, 2026-08-15 0.789, 2026-08-16 0.776, 2026-08-17 0.783, 2026-08-18 0.778, 2026-08-19 0.784 - inverter4: 2026-08-13 0.785, 2026-08-14 0.795, 2026-08-15 0.789, 2026-08-16 0.776, 2026-08-17 0.782, 2026-08-18 0.779, 2026-08-19 0.784 - inverter5: 2026-08-13 0.785, 2026-08-14 0.796, 2026-08-15 0.788, 2026-08-16 0.776, 2026-08-17 0.785, 2026-08-18 0.778, 2026-08-19 0.784 - inverter6: 2026-08-13 0.831, 2026-08-14 0.848, 2026-08-15 0.835, 2026-08-16 0.834, 2026-08-17 0.835, 2026-08-18 0.822, 2026-08-19 0.825 **Specific Yield (kWh/kWp)** - inverter1: 2026-08-13 7.387, 2026-08-14 6.92

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	multi_tool_use.parallel(functions.perf_ratio_ag, functions.specific_yield_ag)
API calls made	2
Last API call	GET /teamchat/testuser2/mentions/unread → 200
Console errors	0
Network failures	0

The screenshot displays the AEP CO P2Chat application interface. At the top, there's a navigation bar with the AEP CO logo and several icons. Below this is a header section with tabs labeled "AI Brain", "Job Car...", "Mainten...", "Chat", and "Teams". The main area shows a chat window titled "**Summary**" containing a list of bullet points about inverter performance. A note mentions that PR data is not yet current as of 2026-08-19 16:30:00. The chat history shows a message from "Abdali Mall Barza" asking if the user is satisfied with the answer. The bottom of the screen features a text input field with the placeholder "How can we help you today?", a microphone icon, and a send button.

AEP CO Alternative Energy Projects Company

AI Brain Job Car... Mainten... Chat Teams

****Summary****

- Best performer: inverter6
- Next best: inverter2
- Lower group: inverter1, inverter3, inverter4, inverter5
- inverter1, 3, 4, and 5 are tightly clustered and consistently below inverter2 and inverter6.

Note: PR data does not yet reach the full current day; the latest available PR timestamp is 2026-08-19 16:30:00.

06:30 AM

Are you satisfied with the answer?

Time taken: 18s, token: 0 tokens
connected to Abdali Mall Barza

+ How can we help you today? [Microphone] [Send]

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

4. Abdali_Mall_Barza


Development • 24.6s

Question: What's the PR for this month so far

Response: Performance ratio for August 2026 month-to-date is 0.7728 (77.28%). Note: this is based on incomplete data so far in the database — available data runs from 2026-08-01 01:25 to 2026-08-19 15:10, so it does not yet include the latest part of Aug 19 or Aug 20. 06:31 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	functions.perf_ratio_ag
API calls made	1
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0



5. Abdali_Mall_Barza


Development • 36.8s

Question: Run a simulation with 0.8% soiling and show yield

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Main results and System Production (Page 6, Table 1) 2. [Abdali_Mall_Barza] Array losses including soiling losses (Page 3, Table 3) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_6_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_3_image_3.png 06:32 AM Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	pvsyst_agent
Tools used	pvsyst_tool
API calls made	5
Last API call	GET /teamchat/testuser2/mentions/unread → 200
Console errors	4
Network failures	1



AI Brain
Job Car...
Mainten...
Chat
Teams

Please access the URLs provided to view the detailed information.

Here is the reference:


https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_6_image_1.png

https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_3_image_3.png


Main results

System Production		Specific production		2018 annualized power	
Expected energy	812.2 MWh/year	Specific yield (kWh/m²)	12.7 kWh/m²	Net specific yield (kWh/m²)	12.7 kWh/m²
Assumed energy	827.4 MWh/year	Performance Ratio (%)	74.7%	Net Performance Ratio (%)	74.7%

Normalized productions (per installed kWp)



Performance Ratio (%)



	Quarter	Summer	Fall	Winter	Spring	Yearly	E. Grid	P.R.
January	Q1	25.2	27.5	21.4	23.8	24.5	74.7%	74.7%

+

How can we help you today?

LEAVE ANY
FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

6. Abdali_Mall_Barza


Development • 65.6s

Question: Give me a summary for the board meeting

Response: I've generated the external report for August 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_August_2026_external_report.pdf' Abdali_Mall_Barza Report 06:33 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 50s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	report_agent
Tools used	agent_external_report_tool
API calls made	2
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	1
Network failures	0



8. Abdali_Mall_Barza

Development • 29.1s

Question: Compare energy yield this year vs last year

Response: This year vs last year (year-to-date through Aug 20): - 2026 specific yield: 1395.12 kWh/kWp - 2025 specific yield: 1128.42 kWh/kWp - Difference: +266.70 kWh/kWp - Change: +23.63% Context: - 2026 data available: 2026-01-01 06:25 to 2026-08-19 16:30, so the 2026 value is slightly incomplete for Aug 20. - 2025 data available: starts 2025-03-06 01:30, so the 2025 comparison is not a full Jan 1-Aug 20 year-to-date period and is understated versus a true full-period comparison. 06:35 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	multi_tool_use.parallel -> functions.specific_yield_ag (2026-01-01 to 2026-08-20, plant, years), multi_tool_use.parallel -> functions.specific_yield_ag (2025-01-01 to 2025-08-20, plant, years)
API calls made	1
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0

The screenshot displays the P2Chat application interface. At the top, there's a navigation bar with icons for AI Brain, Job Cal..., Mainten..., Chat (active), and Teams. The main chat area shows a message from the system:

- 2025 specific yield: 1128.42 kWh/kWp
- Difference: +266.70 kWh/kWp
- Change: +23.63%

Below this, the context is provided:

- 2026 data available: 2026-01-01 06:25 to 2026-08-19 16:30, so the 2026 value is slightly incomplete for Aug 20.
- 2025 data available: starts 2025-03-06 01:30, so the 2025 comparison is not a full Jan 1-Aug 20 year-to-date period and is understated versus a true full-period comparison.

The message timestamp is 06:35 AM. Below the message, there are three circular icons: a document icon, a speech bubble icon, and a share icon. A follow-up question asks, "Are you satisfied with the answer?" with thumbs up and thumbs down icons.

At the bottom, a status bar indicates "Time taken: 14s, token: 0 tokens" and "connected to Abdali Mall Barza". The input field contains the text "How can we help you today?" with a microphone icon and a send button.

Footer text reads: "LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information."

9. Abdali_Mall_Barza


Development • 65.9s

Question: Export this analysis as a PDF report

Response: I've generated the external report for August 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_August_2026_external_report.pdf' Abdali_Mall_Barza Report 06:37 AM Are you satisfied with the answer? Time taken: 51s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	report_agent
Tools used	agent_external_report_tool
API calls made	3
Last API call	GET /teamchat/testuser2/mentions/unread → 200
Console errors	0
Network failures	0



10. Abdali_Mall_Barza

Development • 18.5s

Question: Create a work order for INV-07 at Riyadh-04

Response: To add a maintenance record, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (Abdali_Mall_Barza). Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 06:37 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	data_entry_agent
API calls made	1
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0

The screenshot displays the P2Chat application interface. At the top, there's a navigation bar with the AEP CO logo and several menu items: AI Brain, Job Caf..., Mainten..., Chat (highlighted), and Teams. Below the navigation bar, a large white chat window is open, displaying a list of chat topics: Priority, Responsibility, Estimated Duration, Start Work Time, End Work Time, Spare Part Use, Number Of Staff, Images, and Notes. The selected topic is 'Notes', which shows a timestamp of 06:37 AM and a question: 'Are you satisfied with the answer?'. Below the question are two icons: a thumbs up and a thumbs down. To the left of the chat window, there are three circular icons representing different functions. At the bottom of the chat window, it says 'Time taken: 4s, token: 0 tokens' and 'connected to Abdali Mall Barza'. Below the chat window, there's a search bar with the placeholder text 'How can we help you today?' and a microphone icon. At the very bottom, there's a footer with the text 'LEAVE ANY FEEDBACK' and a small icon, followed by a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

11. Abdali_Mall_Barza

Development • 32.3s

Question: What data gaps do we have across all sites this week?

Response: This week (2026-08-13 to 2026-08-20), the main data gap pattern is plant/inverter power dropping out overnight on multiple days, plus one ongoing outage at the end of the dataset. Most important gap - All monitored columns effectively stop updating from 2026-08-19 16:35 to 2026-08-20 23:55. - Length: 377 missing 5-min points = 31.42 hours. - The raw extract itself reports data only reaches 2026-08-19 16:30, so this looks like a current end-of-data / refresh gap rather than a site-specific fault by itself. Shared power-data gaps across plant + inverters - 2026-08-13 00:00 to 05:50: 71 points, 5.92 h - 2026-08-13 20:05 to 2026-08-14 05:50: 118 points, 9.83 h - 2026-08-14 11:50 to 11:55: 2 points, 0.17 h - 2026-08-14 20:00/20:05 to 2026-08-15 05:50: 118-119 points, 9.83-9.92 h - 2026-08-15 20:00 to 2026-08-16 05:50: 119 points, 9.92 h - 2026-08-16 20:00 to 2026-08-17 05:50: mostly 119 points, 9.92 h - active_power and inverter3 split this into: - 20:00 to

TECHNICAL EVIDENCE

Agents used	data_agent
Tools used	functions.execute_custom_code, functions.extract_timeseries_data_ag
API calls made	2
Last API call	GET /testuser2/ai_agent_chat → 200
Console errors	0
Network failures	0



Alternative
Energy
Projects
Company

 AI Brain
  Job Card...
  Mainten...
  Chat
  Teams

+

+

+

+

are unlikely to be true daytime communication faults; they line up like expected night-time nulls or unavailable overnight inverter power reporting.

- The only clearly material data gap this week is the end-of-data outage from 2026-08-19 16:35 onward.
- There are also two short daytime gaps affecting power, and the pyranometer has two tiny additional daytime gaps.

If you want the strict daytime-only data gaps next, I can isolate gaps only when pyranometer_1 indicates daylight.

06:39 AM

Are you satisfied with the answer?




Time taken: 17s, token: 0 tokens

connected to Abdali Mali Barza

+

How can we help you today?




LEAVE ANY FEEDBACK


Mistakes in P2Chat are possible. Double-check key information.

12. Abdali_Mall_Barza

Development • 24.6s

Question: Batch run simulations for all 18 sites with updated soiling

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Array Losses (Page 3, Table 3)
2. [Abdali_Mall_Barza] Loss Diagram (Page 7, Table 1) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_3_image_3.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_7_image_1.png 06:40 AM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Abdali Mall Barza
LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	pvsyst_agent
Tools used	pvsyst_tool
API calls made	4
Last API call	GET /teamchat/testuser2/mentions/unread → 200
Console errors	4
Network failures	1

[illegible]