

Test Run Report — Run #54

Environment: Production • Trigger: Manual • Started: Jul 30, 2026 17:35 • Ended: Jul 30, 2026 19:29
Generated: 7/31/2026, 2:29:23 AM

Summary

189 Total Tests	87.8% Pass Rate (excl. skipped)	166 / 23 Passed / Failed	0 Skipped (connection)
---------------------------------------	---	--	--

Failures (23)

Failure Cluster	Category	Failures
Tool Execution Failures	Tool Execution	13
LLM Reasoning Issues	Llm Reasoning	6
Data Availability Issues	Data Availability	2
Graph/Visualization Errors	Graph Visualization	2

Tool Execution Failures TOOL EXECUTION (13 failures)

1. Noor_AI_aqaba

Production • 35.3s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized t

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. A blue button labeled "Please generate last months report" with a "TE" icon is shown. Below it, a chat bubble contains the following text: "Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resources'". The time "07:10 PM" is displayed next to the bubble. Below the bubble, a section titled "Are you satisfied with the answer?" includes a thumbs up/down icon and three links: "Click here for Source", "Click here for Steps", and "Click here for Tools". At the bottom, a status bar shows "Time taken: 19s, token: 0 tokens" and "connected to Noor AI Aqaba". A footer section contains the text "LEAVE ANY FEEDBACK" and "Mistakes in P2Chat are possible. Double-check key information."

2. Noor_AI_aqaba

Production • 76.7s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'error occurred'): - Data calculation: • An internal error occurred during the clipping-loss calculation: ``calculate_clipping_or_curtailment_losses()`` got an unexpected keyword argument `'reactive_col'`. • As a result

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The Chat tab is active. A chat bubble from the AI contains the following text:

- Data calculation:
• An internal error occurred during the clipping-loss calculation:
``calculate_clipping_or_curtailment_losses()`` got an unexpected keyword argument `'reactive_col'`.
• As a result, we're currently unable to provide the clipping loss figures broken down by inverter for the last 6 months.

- Visualization:
• The chart for "Clipping Loss by Inverter - Last 6 Months" has been prepared.


Below the chat bubble, there is a timestamp of 07:19 PM and a question "Are you satisfied with the answer?" with thumbs up and thumbs down icons. At the bottom, there is a text input field with the placeholder "How can we help you today?" and a microphone icon. A status bar at the very bottom indicates "Time taken: 62s, token: 0 tokens" and "connected to Noor AI Aqaba".

3. Noor_AI_aqaba

Production • 35.3s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'COLUMN_NOT_FOUND: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resour



4. Noor_AI_aqaba

Production • 70.2s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Data Calculation & Quality

Notes: - Attempted to calculate clipping losses per inverter for the last 2 months. - The calculation tool failed with the following error: • calculate_clipping_or_curtai

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. The chat area shows a message from the AI system:

- Attempted to calculate clipping losses per inverter for the last 2 months.
- The calculation tool failed with the following error:
• calculate_clipping_or_curtailment_losses() got an unexpected keyword argument 'reactive_col'
- As a result, no trustworthy clipping-loss values are available at this time.

Visualization:
- A line chart titled "Clipping loss per inverter over the last 2 months" has been prepared.
- Since no data could be computed, the chart is currently empty.

The message is timestamped 07:34 PM. Below the message, there is a prompt 'Are you satisfied with the answer?' with thumbs up and thumbs down icons. At the bottom of the chat area, it says 'Time taken: 54s, token: 0 tokens' and 'connected to Noor AI Aqaba'. The input field at the bottom contains the text 'How can we help you today?' with a microphone icon and a send button. At the very bottom, there is a footer with the text 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

5. MOF

Production • 36.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Data Quality Issue: - The clipping-loss calculation tool encountered an internal error ('unexpected keyword argument 'reactive_col') and failed to produce per-inverter values for the requested 2-mon

The screenshot shows the AEP CO2 AI Chat interface. At the top, there's a navigation bar with tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. Below the navigation bar, a blue box contains the user's question: 'Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well'. The AI's response is displayed in a dark blue box with a light blue header 'Data Quality Issue:'. The response text reads: '- The clipping-loss calculation tool encountered an internal error ('unexpected keyword argument 'reactive_col') and failed to produce per-inverter values for the requested 2-month period.' Below this, a section titled 'Visualization:' contains the text: '- I've created a chart titled "Clipping loss by inverter for the last 2 months."' The response is timestamped '07:52 PM'. Below the response, there's a prompt 'Are you satisfied with the answer?' with thumbs up and thumbs down icons. At the bottom, there's a status bar showing 'Time taken: 22s, token: 0 tokens' and a 'connected to Mof' indicator. The bottom input area has a placeholder 'How can we help you today?' and a 'LEAVE ANY FEEDBACK' link.

AI Brain Job Car... Mainten... Chat Teams

Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Data Quality Issue:

- The clipping-loss calculation tool encountered an internal error ('unexpected keyword argument 'reactive_col') and failed to produce per-inverter values for the requested 2-month period.

Visualization:

- I've created a chart titled "Clipping loss by inverter for the last 2 months."

07:52 PM

Are you satisfied with the answer?

How can we help you today?

LEAVE ANY FEEDBACK


Mistakes in P2Chat are possible. Double-check key information.

6. Galleria_Mall

Production • 103.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Data Calculation: - Unable to calculate inverter-by-inverter clipping loss for the last six months due to an internal tool failure. - Error encountered: `calculate\_clipping\_or\_curtailment\_losses`




7. Galleria_Mall

Production • 116.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Estimation (2026-05-30 to 2026-07-30) Data Quality Notes: - The clipping-loss tool failed internally with the error `unexpected keyword argument 'reactive\_col'`. - Attempts in bot



8. GID

Production • 40.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-07-29), your plant produced 14,691.50 kWh. Key metrics: - Specific yield: 3.99 kWh/kWp - PR: unavailable for yesterday because the PR dataframe came back empty - Availability:

The screenshot shows a chat interface for AEP CO2. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window displays a performance report for yesterday (2026-07-29). The report states that the performance index is unavailable due to a tool error. It compares actual production against the PVsyst expectation, showing a shortfall of 17,405.27 kWh. The overall assessment is that yesterday was a weak-production day. The chat interface also includes a feedback section at the bottom with a prompt 'How can we help you today?' and a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

AEP CO₂ Alternative Energy Projects Company

AI Brain Job Car... Mainten... Chat Teams

- Performance index: unavailable due to a tool error

Against PVsyst expectation:

- Expected daily energy: 32,096.77 kWh
- Actual vs expected: 45.8%
- Shortfall: 17,405.27 kWh

Overall: yesterday appears to have been a weak-production day versus PVsyst expectation.

09:01 PM

Are you satisfied with the answer?

Time taken: 24s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

9. GID

Production • 87.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Data - Unable to calculate clipping loss by inverter for the last 2 months due to an internal tool failure. - Error encountered: `calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'

The screenshot shows the AEP CO2 AI Chat interface. The header includes the AEP CO2 logo and navigation tabs for AI Brain, Job Card, Maintenance, Chat (active), and Teams. The main content area displays a message from the AI system:

for the last 2 months due to an internal tool failure.

- Error encountered:
`calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'

Data Quality Note

- Clipping-loss tool failed internally, so no reliable values are available at this time.

Visualization

- The visualization has been prepared showing clipping loss by inverter for the requested period.

09:04 PM

Are you satisfied with the answer?

Time taken: 72s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?

LEAVE ANY FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

10. Abdali_Mall_Netmetering

Production • 58.1s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Calculation — Last 6 Months • Data Agent: - Calculation could not be completed due to an internal tool error: ``calculate_clipping_or_curtailment_losses()` got an unexpected keyword ``reactive_col``

The screenshot displays the AEPSCO AI Chat interface. At the top, the AEPSCO logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat (selected), and Teams. A chat window is open, showing a message from the Data Agent: "Clipping Loss Calculation — Last 6 Months". The message contains an error: "Calculation could not be completed due to an internal tool error: `calculate_clipping_or_curtailment_losses() got an unexpected keyword argument 'reactive_col'". Below this, the Graph Agent responds: "A chart titled 'Clipping Loss per Inverter – Last 6 Months' has been prepared to visualize the results once the data is available." The chat window also shows a timestamp of 09:15 PM and a prompt "Are you satisfied with the answer?". At the bottom, there is a text input field with the placeholder "How can we help you today?" and a microphone icon. A status bar at the very bottom indicates "connected to Abdali Mall Netmetering" and includes a feedback link.

11. BF_Wheeling

Production • 46.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Analysis (Last 2 Months) Data Calculation - The clipping-loss tool failed internally and could not produce per-inverter values. - Error encountered: `calculate_clipping_or_curtailment_

The screenshot displays the AEP CO2 AI Chat interface. At the top, the AEP CO2 logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window shows a message from the AI stating: "could not produce per-inverter values. - Error encountered: 'calculate_clipping_or_curtailment_losses()' received an unexpected keyword argument 'reactive_col'." Below this, a "Data Quality Note" states: "No reliable clipping-loss figures are available due to the above exception." A "Visualization" section follows, mentioning a chart titled "Clipping Loss by Inverter for the Last 2 Months" but noting that no data could be calculated. The chat interface includes a timestamp of 09:41 PM, a "Are you satisfied with the answer?" prompt, and a "Time taken: 30s, token: 0 tokens" indicator. At the bottom, there is a text input field with the placeholder "How can we help you today?", a microphone icon, and a send button. A footer note reads: "Mistakes in P2Chat are possible. Double-check key information."

12. Abdali_Mall_Lahoun

Production • 65.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Here's the summary of what was found for clipping losses over the past six months: • Data Agent Findings: - The clipping-loss calculation tool failed with the error: `calculate\_clipping\_or\_curt`

The screenshot shows a chat interface for AEP CO (Alternative Energy Projects Company). The chat window displays a response to a query about clipping loss. The response is as follows:

- As a result, no reliable clipping-loss values could be produced for inverter1 through inverter6 for the period 2026-01-30 to 2026-07-30.
- Inverter energy generation data does exist for that timeframe, but it cannot be used as a substitute for true clipping-loss values.
- Visualization:
 - A chart titled "Clipping losses per inverter over the last 6 months" has been prepared.
 - Since no valid clipping-loss data was available, the plot is empty.

No further clipping-loss figures can be reported until the calculation tool issue is resolved.

The chat interface includes a timestamp of 09:52 PM, a status bar indicating "connected to Abdali Mall Lahoun", and a footer with a feedback link and a disclaimer: "Mistakes in P2Chat are possible. Double-check key information."

13. Abdali_Mall_Barza

Production • 48.9s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Clipping Loss Summary • Calculation Status: Failed to compute monthly clipping losses by inverter over 2026-01-30 to 2026-07-30 due to an internal tool exception. • Error Details: `calculate\_clipping`

The screenshot displays the AEP CO P2Chat application interface. At the top, there's a navigation bar with icons for AI Brain, Job Card, Maintenance, Chat (active), and Teams. The main chat area shows a message from the system titled "Clipping Loss Summary".

Clipping Loss Summary

- Calculation Status: Failed to compute monthly clipping losses by inverter over 2026-01-30 to 2026-07-30 due to an internal tool exception.
- Error Details:
`calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'`

Visualization

- The chart for "Clipping losses by inverter – last 6 months" has been prepared.

Below the message, it indicates "Time taken: 34s, token: 0 tokens" and "connected to Abdali Mali Barza". At the bottom, there's a text input field with the placeholder "How can we help you today?" and a microphone icon.

At the very bottom, a footer note states: "LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information."

LLM Reasoning Issues LLM REASONING (6 failures)

1. MOF

Production • 21.5s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Error reason: AI indicated failure (matched 'unable to provide'): The manual documents for your inverters are not currently available, so I am unable to provide troubleshooting steps or diagram references for a COMMUNICATION_FAULT. Please ensure the correct manual is


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat history shows a previous message asking "Are you satisfied with the answer?" with a "Time taken: 23s, token: 0 tokens" status. The current message is a blue bubble asking "I have a COMMUNICATION_FAULT what do I do to my inverters?". The response is a white bubble stating: "The manual documents for your inverters are not currently available, so I am unable to provide troubleshooting steps or diagram references for a COMMUNICATION_FAULT. Please ensure the correct manual is available for your system so I can assist further." This message is timestamped "07:42 PM" and includes a "Time taken: 6s, token: 0 tokens" status. Below the response is a follow-up question "Are you satisfied with the answer?". At the bottom, there is a text input field with the placeholder "How can we help you today?", a microphone icon, and a send button. A status indicator shows "connected to Mof". A footer note reads: "Mistakes in P2Chat are possible. Double-check key information."

2. KUPCO_HQ_DAJEEJ

Production • 29.3s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 08:09 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



3. GID

Production • 23.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 08:52 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The chat window shows a conversation starting at 08:52 PM. The user asks, "When was the last time the BOM data showed up". The AI responds with an error message: "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate." followed by "08:52 PM" and "Do you want to report this error? YES NO". The interface also shows a status bar at the bottom indicating "connected to Mathkor Gid" and a footer with feedback information.

Time taken: 32s, token: 0 tokens

Time taken: s, token: tokens

connected to Mathkor Gid


LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

4. GID

Production • 26.2s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 09:03 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



5. Abdali_Mall_Lahoun

Production • 41.3s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 10:10 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat history shows a previous message asking for satisfaction with the answer, followed by a new message from the user: "Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times". The AI response is: "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 10:10 PM Do you want to report this error? YES NO". The interface includes a status bar at the bottom indicating the user is connected to Abdali Mall Lahoun and a footer with feedback instructions.

Are you satisfied with the answer?

Time taken: 14s, token: 0 tokens

Is there shading happening with my plant?
Please analyze the pyranometer and check for frequent dips at certain times

Sorry, we encountered an issue processing your request. Our team has been notified and will investigate.

10:10 PM

Do you want to report this error?

YES NO

Time taken: s, token: tokens

connected to Abdali Mall Lahoun

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

6. Abdali_Mall_Barza

Production • 26.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i'm sorry'): I'm sorry, I can't process performance or data queries. Please refer to the plant performance report or contact the report agent for BOM data information. 10:19 PM Are you satisfied with the answer?

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. The chat history shows a previous message asking 'Are you satisfied with the answer?' with a timestamp of 'Time taken: 6s, token: 0 tokens'. The current message is a blue bubble asking 'When was the last time the BOM data showed up'. The response is a white bubble stating: 'I'm sorry, I can't process performance or data queries. Please refer to the plant performance report or contact the report agent for BOM data information. 10:19 PM'. Below the response is another 'Are you satisfied with the answer?' prompt. The interface also shows a status bar at the bottom indicating 'connected to Abdali Mall Barza' and a footer with the text 'Mistakes in P2Chat are possible. Double-check key information.'

Data Availability Issues DATA AVAILABILITY (2 failures)

1. BF_Wheeling

Production • 51.9s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv.

Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. A chat bubble from the AI contains the following text: 'Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'. The time '09:26 PM' is shown below the message. Below the chat bubble, there is a section titled 'Are you satisfied with the answer?' with three options: 'Click here for Source', 'Click here for Steps', and 'Click here for Tools'. At the bottom of the chat bubble, it says 'Time taken: 37s, token: 0 tokens'. Below the chat bubble, there is a status bar indicating 'connected to BF Wheeling'. At the bottom of the interface, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. Below the input field, there is a footer with the text 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

2. BF_Wheeling

Production • 44.4s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI



Graph/Visualization Errors GRAPH VISUALIZATION (2 failures)

1. Abdali_Mall_Lahoun

Production • 60.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Clipping Loss Calculation - The clipping-loss tool failed to calculate losses for the last two months. - Error encountered: `unexpected keyword argument 'reactive\_col'`. Visualization - I've



2. Abdali_Mall_Barza

Production • 64.3s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): - Data Retrieval Error: The clipping-loss tool failed to compute results for this plant/query due to an unexpected argument error. No numerical values could be returned. - Visualization: I'

