# Test Run Report — Run #279

Environment: **Production** • Website: **aepc2.p2agentx.com** • Trigger: Manual • Started: Oct 13, 2026 00:49 • Ended: Oct 13, 2026 04:05

Generated: 10/13/2026, 4:12:50 AM

## Summary

| 220 | 91.8% | 202 / 18 | 0 |
|---|---|---|---|
| Total Tests | Pass Rate (excl. skipped) | Passed / Failed | Skipped (connection) |

## Plant-wise Summary

10 plants

Pass rate is based on completed tests only: passed, failed, and errors. Skipped tests are excluded.

| Plant | Environment | Total | Passed | Failed | Errors | Skipped | Pass |
|---|---|---|---|---|---|---|---|
| Abdali_Mall_Barza | Production | 22 | 21 | 1 | 0 | 0 | 95 |
| Abdali_Mall_Lahoun | Production | 22 | 22 | 0 | 0 | 0 | 100 |
| Abdali_Mall_Netmetering | Production | 22 | 21 | 1 | 0 | 0 | 95 |
| BF_Wheeling | Production | 22 | 21 | 1 | 0 | 0 | 95 |
| Galleria_Mall | Production | 22 | 14 | 8 | 0 | 0 | 63 |
| GID | Production | 22 | 20 | 2 | 0 | 0 | 90 |
| KUPCO_HQ_DAJEEJ | Production | 22 | 22 | 0 | 0 | 0 | 100 |
| MOF | Production | 22 | 20 | 2 | 0 | 0 | 90 |
| Noor_Al_aqaba | Production | 22 | 22 | 0 | 0 | 0 | 100 |
| SAK_1 | Production | 22 | 19 | 3 | 0 | 0 | 86 |

## Failures (18)

| Failure Cluster | Category | Failures |
|---|---|---|
| Tool Execution Failures | Tool Execution | 9 |
| LLM Reasoning Issues | Llm Reasoning | 5 |
| Data Availability Issues | Data Availability | 4 |

## Tool Execution Failures TOOL EXECUTION (9 failures)

## 1. MOF

Production • 23.0s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'couldn't calculate'): I couldn’t calculate the July 2026 clipping loss with `clipping_loss_via_requests` because the tool failed internally: it tried to query a missing column, `wind_speed_1`, and returned `Failed`. Err

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I couldn’t calculate the July 2026 clipping loss with `clipping_loss_via_request
s` because the tool failed internally: it tried to query a missing column, `wind_speed_1`, and returned `Fa
iled`.\n\nError returned:\n- `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is no
t authorized to access requested resources`\n\nSo I don’t have a valid clipping-loss value for July 2026 fr
om that tool.",
    "coding_response": [
      "I couldn’t calculate the July 2026 clipping loss with `clipping_loss_via_requests` because the tool
failed internally: it tried to query a missing column, `wind_speed_1`, and returned `Failed`.\n\nError retu
rned:\n- `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is not authorized to acce
ss requested resources`\n\nSo I don’t have a valid clipping-loss value for July 2026 from that tool."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Error returned:
- `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested resources`
So I don't have a valid clipping-loss value for July 2026 from that tool.
04:12 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 8s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 2. MOF

Production • 33.8s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant produced 1,472.0 kWh. Key performance metrics: - Specific yield: 3.004 kWh/kWp - Performance ratio (PR): 0.828 - Reference yield: 3.062 kWh/kWp - Period p

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant produced 1,472.0 kWh.\n\nKey performance metr
ics:\n- Specific yield: 3.004 kWh/kWp\n- Performance ratio (PR): 0.828\n- Reference yield: 3.062 kWh/kWp\n-
Period performance vs monthly P50 benchmark: 93.7%\n\nImportant data-quality note:\n- The dataset is incomp
lete for yesterday.\n- Energy/yield data covers 05:45 to 17:45.\n- PR data only covers 06:00 to 11:00.\n\nS
o the energy and yield figures are useful as a partial-day view, but the PR is especially not representativ
e of the full day.\n\nI could not provide plant availability because that calculation tool failed on this r
equest.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant produced 1,472.0 kWh.\n\nKey performance metrics:\n- Specific yie
ld: 3.004 kWh/kWp\n- Performance ratio (PR): 0.828\n- Reference yield: 3.062 kWh/kWp\n- Period performance
vs monthly P50 benchmark: 93.7%\n\nImportant data-quality note:\n- The dataset is incomplete for yesterda
y.\n- Energy/yield data covers 05:45 to 17:45.\n- PR data only covers 06:00 to 11:00.\n\nSo the energy and
yield figures are useful as a partial-day view, but the PR is especially not representative of the full da
y.\n\nI could not provide plant availability because that calculation tool failed on this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.reference_yield_plant_ag"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-10-12 to 2026-10-12, including the end date.\n2. I pick out the co
lumns that contain power, irradiance, and temperature readings.\n3. I clean the data by removing or marking
any invalid values in the power and irradiance columns.\n4. I calculate the actual energy produced by multi
plying the power by the time interval (0.25 hours) and adjusting the units as needed.\n5. I compute the exp
ected energy output without considering temperature effects.\n6. If the system is bifacial, I apply extra c
orrection factors using metadata like ground reflectivity, area adjustments, and shading losses.\n7. I sum
up both actual and expected energy values by day.\n8. I calculate the performance ratio for each day, inclu
ding bifacial corrections if needed.\n9. I return the average performance ratio across all days.\n10. I cap
the performance ratio at 1.3 to avoid unrealistic results.\n\n---\n\n1. I select data from 2026-10-12 to 20
26-10-12, including the end date.\n2. I group the data by day (or by minute, hour, month, or year as neede
d).\n3. I make sure all days are included in the calculation.\n4. I calculate the total energy produced dur
ing the selected period using the plant's power data and the 0.25-hour time interval.\n5. I normalize the t
otal energy by dividing by the plant's installed capacity (rated power) to get the specific yield in kWh pe
r kWp.\n6. I provide the specific yield for each time interval as a detailed breakdown.\n\n---\n\n1. I sele
ct data from 2026-10-12 to 2026-10-12, including the end date.\n2. I filter the data to only include plane
of array (POA) irradiance readings from the pyranometer sensor.\n3. I convert irradiance (W/m²) to irradiat
ion (kWh/m²) by multiplying by the time interval (0.0833 hours).\n4. I sum up the irradiation values by day
(or by month, etc.) to get total irradiation for each period.\n5. I normalize the total irradiation by divi
ding by the standard test condition irradiance (1000 W/m²) to calculate the Reference Yield.\n6. I return t
he Reference Yield for each period as a dictionary, representing peak sun hours or kWh/kWp.\n\n---\n\n1. I
select data from 2026-10-12 to 2026-10-12, including the end date.\n2. I calculate the total energy produce
d by the plant, grouped by month.\n3. I check that the data is correctly grouped by month, with the index s
howing the last day of each month.\n4. I get the theoretical P50 energy benchmarks from
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Important data-quality note:
- The dataset is incomplete for yesterday.
- Energy/yield data covers 05:45 to 17:45.
- PR data only covers 06:00 to 11:00.
So the energy and yield figures are useful as a partial-day view, but the PR is especially not representative of the full day.
I could not provide plant availability because that calculation tool failed on this request.
04:20 AM
Are you satisfied with the answer?
Time taken: 19s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 3. Galleria_Mall

Production • 24.5s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'couldn't calculate'): I couldn’t calculate the clipping loss for July 2026 with `clipping_loss_via_requests` because the tool failed internally. Error returned: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resol

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I couldn’t calculate the clipping loss for July 2026 with `clipping_loss_via_req
uests` because the tool failed internally.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' can
not be resolved or requester is not authorized to access requested resources`\n\nSo there is no valid clipp
ing-loss value available from that tool for this period in the current dataset/tool configuration.",
    "coding_response": [
      "I couldn’t calculate the clipping loss for July 2026 with `clipping_loss_via_requests` because the t
ool failed internally.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or r
equester is not authorized to access requested resources`\n\nSo there is no valid clipping-loss value avail
able from that tool for this period in the current dataset/tool configuration."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Error returned:
`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested resources`
So there is no valid clipping-loss value available from that tool for this period in the current dataset/tool configuration.
04:50 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 4. Galleria_Mall

Production • 114.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Error reason:** AI indicated failure (matched 'tool failed'): Summary of Clipping Loss – Last 6 Months (2026-04-13 to 2026-10-13) - inverter1: 2165.68 kWh - inverter2: 5.73 kWh - inverter3: 0.66 kWh - inverter4: 2.03 kWh - inverter5: 20.92 kWh - inv

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well",
    "displayed_response": "Summary of Clipping Loss – Last 6 Months (2026-04-13 to 2026-10-13)\n\n- inverter1: 2165.68 kWh\n- inverter2: 5.73 kWh\n- inverter3: 0.66 kWh\n- inverter4: 2.03 kWh\n- inverter5: 20.92 kWh\n- inverter6: 25.70 kWh\n- inverter7: 21.51 kWh\n- inverter8: 16.87 kWh\n- inverter9: 14.03 kWh\n- inverter10: 25.98 kWh\n- inverter11: 61.87 kWh\n- inverter12: 10.62 kWh\n\nData Quality Note:\n- The request-based clipping-loss tool failed due to a missing wind_speed_1 column. An internal clipping-loss calculation was used instead. Status: Good.\n\nVisualization:\n- A grouped bar chart titled \"Monthly Clipping Loss by Inverter - Last 6 Months\" has been prepared, with the y-axis representing clipping loss (kWh).",
    "coding_response": [
      "Total clipping loss over the last 6 months (2026-04-13 to 2026-10-13):\n\n- inverter1: 2165.68 kWh\n- inverter2: 5.73 kWh\n- inverter3: 0.66 kWh\n- inverter4: 2.03 kWh\n- inverter5: 20.92 kWh\n- inverter6: 25.70 kWh\n- inverter7: 21.51 kWh\n- inverter8: 16.87 kWh\n- inverter9: 14.03 kWh\n- inverter10: 25.98 kWh\n- inverter11: 61.87 kWh\n- inverter12: 10.62 kWh\n\nNote: the request-based clipping tool failed due to a missing wind_speed_1 column, so I used the internal clipping-loss calculation instead. Status: Good.",
      {
        "type": "graph",
        "series": [
          "<html>\n<head><meta charset=\"utf-8\" /></head>\n<body>\n    <div>                        <script type=\"text/javascript\">window.PlotlyConfig = {MathJaxConfig: 'local'};</script>\n        <script charset=\"utf-8\" src=\"https://cdn.plot.ly/plotly-3.0.1.min.js\"></script>                <div id=\"510ee8ae-00b2-4e51-8c6a-d9020736e2aa\" class=\"plotly-graph-div\" style=\"height:100%; width:100%;\"></div>
<script type=\"text/javascript\">                window.PLOTLYENV=window.PLOTLYENV || {};
if (document.getElementById(\"510ee8ae-00b2-4e51-8c6a-d9020736e2aa\")) {                    Plotly.newPlot(
\"510ee8ae-00b2-4e51-8c6a-d9020736e2aa\",                        [{\"hovertemplate\":\"%{fullData.name}: %{y:.2f} kWh\\u003cextra\\u003e\\u003c\\u002fextra\\u003e\",\"name\":\"Inverter 5\",\"x\":[\"2026-04-30T00:00:00\",\"2026-05-31T00:00:00\",\"2026-06-30T00:00:00\",\"2026-07-31T00:00:00\",\"2026-08-31T00:00:00\"],\"y\":{\"dtype\":\"f8\",\"bdata\":\"4RSwrj\\u002fUIEDwUbtVb3IBQNKg6Q8ApCRAAAAAAAAA+H8AAAAAAD4fw==\"},\"type\":\"bar\"},{\"hovertemplate\":\"%{fullData.name}: %{y:.2f} kWh\\u003cextra\\u003e\\u003c\\u002fextra\\u003e\",\"name\":\"Inverter 12\",\"x\":[\"2026-04-30T00:00:00\",\"2026-05-31T00:00:00\",\"2026-06-30T00:00:00\",\"2026-07-31T00:00:00\",\"2026-08-31T00:00:00\"],\"y\":{\"dtype\":\"f8\",\"bdata\":\"oASH8JG14D9qy9h6KDQkQAAAAAAAAPh\\u002fAAAAAAAA+H8AAAAAAD4fw==\"},\"type\":\"bar\"},{\"hovertemplate\":\"%{fullData.name}: %{y:.2f} kWh\\u003cextra\\u003e\\u003c\\u002fextra\\u003e\",\"name\":\"Inverter 4\",\"x\":[\"2026-04-30T00:00:00\",\"2026-05-31T00:00:00\",\"2026-06-30T00:00:00\",\"2026-07-31T00:00:00\",\"2026-08-31T00:00:00\"],\"y\":{\"dtype\":\"f8\",\"bdata\":\"KqIxzo+Qwj8Q5u5RuDH+PwAAAAAAAPh\\u002fAAAAAAAA+H8AAAAAAD4fw==\"},\"type\":\"bar\"},{\"hovertemplate\":\"%{fullData.name}: %{y:.2f} kWh\\u003cextra\\u003e\\u003c\\u002fextra\\u003e\",\"name\":\"Inverter 8\",\"x\":[\"2026-04-30T00:00:00\",\"2026-05-31T00:00:00\",\"2026-06-30T00:00:00\",\"2026-07-31T00:00:00\",\"2026-08-31T00:00:00\"],\"y\":{\"dtype\":\"f8\",\"bdata\":\"AAAAAAAA+H8N0EyAsoCQJu7te3lCy1AAAAAAAAA+H8AAAAAAAD4fw==\"},\"type\":\"bar\"},{\"hovertemplate\":\"%{fullData.name}: %{y:.2f} kWh\\u003cextra\\u003e\\u003c\\u002fextra\\u003e\",\"name\":\"Inverter 10\",\"x\":[\"2026-04-30T00:00:00\",\"2026-05-31T00:00:00\",\"2026-06-30T00:00:00\",\"2026-07-31T00:00:00\",\"2026-08-31T00:00:00\"],\"y\":{\"dtyp
```


**Console errors:** An iframe which has both allow-scripts and allow-same-origin for its sandbox attribute can escape its sandboxing.

AEPCO Alternative Energy Projects Company

AI Brain | Job Car... | Mainten... | Chat | Teams




View Fullscreen

04:58 AM

Are you satisfied with the answer?

Time taken: 100s, token: 0 tokens

connected to Galleria Mall

How can we help you today?

LEAVE ANY FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

## 5. GID

Production • 47.4s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool error'): Yesterday (2026-10-12), the plant's key performance metrics were: - Total energy produced: 18,796.04 kWh - Performance ratio (PR): 0.4222 - Specific yield: 5.1035 kWh/kWp - Reference yield (Y

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), the plant's key performance metrics were:\n\n- Total ene
rgy produced: 18,796.04 kWh\n- Performance ratio (PR): 0.4222\n- Specific yield: 5.1035 kWh/kWp\n- Referenc
e yield (Yr): 5.3797 kWh/kWp\n- Daily PVsyst expected energy: 21,006.45 kWh\n- Period performance vs monthl
y P50 benchmark: 2.89%\n\nNotes:\n- PR returned with a data coverage warning: data ends at 23:50, so the la
st 5-minute interval of the day is missing.\n- Performance index could not be calculated due to a tool erro
r.\n- Technical/contractual availability could not be calculated due to a tool error.\n- Energy-based avail
ability could not be calculated because that tool requires a broader time window format than this single-da
y request.\n\nOverall, the plant produced 18.80 MWh yesterday, with a specific yield of 5.10 kWh/kWp and PR
of 0.422.",
    "coding_response": [
      "Yesterday (2026-10-12), the plant's key performance metrics were:\n\n- Total energy produced: 18,79
6.04 kWh\n- Performance ratio (PR): 0.4222\n- Specific yield: 5.1035 kWh/kWp\n- Reference yield (Yr): 5.379
7 kWh/kWp\n- Daily PVsyst expected energy: 21,006.45 kWh\n- Period performance vs monthly P50 benchmark: 2.
89%\n\nNotes:\n- PR returned with a data coverage warning: data ends at 23:50, so the last 5-minute interva
l of the day is missing.\n- Performance index could not be calculated due to a tool error.\n- Technical/con
tractual availability could not be calculated due to a tool error.\n- Energy-based availability could not b
e calculated because that tool requires a broader time window format than this single-day request.\n\nOvera
ll, the plant produced 18.80 MWh yesterday, with a specific yield of 5.10 kWh/kWp and PR of 0.422."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from October 12, 2026, including that day.\n2. I pick out the columns that s
how power, irradiance, and temperature.\n3. I clean the data by removing or marking any invalid power or ir
radiance readings.\n4. I figure out the actual energy produced by multiplying power by the time interval
(0.0833 hours) and adjusting the units as needed.\n5. I calculate the expected energy output without consid
ering temperature effects.\n6. If the system uses bifacial panels, I apply extra corrections based on detai
ls like ground reflectivity, area, and shading.\n7. I group the actual and expected energy values by day.\n
8. I calculate the performance ratio for each day, including bifacial corrections if needed.\n9. I find the
average performance ratio across all days.\n10. I cap the performance ratio at 1.3 to avoid unrealistic res
ults.\n\n---\n\n1. I select data from October 12, 2026, including that day.\n2. I calculate the total energ
y the plant produced during this time.\n3. I identify and sum up all major energy losses (except for baseli
ne and measured energy) using a loss classification method.\n4. I calculate energy-based availability as th
e percentage of delivered energy compared to the total of delivered plus lost energy.\n5. I return this ava
ilability value, which ranges from 0 to 100%.\n\n---\n\n1. I select data from October 12, 2026, including t
hat day.\n2. I group the data by day (or by minute, hour, month, or year as needed).\n3. I make sure all da
ys are included in the calculation.\n4. I calculate the total energy produced during this period using the
plant's power data and the 0.0833-hour time interval.\n5. I divide the total energy by the plant's rated ca
pacity to get the specific yield in kWh per kWp.\n6. I provide the specific yield for each time period as a
detailed breakdown.\n\n---\n\n1. I select data from October 12, 2026, including that day.\n2. I filter the
data to only include plane of array (POA) irradiance readings from the pyranometer.\n3. I convert irradianc
e (W/m²) to irradiation
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
of the day is missing.
- Performance index could not be calculated due to a tool error.
- Technical/contractual availability could not be calculated due to a tool error.
- Energy-based availability could not be calculated because that tool requires a broader time window format than this single-day request.
Overall, the plant produced 18.80 MWh yesterday, with a specific yield of 5.10 kWh/kWp and PR of 0.422.
05:21 AM
Are you satisfied with the answer?
Time taken: 32s, token: 0 tokens
connected to Mathkor Gid
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 6. Abdali_Mall_Netmetering

Production • 33.8s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant performed as follows: - Total energy: 2,040.09 kWh - Specific yield: 2.737 kWh/kWp - Performance ratio: 0.804 (80.42%) - Period performance vs monthly P50 b

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 2,040.09 kWh\n- Specific yield: 2.737 kWh/kWp\n- Performance ratio: 0.804 (80.42%)\n- Period performance vs monthly P50 benchmark: 2.41%\n\nNotes:\n- The period performance value is low because it is being compared to the full October monthly P50 target, while this result is for just one day.\n- Plant availability could not be calculated because that tool failed on this query.\n- All returned metrics had status: Good.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 2,040.09 kWh\n- Specific yield: 2.737 kWh/kWp\n- Performance ratio: 0.804 (80.42%)\n- Period performance vs monthly P50 benchmark: 2.41%\n\nNotes:\n- The period performance value is low because it is being compared to the full October monthly P50 target, while this result is for just one day.\n- Plant availability could not be calculated because that tool failed on this query.\n- All returned metrics had status: Good."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Choose data from October 12, 2026, including that day.\n2. Use the \"active_power\" column for calculations.\n3. Clean the data by removing or marking any invalid values in the power column.\n4. For each data point, calculate energy by multiplying the power value by 0.0833 hours, then convert units if needed (for example, divide by 1000 to go from Watts to kilowatts).\n5. Make sure all days in the selected range are included.\n6. Group the energy values by day (or by month or year, if needed).\n7. Add up the grouped energy values to get the total energy for the period.\n\n---\n\n1. Select data from October 12, 2026, including that day.\n2. Calculate the total energy produced by the plant, grouped by month.\n3. Check that the data is correctly grouped by month, with each group ending on the last day of the month.\n4. Get the plant's theoretical P50 energy benchmarks for each month from the metadata.\n5. Combine the actual monthly energy data with the P50 benchmarks using the month names.\n6. For each month, calculate the performance as a percentage: (actual energy / P50 energy) × 100.\n7. Add up the actual and P50 energy values over the whole period.\n8. Calculate the overall performance for the period as a percentage: (total actual energy / total P50 energy) × 100.\n9. Include all months in the results.\n10. Return all calculated columns in the results.\n11. Provide the results as a dictionary, using the index for easy lookup.\n\n---\n\n1. Select data from October 12, 2026, including that day.\n2. Group the data by day (or by minute, hour, month, or year, as needed).\n3. Make sure all days are included in the calculation.\n4. Calculate the total energy produced during the period using the plant's power data and a time interval of 0.0833 hours.\n5. Divide the total energy by the plant's installed capacity (rated power) to get the specific yield in kWh per kWp.\n6. Return the specific yield for each time interval as a detailed breakdown.\n\n---\n\n1. Select data from October 12, 2026, including that day.\n2. Find all inverter power columns and their DC rated powers from the plant's metadata.\n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (usually 5 minutes).\n4. For each inverter, filter the data to times when irradiance is above the threshold, then count the total useful time intervals (T_useful) and downtime intervals (T_down).\n5. Convert these interval counts into hours based on the data interval.\n6. Calculate Technical Availability for each inverter: ((T_useful - T_down) / T_useful) × 100.\n7. Return a dictionary with the availability percentage for each inverter.\n\n---\n\n1. Select data from O
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Performance ratio: 0.804 (80.42%)
- Period performance vs monthly P50 benchmark: 2.41%
Notes:
- The period performance value is low because it is being compared to the full October monthly P50 target, while this result is for just one day.
- Plant availability could not be calculated because that tool failed on this query.
- All returned metrics had status: Good.
05:41 AM
Are you satisfied with the answer?
Time taken: 18s, token: 0 tokens
connected to Abdali Mall Netmetering
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 7. BF_Wheeling

Production • 33.8s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool error'): Yesterday (2026-10-12), the plant performance metrics were: - Energy generated: 1,543.84 kWh - Specific yield: 4.248 kWh/kWp - Performance ratio (PR): 0.703 - Reference yield (Yr): 5.059 kWh/

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), the plant performance metrics were:\n\n- Energy generate
d: 1,543.84 kWh\n- Specific yield: 4.248 kWh/kWp\n- Performance ratio (PR): 0.703\n- Reference yield (Yr):
5.059 kWh/kWp\n- DC installed power basis used for yield: 363.4 kWp\n\nNotes:\n- Performance index (PI) cou
ld not be calculated due to a tool error.\n- Technical/contractual availability could not be calculated due
to a tool error.",
    "coding_response": [
      "Yesterday (2026-10-12), the plant performance metrics were:\n\n- Energy generated: 1,543.84 kWh\n- S
pecific yield: 4.248 kWh/kWp\n- Performance ratio (PR): 0.703\n- Reference yield (Yr): 5.059 kWh/kWp\n- DC
installed power basis used for yield: 363.4 kWp\n\nNotes:\n- Performance index (PI) could not be calculated
due to a tool error.\n- Technical/contractual availability could not be calculated due to a tool error."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.query_plant_details_ag"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-10-12 to 2026-10-12, including the end date. Then, I filter for pl
ane of array (POA) irradiance readings from the pyranometer sensor. I convert these irradiance values (W/m
²) to irradiation (kWh/m²) by multiplying by the time interval (0.0833 hours). Next, I sum up the irradiati
on values by day (or other chosen period) to get total irradiation for each period. I then normalize these
totals by dividing by the standard test condition irradiance (1000 W/m²) to calculate the Reference Yield.
Finally, I return the Reference Yield for each period as a dictionary, representing peak sun hours or kWh/k
Wp.\n\n2. I select data from 2026-10-12 to 2026-10-12, including the end date. I identify all inverter powe
r columns and their DC rated powers from the plant metadata. I set calculation parameters like the irradian
ce threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).
For each inverter, I filter the data to times when irradiance is above the threshold, then count the total
useful time (T_useful) and downtime (T_down). I convert these counts to hours. I calculate Technical Availa
bility for each inverter using the formula: (T_useful - T_down) / T_useful × 100. I return a dictionary wit
h the availability percentage for each inverter.\n\n3. I select data from 2026-10-12 to 2026-10-12, includi
ng the end date. I use the active_power column(s) for the calculation. I clean the data by removing or flag
ging invalid measurements. For each data point, I calculate energy as (Power × 0.0833 hours), converting un
its as needed (e.g., dividing by 1000 to get kWh). I include all days in the calculation. I sum all the ene
rgy values for the selected period to get the total energy produced.\n\n4. I select data from 2026-10-12 to
2026-10-12, including the end date. I identify the relevant columns for power, irradiance, and temperature.
I clean the data by removing or flagging invalid values in the power and irradiance columns. I calculate th
e actual energy produced by multiplying power by the time interval (0.0833 hours) and adjusting units. I al
so calculate the expected energy without temperature correction. If the system is bifacial, I apply extra c
orrections based on metadata like ground albedo, area normalization, and shading losses. I sum up actual an
d expected energy by day. I calculate the performance ratio for each day, applying bifacial corrections if
needed. I return the average performance ratio across all days, making sure the values do not exceed 1.3.\n
\n5. When you ask about a specific plant detail, such as 'power(kW DC)', I access the plant's metadata dict
ionary. I look inside the 'System' section, where key plant attributes are stored, and search for the 'powe
r(kW DC)' field.\n\n6. I select data from 2026-10-12 to 2026-10-12, inclu
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Specific yield: 4.248 kWh/kWp
- Performance ratio (PR): 0.703
- Reference yield (Yr): 5.059 kWh/kWp
- DC installed power basis used for yield: 363.4 kWp
Notes:
- Performance index (PI) could not be calculated due to a tool error.
- Technical/contractual availability could not be calculated due to a tool error.
05:59 AM
Are you satisfied with the answer?
Time taken: 18s, token: 0 tokens
connected to Bf Wheeling
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 8. Abdali_Mall_Barza

Production • 36.8s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant produced 1,884.77 kWh. Key performance: - Specific yield: 4.796 kWh/kWp - Performance ratio: 0.824 - Reference yield: 4.909 kWh/kWp Interpretation: - O

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant produced 1,884.77 kWh.\n\nKey performance:\n- Specific yield: 4.796 kWh/kWp\n- Performance ratio: 0.824\n- Reference yield: 4.909 kWh/kWp\n\nInterpretation:\n- Overall, that is a solid day. The PR of 0.824 means the plant converted available solar resource into energy at about 82.4% of the ideal reference after system losses.\n- The specific yield of 4.796 kWh/kWp is close to the reference yield of 4.909 kWh/kWp, which is consistent with the PR result.\n\nData-quality note:\n- The dataset for yesterday is incomplete: data starts at 06:35 and ends at 18:45. Since this misses some early/late-day data, the reported values should be treated as slightly incomplete, though the impact may be small if those missing periods were near sunrise/sunset.\n\nI could not provide availability because the availability tool failed on this request.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant produced 1,884.77 kWh.\n\nKey performance:\n- Specific yield: 4.796 kWh/kWp\n- Performance ratio: 0.824\n- Reference yield: 4.909 kWh/kWp\n\nInterpretation:\n- Overall, that is a solid day. The PR of 0.824 means the plant converted available solar resource into energy at about 82.4% of the ideal reference after system losses.\n- The specific yield of 4.796 kWh/kWp is close to the reference yield of 4.909 kWh/kWp, which is consistent with the PR result.\n\nData-quality note:\n- The dataset for yesterday is incomplete: data starts at 06:35 and ends at 18:45. Since this misses some early/late-day data, the reported values should be treated as slightly incomplete, though the impact may be small if those missing periods were near sunrise/sunset.\n\nI could not provide availability because the availability tool failed on this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.reference_yield_plant_ag",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I filter the plant data to only include plane of array (POA) irradiance readings from the pyranometer sensor.  \n3. I convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying each value by 0.0833 hours (the time interval).  \n4. I sum up the irradiation values for each day (or other chosen period) to get the total irradiation per period.  \n5. I normalize these totals by dividing by the standard test condition irradiance (1000 W/m²) to calculate the Reference Yield.  \n6. I return the Reference Yield for each period as a dictionary, showing peak sun hours or kWh/kWp.\n\n---\n\n1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I find all inverter power columns and their DC rated powers from the plant's metadata.  \n3. I set calculation parameters: an irradiance threshold (usually 50 W/m²), a power threshold (usually 0.1 kW), and a data interval (typically 5 minutes).  \n4. For each inverter, I filter the data to times when irradiance is above the threshold, then count the total useful time (T_useful) and downtime (T_down).  \n5. I convert these counts to hours based on the data interval.  \n6. I calculate Technical Availability for each inverter using: (T_useful - T_down) / T_useful × 100.  \n7. I return a dictionary with the availability percentage for each inverter.\n\n---\n\n1. I select data from 2026-10-12 to 2026-10-12, including the end date.  \n2. I use the active_power column(s) for the calculation.  \n3. I clean the data by removing or flagging any invalid power measurements.  \n4. For each data point, I calculate energy as (Power × 0.0833 hours), converting units as needed (e.g., dividing by 1000 to get kWh).  \n5. I include all days in the calculation.  \n6. I sum all the energy values for the selected period to get the total energy produced.\n\n---\n\n1. I select data fr
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
to the reference yield of 4.909 kWh/kWp, which is consistent with the PR result.
Data-quality note:
- The dataset for yesterday is incomplete: data starts at 06:35 and ends at 18:45. Since this misses some early/late-day data, the reported values should be treated as slightly incomplete, though the impact may be small if those missing periods were near sunrise/sunset.
I could not provide availability because the availability tool failed on this request.
06:39 AM
Are you satisfied with the answer?
Time taken: 21s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 9. SAK_1

Production • 29.2s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-10-12), your plant performed as follows: - Total energy: 5,067.13 kWh - Specific yield: 4.84 kWh/kWp - Performance ratio (PR): 0.710 - PVsyst expected energy: 5,541.94 kWh -

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 5,06
7.13 kWh\n- Specific yield: 4.84 kWh/kWp\n- Performance ratio (PR): 0.710\n- PVsyst expected energy: 5,541.
94 kWh\n- Approx. actual vs PVsyst expectation: 91.4%\n\nImportant note: the PR result is based on an incom
plete day of data. Available data only runs from 06:35 to 16:05, so treat the PR as indicative rather than
definitive.\n\nI could not report contractual/technical availability because that calculation tool failed f
or this request.",
    "coding_response": [
      "Yesterday (2026-10-12), your plant performed as follows:\n\n- Total energy: 5,067.13 kWh\n- Specific
yield: 4.84 kWh/kWp\n- Performance ratio (PR): 0.710\n- PVsyst expected energy: 5,541.94 kWh\n- Approx. act
ual vs PVsyst expectation: 91.4%\n\nImportant note: the PR result is based on an incomplete day of data. Av
ailable data only runs from 06:35 to 16:05, so treat the PR as indicative rather than definitive.\n\nI coul
d not report contractual/technical availability because that calculation tool failed for this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from October 12, 2026, including that day.\n2. I group the data by day.\n3.
I make sure every day in the range is included.\n4. I add up the plant's total energy production for the se
lected period, using the power data and a time step of 0.0833 hours.\n5. I divide the total energy by the p
lant's rated capacity to get the specific yield in kWh per kWp.\n6. I provide the specific yield for each d
ay as a detailed breakdown.\n\n1. I select data from October 12, 2026, including that day.\n2. I pick out t
he columns for power, irradiance, and temperature.\n3. I clean the data by removing or marking any invalid
power or irradiance values.\n4. I calculate the actual energy produced by multiplying power by the time int
erval (0.0833 hours) and adjusting the units.\n5. I also calculate the expected energy without considering
temperature effects.\n6. If the system is bifacial, I apply extra corrections based on factors like ground
reflectivity, area, and shading.\n7. I group both actual and expected energy by day.\n8. I calculate the pe
rformance ratio for each day, including bifacial corrections if needed.\n9. I return the average performanc
e ratio for the period.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n1. I selec
t data from October 12, 2026, including that day.\n2. I find all inverter power columns and their DC rated
capacities from the plant's information.\n3. I set calculation rules, such as an irradiance threshold (usua
lly 50 W/m²), a power threshold (usually 0.1 kW), and a data interval (typically 5 minutes).\n4. For each i
nverter, I filter the data to times when irradiance is above the threshold, then count the total useful tim
e and any downtime.\n5. I convert these counts into hours based on the data interval.\n6. I calculate each
inverter's technical availability as: (useful time minus downtime) divided by useful time, times 100.\n7. I
return a dictionary showing the availability percentage for each inverter.\n\n1. I select data from October
12, 2026, including that day.\n2. I use the active_power column(s) for the calculation.\n3. I clean the dat
a by removing or flagging any invalid power values.\n4. I calculate the energy for each data point by multi
plying power by 0.0833 hours and converting units if needed.\n5. I include all days in the calculation.\n6.
I sum up all the energy values for the selected period to get the total energy produced."
  }
}
```




## LLM Reasoning Issues LLM REASONING (5 failures)

## 1. Galleria_Mall

Production • 20.2s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Error reason:** AI indicated failure (matched 'unable to provide'): The manual documents do not contain information regarding the troubleshooting or resolution of a COMMUNICATION_FAULT for your inverters. Therefore, I am unable to provide specific troubleshooting step

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "I have a COMMUNICATION_FAULT what do I do to my inverters?",
    "displayed_response": "The manual documents do not contain information regarding the troubleshooting or
resolution of a COMMUNICATION_FAULT for your inverters. Therefore, I am unable to provide specific troubles
hooting steps or relevant diagrams from the manuals.",
    "coding_response": [
      "The manual documents do not contain information regarding the troubleshooting or resolution of a COM
MUNICATION_FAULT for your inverters. Therefore, I am unable to provide specific troubleshooting steps or re
levant diagrams from the manuals."
    ],
    "used_agents": [
      "manual_agent"
    ],
    "used_tools": [
      "functions.manual_rag_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```


**Console errors:** Failed to load resource: the server responded with a status of 404 (Not Found) | Failed to load resource: the server responded with a status of 500 (Internal Server Error)


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
I have a COMMUNICATION_FAULT what do I do to my inverters?
TE
The manual documents do not contain information regarding the troubleshooting or resolution of a COMMUNICATION_FAULT for your inverters. Therefore, I am unable to provide specific troubleshooting steps or relevant diagrams from the manuals.
04:49 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 5s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 2. Galleria_Mall

Production • 24.5s

**Question:** Was there any 0 production days in the last 7 days?

**Error reason:** AI indicated failure (matched 'i can't'): I can't determine that from the available data because the query for the last 7 days returned no records for 2026-10-06 to 2026-10-12. So I can't confirm whether there were any 0-production days. 04:

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Was there any 0 production days in the last 7 days?",
    "displayed_response": "I can't determine that from the available data because the query for the last 7
days returned no records for 2026-10-06 to 2026-10-12. So I can't confirm whether there were any 0-producti
on days.",
    "coding_response": [
      "I can't determine that from the available data because the query for the last 7 days returned no rec
ords for 2026-10-06 to 2026-10-12. So I can't confirm whether there were any 0-production days."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```




## 3. Galleria_Mall

Production • 31.0s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'i can't'): Yesterday (2026-10-12), I can't assess plant performance because the production/performance datasets are empty for that date. What I could confirm: - Energy: 0 kWh reported for all inverters -

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-12), I can't assess plant performance because the production/performance datasets are empty for that date.\n\nWhat I could confirm:\n- Energy: 0 kWh reported for all inverters\n- Specific yield: no data\n- Performance ratio: no data\n- Reference yield: no data\n- Availability: returned as null for all 12 inverters\n\nPer inverter energy yesterday:\n- inverter1: 0 kWh\n- inverter2: 0 kWh\n- inverter3: 0 kWh\n- inverter4: 0 kWh\n- inverter5: 0 kWh\n- inverter6: 0 kWh\n- inverter7: 0 kWh\n- inverter8: 0 kWh\n- inverter9: 0 kWh\n- inverter10: 0 kWh\n- inverter11: 0 kWh\n- inverter12: 0 kWh\n\nThis most likely means yesterday's data was not yet available in the database rather than confirmed zero production.",
    "coding_response": [
      "Yesterday (2026-10-12), I can't assess plant performance because the production/performance datasets are empty for that date.\n\nWhat I could confirm:\n- Energy: 0 kWh reported for all inverters\n- Specific yield: no data\n- Performance ratio: no data\n- Reference yield: no data\n- Availability: returned as null for all 12 inverters\n\nPer inverter energy yesterday:\n- inverter1: 0 kWh\n- inverter2: 0 kWh\n- inverter3: 0 kWh\n- inverter4: 0 kWh\n- inverter5: 0 kWh\n- inverter6: 0 kWh\n- inverter7: 0 kWh\n- inverter8: 0 kWh\n- inverter9: 0 kWh\n- inverter10: 0 kWh\n- inverter11: 0 kWh\n- inverter12: 0 kWh\n\nThis most likely means yesterday's data was not yet available in the database rather than confirmed zero production."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-10-12 to 2026-10-12, including the end date.\n2. I find all inverter power columns and their DC rated powers using the plant metadata.\n3. I clean each inverter's power data by removing or flagging invalid values.\n4. For each inverter, I calculate energy by multiplying power by the time interval (0.0833 hours), adjusting for units if needed (like dividing by 1000 if the data is in Watts). This is done for each aggregation period you choose (such as daily, monthly, or yearly).\n5. I make sure all days are included in the calculation.\n6. I normalize each inverter's energy output by its DC rated power to get the specific yield in kWh/kWp.\n7. I rename the output columns to show they represent the specific yield, using the base name 'Specific_Yield'.\n8. I return the specific yield values as a dictionary, organized by aggregation period, with each inverter as a column.\n\n---\n\n1. I select data from 2026-10-12 to 2026-10-12, including the end date.\n2. I filter the plant data to only include plane of array (POA) irradiance readings from the pyranometer sensor.\n3. I convert irradiance (W/m²) to irradiation (kWh/m²) by multiplying by the time interval (0.0833 hours).\n4. I sum up the irradiation values by your chosen period (like daily or monthly) to get total irradiation for each period.\n5. I normalize the total irradiation by the standard test condition reference (1000 W/m²) to calculate the Reference Yield.\n6. I return the Reference Yield as a dictionary, organized by aggregation period, representing peak sun hours or kWh/kWp.\n\n---\n\n1. I select data from 2026-10-12 to 2026-10-12, including the end date.\n2. I find all inverter power columns and their DC rated powers using the plant metadata.\n3. I set calculation parameters, including an irradiance threshold (usually 50 W/m²), a power threshold (usually 0.1 kW), and the data interval (typically 5 minutes).\n4. For each inverter, I filter the data to only include intervals where irradiance is above the threshold, then count the total useful time (T_useful) and downtime (T_down).\n5. I convert these counts into hours based on the data interval.\n6. I calculate Technical Availability for each inverter using the formula: (T_useful - T_down
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter7: 0 kWh
- inverter8: 0 kWh
- inverter9: 0 kWh
- inverter10: 0 kWh
- inverter11: 0 kWh
- inverter12: 0 kWh
This most likely means yesterday's data was not yet available in the database rather than confirmed zero production.
04:59 AM
Are you satisfied with the answer?
Time taken: 16s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 4. Galleria_Mall

Production • 24.5s

**Question:** When was the last time the BOM data showed up

**Error reason:** AI indicated failure (matched 'couldn't determine'): I couldn’t determine the last BOM data timestamp from the available data query. The `source`/BOM-related extraction over the recent period returned an empty dataframe, so there’s no recorded BOM data

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "I couldn’t determine the last BOM data timestamp from the available data query. The `source`/BOM-related extraction over the recent period returned an empty dataframe, so there’s no recorded BOM data in that window.",
    "coding_response": [
      "I couldn’t determine the last BOM data timestamp from the available data query. The `source`/BOM-related extraction over the recent period returned an empty dataframe, so there’s no recorded BOM data in that window."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
When was the last time the BOM data showed up
TE
I couldn't determine the last BOM data timestamp from the available data query. The `source`/BOM-related extraction over the recent period returned an empty dataframe, so there's no recorded BOM data in that window.
05:02 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 5. GID

Production • 27.6s

**Question:** When was the last time the BOM data showed up

**Error reason:** AI indicated failure (matched 'i can't'): I checked the available weather source labels in the recent data window. There are no rows where the `source` column contains `BOM`, so I can’t identify a last BOM timestamp from the data currently av

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "I checked the available weather source labels in the recent data window. There a
re no rows where the `source` column contains `BOM`, so I can’t identify a last BOM timestamp from the data
currently available.\n\nWhat I can confirm is:\n- Latest timestamp present in the dataset: 2026-10-13 05:0
0:00\n- BOM-labelled rows found: 0",
    "coding_response": [
      "I checked the available weather source labels in the recent data window. There are no rows where the
`source` column contains `BOM`, so I can’t identify a last BOM timestamp from the data currently availabl
e.\n\nWhat I can confirm is:\n- Latest timestamp present in the dataset: 2026-10-13 05:00:00\n- BOM-labelle
d rows found: 0"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "execute_custom_code",
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```




## Data Availability Issues DATA AVAILABILITY (4 failures)

## 1. Galleria_Mall

Production • 29.1s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Error reason:** AI indicated failure (matched 'i can't'): I could not assess the data quality because there is no data available in the database for the recent dates I checked (2026-10-11 and 2026-10-12 both returned empty dataframes). Without actual POA and

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How is my data quality for POA and power? How many of them show missing data during dayt
ime or mismatches with satellite prediction?",
    "displayed_response": "I could not assess the data quality because there is no data available in the da
tabase for the recent dates I checked (2026-10-11 and 2026-10-12 both returned empty dataframes). Without a
ctual POA and inverter power time series, I can’t compute daytime missing-data counts or mismatches versus
satellite/modelled expectations.",
    "coding_response": [
      "I could not assess the data quality because there is no data available in the database for the recen
t dates I checked (2026-10-11 and 2026-10-12 both returned empty dataframes). Without actual POA and invert
er power time series, I can’t compute daytime missing-data counts or mismatches versus satellite/modelled e
xpectations."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
TE
How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?
I could not assess the data quality because there is no data available in the database for the recent dates I checked (2026-10-11 and 2026-10-12 both returned empty dataframes). Without actual POA and inverter power time series, I can't compute daytime missing-data counts or mismatches versus satellite/modelled expectations.
04:54 AM
Are you satisfied with the answer?
Time taken: 14s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 2. Galleria_Mall

Production • 27.6s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Error reason:** AI indicated failure (matched 'i can't'): I couldn’t analyze shading dips because the requested recent pyranometer time window returned no data. The extraction for 2026-09-13 to 2026-10-12 came back empty, so there’s nothing to test for recur

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I couldn’t analyze shading dips because the requested recent pyranometer time wi
ndow returned no data. The extraction for 2026-09-13 to 2026-10-12 came back empty, so there’s nothing to t
est for recurring irradiance dips by time of day.\n\nWhat I can say:\n- The right approach is to compare py
ranometer_1 (and ideally pyranometer_2) against modelled_poa_1/modelled_poa_2 and solar position (azimuth/z
enith).\n- Repeating dips at similar times across many clear days would be consistent with fixed-object sha
ding.\n- But with an empty result set, I can’t confirm whether that pattern exists here.\n\nIf you want thi
s completed, provide a date range that actually contains data, and I can check for:\n- recurring morning/af
ternoon dip times,\n- whether both pyranometers show the same behavior,\n- and whether inverter power drops
align with the irradiance dips.",
    "coding_response": [
      "I couldn’t analyze shading dips because the requested recent pyranometer time window returned no dat
a. The extraction for 2026-09-13 to 2026-10-12 came back empty, so there’s nothing to test for recurring ir
radiance dips by time of day.\n\nWhat I can say:\n- The right approach is to compare pyranometer_1 (and ide
ally pyranometer_2) against modelled_poa_1/modelled_poa_2 and solar position (azimuth/zenith).\n- Repeating
dips at similar times across many clear days would be consistent with fixed-object shading.\n- But with an
empty result set, I can’t confirm whether that pattern exists here.\n\nIf you want this completed, provide
a date range that actually contains data, and I can check for:\n- recurring morning/afternoon dip times,\n-
whether both pyranometers show the same behavior,\n- and whether inverter power drops align with the irradi
ance dips."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
object shading.
- But with an empty result set, I can't confirm whether that pattern exists here.
If you want this completed, provide a date range that actually contains data, and I can check for:
- recurring morning/afternoon dip times,
- whether both pyranometers show the same behavior,
- and whether inverter power drops align with the irradiance dips.
05:00 AM
Are you satisfied with the answer?
Time taken: 12s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 3. SAK_1

Production • 73.6s

**Question:** Please generate last months report

**Error reason:** AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Pla
nt 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP,
Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_M
all_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SA
K_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_A
l_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_La
houn, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Time taken: 15s, token: 0 tokens
Please generate last months report
TE
Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'
06:50 AM
Are you satisfied with the answer?
Time taken: 58s, token: 0 tokens
connected to Sak 1
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 4. SAK_1

Production • 55.0s

**Question:** Please generate December 2025 performance report

**Error reason:** AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate December 2025 performance report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Pla
nt 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP,
Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_M
all_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SA
K_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_A
l_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_La
houn, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Time taken: 16s, token: 0 tokens
Please generate December 2025 performance report
TE
Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'
06:52 AM
Are you satisfied with the answer?
Time taken: 39s, token: 0 tokens
connected to Sak 1
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## Passed (202)

## 1. Noor_Al_aqaba

Production • 21.8s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain relevant information for troubleshooting a COMMUNICATION_FAULT. Please consult your inverter manufacturer or technical support for further assistance. 03:50 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 2. Noor_Al_aqaba

Production • 36.7s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss was present in July 2026. Per inverter clipping loss for 2026-07-01 to 2026-07-31: - inverter1_active_power: 34,258.2605 kWh - inverter2_active_power: 34,257.4975 kWh - inverter3_active_power: 34,257.4975 kWh - inverter4_active_power: 34,257.4975 kWh - inverter5_active_power: 29,015.9477 kWh - inverter6_active_power: 34,250.2521 kWh - inverter7_active_power: 34,258.2605 kWh - inverter8_active_power: 34,250.2521 kWh - inverter9_active_power: 34,242.4765 kWh - inverter10_active_power: 29,010.0137 kWh - inverter11_active_power: 8,005.5913 kWh - inverter12_active_power: 34,456.9157 kWh - inverter13_active_power: 34,456.9157 kWh - inverter14_active_power: 34,456.9157 kWh - inverter15_active_power: 28,320.7443 kWh Total clipping loss across all 15 inverters: 475,794.0413 kWh. Status: Good. 03:51 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connec

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 3. Noor_Al_aqaba

Production • 123.8s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_September_2026_external_report.pdf' Noor_Al_Aqaba Report 03:53 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 109s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 4. Noor_Al_aqaba

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there were no 0-production days in the last 7 days (2026-10-06 to 2026-10-12). Every day in that period had positive energy production on the reporting inverters. One note: inverter11 shows NaN for all 7 days, so its production is unavailable rather than confirmed zero. 03:54 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 5. Noor_Al_aqaba

Production • 68.9s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_December_2025_external_report.pdf' Noor_Al_Aqaba Report 03:55 AM Are you satisfied with the answer? Time taken: 54s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 6. Noor_Al_aqaba

Production • 35.4s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-10-12: - Daytime points analyzed: 134 - Missing daytime POA points (`pyranometer_1`): 0 - Daytime points with at least one inverter power value missing: 134 - Daytime points with all inverter power values missing: 0 Mismatch counts against satellite/model prediction: - POA vs modelled POA mismatch count (>30% relative error): 50 - Aggregated inverter power vs modelled POA shape mismatch count (normalized absolute difference >0.35): 22 Interpretation: - POA data quality looks complete during daytime, with no missing points. - Power data has partial missingness at every daytime interval, since at least one inverter is missing at each point, but never all inverters simultaneously. - There are a moderate number of POA mismatches versus satellite/modelled expectation and a smaller number of power-shape mismatches versus modelled POA. 03:56 AM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBA

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.final_result` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 7. Noor_Al_aqaba

Production • 23.1s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. 03:56 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 8. Noor_Al_aqaba

Production • 36.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 03:57 AM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 9. Noor_Al_aqaba

Production • 30.7s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 03:58 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 10. Noor_Al_aqaba

Production • 131.6s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Here is the summary of total clipping loss over the last 6 months (2026-04-13 to 2026-10-13), broken down by inverter: - Inverter 1: 112,408.12 kWh - Inverter 2: 113,107.78 kWh - Inverter 3: 113,092.32 kWh - Inverter 4: 112,806.59 kWh - Inverter 5: 94,660.14 kWh - Inverter 6: 113,102.56 kWh - Inverter 7: 113,115.47 kWh - Inverter 8: 113,102.56 kWh - Inverter 9: 111,993.69 kWh - Inverter 10: 94,911.43 kWh - Inverter 11: 50,538.22 kWh - Inverter 12: 113,294.79 kWh - Inverter 13: 113,294.79 kWh - Inverter 14: 113,294.79 kWh - Inverter 15: 93,976.93 kWh Note: The clipping-loss API returned a partial result due to rate-limit errors (HTTP 429) for the most recent chunks (from 2026-09-12 onward). These values are therefore likely underestimated for all inverters. I've created a line chart showing daily clipping loss for each inverter over the requested period. Here is the summary of total clipping loss over the last 6 months (2026-04-13 to 2026-10-13), bro

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `4` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 11. Noor_Al_aqaba

Production • 40.0s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-10-12), your plant-level top view is best represented by the inverter fleet. Overall performance - Reference yield: 5.60 kWh/kWp - Specific yield: mostly 5.17 to 5.41 kWh/kWp across inverters - Performance ratio: mostly 0.70 to 0.77 across inverters - Irradiance profile: clear production day, with hourly average POA peaking at about 762.7 W/m² at 14:00 Best-performing inverters by PR - inverter1: 0.7730 - inverter3: 0.7653 - inverter4: 0.7629 - inverter6: 0.7617 - inverter5: 0.7617 Lowest-performing inverters by PR - inverter12: 0.6997 - inverter8: 0.7069 - inverter2: 0.7447 - inverter14: 0.7484 - inverter13: 0.7499 Energy by inverter - inverter1: 1948.75 kWh - inverter2: 1930.80 kWh - inverter3: 1941.00 kWh - inverter4: 1939.01 kWh - inverter5: 1853.06 kWh - inverter6: 1949.97 kWh - inverter7: 1951.44 kWh - inverter8: 1891.73 kWh - inverter9: 1948.01 kWh - inverter10: 1870.95 kWh - inverter11: NaN - invert

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 12. Noor_Al_aqaba

Production • 39.9s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of pyranometer data against modelled POA irradiance and looked for recurring time-of-day dips in the pyranometer/modelled-POA ratio during daytime. Findings: - There are repeated dip patterns at specific times, which is consistent with possible shading or recurrent obstruction effects. - The strongest recurring windows are: - Morning: 07:15–07:40 - Late afternoon: 16:05–16:55 - Early evening: 17:00–17:40 Most frequent flagged times: - 16:35 → 10 dips out of 29 observations, 34.5% - 17:20 → 9/27, 33.3% - 16:40 → 9/28, 32.1% - 17:05 → 8/26, 30.8% - 17:15 → 8/26, 30.8% - 17:25 → 8/26, 30.8% - 07:15 → 6/20, 30.0% - 07:30 → 8/27, 29.6% - 07:35 → 8/27, 29.6% - 07:40 → 8/27, 29.6% Hourly concentration of flagged dips: - 07:00 hour: 44 total flagged dips across 07:15, 07:20, 07:25, 07:30, 07:35, 07:40 - 16:00 hour: 65 total flagged dips across 16:05, 16:25, 16:30, 16:35, 16:40, 16:45, 16:50, 16:55 - 17:00 hour: 46 t

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 13. Noor_Al_aqaba

Production • 24.7s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [Noor_Al_Aqaba] Front Page - Grid connected system with rated power (Page 1, Table 1) 2. [Noor_Al_Aqaba] System Summary - PV array configuration and rated power (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_2_image_2.png 04:03 AM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `3` |
| Network failures | `0` |



## 14. Noor_Al_aqaba

Production • 35.4s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 04:04 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens What can I do? connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `2` |
| Network failures | `0` |



## 15. Noor_Al_aqaba

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data showed up at 2026-10-13 02:55:00. That is about 1 hour 10 minutes before the current time you provided (2026-10-13 04:04:53). 04:05 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 16. Noor_Al_aqaba

Production • 30.7s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily summed POA irradiance was computed from `pyranometer_1` by converting each 5-minute irradiance value from W/m² to Wh/m² using 5/60 h, then summing by day. Results for the available last-12-month query window: - Median daily POA irradiance: 10,139.96 Wh/m² - Mean daily POA irradiance: 9,628.11 Wh/m² - Kurtosis of daily values (Fisher): 5.2063 Data coverage note: - Requested window: 2025-10-13 to 2026-10-13 - Actual available data: 2026-05-09 10:45:00 to 2026-10-13 02:55:00 - Daily values available: 158 Because the dataset does not contain the full last 12 months, these statistics are for the available portion only, not a complete 12-month period. 04:05 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 17. Noor_Al_aqaba

Production • 21.5s

**Question:** Pull up the latest cleaning log

**Response:** There are no recent cleaning activity logs for Noor_Al_Aqaba in October 2026. 04:06 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 18. Noor_Al_aqaba

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date (You mentioned "today"; please confirm if this is 2026-10-13) - Fault Cause - Action Taken (noted: "Jim cleaned the pyranometer") - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Cleaning) - Priority - Responsibility (you noted: "Jim") - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 04:06 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 19. Noor_Al_aqaba

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain information on how to shut down your inverters. Please consult your inverter's official user manual or technical support for shutdown procedures. 04:07 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 20. Noor_Al_aqaba

Production • 20.0s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 04:08 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 21. Noor_Al_aqaba

Production • 80.9s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping losses for the last two months, broken down by inverter: - Inverter 1: 37,818.5966 kWh - Inverter 2: 38,529.8508 kWh - Inverter 3: 38,526.8077 kWh - Inverter 4: 38,241.0720 kWh - Inverter 5: 30,899.2630 kWh - Inverter 6: 38,531.8775 kWh - Inverter 7: 38,531.8775 kWh - Inverter 8: 38,531.8775 kWh - Inverter 9: 38,291.8089 kWh - Inverter 10: 31,145.6191 kWh - Inverter 11: 0.0000 kWh - Inverter 12: 38,529.8508 kWh - Inverter 13: 38,529.8508 kWh - Inverter 14: 38,529.8508 kWh - Inverter 15: 30,900.2051 kWh I've created a line chart showing daily clipping loss for each inverter over the requested period. Clipping losses for the last two months, broken down by inverter: - Inverter 1: 37,818.5966 kWh - Inverter 2: 38,529.8508 kWh - Inverter 3: 38,526.8077 kWh - Inverter 4: 38,241.0720 kWh - Inverter 5: 30,899.2630 kWh - Inverter 6: 38,531.8775 kWh - Inverter 7: 38,531.8775 kWh - Inverter 8: 38,531.8775 kWh - Inverter 9: 38,291.80

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 22. Noor_Al_aqaba

Production • 39.9s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 04:10 AM ★ Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.specific_yield_ag, functions.total_energy_func_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 23. MOF

Production • 33.8s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The information for troubleshooting a COMMUNICATION_FAULT error is not available in the manual documents accessible at this time. 04:11 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `11` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 24. MOF

Production • 68.7s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_September_2026_external_report.pdf' MOF Report 04:13 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 54s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 25. MOF

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no zero-production days in the last 7 days with available data. Daily plant energy: - 2026-10-06: 1697.768 kWh - 2026-10-07: 1636.594 kWh - 2026-10-08: 1682.057 kWh - 2026-10-09: 1602.029 kWh - 2026-10-10: 1638.442 kWh - 2026-10-11: 1452.683 kWh - 2026-10-12: 1472.022 kWh Note: the dataset is incomplete at the edges and available from 2026-10-06 05:30 to 2026-10-12 17:45, but none of the days in the returned period had zero production. 04:14 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 26. MOF

Production • 64.2s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_December_2025_external_report.pdf' MOF Report 04:15 AM Are you satisfied with the answer? Time taken: 49s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 27. MOF

Production • 36.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For the available data window on 2026-10-12 00:00 to 18:00: - Daytime samples assessed: 45 - POA missing during daytime: 4 - Active power missing during daytime: 0 - POA mismatches vs satellite/modelled POA proxy: 6 - Active power mismatches vs irradiance-based satellite proxy: 0 Notes: - The database did not have data through the full requested current date; it ended at 2026-10-12 18:00:00. - Daytime was defined as zenith < 90 and modelled_poa_1 > 20 W/m². - POA mismatch was counted when |pyranometer_1 - modelled_poa_1| > 100 W/m² and also > 20% of modelled POA. - Active power mismatch was counted when modelled_poa_1 > 200 W/m² but active_power was <= 0 or missing. - Since no direct satellite POA column exists, I used modelled_poa_1 as the best available satellite/weather-based POA proxy. 04:16 AM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key inform

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 28. MOF

Production • 23.1s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. 04:17 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 29. MOF

Production • 23.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 04:17 AM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 30. MOF

Production • 29.3s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 04:18 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 31. MOF

Production • 43.7s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss Summary (Last 6 Months) - Data window: Through 2026-10-12 18:00 (slightly incomplete for 2026-10-13) Clipping Loss by Inverter: - inverter1: 0.00 kWh - inverter2: 4.70 kWh - inverter3: 0.00 kWh - inverter4: 0.00 kWh - inverter5: 0.00 kWh - inverter6: 0.00 kWh - inverter7: 4.74 kWh - inverter8: 15.08 kWh Visualization: - I've created a bar chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" with the y-axis showing Clipping Loss (kWh). Clipping Loss Summary (Last 6 Months) - Data window: Through 2026-10-12 18:00 (slightly incomplete for 2026-10-13) Clipping Loss by Inverter: - inverter1: 0.00 kWh - inverter2: 4.70 kWh - inverter3: 0.00 kWh - inverter4: 0.00 kWh - inverter5: 0.00 kWh - inverter6: 0.00 kWh - inverter7: 4.74 kWh - inverter8: 15.08 kWh Visualization: - I've created a bar chart titled "Monthly Clipping Loss by Inverter (Last 6 Months)" with the y-axis showing Clipping Loss (kWh). View Fullscreen

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 32. MOF

Production • 43.1s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last month of pyranometer data (2026-09-13 to 2026-10-12 18:00, with daytime filtering) against modelled POA and checked whether dips recur at fixed times and whether plant/inverter power also drops. Conclusion: there is no clear evidence of recurring shading from the pyranometer. Key findings: - Daytime points analyzed: 1,159 - Candidate irradiance dip points found: 5 - Those dips are too few and too scattered to indicate a frequent, repeatable shading pattern. - Dip times observed: 11:45, 12:00, 12:45, 13:00, 13:45 - Days with dips: 2026-09-25 (2), 2026-10-11 (1), 2026-10-12 (2) - Solar azimuths during dips were mostly around 180°-230°, but with only 5 events this is not strong enough to confirm fixed-object shading. Power response during dip events: All inverters showed modest simultaneous reductions during the dip timestamps, which is more consistent with transient cloud effects than localized plant shading. - inverter1_active_power: mean nor

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 33. MOF

Production • 24.7s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [MOF] Grid Connected System overview - Rated power (Page 1, Table 1) 2. [MOF] PV Array Characteristics - Module and inverter nominal powers (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_1_image_1.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_3_image_2.jpg 04:21 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | 4 |
| Network failures | 1 |



## 34. MOF

Production • 25.5s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 04:22 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 10s, token: 0 tokens What can I do? connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 2 |
| Network failures | 0 |



## 35. MOF

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data showed up at 2026-10-12 18:00:00. The query also indicates the dataset currently ends at 2026-10-12 18:00:00, so there is no BOM data after that in the available records. 04:23 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 36. MOF

Production • 74.7s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily summed POA irradiance over the last 12 months (using `pyranometer_1`) was calculated in Wh/m² from the raw 15-minute data. Summary statistics: - Median: 1334.07 Wh/m² - Mean: 2533.41 Wh/m² - Kurtosis: -1.6575 - Days with data: 365 Data coverage note: - The available data ends at 2026-10-12 18:00:00, so 2026-10-13 was not complete and was not included in the daily results. - The daily series used spans 2025-10-13 to 2026-10-12. Daily summed POA irradiance (Wh/m²): - 2025-10-13: 916.74 - 2025-10-14: 890.44 - 2025-10-15: 989.56 - 2025-10-16: 943.14 - 2025-10-17: 930.87 - 2025-10-18: 891.16 - 2025-10-19: 885.85 - 2025-10-20: 904.79 - 2025-10-21: 889.05 - 2025-10-22: 878.82 - 2025-10-23: 858.98 - 2025-10-24: 840.18 - 2025-10-25: 827.76 - 2025-10-26: 794.18 - 2025-10-27: 840.57 - 2025-10-28: 827.31 - 2025-10-29: 825.42 - 2025-10-30: 787.88 - 2025-10-31: 765.16 - 2025-11-01: 784.85 - 2025-11-02: 857.28 - 2025-11-03: 835.38

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 37. MOF

Production • 20.0s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs for the plant MOF in October 2026. 04:25 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 38. MOF

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes You can specify the Activity Type, but it will be set to Cleaning based on your request. 04:26 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 39. MOF

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain relevant information on how to shut down your inverters. Please refer to the physical labels on your inverter or contact your manufacturer's support for assistance. 04:26 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 40. MOF

Production • 18.7s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 04:27 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 41. MOF

Production • 41.5s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss by Inverter (2026-08-13 to 2026-10-13) - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Status: Good Visualization: - I've created a line chart showing daily clipping loss by inverter for the requested period. Clipping Loss by Inverter (2026-08-13 to 2026-10-13) - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Status: Good Visualization: - I've created a line chart showing daily clipping loss by inverter for the requested period. View Fullscreen 04:28 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, calculate_clipping_or_curtailment_losses_ag, clipping_loss_via_requests` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 42. MOF

Production • 35.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 04:28 AM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `multi_tool_use.parallel, functions.specific_yield_ag, functions.total_energy_func_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 43. KUPCO_HQ_DAJEEJ

Production • 21.5s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain relevant information for troubleshooting the COMMUNICATION_FAULT issue on your inverters. Please consult the manufacturer or support for further assistance. 04:29 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `14` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 44. KUPCO_HQ_DAJEEJ

Production • 44.3s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Found 1 relevant PVsyst report section: 1. [KUPCO_HQ_Dajeej] Loss Diagram (includes clipping loss) – Page 11, Table 1 Please access the URL provided to view the detailed section. 04:30 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 29s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 45. KUPCO_HQ_DAJEEJ

Production • 89.9s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 04:32 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 75s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 3 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 46. KUPCO_HQ_DAJEEJ

Production • 35.2s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no days with zero energy production in the last 7 days. Daily inverter energy for the completed days in the last 7 days: - 2026-10-06: inverter1 146.685 kWh, inverter2 470.645 kWh, inverter3 432.625 kWh - 2026-10-07: inverter1 144.992 kWh, inverter2 466.868 kWh, inverter3 430.051 kWh - 2026-10-08: inverter1 145.073 kWh, inverter2 465.635 kWh, inverter3 428.201 kWh - 2026-10-09: inverter1 139.969 kWh, inverter2 447.953 kWh, inverter3 411.812 kWh - 2026-10-10: inverter1 140.732 kWh, inverter2 454.676 kWh, inverter3 415.709 kWh - 2026-10-11: inverter1 147.426 kWh, inverter2 515.209 kWh, inverter3 486.758 kWh - 2026-10-12: inverter1 148.447 kWh, inverter2 520.351 kWh, inverter3 490.778 kWh Note: 2026-10-13 is still in progress and currently returns null, so I excluded it from the zero-production check. 04:33 AM Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are p

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 47. KUPCO_HQ_DAJEEJ

Production • 48.9s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' KUPCO_HQ_Dajeej Report 04:34 AM Are you satisfied with the answer? Time taken: 34s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 48. KUPCO_HQ_DAJEEJ

Production • 42.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For the available data window ending 2026-10-13 03:55:00, POA and power data quality looks good for missing-data checks, with some moderate POA mismatch versus the satellite/model reference. Summary - Data available through: 2026-10-13 03:55:00 - Total rows checked: 336 - Daytime rows checked: 135 Missing data during daytime - pyranometer_1 missing count: 0 - modelled_poa_1 missing count: 0 - Any inverter power missing count: 0 - All inverter powers missing count: 0 - inverter1_active_power missing count: 0 - inverter2_active_power missing count: 0 - inverter3_active_power missing count: 0 POA vs satellite/model mismatch - Valid daytime comparison points: 135 - Mean absolute percentage error: 28.2% - Mean bias: -54.2 W/m² - Mean absolute error: 59.0 W/m² - Large mismatch count (>20% and >50 W/m²): 45 Interpretation of POA mismatch - The ground POA sensor reads lower than the model/satellite reference on average by about 54 W/m². - A 28.2% d

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 49. KUPCO_HQ_DAJEEJ

Production • 32.6s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 04:36 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 50. KUPCO_HQ_DAJEEJ

Production • 37.2s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 04:37 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.final_result, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 51. KUPCO_HQ_DAJEEJ

Production • 30.7s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 04:37 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 52. KUPCO_HQ_DAJEEJ

Production • 76.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss — Last 6 Months (by Inverter) - Inverter 1: 2,500.2921 kWh - Inverter 2: 8,997.4456 kWh - Inverter 3: 5,762.6537 kWh Visualization: • I've created a line chart showing daily clipping loss by inverter for the last 6 months. Clipping Loss — Last 6 Months (by Inverter) - Inverter 1: 2,500.2921 kWh - Inverter 2: 8,997.4456 kWh - Inverter 3: 5,762.6537 kWh Visualization: • I've created a line chart showing daily clipping loss by inverter for the last 6 months. View Fullscreen 04:39 AM ★ Are you satisfied with the answer? Time taken: 61s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 53. KUPCO_HQ_DAJEEJ

Production • 29.2s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-10-12), the plant's top-level available view is inverter-level, and performance was as follows: - Energy generated: - inverter1: 148.45 kWh - inverter2: 520.35 kWh - inverter3: 490.78 kWh - Total: 1,159.58 kWh - Performance ratio (PR): - inverter1: 0.453 - inverter2: 0.368 - inverter3: 0.440 - Specific yield: - inverter1: 4.158 kWh/kWp - inverter2: 3.832 kWh/kWp - inverter3: 3.790 kWh/kWp Status: Good. 04:40 AM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 54. KUPCO_HQ_DAJEEJ

Production • 42.9s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of pyranometer data against modelled POA and solar position, looking for repeated negative irradiance deviations concentrated at specific times/azimuths. Findings: - pyranometer_1: likely recurring time-specific shading dips - Dip points: 153 - Share of daylight points affected: 4.55% - Most affected hours: 08:00–08:59 (39), 14:00–14:59 (35), 15:00–15:59 (41) - Top azimuth bins: 110–120° (39) and 240–250° (40) - Top 3 hours account for 75.2% of all dips - Median dip strength during dips: 20.7% - pyranometer_2: likely recurring time-specific shading dips - Dip points: 185 - Share of daylight points affected: 5.49% - Most affected hours: 13:00–13:59 (19), 14:00–14:59 (46), 15:00–15:59 (73), 16:00–16:59 (26) - Top azimuth bins: 220–230° (21), 230–240° (34), 240–250° (70), 250–260° (27) - Top 3 hours account for 78.4% of all dips - Median dip strength during dips: 21.7% - pyranometer_3: possible intermit

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 55. KUPCO_HQ_DAJEEJ

Production • 27.7s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [KUPCO_HQ_Dajeej] Front page - Grid connected system with rated power (Page 1, Table 1) 2. [KUPCO_HQ_Dajeej] PV Array Characteristics - Module and inverter nominal powers, array configuration (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_3_image_2.png 04:41 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | `4` |
| Network failures | `1` |



## 56. KUPCO_HQ_DAJEEJ

Production • 38.2s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 04:42 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 23s, token: 0 tokens What can I do? connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 57. KUPCO_HQ_DAJEEJ

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data timestamp is not present in the returned data. I checked the available `source` data up to the latest recorded timestamp, and there were no entries labeled BOM. The dataset itself currently only reaches **2026-10-13 03:55:00**. So the answer is: **no BOM-tagged data was found in the queried period ending at 2026-10-13 03:55:00**. 04:43 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 58. KUPCO_HQ_DAJEEJ

Production • 46.0s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` as the POA sensor, I summed the 5-minute irradiance values into daily POA totals in Wh/m² over the requested last-12-month window. Note: the available data is incomplete for that window. Data actually starts on 2026-04-12 and ends on 2026-10-13 03:55, so the result covers 185 days, not a full 12 months. Also, 2026-10-13 is only a partial day and sums to 0.0 Wh/m² so far. Daily POA totals (Wh/m²): 2026-04-12: 4179.34 2026-04-13: 6496.27 2026-04-14: 6543.98 2026-04-15: 6702.76 2026-04-16: 5521.16 2026-04-17: 7207.08 2026-04-18: 6395.07 2026-04-19: 3950.52 2026-04-20: 1519.08 2026-04-21: 4832.97 2026-04-22: 6928.17 2026-04-23: 5062.22 2026-04-24: 5835.13 2026-04-25: 4872.32 2026-04-26: 5114.72 2026-04-27: 6485.17 2026-04-28: 6737.80 2026-04-29: 6865.51 2026-04-30: 6774.07 2026-05-01: 6749.66 2026-05-02: 6967.80 2026-05-03: 7135.47 2026-05-04: 6694.07 2026-05-05: 6536.89 2026-05-06: 5918.19 2026-05-07: 4009.03

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 59. KUPCO_HQ_DAJEEJ

Production • 21.5s

**Question:** Pull up the latest cleaning log

**Response:** Here is the latest cleaning log for KUPCO_HQ_Dajeej: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-06 KUPCO_HQ_Dajeej Routine soiling on pyranometer sensor Pyranometer cleaned by Jim Completed - - - - - - - - - 04:44 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 60. KUPCO_HQ_DAJEEJ

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 04:45 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 61. KUPCO_HQ_DAJEEJ

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain information on how to shut down inverters for your system. Please consult your manufacturer's documentation or contact technical support for further assistance. 04:46 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 62. KUPCO_HQ_DAJEEJ

Production • 19.3s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 04:46 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 63. KUPCO_HQ_DAJEEJ

Production • 49.0s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss Summary (Last 2 Months): - Inverter 1: 367.8004 kWh - Inverter 2: 1301.8011 kWh - Inverter 3: 743.2199 kWh The visualization has been prepared to show daily clipping loss by inverter over the last two months. Clipping Loss Summary (Last 2 Months): - Inverter 1: 367.8004 kWh - Inverter 2: 1301.8011 kWh - Inverter 3: 743.2199 kWh The visualization has been prepared to show daily clipping loss by inverter over the last two months. View Fullscreen 04:47 AM ★ Are you satisfied with the answer? Time taken: 34s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 64. KUPCO_HQ_DAJEEJ

Production • 33.8s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 04:48 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 65. Galleria_Mall

Production • 93.0s

**Question:** Please generate last months report

**Response:** I've generated the external performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_September_2026_external_report.pdf' Galleria_Mall Report 04:51 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 78s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 66. Galleria_Mall

Production • 61.1s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_December_2025_external_report.pdf' Galleria_Mall Report 04:53 AM Are you satisfied with the answer? Time taken: 46s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 67. Galleria_Mall

Production • 32.6s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 04:55 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 68. Galleria_Mall

Production • 27.6s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 04:56 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.inspect_xpool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 69. Galleria_Mall

Production • 28.2s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 04:56 AM ★ Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 70. Galleria_Mall

Production • 26.2s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [Galleria_Mall] Front Page – System Rated Power (Page 1, Table 1) 2. [Galleria_Mall] PV Array Characteristics – Array Configuration (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_3_image_2.png 05:00 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | `3` |
| Network failures | `1` |



## 71. Galleria_Mall

Production • 27.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 05:01 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 12s, token: 0 tokens What can I do? connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 3 |
| Network failures | 0 |



## 72. Galleria_Mall

Production • 51.9s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` as POA, I computed the daily POA sums in Wh/m² from the available 5-minute data over the requested last-12-month window. Note: the requested 12-month window is incomplete in the database. Available data only runs from **2026-04-05 00:00:00** to **2026-09-11 19:00:00**. Results for the available period: - **Number of days:** 160 - **Median daily POA:** **6943.73 Wh/m²** - **Mean daily POA:** **6714.55 Wh/m²** - **Kurtosis:** **8.2525** Daily POA sums (Wh/m²): - 2026-04-05: 6704.45 - 2026-04-06: 6793.26 - 2026-04-07: 6848.05 - 2026-04-08: 6760.17 - 2026-04-09: 4432.46 - 2026-04-10: 6582.76 - 2026-04-11: 3884.04 - 2026-04-12: 4312.05 - 2026-04-13: 6611.83 - 2026-04-14: 6873.08 - 2026-04-15: 7191.16 - 2026-04-16: 5991.03 - 2026-04-17: 7068.52 - 2026-04-18: 6275.19 - 2026-04-19: 3980.02 - 2026-04-20: 1524.48 - 2026-04-21: 4740.04 - 2026-04-22: 6620.00 - 2026-04-23: 4896.32 - 2026-04-24: 5638.57 - 2026-04-25: 47

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 73. Galleria_Mall

Production • 21.5s

**Question:** Pull up the latest cleaning log

**Response:** No cleaning activity logs have been recorded for Galleria_Mall in October 2026. 05:04 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 74. Galleria_Mall

Production • 21.5s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 05:04 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 75. Galleria_Mall

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain information on how to shut down your inverters. Please consult your manufacturer's instructions or contact technical support for further assistance. 05:05 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 76. Galleria_Mall

Production • 18.9s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 05:05 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 77. Galleria_Mall

Production • 62.6s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss by Inverter (2026-08-13 to 2026-10-13): - Inverter 1: 0.430 kWh - Inverter 2: 0.000 kWh - Inverter 3: 0.000 kWh - Inverter 4: 0.000 kWh - Inverter 5: 0.000 kWh - Inverter 6: 0.000 kWh - Inverter 7: 0.000 kWh - Inverter 8: 0.000 kWh - Inverter 9: 0.000 kWh - Inverter 10: 0.000 kWh - Inverter 11: 50.291 kWh - Inverter 12: 0.000 kWh Total Clipping Loss: 50.721 kWh Status: Good The visualization has been prepared showing daily clipping loss by inverter for the last 2 months. Clipping Loss by Inverter (2026-08-13 to 2026-10-13): - Inverter 1: 0.430 kWh - Inverter 2: 0.000 kWh - Inverter 3: 0.000 kWh - Inverter 4: 0.000 kWh - Inverter 5: 0.000 kWh - Inverter 6: 0.000 kWh - Inverter 7: 0.000 kWh - Inverter 8: 0.000 kWh - Inverter 9: 0.000 kWh - Inverter 10: 0.000 kWh - Inverter 11: 50.291 kWh - Inverter 12: 0.000 kWh Total Clipping Loss: 50.721 kWh Status: Good The visualization has been prepared showing daily c

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 78. Galleria_Mall

Production • 35.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 05:07 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 79. GID

Production • 32.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** To troubleshoot a COMMUNICATION_FAULT on your SUNGROW inverters, follow these steps referencing specific diagrams from the manual: 1. Inspect the Communication Terminal Connection: - Unscrew the swivel nut on the communication terminal (refer to the direction in the diagram) to access the cable and connector. - Diagram: 2. Check for Secure Electrical Contact: - Ensure the connector is aligned and fully inserted; inspect for visible damage on the cable or connector. 3. Monitor the Fault Alarm Record: - Use the digital interface to navigate to "Fault Alarm Record". Check for communication fault entries using date/time filters. - Diagram: 4. Use the Monitoring Application: - Access "Records" to review faults and event logs. Focus on "Fault Alarm Record". - Diagram: 5. Examine Relay Connections and LED Fault Indication: - Check relay wiring for COM, NC, NO configuration and LED status (ON = normal, OFF = fault). - Diagram: 6. Check Cable Preparation

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 80. GID

Production • 32.1s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026 was: - inverter1_active_power: 31,189.95 kWh - inverter2_active_power: 31,079.45 kWh - inverter3_active_power: 31,194.90 kWh - inverter4_active_power: 31,190.07 kWh - inverter5_active_power: 36,155.49 kWh - inverter6_active_power: 36,155.49 kWh - inverter7_active_power: 36,145.11 kWh - inverter8_active_power: 36,145.11 kWh - inverter9_active_power: 36,155.49 kWh Status: Good 05:09 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 81. GID

Production • 114.2s

**Question:** Please generate last months report

**Response:** I've generated the external performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_September_2026_external_report.pdf' Mathkor_GID Report 05:12 AM Are you satisfied with the answer? Time taken: 99s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 82. GID

Production • 32.2s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there were no 0 production days in the last 7 days. Daily plant energy: - 2026-10-06: 17,820.19 kWh - 2026-10-07: 25,742.67 kWh - 2026-10-08: 21,694.78 kWh - 2026-10-09: 21,903.47 kWh - 2026-10-10: 21,696.10 kWh - 2026-10-11: 14,225.59 kWh - 2026-10-12: 18,796.04 kWh 05:12 AM Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 83. GID

Production • 112.8s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_December_2025_external_report.pdf' Mathkor_GID Report 05:15 AM Are you satisfied with the answer? Time taken: 97s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 84. GID

Production • 32.1s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For the available data window 2026-10-12 00:00 to 2026-10-13 05:00: - Daytime data points: 135 - Missing POA data points during daytime: 1 - Measured power mismatch instances vs satellite/modelled irradiance prediction: 1 Method used: - Daytime was identified where measured POA or modelled POA exceeded 20 W/m². - A POA missing point was counted when `pyranometer_1` was NaN during daytime. - A power mismatch was counted when modelled POA exceeded 200 W/m² but plant `active_power` was missing or non-positive. Note: the dataset currently ends at 2026-10-13 05:00:00, so this assessment is only for the data available up to that timestamp. 05:15 AM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 85. GID

Production • 33.9s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:16 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 86. GID

Production • 39.9s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:17 AM ★ Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 87. GID

Production • 32.2s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 05:18 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 88. GID

Production • 111.7s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Total clipping loss over the last 6 months (2026-04-13 to 2026-10-13): - inverter1: 132,697.15 kWh - inverter2: 132,177.34 kWh - inverter3: 132,302.39 kWh - inverter4: 132,393.58 kWh - inverter5: 155,908.27 kWh - inverter6: 155,899.13 kWh - inverter7: 156,361.27 kWh - inverter8: 156,372.30 kWh - inverter9: 155,913.15 kWh Data quality status: Good Visualization: - A grouped bar chart titled "Monthly Clipping Loss by Inverter - Last 6 Months" has been created to show the monthly breakdown by inverter. Total clipping loss over the last 6 months (2026-04-13 to 2026-10-13): - inverter1: 132,697.15 kWh - inverter2: 132,177.34 kWh - inverter3: 132,302.39 kWh - inverter4: 132,393.58 kWh - inverter5: 155,908.27 kWh - inverter6: 155,899.13 kWh - inverter7: 156,361.27 kWh - inverter8: 156,372.30 kWh - inverter9: 155,913.15 kWh Data quality status: Good Visualization: - A grouped bar chart titled "Monthly Clipping Loss by Inverter - Last 6 Mo

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `3` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 89. GID

Production • 45.9s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of 5–minute pyranometer data (2026–09–13 to 2026–10–12) against modelled POA irradiance to detect recurrent shortfalls consistent with shading-type dips. Findings: - Daytime points analyzed: 3,560 - Dip points flagged: 366 - Dip frequency: 10.28% of analyzed daytime samples - Distinct dip events: 125 - Median event duration: 10 minutes - Mean event duration: 14.64 minutes - Mean dip depth when flagged: 279.4 W/m² - Median dip depth when flagged: 259.2 W/m² When dips occur most often by hour: - 07:00: 34.91% - 08:00: 19.31% - 09:00: 4.15% - 10:00: 6.41% - 11:00: 4.46% - 12:00: 4.72% - 13:00: 4.72% - 14:00: 3.90% - 15:00: 8.89% - 16:00: 16.85% - 17:00: 23.64% Average dip depth by hour: - 07:00: 153.2 W/m² - 08:00: 63.9 W/m² - 09:00: 16.7 W/m² - 10:00: 19.5 W/m² - 11:00: 15.7 W/m² - 12:00: 18.1 W/m² - 13:00: 18.9 W/m² - 14:00: 19.7 W/m² - 15:00: 35.1 W/m² - 16:00: 72.6 W/m² - 17:00: 111.5 W/m²

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 90. GID

Production • 24.6s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [Mathkor_GID] System summary (Page 2, Table 2) 2. [Mathkor_GID] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_3_image_2.jpg 05:23 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | `3` |
| Network failures | `1` |



## 91. GID

Production • 36.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 05:23 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 92. GID

Production • 30.6s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily summed POA over the last 12 months (Wh/m²), using `pyranometer_1`, was computed for 365 days. Summary statistics of the daily series: - Median: 7348.67 Wh/m² - Mean: 7005.21 Wh/m² - Kurtosis: -0.9639 Notes: - The extraction covered 2025-10-13 to 2026-10-13. - The latest day, 2026-10-13, is incomplete because data only extends to 05:00, so that day's value is partial. - There is also at least one missing daily record within the period (for example 2025-12-12 is absent), so the returned daily series contains 365 days rather than 366. If you want the full daily POA table pasted inline, I can provide it. 05:25 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 93. GID

Production • 20.0s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs for Mathkor_GID for October 2026. 05:25 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 94. GID

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add this cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 05:26 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 95. GID

Production • 27.6s

**Question:** How can I shut down my inverters?

**Response:** To shut down your inverters, follow these steps: 1. Disconnect the external AC circuit breaker and secure it against reconnection. 2. Rotate the DC switch to the "OFF" position to disconnect all PV string inputs. For visual reference, view this diagram to see the DC switch handle set to OFF: 3. Wait approximately 25 minutes to allow internal capacitors to discharge. 4. Use a current clamp to verify there is no current in the DC cable. 5. After 25 minutes, measure both voltage and current—only proceed if both are zero. 6. Ensure both AC and DC connections are fully disconnected. If there are multiple layers of DC terminals, remove outer connectors before inner ones. 7. Use an MC4-Evo2 wrench to loosen DC connectors if needed and install waterproof plugs. Safety: - Always use appropriate PPE. - Confirm absence of voltage and current before handling terminals or cables. - Refer to storage and dismantling instructions in the manual if you intend to reuse the inverter. Diagram referenc

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 96. GID

Production • 19.3s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 05:27 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 97. GID

Production • 76.4s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss Summary (2026-08-13 to 2026-10-13) • Inverter 1: 31,639.09 kWh • Inverter 2: 31,642.28 kWh • Inverter 3: 31,642.28 kWh • Inverter 4: 31,379.77 kWh • Inverter 5: 38,847.86 kWh • Inverter 6: 38,849.28 kWh • Inverter 7: 38,847.86 kWh • Inverter 8: 38,847.86 kWh • Inverter 9: 38,852.26 kWh Visualization I've created a line chart showing daily clipping loss by inverter for the last two months. Clipping Loss Summary (2026-08-13 to 2026-10-13) • Inverter 1: 31,639.09 kWh • Inverter 2: 31,642.28 kWh • Inverter 3: 31,642.28 kWh • Inverter 4: 31,379.77 kWh • Inverter 5: 38,847.86 kWh • Inverter 6: 38,849.28 kWh • Inverter 7: 38,847.86 kWh • Inverter 8: 38,847.86 kWh • Inverter 9: 38,852.26 kWh Visualization I've created a line chart showing daily clipping loss by inverter for the last two months. View Fullscreen 05:29 AM ★ Are you satisfied with the answer? Time taken: 61s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FE

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 98. GID

Production • 32.2s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 05:30 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `multi_tool_use.parallel, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 99. Abdali_Mall_Netmetering

Production • 20.0s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain information about troubleshooting a COMMUNICATION_FAULT for your inverters. Please consult your system's official documentation or technical support for further assistance. 05:31 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 100. Abdali_Mall_Netmetering

Production • 33.7s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026 was: - inverter1_active_power: 218.943 kWh - inverter2_active_power: 131.9139 kWh - inverter3_active_power: 188.2499 kWh - inverter4_active_power: 318.8087 kWh - inverter5_active_power: 467.7012 kWh - inverter6_active_power: 0.0 kWh - inverter7_active_power: 0.0 kWh - inverter8_active_power: 13.2321 kWh - inverter9_active_power: 0.0 kWh - inverter10_active_power: 0.0 kWh - inverter11_active_power: 0.0 kWh - inverter12_active_power: 0.0 kWh - inverter13_active_power: 0.0 kWh - inverter14_active_power: 3.2616 kWh - inverter15_active_power: 0.0 kWh Total clipping loss across all inverters: 1342.1104 kWh. Status: Good 05:31 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 101. Abdali_Mall_Netmetering

Production • 126.4s

**Question:** Please generate last months report

**Response:** I've generated the external plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Netmetering Report 05:34 AM Are you satisfied with the answer? Time taken: 111s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `3` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 102. Abdali_Mall_Netmetering

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no zero-production days in the last 7 days (2026-10-06 to 2026-10-12). Daily plant energy: - 2026-10-06: 2309.78 kWh - 2026-10-07: 2709.95 kWh - 2026-10-08: 2444.70 kWh - 2026-10-09: 2486.51 kWh - 2026-10-10: 2522.43 kWh - 2026-10-11: 1941.06 kWh - 2026-10-12: 2040.09 kWh 05:34 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 103. Abdali_Mall_Netmetering

Production • 68.6s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Netmetering Report 05:36 AM Are you satisfied with the answer? Time taken: 53s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 104. Abdali_Mall_Netmetering

Production • 33.7s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** Assessed period: 2026-10-12 00:00 to 2026-10-13 05:25 (data currently available up to 05:25). Daytime basis: - Daytime points were identified where modelled_poa_1 > 20 W/m². - Daytime samples: 133 Missing-data counts during daytime: - POA missing (pyranometer_1): 0 - Power missing (active_power): 0 Mismatch counts against prediction data: - POA mismatches vs modelled/satellite-derived POA: 47 out of 133 daytime comparison points - Power mismatches under production conditions: 0 out of 133 daytime comparison points Notes: - POA mismatch was counted when |pyranometer_1 - modelled_poa_1| exceeded max(150 W/m², 30% of modelled POA). - Power mismatch was counted when modelled POA > 200 W/m² but active_power <= 0 W. - The dataset does not yet extend to the full end of 2026-10-13; latest timestamp available is 2026-10-13 05:25. 05:37 AM Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 105. Abdali_Mall_Netmetering

Production • 32.4s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:37 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 106. Abdali_Mall_Netmetering

Production • 32.2s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:38 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 107. Abdali_Mall_Netmetering

Production • 32.6s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 05:39 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 108. Abdali_Mall_Netmetering

Production • 74.9s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss by Inverter (Last 6 Months: 2026-04-13 to 2026-10-13) - Inverter 1: 883.0433 kWh - Inverter 2: 577.1241 kWh - Inverter 3: 774.9887 kWh - Inverter 4: 1 242.3069 kWh - Inverter 5: 1 795.1404 kWh - Inverter 6: 0.0410 kWh - Inverter 7: 0.0000 kWh - Inverter 8: 89.7529 kWh - Inverter 9: 0.0000 kWh - Inverter 10: 1.0476 kWh - Inverter 11: 0.0000 kWh - Inverter 12: 0.0000 kWh - Inverter 13: 0.0000 kWh - Inverter 14: 52.6886 kWh - Inverter 15: 3.3360 kWh Data Quality Note: - Values may be underestimated due to partial results returned under API rate-limit errors. Visualization: - A bar chart titled “Monthly Clipping Loss by Inverter – Last 6 Months” has been created to illustrate the monthly breakdown per inverter. Clipping Loss by Inverter (Last 6 Months: 2026-04-13 to 2026-10-13) - Inverter 1: 883.0433 kWh - Inverter 2: 577.1241 kWh - Inverter 3: 774.9887 kWh - Inverter 4: 1 242.3069 kWh - Inverter 5: 1 795.1404 kWh - Invert

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests` |
| API calls made | `3` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 109. Abdali_Mall_Netmetering

Production • 43.0s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last ~30 days of `pyranometer_1` against `modelled_poa_1` and looked for recurring time-of-day dips in measured irradiance relative to its normal pattern. Conclusion: yes, there is a strong recurring dip pattern consistent with possible shading or obstruction affecting the pyranometer/its field of view. Main recurring dip window - Strongest cluster: 08:20–08:55 - Worst individual times: - 08:40: seen on 11 days, median dip to 49.5% of its normal level for that time - 08:50: 11 days, 66.1% of normal - 08:35: 10 days, 47.7% of normal - 08:45: 9 days, 41.4% of normal - 08:30: 9 days, 52.7% of normal Secondary recurring windows - Around 09:00–09:55, weaker but still recurring - Around 15:05–16:00, also recurring and suggestive of afternoon obstruction/shading Hourly concentration of flagged dips - 08:00 hour: 11 flagged 5-min slots, 91 total flagged points, strongest concentration - 09:00 hour: 11 slots, 54 points - 15:00 hour: 1

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 110. Abdali_Mall_Netmetering

Production • 29.2s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 12 relevant PVsyst report sections: 1. [AMC_Zone_A] Front Page: Grid connected system with rated power (Page: 1, Table: 1) 2. [AMC_Zone_A] System Summary: PV array, number of modules, rated power (Page: 2, Table: 2) 3. [AMC_Zone_B] Front Page: Grid connected system with rated power (Page: 1, Table: 1) 4. [AMC_Zone_B] System Summary: PV array, number of modules, rated power (Page: 2, Table: 2) 5. [AMC_Zone_C] Front Page: Grid connected system with rated power (Page: 1, Table: 1) 6. [AMC_Zone_C] PV Array Characteristics: module nominal power, number of modules, total PV power (Page: 3, Table: 2) 7. [AMC_Zone_E] Front Page: Grid connected system with rated power (Page: 1, Table: 1) 8. [AMC_Zone_E] System Summary: PV array, number of modules, rated power (Page: 2, Table: 2) 9. [AMC_Zone_F&G] System Summary: PV array, number of modules, rated power (Page: 2, Table: 2) 10. [AMC_Zone_F&G] PV Array Characteristics: module nominal power, number of modules, sub-array d

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | 3 |
| Network failures | 1 |



## 111. Abdali_Mall_Netmetering

Production • 34.0s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 05:44 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 112. Abdali_Mall_Netmetering

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** I couldn't find any BOM-labelled records in the available `source` data over the checked window. - Last BOM timestamp: none found - Last timestamp available in the extract: 2026-10-13 05:25:00 So based on the available data, BOM data had not shown up in that period. 05:45 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 113. Abdali_Mall_Netmetering

Production • 33.6s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily plane-of-array irradiance from `pyranometer_1` was summed as Wh/m² per day over the requested last 12 months window. However, the dataset is incomplete for that full period: - Available data actually starts: 2026-04-01 00:05:00 - Available data ends: 2026-10-13 05:25:00 - Days with non-NaN daily values: 191 Summary statistics of the daily POA sums: - Median: 5773.58 Wh/m² - Mean: 5452.03 Wh/m² - Kurtosis: 3.84 Notes: - The first and last days are partial days in the raw range. - There are also missing/null days in early September. - Because of the incomplete 12-month coverage, these statistics describe the available daily values, not a full trailing 12-month record. 05:45 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 114. Abdali_Mall_Netmetering

Production • 21.5s

**Question:** Pull up the latest cleaning log

**Response:** Here is the latest cleaning log for Abdali_Mall_Netmetering: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-01 Abdali_Mall_Netmetering Pyranometer cleaning required Jim cleaned the pyranometer Completed - - - - - - - - - 05:46 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 115. Abdali_Mall_Netmetering

Production • 21.5s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date (Today is 2026-10-13, will use this unless you specify another date) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility (Will use 'Jim' unless you specify differently) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) 05:46 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 116. Abdali_Mall_Netmetering

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain information about shutting down your inverters or the relevant procedures. Please consult the manufacturer's official manual or support resources for proper shutdown instructions. 05:47 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 117. Abdali_Mall_Netmetering

Production • 18.8s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 05:48 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 118. Abdali_Mall_Netmetering

Production • 55.0s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Here is the summary of clipping losses over the last two months (2026-08-13 to 2026-10-13), broken down by inverter: - inverter1: 1.6589 kWh - inverter2: 0.7094 kWh - inverter3: 1.1797 kWh - inverter4: 5.3392 kWh - inverter5: 23.6292 kWh - inverter6: 0.0000 kWh - inverter7: 0.0000 kWh - inverter8: 0.0435 kWh - inverter9: 0.0000 kWh - inverter10: 0.0000 kWh - inverter11: 0.0000 kWh - inverter12: 0.0000 kWh - inverter13: 0.0000 kWh - inverter14: 0.0000 kWh - inverter15: 0.0000 kWh Status: Good I've created a line chart showing daily clipping loss per inverter for the requested period. Here is the summary of clipping losses over the last two months (2026-08-13 to 2026-10-13), broken down by inverter: - inverter1: 1.6589 kWh - inverter2: 0.7094 kWh - inverter3: 1.1797 kWh - inverter4: 5.3392 kWh - inverter5: 23.6292 kWh - inverter6: 0.0000 kWh - inverter7: 0.0000 kWh - inverter8: 0.0435 kWh - inverter9: 0.0000 kWh - inverter10: 0.00

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 119. Abdali_Mall_Netmetering

Production • 41.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 05:50 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 120. BF_Wheeling

Production • 20.0s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain relevant information for troubleshooting or resolving a COMMUNICATION_FAULT on inverters. Please consult the manufacturer's official support or documentation for further assistance. 05:51 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `11` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 121. BF_Wheeling

Production • 29.1s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026: - inverter1_active_power: 1760.9091 kWh - inverter2_active_power: 618.5402 kWh - inverter3_active_power: 1760.9091 kWh - inverter4_active_power: 1760.9091 kWh - inverter5_active_power: 618.5402 kWh - inverter6_active_power: 1255.2086 kWh Total across all inverters: 7,775.0163 kWh Status: Good 05:51 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 122. BF_Wheeling

Production • 61.0s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_September_2026_external_report.pdf' BF_Wheeling Report 05:53 AM Are you satisfied with the answer? Time taken: 46s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 123. BF_Wheeling

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** There were no days with zero energy production in the last 7 days (2026-10-06 to 2026-10-12). Daily energy production: - 2026-10-06: 1679.05 kWh - 2026-10-07: 2069.31 kWh - 2026-10-08: 1806.44 kWh - 2026-10-09: 1878.21 kWh - 2026-10-10: 1929.60 kWh - 2026-10-11: 1316.24 kWh - 2026-10-12: 1543.84 kWh 05:53 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 124. BF_Wheeling

Production • 48.9s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the December 2025 performance report. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_December_2025_external_report.pdf' BF_Wheeling Report 05:54 AM Are you satisfied with the answer? Time taken: 34s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 125. BF_Wheeling

Production • 36.7s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** Data quality summary for 2026-10-12 to 2026-10-13 05:25: - Data coverage ends at 2026-10-13 05:25, so the current day is only partially available. - Daytime points assessed: 127 Missing daytime data counts: - pyranometer_1: 1 - active_power: 1 - inverter1_active_power: 1 - inverter2_active_power: 1 - inverter3_active_power: 1 - inverter4_active_power: 1 - inverter5_active_power: 1 - inverter6_active_power: 1 POA mismatch vs satellite/modelled POA: - Mismatch count: 55 daytime points - Mismatch rate: 43.65% of valid daytime POA points - Valid daytime POA comparison points: 126 Criterion used for POA mismatch: - daytime - modelled POA >= 200 W/m² - absolute difference > 150 W/m² - relative difference > 25% Power mismatch vs irradiance expectation: - Plant active_power near-zero during high-POA periods: 0 - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_act

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 126. BF_Wheeling

Production • 32.4s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:56 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 127. BF_Wheeling

Production • 32.2s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 05:57 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.perf_ratio_ag, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 128. BF_Wheeling

Production • 29.1s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 05:58 AM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 129. BF_Wheeling

Production • 55.1s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Total Clipping Loss Over the Last 6 Months (2026-04-13 to 2026-10-13): - Inverter 1: 7,936.6227 kWh - Inverter 2: 2,349.3209 kWh - Inverter 3: 7,935.3460 kWh - Inverter 4: 7,935.5501 kWh - Inverter 5: 2,349.3209 kWh - Inverter 6: 5,418.0045 kWh Data Status: Good Visualization: I've created a grouped bar chart showing monthly clipping loss by inverter for the last six months. Total Clipping Loss Over the Last 6 Months (2026-04-13 to 2026-10-13): - Inverter 1: 7,936.6227 kWh - Inverter 2: 2,349.3209 kWh - Inverter 3: 7,935.3460 kWh - Inverter 4: 7,935.5501 kWh - Inverter 5: 2,349.3209 kWh - Inverter 6: 5,418.0045 kWh Data Status: Good Visualization: I've created a grouped bar chart showing monthly clipping loss by inverter for the last six months. View Fullscreen 05:59 AM ★ Are you satisfied with the answer? Time taken: 40s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key info

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 130. BF_Wheeling

Production • 44.4s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of 5-minute pyranometer data against modelled POA irradiance to flag short negative excursions consistent with possible shading or intermittent sensor obstruction. Findings: - Period analyzed: 2026-09-13 00:00 to 2026-10-13 05:25 - Daytime points analyzed: 3,413 - Dip points detected: 99 - Dip frequency: 2.9% of daytime samples Times when dips occur most frequently: - 16:15 — 5 occurrences - 16:20 — 5 occurrences - 16:25 — 5 occurrences - 10:35 — 3 occurrences - 11:20 — 3 occurrences - 11:30 — 3 occurrences - 15:35 — 3 occurrences - 15:50 — 3 occurrences - 16:05 — 3 occurrences - 16:10 — 3 occurrences By hour, the most affected periods were: - 16:00 hour — 26 dips - 15:00 hour — 15 dips - 11:00 hour — 14 dips - 10:00 hour — 10 dips - 14:00 hour — 9 dips - 09:00 hour — 8 dips Dates with the most dip activity: - 2026-09-19 — 14 dips - 2026-10-02 — 13 dips - 2026-09-18 — 11 dips - 2026-10-01 — 10 dips

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 131. BF_Wheeling

Production • 24.6s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 4 relevant PVsyst report sections: 1. [Blue_Fig] Front Page – Grid-connected system rated power and location (Page 1, Table 1) 2. [Blue_Fig] PV Array Characteristics (Page 3, Table 2) 3. [Blue_Fig_Extension] Front Page – Grid-connected system rated power and location (Page 1, Table 1) 4. [Blue_Fig_Extension] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_3_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig_Extension/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig_Extension/page_3_image_2.png 06:01 AM Are you satisfied with the answer?

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | 3 |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | 3 |
| Network failures | 0 |



## 132. BF_Wheeling

Production • 30.6s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 06:02 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 133. BF_Wheeling

Production • 30.6s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data point showed up at 2026-10-13 05:55:00. That is 8 minutes before the stated current time of 2026-10-13 06:03:01. 06:03 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 134. BF_Wheeling

Production • 30.6s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily summed POA irradiance from `pyranometer_1` for the requested last 12 months is only partially available in the database. Available data window: - 2026-05-01 to 2026-10-13 - Available daily records: 166 - Requested 12-month window: 2025-10-13 to 2026-10-13 Statistics on the available daily summed POA irradiance (Wh/m²): - Median: 7,192.67 Wh/m² - Mean: 6,926.18 Wh/m² - Kurtosis: 19.7594 Notes: - The dataset is incomplete for the requested 12-month period; data only starts on 2026-05-01. - The current day, 2026-10-13, is partial and returns 0.0 Wh/m² so far. If you want the daily summed POA irradiance values explicitly, they span 2026-05-01 through 2026-10-13 in the extracted result. 06:03 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 135. BF_Wheeling

Production • 20.0s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning logs recorded for BF_Wheeling in October 2026. 06:04 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 136. BF_Wheeling

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add this cleaning activity, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Activity Type will be set to Cleaning for this record. 06:05 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 137. BF_Wheeling

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain information about shutting down your inverters. Please consult your manufacturer's specific manual or contact technical support for shutdown procedures. 06:05 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 138. BF_Wheeling

Production • 18.8s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 06:06 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 139. BF_Wheeling

Production • 41.3s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss by Inverter (2026-08-13 to 2026-10-13) - inverter1: 2293.7914 kWh - inverter2: 433.3920 kWh - inverter3: 2293.7914 kWh - inverter4: 2292.7189 kWh - inverter5: 433.3920 kWh - inverter6: 1432.3225 kWh Data Quality Status: - Good Visualization: - The chart titled "Clipping Loss by Inverter - Last Two Months" has been created. 06:07 AM Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.inspect_xpool, functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 140. BF_Wheeling

Production • 38.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 06:07 AM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `multi_tool_use.parallel, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 141. Abdali_Mall_Lahoun

Production • 30.6s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for a COMMUNICATION_FAULT on your inverter (reference: manual diagrams): 1. Open the inverter's cable compartment to access internal wiring. Follow the diagram for guidance on opening the compartment and the location of the screws to loosen using an Allen key. 2. Engage the limiting lever as depicted, which will keep the cable compartment cover open for safe servicing. 3. Locate the communication interface (labeled B) inside the inverter. Use the interior layout diagram to find the dedicated area for communication connections. 4. Check the RJ45 network cable and jack assembly. Ensure the RJ45 plug is fully and correctly inserted as shown. Inspect for loose connections, bent pins, or any visible damage to the cable or connector. 5. Make sure all cabling is routed as specified, avoiding sharp bends or excessive loops. If unsure, refer to cable routing instructions in the diagrams. 6. Once verified, close the compartment, checking that no cables are pinched

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 142. Abdali_Mall_Lahoun

Production • 29.1s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026: - inverter1_active_power: 4748.8347 kWh - inverter2_active_power: 4748.8347 kWh - inverter3_active_power: 4748.8347 kWh - inverter4_active_power: 3402.0295 kWh - inverter5_active_power: 3402.0295 kWh - inverter6_active_power: 1908.1348 kWh Status: Good 06:09 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 143. Abdali_Mall_Lahoun

Production • 85.4s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Lahoun Report 06:11 AM Are you satisfied with the answer? Time taken: 69s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 3 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 144. Abdali_Mall_Lahoun

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-06: 3280.66 kWh - 2026-10-07: 4566.98 kWh - 2026-10-08: 3701.10 kWh - 2026-10-09: 4195.34 kWh - 2026-10-10: 4018.39 kWh - 2026-10-11: 2402.84 kWh - 2026-10-12: 3396.81 kWh 06:12 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 145. Abdali_Mall_Lahoun

Production • 80.9s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Lahoun Report 06:13 AM Are you satisfied with the answer? Time taken: 65s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `3` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 146. Abdali_Mall_Lahoun

Production • 35.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For the available latest data window (2026-10-12 to 2026-10-13 03:00), during daytime: - POA missing measurements: 0 - Power missing measurements: 0 - POA mismatches vs satellite/model prediction: 78 - Power mismatches vs prediction proxy: 33 Notes: - Daytime points evaluated: 133 - Data available only up to 2026-10-13 03:00:00, so this is not a full current day assessment. - POA mismatch was evaluated by comparing pyranometer_1 against modelled_poa_1. - Power mismatch was evaluated by comparing active_power against a POA-based predicted power proxy derived from same-day data. 06:14 AM Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 147. Abdali_Mall_Lahoun

Production • 100.7s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. 06:16 AM Are you satisfied with the answer? Time taken: 85s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code, functions.inspect_xpool, functions.execute_custom_code` |
| API calls made | 3 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 148. Abdali_Mall_Lahoun

Production • 21.5s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 06:17 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 149. Abdali_Mall_Lahoun

Production • 30.7s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 06:17 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 150. Abdali_Mall_Lahoun

Production • 63.9s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss for the Last 6 Months by Inverter: - Inverter 1: 20,377.59 kWh - Inverter 2: 20,343.06 kWh - Inverter 3: 20,383.41 kWh - Inverter 4: 14,442.77 kWh - Inverter 5: 14,441.87 kWh - Inverter 6: 8,162.68 kWh Data Quality: Good The visualization has been prepared: a bar chart titled “Monthly Clipping Loss by Inverter - Last 6 Months.” Clipping Loss for the Last 6 Months by Inverter: - Inverter 1: 20,377.59 kWh - Inverter 2: 20,343.06 kWh - Inverter 3: 20,383.41 kWh - Inverter 4: 14,442.77 kWh - Inverter 5: 14,441.87 kWh - Inverter 6: 8,162.68 kWh Data Quality: Good The visualization has been prepared: a bar chart titled “Monthly Clipping Loss by Inverter - Last 6 Months.” View Fullscreen 06:19 AM ★ Are you satisfied with the answer? Time taken: 48s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 151. Abdali_Mall_Lahoun

Production • 29.3s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-10-12), your plant performed well overall: - Total energy: 3,396.81 kWh - Specific yield: 4.322 kWh/kWp - Performance ratio: 87.38% Operationally, the day looked normal from the hourly power and irradiance profile: - Generation started around 06:00 - Strong production from roughly 08:00 to 17:00 - Peak hourly average plant power was around 480.4 kW at 11:00 - Peak hourly average irradiance was about 710.4 W/m² at 11:00 A few hourly highlights: - 09:00: 416.1 kW average power at 429.5 W/m² irradiance - 11:00: 480.4 kW average power at 710.4 W/m² irradiance - 15:00: 272.1 kW average power at 320.7 W/m² irradiance I could not provide contractual/technical availability for yesterday because that tool returned an internal calculation error. 06:19 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.final_result` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 152. Abdali_Mall_Lahoun

Production • 41.3s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last month of pyranometer data (2026-09-13 to 2026-10-13 03:00) for recurring time-of-day irradiance dips using daylight points only. Findings: - There is no strong, persistent shading signature. - The dips are intermittent rather than systematic: most flagged times occurred on about 15.4% to 19.2% of days. - The main cluster is around early afternoon, roughly 13:05 to 14:10. Most notable dip windows: - 13:05–13:10, average dip frequency 17.3% - 13:20–13:40, average dip frequency 16.2% - 13:55–14:00, average dip frequency 17.3% Other isolated times with recurring dips: - 11:05 - 11:45 - 11:55 - 12:20 - 12:45 - 14:10 Strongest individual dip slot: - 13:20 had the deepest low-tail behavior, with the 10th-percentile reading at about 48.2% of its normal value for that time of day. Solar position during the main dip cluster: - Around 13:20–13:40, median solar azimuth was about 204.7° to 212.2° - Median solar zenith was about 36.9°

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 153. Abdali_Mall_Lahoun

Production • 26.1s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Lahoun] System Summary (Page 2, Table 2) 2. [Abdali_Mall_Lahoun] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_3_image_2.jpg 06:21 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | `3` |
| Network failures | `1` |



## 154. Abdali_Mall_Lahoun

Production • 37.6s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 06:22 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 155. Abdali_Mall_Lahoun

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data showed up at 2026-10-13 03:00:00. The latest `source` value recorded at that timestamp was `0.0`. Also, the dataset currently only extends to 2026-10-13 03:00:00, which is why there is no newer BOM entry visible yet. 06:23 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 156. Abdali_Mall_Lahoun

Production • 64.1s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using the daily aggregated `pyranometer_1` series over 2025-10-13 to 2026-10-13, the daily plane-of-array irradiance sums came out as follows. Note: these values are exactly as returned from the daily aggregation series, so they should be treated as the tool-derived daily POA totals for this request. Summary statistics of daily sums: - Median: 248.523 Wh/m² - Mean: 246.065 Wh/m² - Kurtosis (Fisher): 0.287 - Number of days: 366 Daily POA irradiance sums (Wh/m²): 2025-10-13: 325.213 2025-10-14: 322.154 2025-10-15: 311.501 2025-10-16: 299.041 2025-10-17: 283.341 2025-10-18: 247.247 2025-10-19: 309.356 2025-10-20: 312.611 2025-10-21: 213.557 2025-10-22: 207.490 2025-10-23: 204.504 2025-10-24: 199.825 2025-10-25: 220.962 2025-10-26: 211.754 2025-10-27: 210.112 2025-10-28: 198.016 2025-10-29: 215.067 2025-10-30: 240.295 2025-10-31: 263.973 2025-11-01: 256.219 2025-11-02: 244.548 2025-11-03: 249.366 2025-11-04: 148.831 2025-11-05:

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 157. Abdali_Mall_Lahoun

Production • 20.0s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs for Abdali_Mall_Lahoun for October 2026. 06:25 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 158. Abdali_Mall_Lahoun

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date (e.g., today: 2026-10-13) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (e.g., Cleaning) - Priority - Responsibility (e.g., Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Please provide the missing required details to continue. 06:25 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 159. Abdali_Mall_Lahoun

Production • 29.1s

**Question:** How can I shut down my inverters?

**Response:** To safely shut down your Sunny Tripower STP110-60-Core2 inverter, follow these steps: 1. Use a current clamp (as shown in the manual's diagram) to measure the current on the DC connectors. Confirm that the current reads "0.0A" before proceeding. (See diagram: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Sunny_Tripower_STP110-60-Core2/Sunny_Tripower_page_025_diagram_1_conf0.99.png) 2. Locate the four DC load-break switches on the inverter. Turn each switch from the "ON" position to the "OFF" position, as illustrated in the diagram. This disconnects the inverter from all DC sources. (Diagram: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Sunny_Tripower_STP110-60-Core2/Sunny_Tripower_page_025_diagram_2_conf0.98.png) 3. If you need to disconnect the inverter further, use a flat-blade screwdriver to release the DC connectors by inserting it into the side slots as shown in the diagram. (Diagram: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Sunny_T

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 160. Abdali_Mall_Lahoun

Production • 19.4s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 06:26 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 161. Abdali_Mall_Lahoun

Production • 52.1s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss for Last 2 Months (2026-08-13 to 2026-10-13): - inverter1: 2250.4966 kWh - inverter2: 2250.4966 kWh - inverter3: 2250.4966 kWh - inverter4: 1334.6214 kWh - inverter5: 1333.7303 kWh - inverter6: 842.2913 kWh Data Quality Status: - Good Visualization: - I've created a line chart showing daily clipping loss per inverter for the last two months (title: "Daily Clipping Loss per Inverter (Last 2 Months)"). Clipping Loss for Last 2 Months (2026-08-13 to 2026-10-13): - inverter1: 2250.4966 kWh - inverter2: 2250.4966 kWh - inverter3: 2250.4966 kWh - inverter4: 1334.6214 kWh - inverter5: 1333.7303 kWh - inverter6: 842.2913 kWh Data Quality Status: - Good Visualization: - I've created a line chart showing daily clipping loss per inverter for the last two months (title: "Daily Clipping Loss per Inverter (Last 2 Months)"). View Fullscreen 06:28 AM ★ Are you satisfied with the answer? Time taken: 37s, token: 0 tokens connected to A

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 162. Abdali_Mall_Lahoun

Production • 38.4s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 06:28 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.total_energy_func_ag, functions.generate_graphs_via_code, functions.specific_yield_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 163. Abdali_Mall_Barza

Production • 20.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain relevant information regarding troubleshooting steps for a COMMUNICATION_FAULT error on the inverters. No specific guidance or diagrams are available in the provided manuals for this issue. 06:29 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `11` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 164. Abdali_Mall_Barza

Production • 27.6s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026: - inverter1_active_power: 2446.1131 kWh - inverter2_active_power: 2446.1131 kWh - inverter3_active_power: 2446.1131 kWh - inverter4_active_power: 2446.1131 kWh - inverter5_active_power: 2446.1131 kWh - inverter6_active_power: 2446.1131 kWh Status: Good 06:30 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 165. Abdali_Mall_Barza

Production • 68.6s

**Question:** Please generate last months report

**Response:** I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_September_2026_external_report.pdf' Abdali_Mall_Barza Report 06:32 AM Are you satisfied with the answer? Time taken: 54s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 166. Abdali_Mall_Barza

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no 0-production days in the last 7 days. Daily plant energy for 2026-10-06 to 2026-10-12: - 2026-10-06: 1847.51 kWh - 2026-10-07: 2450.54 kWh - 2026-10-08: 2029.47 kWh - 2026-10-09: 2193.15 kWh - 2026-10-10: 2196.14 kWh - 2026-10-11: 1327.58 kWh - 2026-10-12: 1884.77 kWh Note: the dataset is incomplete at the edges of this window; data starts at 2026-10-06 06:35 and ends at 2026-10-12 18:45. Even so, none of the days had 0 production. 06:32 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 167. Abdali_Mall_Barza

Production • 64.2s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_December_2025_external_report.pdf' Abdali_Mall_Barza Report 06:34 AM Are you satisfied with the answer? Time taken: 49s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 168. Abdali_Mall_Barza

Production • 30.7s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** Using the latest available data window from 2026-10-12 to 2026-10-13 06:20, the daytime data quality looks like this: - POA sensor (`pyranometer_1`): - Daytime points checked: 134 - Missing during daytime: 0 - Mismatches vs satellite/modelled POA: 36 - Plant power (`active_power`): - Daytime points checked: 134 - Missing during daytime: 0 - Mismatches vs irradiance-based expectation: 0 Notes: - Daytime was defined as `modelled_poa_1 > 20 W/m²`. - For POA, a mismatch was counted when measured/modelled POA was outside 0.5 to 1.5. - For power, a mismatch was counted when `modelled_poa_1 > 200 W/m²` but plant power was `<= 0`. - The dataset currently ends at 2026-10-13 06:20, so this is based on the latest available data, not the full current day. 06:34 AM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 169. Abdali_Mall_Barza

Production • 34.2s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 06:35 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 170. Abdali_Mall_Barza

Production • 37.5s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 06:36 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 171. Abdali_Mall_Barza

Production • 29.2s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 06:37 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 172. Abdali_Mall_Barza

Production • 53.5s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss Summary (Last 6 Months) Data Quality Status: Good • Inverter 1: 10,574.86 kWh • Inverter 2: 10,485.58 kWh • Inverter 3: 10,571.46 kWh • Inverter 4: 10,437.25 kWh • Inverter 5: 10,449.65 kWh • Inverter 6: 10,265.38 kWh The visualization has been prepared: a grouped bar chart showing monthly clipping loss by inverter for the last 6 months. Clipping Loss Summary (Last 6 Months) Data Quality Status: Good • Inverter 1: 10,574.86 kWh • Inverter 2: 10,485.58 kWh • Inverter 3: 10,571.46 kWh • Inverter 4: 10,437.25 kWh • Inverter 5: 10,449.65 kWh • Inverter 6: 10,265.38 kWh The visualization has been prepared: a grouped bar chart showing monthly clipping loss by inverter for the last 6 months. View Fullscreen 06:38 AM ★ Are you satisfied with the answer? Time taken: 38s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 173. Abdali_Mall_Barza

Production • 41.8s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last ~30 days of 5-minute pyranometer data against modelled POA irradiance to look for recurrent time-of-day dips consistent with fixed-object shading. Findings: - There are clear, repeatable irradiance dips in two main windows: - Morning: about 07:10–07:50 - Evening: about 16:55–17:45 - These are strong enough and frequent enough to be indicative of shading rather than random cloud events. Strongest recurring dip times: - 17:15: median measured/modelled ratio 0.368 - 17:10: 0.369 - 17:20: 0.375 - 17:25: 0.377 - 17:05: 0.382 - 17:30: 0.386 - 17:35: 0.386 - 17:00: 0.401 - 17:40: 0.406 - 16:55: 0.418 - 07:25: 0.419 - 07:45: 0.423 - 07:30: 0.423 - 07:35: 0.423 - 07:40: 0.424 - 07:20: 0.424 - 07:15: 0.426 - 07:50: 0.430 - 07:10: 0.432 - 17:45: 0.435 Interpretation: - The overall median measured/modelled ratio during valid daylight points was 0.744, but these specific time slots drop to ~0.37–0.43. - That means

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 174. Abdali_Mall_Barza

Production • 24.6s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Grid connected system front page - Rated Power (Page 1, Table 1) 2. [Abdali_Mall_Barza] PV Array Characteristics - Total PV Power and Module Nominal Power (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_3_image_2.png 06:40 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | `4` |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | `3` |
| Network failures | `1` |



## 175. Abdali_Mall_Barza

Production • 31.1s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 06:41 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 176. Abdali_Mall_Barza

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data showed up at 2026-10-13 06:20:00. Checked BOM-related columns: - weather_temperature_celsius_1 = 17.658 - wind_speed_1 = 0.0 This is 22 minutes before the stated current time of 2026-10-13 06:42:04. 06:42 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 177. Abdali_Mall_Barza

Production • 29.1s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily summed POA over the last 12 months (from `pyranometer_1`, converted from W/m² at 5-min intervals to daily Wh/m²) gives: - Median: 6636.74 Wh/m² - Mean: 6078.88 Wh/m² - Kurtosis: -0.2064 - Number of non-null daily values used: 311 Note: the extracted data ends at 2026-10-13 06:20:00, so the last day is partial. There are also gaps with null daily values in the period, and those null days were excluded from the statistics. 06:42 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 178. Abdali_Mall_Barza

Production • 20.0s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs recorded for Abdali_Mall_Barza in October 2026. 06:43 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 179. Abdali_Mall_Barza

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity log, please provide the following required details: - Date (I will use today: 2026-10-13, unless you specify a different date) - Fault Cause - Action Taken - Status Site will be set automatically as Abdali_Mall_Barza. Optional fields you can also provide, but they are not required: - Activity Type (Cleaning) - Priority - Responsibility (currently: Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 06:44 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 180. Abdali_Mall_Barza

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain the relevant information for shutting down your inverters. Please consult the physical manual or contact your inverter manufacturer for specific shutdown instructions. 06:44 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 181. Abdali_Mall_Barza

Production • 20.0s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 06:45 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 182. Abdali_Mall_Barza

Production • 45.9s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss by Inverter (Last 2 Months) - Inverter 1: 1770.8566 kWh - Inverter 2: 1803.6257 kWh - Inverter 3: 1773.5469 kWh - Inverter 4: 1790.2671 kWh - Inverter 5: 1802.6706 kWh - Inverter 6: 1761.0117 kWh Status: Good I've created a line chart showing daily clipping loss for each inverter over the last two months. Clipping Loss by Inverter (Last 2 Months) - Inverter 1: 1770.8566 kWh - Inverter 2: 1803.6257 kWh - Inverter 3: 1773.5469 kWh - Inverter 4: 1790.2671 kWh - Inverter 5: 1802.6706 kWh - Inverter 6: 1761.0117 kWh Status: Good I've created a line chart showing daily clipping loss for each inverter over the last two months. View Fullscreen 06:46 AM ★ Are you satisfied with the answer? Time taken: 31s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, clipping_loss_via_requests` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 183. Abdali_Mall_Barza

Production • 35.4s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 06:47 AM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.specific_yield_ag, functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 184. SAK_1

Production • 20.0s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain relevant information for troubleshooting COMMUNICATION_FAULT on inverters at this time. Please check if the correct manual is available or specify the inverter or plant for further assistance. 06:48 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 185. SAK_1

Production • 30.7s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Response:** Clipping loss for July 2026: - inverter1_active_power: 6585.0801 kWh - inverter2_active_power: 6585.0801 kWh - inverter3_active_power: 6585.0801 kWh - inverter4_active_power: 6585.0801 kWh - inverter5_active_power: 6585.0801 kWh - inverter6_active_power: 6585.0801 kWh - inverter7_active_power: 6585.0801 kWh - inverter8_active_power: 6582.6539 kWh Status: Good 06:48 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.clipping_loss_via_requests` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 186. SAK_1

Production • 30.6s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no 0-production days in the last 7 days. Daily plant energy for 2026-10-06 to 2026-10-12: - 2026-10-06: 4662.92 kWh - 2026-10-07: 6661.83 kWh - 2026-10-08: 5569.28 kWh - 2026-10-09: 6199.39 kWh - 2026-10-10: 5043.94 kWh - 2026-10-11: 2844.05 kWh - 2026-10-12: 5067.13 kWh Note: the dataset on 2026-10-06 starts at 00:10, not 00:00, but that does not affect the conclusion. 06:51 AM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 187. SAK_1

Production • 39.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** Data quality assessment for the available window 2026-10-12 to 2026-10-13 06:25:00: - pyranometer_1: missing daytime = 0, mismatches vs satellite/modelled prediction = 82 - active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 56 - inverter1_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 79 - inverter2_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 62 - inverter3_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 59 - inverter4_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 56 - inverter5_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 52 - inverter6_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 50 - inverter7_active_power: missing daytime = 0, mismatches vs satellite/modelled prediction = 52 - inverter8_active_power: missing daytime = 0, mis

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 188. SAK_1

Production • 34.2s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 06:53 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 189. SAK_1

Production • 24.6s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 06:54 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.inspect_xpool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 190. SAK_1

Production • 30.7s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 06:55 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 191. SAK_1

Production • 64.2s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** Clipping Loss Summary (2026-04-13 to 2026-10-13) - Inverter 1: 15,318.1369 kWh - Inverter 2: 15,406.8052 kWh - Inverter 3: 15,403.8278 kWh - Inverter 4: 15,406.8052 kWh - Inverter 5: 15,318.1369 kWh - Inverter 6: 15,406.8052 kWh - Inverter 7: 15,406.8052 kWh - Inverter 8: 15,313.0122 kWh Data Quality Status: Good Visualization • The bar chart "Monthly Clipping Loss per Inverter (Last 6 Months)" has been created to illustrate the monthly distribution of clipping losses by inverter. Clipping Loss Summary (2026-04-13 to 2026-10-13) - Inverter 1: 15,318.1369 kWh - Inverter 2: 15,406.8052 kWh - Inverter 3: 15,403.8278 kWh - Inverter 4: 15,406.8052 kWh - Inverter 5: 15,318.1369 kWh - Inverter 6: 15,406.8052 kWh - Inverter 7: 15,406.8052 kWh - Inverter 8: 15,313.0122 kWh Data Quality Status: Good Visualization • The bar chart "Monthly Clipping Loss per Inverter (Last 6 Months)" has been created to illustrate the monthly distribution of clipp

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 192. SAK_1

Production • 46.0s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last month of pyranometer data against modelled POA and plant power, and the pattern is consistent with recurring shading-like dips. Findings: - Analysis window: 2026-09-13 00:00 to 2026-10-13 06:25 - Daytime samples analyzed: 3,974 - Candidate dip points: 245 - Dips occurred on 30 different days Most frequent dip times: - 14:10: 12 dips out of 30 observations, frequency 40.0%, mean measured/modelled ratio 0.256 - 13:25: 10/29, 34.5%, ratio 0.510 - 14:20: 10/30, 33.3%, ratio 0.268 - 14:05: 10/30, 33.3%, ratio 0.340 - 13:35: 10/30, 33.3%, ratio 0.417 - 14:00: 8/30, 26.7%, ratio 0.596 - 14:15: 8/30, 26.7%, ratio 0.359 - 13:30: 7/30, 23.3%, ratio 0.579 Directional evidence: - The strongest concentration of dips occurs at solar azimuth 210°–225°, with secondary clustering at 195°–210°. - That corresponds to the afternoon sun sector, which strongly suggests a fixed obstruction or repeatable site shading effect rather than random cloud nois

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 193. SAK_1

Production • 27.7s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Response:** Found 4 relevant PVsyst report sections: 1. [SR_Final_Part_1] Front Page - Grid Connected System overview (Page 1, Table 1) 2. [SR_Final_Part_1] System Summary - PV Array details including number of modules and rated power (Page 2, Table 2) 3. [SR_Final_Part_2] Front Page - Grid Connected System overview (Page 1, Table 1) 4. [SR_Final_Part_2] System Summary - PV Array details including number of modules and rated power (Page 2, Table 2) Please use the URLs below to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_2_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/pag

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `pvsyst_agent` |
| Tools used | `pvsyst_tool` |
| API calls made | 4 |
| Last API call | `GET /testuser2/chat/ → 404` |
| Console errors | 3 |
| Network failures | 1 |

## 194. SAK_1

Production • 34.1s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 06:59 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 195. SAK_1

Production • 29.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last recorded BOM-related data available is at 2026-10-13 06:25:00. At that timestamp: - source = 1.0 - pyranometer_1 = -2.0 W/m² This is about 35 minutes before the stated current time of 2026-10-13 07:00:24. 07:00 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 196. SAK_1

Production • 30.6s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Daily POA summed as Wh/m² over the requested last 12 months could only be retrieved for the available data window 2026-07-09 to 2026-10-13, not a full 12 months. Results for available 97 daily values: - Median: 32.402 Wh/m² - Mean: 29.909 Wh/m² - Kurtosis: 0.359 Data coverage note: - Requested: 2025-10-13 to 2026-10-13 - Available: 2026-07-09 07:05 to 2026-10-13 06:55 - The final day (2026-10-13) is partial, which is why it appears near zero/slightly negative. I calculated Wh/m² by converting the daily summed 5-minute pyranometer values using 5/60 hours per sample. 07:01 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 197. SAK_1

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning logs recorded so far this month for plant SAK_1. 07:01 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 198. SAK_1

Production • 20.0s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning activity, please provide the following required details: - Date (e.g., today: 2026-10-13) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility (e.g., Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 07:02 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 199. SAK_1

Production • 20.0s

**Question:** How can I shut down my inverters?

**Response:** The manual documents do not contain relevant information on how to shut down your inverters. Please consult your manufacturer's official manual or contact support for assistance. 07:02 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 200. SAK_1

Production • 19.4s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 07:03 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 201. SAK_1

Production • 61.1s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** Total clipping loss over the last 2 months (2026-08-13 to 2026-10-13): - inverter1: 6523.5395 kWh - inverter2: 6611.7095 kWh - inverter3: 6609.2305 kWh - inverter4: 6611.7095 kWh - inverter5: 6523.5395 kWh - inverter6: 6611.7095 kWh - inverter7: 6611.7095 kWh - inverter8: 6523.5395 kWh Data status: Good The visualization showing daily total clipping loss by inverter for the last 2 months has been prepared. Total clipping loss over the last 2 months (2026-08-13 to 2026-10-13): - inverter1: 6523.5395 kWh - inverter2: 6611.7095 kWh - inverter3: 6609.2305 kWh - inverter4: 6611.7095 kWh - inverter5: 6523.5395 kWh - inverter6: 6611.7095 kWh - inverter7: 6611.7095 kWh - inverter8: 6523.5395 kWh Data status: Good The visualization showing daily total clipping loss by inverter for the last 2 months has been prepared. View Fullscreen 07:04 AM ★ Are you satisfied with the answer? Time taken: 46s, token: 0 tokens connected to Sak 1 LEAVE ANY FEED

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent, graph_agent` |
| Tools used | `functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.final_result` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 202. SAK_1

Production • 29.1s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. 07:05 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.specific_yield_ag, functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |