

Test Run Report — Run #59

Environment: Production • Trigger: Manual • Started: Aug 1, 2026 01:21 • Ended: Aug 1, 2026 02:33
Generated: 8/1/2026, 5:07:15 AM

Summary

189 Total Tests	89.4% Pass Rate (excl. skipped)	169 / 20 Passed / Failed	0 Skipped (connection)
---------------------------------------	---	--	--

Failures (20)

Failure Cluster	Category	Failures
Tool Execution Failures	Tool Execution	9
Data Availability Issues	Data Availability	6
LLM Reasoning Issues	Llm Reasoning	3
Graph/Visualization Errors	Graph Visualization	2

Tool Execution Failures TOOL EXECUTION (9 failures)

1. Noor_AI_aqaba

Production • 36.7s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized t


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. A blue button labeled "Please generate last months report" with a "TE" icon is shown. Below it, a chat bubble contains the following text: "Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resources'". The time "02:37 AM" is displayed below the message. A feedback section asks "Are you satisfied with the answer?" with thumbs up and down icons. Below this, there are three links: "Click here for Source", "Click here for Steps", and "Click here for Tools". At the bottom, a status bar indicates "Time taken: 22s, token: 0 tokens" and "connected to Noor AI Aqaba". A footer section includes a "LEAVE ANY FEEDBACK" link and a disclaimer: "Mistakes in P2Chat are possible. Double-check key information."

2. Noor_AI_aqaba

Production • 30.7s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized t



3. MOF

Production • 39.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Summary (2026-06-01 to 2026-08-01) - No per-inverter clipping loss values could be calculated due to an internal tool error. - Error encountered: `calculate\_clipping\_or\_curtailment\_loss`

The screenshot displays the AEP CO2 AI Chat interface. At the top, the AEP CO2 logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat (active), and Teams. The chat window shows a message from the AI system:

00-011

- No per-inverter clipping loss values could be calculated due to an internal tool error.
- Error encountered: ``calculate_clipping_or_curtailment_losses()` got an unexpected keyword argument `'reactive_col'`.
- As a result, no trustworthy clipping-loss numbers are available for any inverter during this period.

Visualization

- The visualization has been prepared: a chart titled "Clipping loss for each inverter over the last 2 months".

03:09 AM

Are you satisfied with the answer?

Time taken: 24s, token: 0 tokens

connected to Mof

How can we help you today?

LEAVE ANY FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

4. GID

Production • 118.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'internal error'): Clipping Loss Analysis (Last 6 Months) Data Summary: - No clipping-loss values could be calculated due to an internal error in the clipping-loss tool. - As a result, no inverter-specific clipping loss

The screenshot displays the AEP CO AI Brain chat interface. At the top, the AEP CO logo and 'Alternative Energy Projects Company' are visible. Below the logo is a navigation bar with tabs: AI Brain, Job Card, Mainten..., Chat (selected), and Teams. The main chat area shows a message from the user asking for clipping loss analysis for inverters 4 through 9. The AI response, timestamped 04:04 AM, states that no clipping-loss values could be calculated due to an internal error in the tool. Below the response are links for 'Click here for Source', 'Click here for Steps', and 'Click here for Tools'. At the bottom, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. A status bar at the very bottom indicates 'connected to Mathkor Gid' and includes a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

AEP CO Alternative Energy Projects Company

AI Brain Job Card Mainten... Chat Teams

inverters
- inverter4
- inverter5
- inverter6
- inverter7
- inverter8
- inverter9

Visualization:
- A line chart showing clipping loss for each inverter over the last 6 months has been prepared.

04:04 AM

Are you satisfied with the answer?

Click here for Source
Click here for Steps
Click here for Tools

Time taken: 103s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

5. GID

Production • 67.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Analysis for the Last 2 Months (2026-06-01 to 2026-08-01) • Clipping loss breakdown by inverter: NOT AVAILABLE – The clipping-loss tool failed internally with an unexpected argue

The screenshot displays the AEP CO2 AI Chat interface. At the top, the AEP CO2 logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat (selected), and Teams. The main content area shows a chat window with a message from the AI at 04:13 AM. The message includes a placeholder for a clipping loss plot, which failed to load. The text in the placeholder reads: "clipping loss plot because the clipping loss calculati". Below the plot placeholder is a "View Fullscreen" button. The chat window also includes a timestamp "04:13 AM", a question "Are you satisfied with the answer?", and a feedback button. At the bottom of the chat window, it shows "Time taken: 52s, token: 0 tokens" and "connected to Mathkor Gid". The bottom of the interface features a search bar with the text "How can we help you today?" and a microphone icon. At the very bottom, there is a footer with the text "LEAVE ANY FEEDBACK" and "Mistakes in P2Chat are possible. Double-check key information."

6. Abdali_Mall_Netmetering

Production • 53.4s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'internal error'): - Data Calculation: • Clipping loss calculation for the last 6 months by inverter could not be completed. • The clipping-loss tool encountered an internal error: `calculate\_clipping\_or\_curtailment`

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat (selected), and Teams. The chat window shows a message from the AI system:

- Data Calculation:

- Clipping loss calculation for the last 6 months by inverter could not be completed.
- The clipping-loss tool encountered an internal error:

```
`calculate_clipping_or_curtailment_losses()`  
got an unexpected keyword argument  
'reactive_col'.
```

- As a result, no inverter-by-inverter clipping-loss values are available at this time.

- Visualization:

- The graph titled "Clipping loss by inverter — last 6 months" has been created and is ready for review.

04:32 AM

Are you satisfied with the answer?

Time taken: 39s, token: 0 tokens

connected to Abdali Mall Netmetering

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

7. Abdali_Mall_Netmetering

Production • 47.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Data Retrieval Error - The clipping-loss tool failed to compute per-inverter clipping losses for the last 2 months due to an internal error. - Error message: ``calculate_clipping_or_curtailment_losses`` got an unexpected keyword argument `'reactive_col'`

The screenshot displays the AEPCCO AI Chat interface. At the top, the AEPCCO logo is visible, along with navigation tabs for 'AI Brain', 'Job Card', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. A chat bubble from the AI contains the following text:

Data Retrieval Error

- The clipping-loss tool failed to compute per-inverter clipping losses for the last 2 months due to an internal error.
- Error message:
``calculate_clipping_or_curtailment_losses`` got an unexpected keyword argument `'reactive_col'`

Visualization

- A chart titled "Clipping loss over the last 2 months by inverter" has been prepared to display the clipping losses once data becomes available.

04:41 AM

Are you satisfied with the answer?

Time taken: 32s, token: 0 tokens

connected to Abdali Mall Netmetering

How can we help you today?


LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

8. BF_Wheeling

Production • 56.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Calculation (2026-02-01 to 2026-08-01): - Unable to calculate clipping losses for each inverter due to an internal tool error. - Error details: `calculate\_clipping\_or\_curtailment\_lo`



Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Calculation • Period analyzed: 2026-06-01 to 2026-08-01 (monthly aggregation, per inverter) • Result: Could not compute clipping losses • Data tool error: "unexpected-argument error ('r

The screenshot displays the AEP CO2 AI Chat interface. At the top, the AEP CO2 logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The Chat tab is active. A blue banner at the top of the chat area contains the user's question: "Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well". Below this, a response card titled "Clipping Loss Calculation" is shown. The card contains the following text: "Period analyzed: 2026-06-01 to 2026-08-01 (monthly aggregation, per inverter)", "Result: Could not compute clipping losses", and "Data tool error: 'unexpected-argument error ('reactive_col')' - no values were returned". Below this, a section titled "Visualization" states: "I've created a line chart showing clipping loss per inverter over the last 2 months". The card also shows the time "05:16 AM" and a status "connected to Abdali Mall Lahoun". At the bottom of the card, there is a prompt "Are you satisfied with the answer?" and a thumbs up icon. The interface also includes a footer with a "LEAVE ANY FEEDBACK" link and a disclaimer: "Mistakes in P2Chat are possible. Double-check key information."


Data Availability Issues DATA AVAILABILITY (6 failures)

1. KUPCO_HQ_DAJEEJ

Production • 33.8s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'no data available'): I can't assess yesterday's performance because there is no data available for 2026-07-31 in the database. The checks for inverter energy, specific yield, performance ratio, availability, and raw inver




2. Galleria_Mall

Production • 24.6s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Error reason: AI indicated failure (matched 'no data available'): I can't assess the POA/power data quality because there is no data available for 2026-07-31, which is the latest full day before the current time provided. The extraction returned an empty dataframe f




3. Galleria_Mall

Production • 30.7s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'no data available'): I can't assess yesterday's performance because there is no data available for 2026-07-31 in the plant database yet. What I found for 2026-07-31: - Energy: empty - Specific yield: empty - Perf



4. BF_Wheeling

Production • 51.8s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window shows a message from the AI stating: "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'". The message is timestamped 04:43 AM. Below the message, there is a section asking "Are you satisfied with the answer?" with thumbs up and thumbs down icons. Further down, there are links for "Click here for Source", "Click here for Steps", and "Click here for Tools". At the bottom, there is a status bar indicating "Time taken: 36s, token: 0 tokens" and "connected to BF Wheeling". The input field at the bottom contains the text "How can we help you today?" and a microphone icon. A footer note reads: "Mistakes in P2Chat are possible. Double-check key information."

5. BF_Wheeling

Production • 48.9s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI




6. Abdali_Mall_Barza

Production • 43.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unable to calculate'): Clipping Loss Analysis — Last 2 Months
Data Calculation: - Status: Unable to calculate clipping loss due to an internal “unexpected-argument” error in the clipping-loss tool. Inverter Inventory: - i




LLM Reasoning Issues LLM REASONING (3 failures)

1. GID

Production • 21.6s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 04:12 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected t




2. Abdali_Mall_Barza

Production • 20.0s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Error reason: AI indicated failure (matched 'unable to provide'): The manual documents do not contain information regarding a COMMUNICATION_FAULT for your inverters. Therefore, I am unable to provide troubleshooting steps from the manuals. Please consult the manufac




3. Abdali_Mall_Barza

Production • 17.0s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'unable to provide'): AI Brain Job Cards Maintenance Chat Teams Wind Speed is 2.3m/s Weather Temperature is 24.3°C Last updated: 8/1/2026, 04:55 AM 05:19 AM Good evening. How can I help you today? 05:19 AM TE



Graph/Visualization Errors GRAPH VISUALIZATION (2 failures)

1. Noor_AI_aqaba

Production • 85.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Data - Unable to retrieve per-inverter clipping loss values for the last 6 months due to an internal tool error (unexpected `reactive\_col` argument). Visualization - The visualization

The screenshot displays a chat application interface for AEPSCO (Alternative Energy Projects Company). At the top, there is a navigation bar with tabs for 'AI Brain', 'Job Card...', 'Mainten...', 'Chat' (selected), and 'Teams'. The chat area shows a user message: 'Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well'. The AI response is titled 'Clipping Loss Data' and contains the following text: '- Unable to retrieve per-inverter clipping loss values for the last 6 months due to an internal tool error (unexpected `reactive\_col` argument). Visualization - The visualization "Clipping Loss by Inverter - Last 6 Months" has been prepared.' Below the response, there is a timestamp '02:45 AM' and a follow-up question 'Are you satisfied with the answer?'. The interface also includes a bottom input area with a placeholder 'How can we help you today?' and a microphone icon. At the very bottom, there is a footer with the text 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

2. Abdali_Mall_Lahoun

Production • 62.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Data Summary and Visualization for Clipping Loss (Last 6 Months) Data Quality Notes: - The clipping-loss calculation tool encountered an internal error (`unexpected keyword argument 'reactive\_col'`) and could not return per-inverter values. - No reliable clipping loss figures are available for the last six months.

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo and 'Alternative Energy Projects Company' are visible. Below the header, there are tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. A chat bubble from the AI contains the following text:

Data Summary and Visualization for Clipping Loss (Last 6 Months)

Data Quality Notes:

- The clipping-loss calculation tool encountered an internal error (`unexpected keyword argument 'reactive\_col'`) and could not return per-inverter values.
- No reliable clipping loss figures are available for the last six months.

Visualization:

- A line chart titled "Clipping Loss by Inverter - Last 6 Months" has been created to display the data (currently unavailable due to the tool error).

05:08 AM

Are you satisfied with the answer?

Time taken: 48s, token: 0 tokens

connected to Abdali Mall Lahoun

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.