Test Run Report — Run #290

Environment: **Development** • Website: **aepc2-dev.p2agentx.com** • Trigger: Scheduled • Started: Oct 19, 2026 13:00 • Ended: Oct 19, 2026 16:22

Generated: 10/20/2026, 1:25:56 AM

Summary

242	92.6%	224 / 18	0
Total Tests	Pass Rate (excl. skipped)	Passed / Failed	Skipped (connection)

Plant-wise Summary

11 plants

Pass rate is based on completed tests only: passed, failed, and errors. Skipped tests are excluded.

Plant	Environment	Total	Passed	Failed	Errors	Skipped	Pass
Abdali_Mall_Barza	Development	22	21	1	0	0	95
Abdali_Mall_Lahoun	Development	22	21	1	0	0	95
Abdali_Mall_Netmetering	Development	22	21	1	0	0	95
BF_Wheeling	Development	22	21	1	0	0	95
Galleria_Mall	Development	22	16	6	0	0	72
GID	Development	22	21	1	0	0	95
KUPCO_HQ_DAJEEJ	Development	22	21	1	0	0	95
MOF	Development	22	20	2	0	0	90
Noor_Al_Aqaba	Development	22	22	0	0	0	100
SADAFCO	Development	22	19	3	0	0	86
SAK_1	Development	22	21	1	0	0	95

Failures (18)

Failure Cluster	Category	Failures
Tool Execution Failures	Tool Execution	6
Data Availability Issues	Data Availability	6
LLM Reasoning Issues	Llm Reasoning	6

Tool Execution Failures TOOL EXECUTION (6 failures)

1. Galleria_Mall

Development • 24.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for July 2026, but it failed due to a backend data/query issue: `COLUMN_NOT_FOUND: wind_speed_1 cannot be resolved`. So I can’t determine the July 2026 clipping

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for July 2026, but it failed due to a backen
d data/query issue: `COLUMN_NOT_FOUND: wind_speed_1 cannot be resolved`.\n\nSo I can’t determine the July 2
026 clipping loss from that tool run. This appears to be a tool-side dependency/problem rather than evidenc
e of clipping or no clipping.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for July 2026, but it failed due to a backend data/query issue:
`COLUMN_NOT_FOUND: wind_speed_1 cannot be resolved`.\n\nSo I can’t determine the July 2026 clipping loss fr
om that tool run. This appears to be a tool-side dependency/problem rather than evidence of clipping or no
clipping."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
I used `clipping_loss_via_requests` for July 2026, but it failed due to a backend data/query issue: `COLUMN_NOT_FOUND: wind_speed_1 cannot be resolved`.
So I can't determine the July 2026 clipping loss from that tool run. This appears to be a tool-side dependency/problem rather than evidence of clipping or no clipping.
01:02 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. BF_Wheeling

Development • 34.4s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-18), your plant performed as follows: - Total energy: 1,878.76 kWh - Specific yield: 5.17 kWh/kWp - Performance ratio (PR): 0.6675 - Period performance vs monthly P50 benchm

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant performed as follows:\n- Total energy: 1,878.
76 kWh\n- Specific yield: 5.17 kWh/kWp\n- Performance ratio (PR): 0.6675\n- Period performance vs monthly P
50 benchmark: 3.66%\n\nNotes:\n- PR of 0.6675 means the plant converted available irradiance into energy at
about 66.75% of the ideal reference-adjusted output yesterday.\n- The period performance figure is based on
the full October monthly P50 benchmark, so for a single day it is not a like-for-like KPI and should be tre
ated only as a rough contextual number.\n- Availability could not be calculated because that tool failed on
this request.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant performed as follows:\n- Total energy: 1,878.76 kWh\n- Specific y
ield: 5.17 kWh/kWp\n- Performance ratio (PR): 0.6675\n- Period performance vs monthly P50 benchmark: 3.66%
\n\nNotes:\n- PR of 0.6675 means the plant converted available irradiance into energy at about 66.75% of th
e ideal reference-adjusted output yesterday.\n- The period performance figure is based on the full October
monthly P50 benchmark, so for a single day it is not a like-for-like KPI and should be treated only as a ro
ugh contextual number.\n- Availability could not be calculated because that tool failed on this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from October 18, 2026 (including that day).  \n2. I group the data by day.
\n3. I make sure every day in the range is included.  \n4. I add up the plant's total energy production for
the selected period, adjusting for the 5-minute interval.  \n5. I divide the total energy by the plant's ra
ted capacity to get the specific yield in kWh per kWp.  \n6. I provide the specific yield for each day as a
detailed breakdown.\n\n---\n\n1. I select data from October 18, 2026 (including that day).  \n2. I find all
inverter power columns and their rated DC powers from the plant's metadata.  \n3. I set calculation paramet
ers like the irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (t
ypically 5 minutes).  \n4. For each inverter, I filter the data to times when irradiance is above the thres
hold, then count the total useful time and downtime intervals.  \n5. I convert these counts into hours base
d on the data interval.  \n6. I calculate each inverter's technical availability as: (useful time - downtim
e) / useful time × 100.  \n7. I return a dictionary showing each inverter's availability percentage.\n\n---
\n\n1. I select data from October 18, 2026 (including that day).  \n2. I identify the columns for power, ir
radiance, and temperature.  \n3. I clean the data by removing or flagging invalid power and irradiance valu
es.  \n4. I calculate the plant's actual energy output by multiplying power by the 5-minute interval and ad
justing units.  \n5. I calculate the expected energy without temperature correction.  \n6. If the system is
bifacial, I apply extra corrections for factors like ground albedo, area, and shading.  \n7. I group both a
ctual and expected energy by day.  \n8. I calculate the performance ratio for each day, including bifacial
corrections if needed.  \n9. I return the average performance ratio across all days.  \n10. I cap the perfo
rmance ratio at 1.3 to avoid unrealistic results.\n\n---\n\n1. I select data from October 18, 2026 (includi
ng that day).  \n2. I total the plant's energy production, grouped by month.  \n3. I check that the data is
correctly grouped by month, with the last day of each month as the index.  \n4. I get the theoretical P50 e
nergy benchmarks from the plant's metadata.  \n5. I combine the actual monthly energy data with the P50 ben
chmarks by month.  \n6. I calculate each month's performance as the percentage of actual energy compared to
the P
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Notes:
- PR of 0.6675 means the plant converted available irradiance into energy at about 66.75% of the ideal reference-adjusted output yesterday.
- The period performance figure is based on the full October monthly P50 benchmark, so for a single day it is not a like-for-like KPI and should be treated only as a rough contextual number.
- Availability could not be calculated because that tool failed on this request.
02:59 PM
Are you satisfied with the answer?
Time taken: 20s, token: 0 tokens
connected to Bf Wheeling
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. Abdali_Mall_Netmetering

Development • 36.9s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-18), your plant performed as follows: - Total energy: 2058.21 kWh - Specific yield: 2.7615 kWh/kWp - Performance ratio (PR): 0.7400 Operationally, the plant followed a nor

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant performed as follows:\n\n- Total energy: 205
8.21 kWh\n- Specific yield: 2.7615 kWh/kWp\n- Performance ratio (PR): 0.7400\n\nOperationally, the plant fo
llowed a normal solar production profile:\n- Production started around 06:00\n- Midday peak hourly average
active power was about 396.25 kW at 12:00\n- Production tapered off by about 18:00\n- Peak irradiance from
pyranometer_1 was about 546.11 W/m² at 12:00\n\nHourly plant active power highlights:\n- 09:00: 155.87 kW\n
- 10:00: 199.28 kW\n- 11:00: 308.95 kW\n- 12:00: 396.25 kW\n- 13:00: 360.51 kW\n- 14:00: 250.26 kW\n\nI cou
ld not provide contractual/technical availability because that tool failed on the backend for this query.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant performed as follows:\n\n- Total energy: 2058.21 kWh\n- Specific
yield: 2.7615 kWh/kWp\n- Performance ratio (PR): 0.7400\n\nOperationally, the plant followed a normal solar
production profile:\n- Production started around 06:00\n- Midday peak hourly average active power was about
396.25 kW at 12:00\n- Production tapered off by about 18:00\n- Peak irradiance from pyranometer_1 was about
546.11 W/m² at 12:00\n\nHourly plant active power highlights:\n- 09:00: 155.87 kW\n- 10:00: 199.28 kW\n- 1
1:00: 308.95 kW\n- 12:00: 396.25 kW\n- 13:00: 360.51 kW\n- 14:00: 250.26 kW\n\nI could not provide contract
ual/technical availability because that tool failed on the backend for this query."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Select data from 2026-10-18 to 2026-10-18, including the end date.  \n2. Find all inverter
power columns and their DC rated powers using the plant metadata.  \n3. Set calculation parameters: irradia
nce threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).
\n4. For each inverter, filter the data to times when irradiance is above the threshold, then count the tot
al useful intervals (T_useful) and downtime intervals (T_down).  \n5. Convert these interval counts into ho
urs based on the data interval length.  \n6. Calculate Technical Availability for each inverter using: (T_u
seful - T_down) / T_useful × 100.  \n7. Return a dictionary showing the availability percentage for each in
verter.\n\n---\n\n1. Select data from 2026-10-18 to 2026-10-18, including the end date.  \n2. Group the dat
a by day (or by minute, hour, month, or year as needed).  \n3. Make sure all days are included in the calcu
lation.  \n4. Calculate the total energy produced during the selected period using the plant's power data,
adjusting for the time interval (0.0833 hours).  \n5. Normalize the total energy by dividing by the plant's
installed capacity (rated power) to get the specific yield in kWh per kWp.  \n6. Return the specific yield
for each time interval as a detailed breakdown.\n\n---\n\n1. Select data from 2026-10-18 to 2026-10-18, inc
luding the end date.  \n2. Use the active_power column(s) for the calculation.  \n3. Clean the data by remo
ving or flagging invalid values in the power column(s).  \n4. For each data point, calculate energy as (Pow
er × 0.0833 hours), converting units if needed (e.g., from Watts to kW).  \n5. Include all days in the calc
ulation.  \n6. Add up all the energy values for the selected period to get the total energy produced.\n\n--
-\n\n1. Select data from 2026-10-18 to 2026-10-18, including the end date.  \n2. Identify the columns for p
ower, irradiance, and temperature.  \n3. Clean the data by removing or flagging invalid values in the power
and irradiance columns.  \n4. Calculate the actual energy produced by multiplying power by the time interva
l (0.0833 hours) and adjusting for units.  \n5. Calculate the expected energy without temperature correctio
n.  \n6. If the system is bifacial, apply ex
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- 09:00: 155.87 kW
- 10:00: 199.28 kW
- 11:00: 308.95 kW
- 12:00: 396.25 kW
- 13:00: 360.51 kW
- 14:00: 250.26 kW
I could not provide contractual/technical availability because that tool failed on the backend for this query.
03:18 PM
Are you satisfied with the answer?
Time taken: 21s, token: 0 tokens
connected to Abdali Mall Netmetering
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. Abdali_Mall_Lahoun

Development • 32.3s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-18), your plant performed well: - Total energy: 4,333.23 kWh - Specific yield: 5.513 kWh/kWp - Performance ratio (PR): 0.880 - PVsyst daily expected energy: 3,832.26 kWh

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant performed well:\n\n- Total energy: 4,333.23 k
Wh\n- Specific yield: 5.513 kWh/kWp\n- Performance ratio (PR): 0.880\n- PVsyst daily expected energy: 3,83
2.26 kWh\n- Versus PVsyst expectation: +500.97 kWh (+13.1%)\n\nI couldn't provide technical/contractual ava
ilability because that tool failed on the backend for this request.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant performed well:\n\n- Total energy: 4,333.23 kWh\n- Specific yiel
d: 5.513 kWh/kWp\n- Performance ratio (PR): 0.880\n- PVsyst daily expected energy: 3,832.26 kWh\n- Versus P
Vsyst expectation: +500.97 kWh (+13.1%)\n\nI couldn't provide technical/contractual availability because th
at tool failed on the backend for this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from October 18, 2026, including that day.  \n2. I group the data by day (bu
t could also group by minute, hour, month, or year).  \n3. I make sure every day in the range is included i
n the calculation.  \n4. I add up the total energy produced during this period using the plant's power dat
a, adjusting for the 5-minute interval (0.0833 hours).  \n5. I divide the total energy by the plant's insta
lled capacity (rated power) to get the specific yield in kWh per kWp.  \n6. I provide the specific yield fo
r each time interval as a detailed breakdown.\n\n1. I choose data from October 18, 2026, including that da
y.  \n2. I find all inverter power columns and their DC rated powers from the plant's metadata.  \n3. I set
calculation parameters like the irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), a
nd data interval (typically 5 minutes).  \n4. For each inverter, I filter the data to only include interval
s where irradiance is above the threshold, then count the total useful time (T_useful) and downtime (T_dow
n).  \n5. I convert these counts into hours based on the data interval.  \n6. I calculate the Technical Ava
ilability for each inverter using: (T_useful - T_down) / T_useful × 100.  \n7. I return a dictionary showin
g the availability percentage for each inverter.\n\n1. I choose data from October 18, 2026, including that
day.  \n2. I identify the columns for power, irradiance, and temperature.  \n3. I clean the data by removin
g or flagging any invalid power or irradiance measurements.  \n4. I calculate the actual energy produced by
multiplying power by the time interval (0.0833 hours) and adjusting for units.  \n5. I calculate the expect
ed energy without temperature correction.  \n6. If the system is bifacial, I apply extra corrections based
on metadata like ground reflectivity, area normalization, and shading losses.  \n7. I group both actual and
expected energy by day.  \n8. I calculate the performance ratio for each day, applying bifacial corrections
if needed.  \n9. I return the average performance ratio across all days.  \n10. I cap the performance ratio
at 1.3 to avoid unrealistic values.\n\n1. I choose data from October 18, 2026, including that day.  \n2. I
use the active_power column(s) for the calculation.  \n3. I clean the data by removing or flagging any inva
lid power measurements.  \n4. I calculate the energy for each data point as (Power × 0.0833 hours), convert
ing units if needed (e.g., from Watts to kW).  \n5. I include all days in the calculation.  \n6. I sum up a
ll the energy values for the selected period to get the total energy produced."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Total energy: 4,333.23 kWh
- Specific yield: 5.513 kWh/kWp
- Performance ratio (PR): 0.880
- PVsyst daily expected energy: 3,832.26 kWh
- Versus PVsyst expectation: +500.97 kWh (+13.1%)
I couldn't provide technical/contractual availability because that tool failed on the backend for this request.
03:36 PM
Are you satisfied with the answer?
Time taken: 17s, token: 0 tokens
connected to Abdali Mall Lahoun
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

5. SADAFCO

Development • 43.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-18), your plant produced **4,456.76 kWh**. Key performance metrics: - **Specific yield:** **3.053 kWh/kWp** - **Performance ratio (PR):** **0.683** Operational context:

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant produced **4,456.76 kWh**.\n\nKey performance
metrics:\n- **Specific yield:** **3.053 kWh/kWp**\n- **Performance ratio (PR):** **0.683**\n\nOperational c
ontext:\n- Production ramped up from about **06:00**, peaked around **11:00–13:00**, and fell back to near
zero by **18:00**.\n- Peak hourly average plant power was around **676 kW** at **12:00**.\n- Peak hourly av
erage POA irradiance from **pyranometer_1** was about **706 W/m²** at **12:00**.\n\nData quality note:\n- T
he PR calculation used an **incomplete daytime dataset**: data available for that calculation ran from **0
6:13 to 18:05**, so treat the PR as indicative rather than exact.\n- The energy and yield results are avail
able through **23:55**, which is effectively the full day for this dataset.\n- I could not return plant ava
ilability because that tool failed for this query.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant produced **4,456.76 kWh**.\n\nKey performance metrics:\n- **Speci
fic yield:** **3.053 kWh/kWp**\n- **Performance ratio (PR):** **0.683**\n\nOperational context:\n- Producti
on ramped up from about **06:00**, peaked around **11:00–13:00**, and fell back to near zero by **18:00*
*.\n- Peak hourly average plant power was around **676 kW** at **12:00**.\n- Peak hourly average POA irradi
ance from **pyranometer_1** was about **706 W/m²** at **12:00**.\n\nData quality note:\n- The PR calculatio
n used an **incomplete daytime dataset**: data available for that calculation ran from **06:13 to 18:05**,
so treat the PR as indicative rather than exact.\n- The energy and yield results are available through **2
3:55**, which is effectively the full day for this dataset.\n- I could not return plant availability becaus
e that tool failed for this query."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": "1. Choose data from October 18, 2026 (including that day).\n2. Use the \"active_power\" colum
n for calculations.\n3. Clean the data by removing or marking any invalid power readings.\n4. For each data
point, calculate energy by multiplying the power value by 0.01667 hours, then convert units if needed (e.
g., divide by 1000 to get kWh).\n5. Make sure all days in the selected range are included.\n6. Add up all t
he calculated energy values for the total energy produced in that period.\n\n---\n\n1. Choose data from Oct
ober 18, 2026 (including that day).\n2. Identify the columns for power, irradiance, and temperature.\n3. Cl
ean the data by removing or flagging invalid values in the power and irradiance columns.\n4. Calculate the
actual energy produced by multiplying power by the time interval (0.01667 hours) and adjusting units as nee
ded.\n5. Calculate the expected energy without considering temperature effects.\n6. If the system is bifaci
al, apply extra corrections for factors like ground reflectivity, area, and shading, using metadata.\n7. Gr
oup the actual and expected energy by day.\n8. Calculate the performance ratio for each day, including bifa
cial corrections if needed.\n9. Return the average performance ratio across all days.\n10. Limit the perfor
mance ratio to a maximum of 1.3 to avoid unrealistic results.\n\n---\n\n1. Select data from October 18, 202
6 (including that day).\n2. Calculate the total measured energy produced by the plant during this time.\n3.
Identify and sum up all major energy losses during the period, except for baseline and measured energy, usi
ng a loss classification method.\n4. Calculate energy-based availability as the ratio of delivered energy t
o the sum of delivered and lost energy, shown as a percentage.\n5. Return the energy-based availability val
ue, which will be between 0% and 100%.\n\n---\n\n1. Select data from October 18, 2026 (including that da
y).\n2.
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
pyranometer_1 was about **706 W/m²** at **12:00**.
Data quality note:
- The PR calculation used an **incomplete daytime dataset**: data available for that calculation ran from **06:13 to 18:05**, so treat the PR as indicative rather than exact.
- The energy and yield results are available through **23:55**, which is effectively the full day for this dataset.
- I could not return plant availability because that tool failed for this query.
03:55 PM
Are you satisfied with the answer?
Time taken: 28s, token: 0 tokens
connected to Sadafco
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

6. SAK_1

Development • 32.3s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-18), your plant performed as follows: - Energy produced: 6,048.67 kWh - Specific yield: 5.783 kWh/kWp - Performance ratio (PR): 0.682 - PVsyst expected energy: 5,541.94 kWh

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant performed as follows:\n\n- Energy produced:
6,048.67 kWh\n- Specific yield: 5.783 kWh/kWp\n- Performance ratio (PR): 0.682\n- PVsyst expected energy:
5,541.94 kWh\n- Versus PVsyst expectation: +506.73 kWh (+9.1%)\n\nImportant note: the PR calculation report
ed incomplete coverage, with data available from 06:45 to 16:30 only, so interpret the PR with caution.\n\n
I could not provide plant availability because the availability tool failed internally for this request.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant performed as follows:\n\n- Energy produced: 6,048.67 kWh\n- Speci
fic yield: 5.783 kWh/kWp\n- Performance ratio (PR): 0.682\n- PVsyst expected energy: 5,541.94 kWh\n- Versus
PVsyst expectation: +506.73 kWh (+9.1%)\n\nImportant note: the PR calculation reported incomplete coverage,
with data available from 06:45 to 16:30 only, so interpret the PR with caution.\n\nI could not provide plan
t availability because the availability tool failed internally for this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel -> total_energy_func_ag, specific_yield_ag, perf_ratio_ag, technical_contrac
tual_availability_ag, pvsyst_expectation_ag"
    ],
    "urls": [],
    "steps": "1. Select data from 2026-10-18 to 2026-10-18, including the end date.\n2. Identify all invert
er power columns and their DC rated powers using the plant metadata.\n3. Set calculation parameters: irradi
ance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minute
s).\n4. For each inverter, filter the data to periods where irradiance is above the threshold, then count t
he total number of valid intervals (T_useful) and the number of downtime intervals (T_down).\n5. Convert th
ese interval counts into hours based on the data interval length.\n6. Calculate Technical Availability for
each inverter using: (T_useful - T_down) / T_useful × 100.\n7. Return a dictionary with the availability pe
rcentage for each inverter.\n\n1. Select data from 2026-10-18 to 2026-10-18, including the end date.\n2. Id
entify the relevant columns for power, irradiance, and temperature.\n3. Clean the data by removing or flagg
ing invalid values in the power and irradiance columns.\n4. Calculate the actual energy produced by multipl
ying power by the time interval (0.0833 hours) and adjusting for units.\n5. Calculate the expected energy w
ithout applying temperature correction.\n6. If the system is bifacial, apply extra correction factors based
on metadata like ground albedo, area normalization, and shading losses.\n7. Group the actual and expected e
nergy by day.\n8. Calculate the performance ratio for each interval, including bifacial corrections if need
ed.\n9. Return the average performance ratio across all intervals.\n10. Cap the performance ratio at a maxi
mum of 1.3 to avoid unrealistic results.\n\n1. Select data from 2026-10-18 to 2026-10-18, including the end
date.\n2. Use the active_power column(s) for calculations.\n3. Clean the data by removing or flagging inval
id values in the power column(s).\n4. For each data point, calculate energy as (Power × 0.0833 hours), conv
erting units as needed (e.g., divide by 1000 to get kWh).\n5. Include all days in the calculation.\n6. Add
up all energy values for the selected period to get the total energy produced.\n\n1. Select data from 2026-
10-18 to 2026-10-18, including the end date.\n2. Group the data by day (or by minute, hour, month, or year
as needed).\n3. Include all days in the calculation.\n4. Calculate the total energy produced during the sel
ected period using the plant's power data and the 0.0833-hour time interval.\n5. Normalize the total energy
by dividing by the plant's installed capacity (rated power) to get the specific yield in kWh per kWp.\n6. R
eturn the specific yield for each time
```



Data Availability Issues DATA AVAILABILITY (6 failures)

1. Galleria_Mall

Development • 29.2s

Question: Was there any 0 production days in the last 7 days?

Error reason: AI indicated failure (matched 'couldn't determine'): I couldn’t determine any 0-production days in the last 7 days because the daily inverter energy query returned no data for 2026-10-12 to 2026-10-19. The dataset appears empty for that period. 01:04 P

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Was there any 0 production days in the last 7 days?",
    "displayed_response": "I couldn’t determine any 0-production days in the last 7 days because the daily
inverter energy query returned no data for 2026-10-12 to 2026-10-19. The dataset appears empty for that per
iod.",
    "coding_response": [
      "I couldn’t determine any 0-production days in the last 7 days because the daily inverter energy quer
y returned no data for 2026-10-12 to 2026-10-19. The dataset appears empty for that period."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.total_energy_func_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from October 12, 2026, to October 19, 2026, incl
uding both start and end dates.  \n2. I find all columns related to inverter power, making sure to leave ou
t any columns for reactive power or flags.  \n3. I clean each inverter’s power data by removing or marking
any invalid measurements.  \n4. For each inverter, I calculate the energy by multiplying the power values b
y the time interval (0.0833 hours), and convert units if needed (for example, dividing by 1000 if the data
is in Watts).  \n5. I make sure to include every day in the selected date range for each inverter.  \n6. I
sum up the energy values for each inverter, grouping them by the chosen time period (such as daily, monthl
y, or yearly).  \n7. I provide the energy totals for each inverter for every aggregation period.  \n8. I or
ganize the results into a DataFrame, with inverters as columns and the aggregation periods as rows.  \n9. I
return the results as a dictionary, either broken down by aggregation period or as a single total, dependin
g on the settings."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Click here for Steps
Click here for Tools
Time taken: 7s, token: 0 tokens
Was there any 0 production days in the last 7 days?
TE
I couldn't determine any 0-production days in the last 7 days because the daily inverter energy query returned no data for 2026-10-12 to 2026-10-19. The dataset appears empty for that period.
01:04 PM
Are you satisfied with the answer?
Time taken: 14s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. Galleria_Mall

Development • 29.2s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Error reason: AI indicated failure (matched 'i can't'): I can’t assess POA/power data quality from the requested period because the query returned no data for 2026-10-18 to 2026-10-19. Result: - Missing daytime POA count: not available - Missing day

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How is my data quality for POA and power? How many of them show missing data during dayt
ime or mismatches with satellite prediction?",
    "displayed_response": "I can’t assess POA/power data quality from the requested period because the quer
y returned no data for 2026-10-18 to 2026-10-19.\n\nResult:\n- Missing daytime POA count: not available\n-
Missing daytime power count: not available\n- POA vs satellite/model mismatch count: not available\n- Power
vs irradiance mismatch count: not available\n\nThe dataset was empty for that date range, so no quality cou
nts can be computed.",
    "coding_response": [
      "I can’t assess POA/power data quality from the requested period because the query returned no data f
or 2026-10-18 to 2026-10-19.\n\nResult:\n- Missing daytime POA count: not available\n- Missing daytime powe
r count: not available\n- POA vs satellite/model mismatch count: not available\n- Power vs irradiance misma
tch count: not available\n\nThe dataset was empty for that date range, so no quality counts can be compute
d."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Result:
- Missing daytime POA count: not available
- Missing daytime power count: not available
- POA vs satellite/model mismatch count: not available
- Power vs irradiance mismatch count: not available
The dataset was empty for that date range, so no quality counts can be computed.
01:05 PM
Are you satisfied with the answer?
Time taken: 14s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. Galleria_Mall

Development • 33.8s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'i can't'): I can't assess yesterday's plant performance because there is no data available for 2026-10-18. What I found for 2026-10-18: - Energy: 0 kWh for all inverters because the dataframe is empty - S

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "I can't assess yesterday's plant performance because there is no data available
for 2026-10-18.\n\nWhat I found for 2026-10-18:\n- Energy: 0 kWh for all inverters because the dataframe is
empty\n- Specific yield: no data\n- Performance ratio: no data\n- Availability: inverter1 through inverter1
2 all returned null\n\nSo the correct conclusion is: yesterday's performance cannot be determined from the
dataset, since data for that day has not been recorded or is unavailable.",
    "coding_response": [
      "I can't assess yesterday's plant performance because there is no data available for 2026-10-18.\n\nW
hat I found for 2026-10-18:\n- Energy: 0 kWh for all inverters because the dataframe is empty\n- Specific y
ield: no data\n- Performance ratio: no data\n- Availability: inverter1 through inverter12 all returned null
\n\nSo the correct conclusion is: yesterday's performance cannot be determined from the dataset, since data
for that day has not been recorded or is unavailable."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel(functions.total_energy_func_ag, functions.specific_yield_ag, functions.perf_
ratio_ag, functions.technical_contractual_availability_ag)"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from October 18, 2026.\n2. I pick out the column
s that contain power, irradiance, and temperature data.\n3. I clean up the data by removing or marking any
invalid values in the power and irradiance columns.\n4. I figure out how much energy the plant actually pro
duced by multiplying the power by the time interval (0.0833 hours) and making sure the units are correct.\n
5. I calculate the expected energy output without adjusting for temperature.\n6. If the system uses bifacia
l panels, I apply extra corrections based on information like ground reflectivity, area, and shading losse
s.\n7. I sum up both the actual and expected energy for each day.\n8. I calculate the performance ratio for
each day, including bifacial corrections if needed.\n9. I provide a detailed breakdown of the performance r
atio for each day.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n---\n\n1. I fil
ter the data to only include records from October 18, 2026.\n2. I find all inverter power columns and their
DC rated power values from the plant's metadata.\n3. I set calculation rules, like the minimum irradiance
(usually 50 W/m²), minimum power (usually 0.1 kW), and the data interval (usually 5 minutes).\n4. For each
inverter, I only look at times when irradiance is above the threshold, then count the total useful time and
any downtime.\n5. I convert these counts into hours based on the data interval.\n6. I calculate each invert
er's technical availability as: (useful time - downtime) / useful time × 100.\n7. I return a dictionary sho
wing the availability percentage for each inverter.\n\n---\n\n1. I filter the data to only include records
from October 18, 2026.\n2. I find all inverter power columns and their DC rated power values from the plan
t's metadata.\n3. I clean the data by removing or flagging any invalid power readings for each inverter.\n
4. For each inverter, I calculate the energy produced by multiplying power by the time interval (0.0833 hou
rs) and adjusting units if needed (like dividing by 1000 if the data is in Watts). I do this for each time
period you want (day, month, or year).\n5. I include all days in the calculation.\n6. I normalize each inve
rter's energy output by its DC rated power to get the specific yield in kWh/kWp.\n7. I rename the output co
lumns to show they represent specific yield, using the name 'Specific_Yield'.\n8. I return the specific yie
ld values as a dictionary, organized by the time period, with each inverter as a column.\n\n---\n\n1. I fil
ter the data to only include records from October 18, 2026.\n2. I find all inverte
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
What I found for 2026-10-18:
- Energy: 0 kWh for all inverters because the dataframe is empty
- Specific yield: no data
- Performance ratio: no data
- Availability: inverter1 through inverter12 all returned null
So the correct conclusion is: yesterday's performance cannot be determined from the dataset, since data for that day has not been recorded or is unavailable.
01:09 PM
Are you satisfied with the answer?
Time taken: 19s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. Galleria_Mall

Development • 26.4s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'i can't'): I can’t analyze shading dips from the requested pyranometer data because the queried time window returned no data. Result: - Query period checked: 2026-09-19 to 2026-10-19 - Data source request

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I can’t analyze shading dips from the requested pyranometer data because the que
ried time window returned no data.\n\nResult:\n- Query period checked: 2026-09-19 to 2026-10-19\n- Data sou
rce requested: pyranometer_1 with modelled/solar-position context\n- Returned status: dataframe is empty\n
\nSo I’m unable to detect frequent dip times or confirm shading patterns from measurements for that perio
d.",
    "coding_response": [
      "I can’t analyze shading dips from the requested pyranometer data because the queried time window ret
urned no data.\n\nResult:\n- Query period checked: 2026-09-19 to 2026-10-19\n- Data source requested: pyran
ometer_1 with modelled/solar-position context\n- Returned status: dataframe is empty\n\nSo I’m unable to de
tect frequent dip times or confirm shading patterns from measurements for that period."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
queried time window returned no data.
Result:
- Query period checked: 2026-09-19 to 2026-10-19
- Data source requested: pyranometer_1 with modelled/solar-position context
- Returned status: dataframe is empty
So I'm unable to detect frequent dip times or confirm shading patterns from measurements for that period.
01:10 PM
Are you satisfied with the answer?
Time taken: 11s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

5. Galleria_Mall

Development • 27.6s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i can't'): I checked for the BOM/source field up to 2026-10-19 16:12:15, and there was no data returned in that window. So I can’t identify a last BOM timestamp from the available records in 2026-10-18 to 2026-1

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "I checked for the BOM/source field up to 2026-10-19 16:12:15, and there was no d
ata returned in that window. So I can’t identify a last BOM timestamp from the available records in 2026-10
-18 to 2026-10-19 16:12:15.",
    "coding_response": [
      "I checked for the BOM/source field up to 2026-10-19 16:12:15, and there was no data returned in that
window. So I can’t identify a last BOM timestamp from the available records in 2026-10-18 to 2026-10-19 16:
12:15."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
When was the last time the BOM data showed up
TE
I checked for the BOM/source field up to 2026-10-19 16:12:15, and there was no data returned in that window. So I can't identify a last BOM timestamp from the available records in 2026-10-18 to 2026-10-19 16:12:15.
01:12 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 13s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

6. MOF

Development • 32.2s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'not found'): The latest BOM data did not appear in the queried data. I checked the most recent available `source` records through 2026-10-19 16:00:00, and there were no entries labeled BOM. The recent `source`

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "The latest BOM data did not appear in the queried data.\n\nI checked the most re
cent available `source` records through 2026-10-19 16:00:00, and there were no entries labeled BOM. The rec
ent `source` values present were numeric fractions: `1.0`, `0.0`, `0.25`, `0.5`, `0.75`.\n\nSo the last tim
e BOM data showed up is: not found in the 2026-10-18 to 2026-10-19 data window.\n\nAlso, the latest availab
le timestamp in the dataset is 2026-10-19 16:00:00.",
    "coding_response": [
      "The latest BOM data did not appear in the queried data.\n\nI checked the most recent available `sour
ce` records through 2026-10-19 16:00:00, and there were no entries labeled BOM. The recent `source` values
present were numeric fractions: `1.0`, `0.0`, `0.25`, `0.5`, `0.75`.\n\nSo the last time BOM data showed up
is: not found in the 2026-10-18 to 2026-10-19 data window.\n\nAlso, the latest available timestamp in the d
ataset is 2026-10-19 16:00:00."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag",
      "execute_custom_code"
    ],
    "urls": [],
    "steps": []
  }
}
```



LLM Reasoning Issues LLM REASONING (6 failures)

1. Abdali_Mall_Barza

Development • 36.9s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'i can't'): Yesterday (2026-10-18), your plant produced 2201.05 kWh. Key performance: - Specific yield: 5.601 kWh/kWp - Performance ratio (PR): 0.813 - Reference yield: 5.506 kWh/kWp Interpretation:

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant produced 2201.05 kWh.\n\nKey performance:\n- Specific yield: 5.601 kWh/kWp\n- Performance ratio (PR): 0.813\n- Reference yield: 5.506 kWh/kWp\n\nInterpretation:\n- The plant performed well overall, with PR of 81.3%, which is a solid result.\n- Specific yield slightly exceeded the reference yield, consistent with the strong daily production.\n\nImportant note:\n- The dataset is incomplete for that day: data starts at 06:35 and ends at 18:40, so the analysis should be treated with some caution.\n- I could not return plant availability because that tool failed for this request.\n- Forecast comparison also failed, so I can’t say whether production was above or below forecast from that tool.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant produced 2201.05 kWh.\n\nKey performance:\n- Specific yield: 5.601 kWh/kWp\n- Performance ratio (PR): 0.813\n- Reference yield: 5.506 kWh/kWp\n\nInterpretation:\n- The plant performed well overall, with PR of 81.3%, which is a solid result.\n- Specific yield slightly exceeded the reference yield, consistent with the strong daily production.\n\nImportant note:\n- The dataset is incomplete for that day: data starts at 06:35 and ends at 18:40, so the analysis should be treated with some caution.\n- I could not return plant availability because that tool failed for this request.\n- Forecast comparison also failed, so I can’t say whether production was above or below forecast from that tool."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Select data from 2026-10-18 to 2026-10-18, including both dates.\n2. Identify all inverter power columns and their DC rated powers from the plant metadata.\n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, filter data to periods where irradiance is above the threshold, then count the total number of valid intervals (T_useful) and the number of downtime intervals (T_down).\n5. Convert these interval counts into hours based on the data interval length.\n6. Calculate Technical Availability for each inverter using: (T_useful - T_down) / T_useful × 100.\n7. Return a dictionary with the availability percentage for each inverter.\n\n---\n\n1. Select data from 2026-10-18 to 2026-10-18, including both dates.\n2. Use the active_power column(s) for calculations.\n3. Clean the data by removing or flagging invalid values in the power columns.\n4. For each data point, calculate energy as (Power × 0.0833 hours), converting units as needed (e.g., divide by 1000 to get kWh).\n5. Include all days in the calculation.\n6. Add up all energy values in the selected period to get the total energy produced.\n\n---\n\n1. Get plant metadata from the active DataContainer, including power units, time interval, and inverter power columns.\n2. Generate forecasted inverter power data using the forecast model for up to 16 days ahead, without querying historical data.\n3. Make sure forecast data has a 'timestamp' column; if not, convert the DataFrame index to timestamps.\n4. Filter forecast data to include only records from 2026-10-18 to 2026-10-18.\n5. Determine the forecast time resolution from the timestamps; if this fails, use the time interval from metadata.\n6. Check if the date range is fully covered and set a status message (e.g., Good, empty, incomplete coverage).\n7. Read the plant’s power units and set the energy conversion factor (e.g., divide by 1000 if power is in Watts).\n8. Use the metadata time interval to calculate each inverter’s energy as forecasted power × time interval ÷ conversion factor.\n9. Keep all forecast intervals; do not filter by weekday or weekend.\n10. Aggregate the forecasted inverter energy to daily
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Specific yield slightly exceeded the reference yield, consistent with the strong daily production.
Important note:
- The dataset is incomplete for that day: data starts at 06:35 and ends at 18:40, so the analysis should be treated with some caution.
- I could not return plant availability because that tool failed for this request.
- Forecast comparison also failed, so I can't say whether production was above or below forecast from that tool.
01:26 PM
Are you satisfied with the answer?
Time taken: 22s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. MOF

Development • 24.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed due to a missing source column in the backend query: `wind_speed_1` could not be resolved. So I can’t provide a clipp

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
due to a missing source column in the backend query: `wind_speed_1` could not be resolved.\n\nSo I can’t pr
ovide a clipping-loss value from that tool for July 2026 on this dataset.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed due to a missing sou
rce column in the backend query: `wind_speed_1` could not be resolved.\n\nSo I can’t provide a clipping-los
s value from that tool for July 2026 on this dataset."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
calculate clipping loss if any for July 2026
I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed due to a missing source column in the backend query: `wind_speed_1` could not be resolved.
So I can't provide a clipping-loss value from that tool for July 2026 on this dataset.
01:37 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. GID

Development • 33.9s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'calculation failed'): Yesterday (2026-10-18), your plant produced 10,681.68 kWh. Key performance: - Specific yield: 2.900 kWh/kWp - Performance ratio (PR): 0.6925 Important data note: - The PR calculation used

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-18), your plant produced 10,681.68 kWh.\n\nKey performance:\n
- Specific yield: 2.900 kWh/kWp\n- Performance ratio (PR): 0.6925\n\nImportant data note:\n- The PR calcula
tion used an incomplete daylight window: data starts at 06:35 and ends at 17:20 on 2026-10-18.\n- So the PR
should be treated with caution.\n\nI could not provide plant availability because that calculation failed i
n the tool for this request.",
    "coding_response": [
      "Yesterday (2026-10-18), your plant produced 10,681.68 kWh.\n\nKey performance:\n- Specific yield: 2.
900 kWh/kWp\n- Performance ratio (PR): 0.6925\n\nImportant data note:\n- The PR calculation used an incompl
ete daylight window: data starts at 06:35 and ends at 17:20 on 2026-10-18.\n- So the PR should be treated w
ith caution.\n\nI could not provide plant availability because that calculation failed in the tool for this
request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel(functions.total_energy_func_ag, functions.specific_yield_ag, functions.perf_
ratio_ag, functions.technical_contractual_availability_ag)"
    ],
    "urls": [],
    "steps": "1. I choose data from October 18, 2026, including that day.\n2. I find all inverter power col
umns and their DC rated power values from the plant's metadata.\n3. I set calculation settings like the irr
adiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minut
es).\n4. For each inverter, I filter the data to times when irradiance is above the threshold, then count t
he total useful intervals (T_useful) and the downtime intervals (T_down).\n5. I convert these interval coun
ts into hours based on the data interval length.\n6. I calculate Technical Availability for each inverter u
sing: (T_useful - T_down) / T_useful × 100.\n7. I provide a dictionary showing the availability percentage
for each inverter.\n\n1. I select data from October 18, 2026, including that day.\n2. I group the data by d
ay (or by minute, hour, month, or year as needed).\n3. I make sure all days are included in the calculatio
n.\n4. I calculate the total energy produced during the selected period using the plant's power data, adjus
ting for the time interval (0.0833 hours).\n5. I divide the total energy by the plant's installed capacity
(rated power) to get the specific yield in kWh per kWp.\n6. I return the specific yield for each time inter
val as a detailed breakdown.\n\n1. I select data from October 18, 2026, including that day.\n2. I identify
the columns for power, irradiance, and temperature.\n3. I clean the data by removing or flagging invalid va
lues in the power and irradiance columns.\n4. I calculate the actual energy produced by multiplying power b
y the time interval (0.0833 hours) and adjusting for units.\n5. I calculate the expected energy without tem
perature correction.\n6. If the system is bifacial, I apply extra correction factors using metadata like gr
ound albedo, area normalization, and shading losses.\n7. I group the actual and expected energy by day.\n8.
I calculate the performance ratio for each interval, applying bifacial corrections if needed.\n9. I return
the average performance ratio across all intervals.\n10. I cap the performance ratio at a maximum of 1.3 to
avoid unrealistic results.\n\n1. I select data from October 18, 2026, including that day.\n2. I use the act
ive_power column(s) for the calculation.\n3. I clean the data by removing or flagging invalid values in the
power column(s).\n4. I calculate energy for each data point as (Power × 0.0833 hours), converting units as
needed (e.g., dividing by 1000 to go from Watts to kW).\n5. I include all days in the calculation.\n6. I su
m all the energy values for the selected period to get the total energy produced."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Specific yield: 2.900 kWh/kWp
- Performance ratio (PR): 0.6925
Important data note:
- The PR calculation used an incomplete daylight window: data starts at 06:35 and ends at 17:20 on 2026-10-18.
- So the PR should be treated with caution.
I could not provide plant availability because that calculation failed in the tool for this request.
02:02 PM
Are you satisfied with the answer?
Time taken: 19s, token: 0 tokens
connected to Mathkor Gid
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. KUPCO_HQ_DAJEEJ

Development • 54.9s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 02:25 PM Do you want to report this error? YES NO Click here for Source Click here for Steps Click here for Tools Time taken: s, token: tokens c

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

Console errors: Failed to load resource: the server responded with a status of 500 (Internal Server Error)



5. SADAFCO

Development • 32.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping-loss values. Result: calculation failed for all 12 inverters. Status: Failed The tool reported

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not
return clipping-loss values.\n\nResult: calculation failed for all 12 inverters.\nStatus: Failed\n\nThe too
l reported HTTP 413-style chunk-size errors for every 8-day chunk across the month and suggested lowering `
chunk_days`, but `clipping_loss_via_requests` does not expose a chunk-size parameter for me to adjust her
e.\n\nAffected inverters:\n- inverter1_active_power\n- inverter2_active_power\n- inverter3_active_power\n-
inverter4_active_power\n- inverter5_active_power\n- inverter6_active_power\n- inverter7_active_power\n- inv
erter8_active_power\n- inverter9_active_power\n- inverter10_active_power\n- inverter11_active_power\n- inve
rter12_active_power\n\nSo I can’t provide a July 2026 clipping-loss value from that tool run.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping-los
s values.\n\nResult: calculation failed for all 12 inverters.\nStatus: Failed\n\nThe tool reported HTTP 413
-style chunk-size errors for every 8-day chunk across the month and suggested lowering `chunk_days`, but `c
lipping_loss_via_requests` does not expose a chunk-size parameter for me to adjust here.\n\nAffected invert
ers:\n- inverter1_active_power\n- inverter2_active_power\n- inverter3_active_power\n- inverter4_active_powe
r\n- inverter5_active_power\n- inverter6_active_power\n- inverter7_active_power\n- inverter8_active_power\n
- inverter9_active_power\n- inverter10_active_power\n- inverter11_active_power\n- inverter12_active_power\n
\nSo I can’t provide a July 2026 clipping-loss value from that tool run."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter9_active_power
- inverter10_active_power
- inverter11_active_power
- inverter12_active_power
So I can't provide a July 2026 clipping-loss value from that tool run.
03:46 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 17s, token: 0 tokens
connected to Sadafco
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

6. SADAFCO

Development • 34.7s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Error reason: AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 03:57 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{"result":"{\n    \"user_input\": \"Please plot my current and voltage in a dual axes plot on the deepest p
ossible granularity level for inverter3\",\n    \"displayed_response\": \"I've created the visualization fo
r you.\",\n    \"coding_response\": [\n        {\n            \"type\": \"graph\",\n            \"series\":
[\n                \"<html>\\n<head><meta charset=\\\"utf-8\\\" /></head>\\n<body>\\n    <div>
<script type=\\\"text/javascript\\\">window.PlotlyConfig = {MathJaxConfig: 'local'};</script>\\n        <sc
ript charset=\\\"utf-8\\\" src=\\\"https://cdn.plot.ly/plotly-3.0.1.min.js\\\"></script>                <di
v id=\\\"f7038d67-cc76-49a8-a7b3-8c977ac9f46c\\\" class=\\\"plotly-graph-div\\\" style=\\\"height:100%; wid
th:100%;\\\"></div>            <script type=\\\"text/javascript\\\">                window.PLOTLYENV=windo
w.PLOTLYENV || {};                                if (document.getElementById(\\\"f7038d67-cc76-49a8-a7b3-8
c977ac9f46c\\\")) {                    Plotly.newPlot(                        \\\"f7038d67-cc76-49a8-a7b3-8
c977ac9f46c\\\",                        [{\\\"hovertemplate\\\":\\\"%{fullData.name}: %{y:.2f} A\\\\u003cex
tra\\\\u003e\\\\u003c\\\\u002fextra\\\\u003e\\\",\\\"legendgroup\\\":\\\"mppt1\\\",\\\"mode\\\":\\\"lines
\\\",\\\"name\\\":\\\"Inverter 3 MPPT 1 Current\\\",\\\"x\\\":[\\\"2026-10-19T00:00:00\\\",\\\"2026-10-19T0
0:01:00\\\",\\\"2026-10-19T00:02:00\\\",\\\"2026-10-19T00:03:00\\\",\\\"2026-10-19T00:04:00\\\",\\\"2026-10
-19T00:05:00\\\",\\\"2026-10-19T00:06:00\\\",\\\"2026-10-19T00:07:00\\\",\\\"2026-10-19T00:08:00\\\",\\\"20
26-10-19T00:09:00\\\",\\\"2026-10-19T00:10:00\\\",\\\"2026-10-19T00:11:00\\\",\\\"2026-10-19T00:12:00
\\\",\\\"2026-10-19T00:13:00\\\",\\\"2026-10-19T00:14:00\\\",\\\"2026-10-19T00:15:00\\\",\\\"2026-10-19T00:
16:00\\\",\\\"2026-10-19T00:17:00\\\",\\\"2026-10-19T00:18:00\\\",\\\"2026-10-19T00:19:00\\\",\\\"2026-10-1
9T00:20:00\\\",\\\"2026-10-19T00:21:00\\\",\\\"2026-10-19T00:22:00\\\",\\\"2026-10-19T00:23:00\\\",\\\"2026
-10-19T00:24:00\\\",\\\"2026-10-19T00:25:00\\\",\\\"2026-10-19T00:26:00\\\",\\\"2026-10-19T00:27:00
\\\",\\\"2026-10-19T00:28:00\\\",\\\"2026-10-19T00:29:00\\\",\\\"2026-10-19T00:30:00\\\",\\\"2026-10-19T00:
31:00\\\",\\\"2026-10-19T00:32:00\\\",\\\"2026-10-19T00:33:00\\\",\\\"2026-10-19T00:34:00\\\",\\\"2026-10-1
9T00:35:00\\\",\\\"2026-10-19T00:36:00\\\",\\\"2026-10-19T00:37:00\\\",\\\"2026-10-19T00:38:00\\\",\\\"2026
-10-19T00:39:00\\\",\\\"2026-10-19T00:40:00\\\",\\\"2026-10-19T00:41:00\\\",\\\"2026-10-19T00:42:00
\\\",\\\"2026-10-19T00:43:00\\\",\\\"2026-10-19T00:44:00\\\",\\\"2026-10-19T00:45:00\\\",\\\"2026-10-19T00:
46:00\\\",\\\"2026-10-19T00:47:00\\\",\\\"2026-10-19T00:48:00\\\",\\\"2026-10-19T00:49:00\\\",\\\"2026-10-1
9T00:50:00\\\",\\\"2026-10-19T00:51:00\\\",\\\"2026-10-19T00:52:00\\\",\\\"2026-10-19T00:53:00\\\",\\\"2026
-10-19T00:54:00\\\",\\\"2026-10-19T00:55:00\\\",\\\"2026-10-19T00:56:00\\\",\\\"2026-10-19T00:57:00
\\\",\\\"2026-10-19T00:58:00\\\",\\\"2026-10-19T00:59:00\\\",\\\"2026-10-19T01:00:00\\\",\\\"2026-10-19T01:
01:00\\\",\\\"2026-10-19T01:02:00\\\",\\\"2026-10-19T01:03:00\\\",\\\"2026-10-19T01:04:00\\\",\\\"2026-10-1
9T01:05:00\\\",\\\"2026-10-19T01:06:00\\\",\\\"2026-10-19T01:07:00\\\",\\\"2026-10-19T01:08:00\\\",\\\"2026
-10-19T01:09:00\\\",\\\"2026-10-19T01:10:00\\\",\\\"2026-10-19T01:11:00\\\",\\\"2026-10-19T01:12:00
\\\",\\\"2026-10-19T01:13:00\\\",\\\"2026-10-19T01:14:00\\\",\\\"2026-10-19T01:15:00\\\",\\\"2026-10-19T01:
16:00\\\",\\\"2026-10-19T01:17:00\\\",\\\"2026-10-19T01:18:00\\\",\\\"2026-10-19T01:19:00\\\",\\\"2026-10-1
9T01:20:00\\\",\\\"2026-10-19T01:21:00\\\",\\\"2026-10-19T01:22:00\\\",\\\"2026-10-19T01:23:00\\\",\\\"2026
-10-19T01:24:00\\\",\\\"2026-10-19T01:25:00\\\",\\\"2026-10-19T01:26:00\\\",\\\"2026-10-19T01:27:00
\\\",\\\"2026-10-19T01:28:00\\\",\\\"2026-10-19T01:29:00\\\",\\\"2026-10-19T01:30:00\\\",\\\"2026-10-19T01:
31:00\\\",\\\"2026-10-19T01:32:00\\\",\\\"2026-10-19T01:33:00\\\",\\\"2026-10-
```


Console errors: An iframe which has both allow-scripts and allow-same-origin for its sandbox attribute can escape its sandboxing. | Access to fetch at 'https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/update_plant_history' from origin 'https://aepc2-dev.p2agentx.com' has been bloc

Network failures: POST https://f7teroacu2axqn4qrjybgtpgna0didlw.lambda-url.ap-southeast-2.on.aws/testuser2/update_plant_history (net::ERR_FAILED)


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
03:56 PM
Are you satisfied with the answer?
Time taken: 8s, token: 0 tokens
Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3
TE
Sorry, there was an error processing your request.
03:57 PM
Do you want to report this error?
YES NO
Time taken: s, token: tokens
connected to Sadafco
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

Passed (224)

1. Galleria_Mall

Development • 36.9s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot and resolve a COMMUNICATION_FAULT on your inverters, follow these steps using the referenced manual diagrams: 1. Inspect the connectivity and wiring assembly. Ensure cable connections form exact 90-degree angles and maintain a minimum spacing of 150 mm to prevent faults. See the wiring diagram here: 2. Verify that all cables retain at least 150 mm distance from the device, maintaining 90° angles as shown in this diagram: 3. Check connector assembly, ensuring that the positive (+) and negative (-) connectors match the markings and follow the arrow directions for correct assembly/disassembly. See diagram: 4. Refer to the port layout on the device to ensure communication cables (such as RS485 or Ethernet) are connected to the correct labeled ports. Diagram reference: 5. Inspect the physical ports (RS485, DC terminals, grounding, AC terminals) for loose or disconnected communication cables. Reference layout: 6. Use the control panel indicators (see the labeled in

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



2. Galleria_Mall

Development • 21.5s

Question: Please generate last months report

Response: I've generated the external performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_September_2026_external_report.pdf' Galleria_Mall Report 01:03 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



3. Galleria_Mall

Development • 20.0s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_December_2025_external_report.pdf' Galleria_Mall Report 01:04 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



4. Galleria_Mall

Development • 27.7s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. 01:06 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



5. Galleria_Mall

Development • 27.6s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 01:06 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



6. Galleria_Mall

Development • 29.8s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:07 PM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



7. Galleria_Mall

Development • 55.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss for the Last 6 Months (2026-04-19 to 2026-10-19): - inverter1: 2004.25 kWh - inverter2: 5.73 kWh - inverter3: 0.66 kWh - inverter4: 2.03 kWh - inverter5: 20.92 kWh - inverter6: 21.36 kWh - inverter7: 21.51 kWh - inverter8: 16.87 kWh - inverter9: 12.49 kWh - inverter10: 25.98 kWh - inverter11: 59.41 kWh - inverter12: 10.62 kWh Data Quality Status: Good Visualization: • I've created a bar chart titled "Monthly Clipping Loss by Inverter – Last 6 Months" showing each inverter's clipping loss over the period. Clipping Loss for the Last 6 Months (2026-04-19 to 2026-10-19): - inverter1: 2004.25 kWh - inverter2: 5.73 kWh - inverter3: 0.66 kWh - inverter4: 2.03 kWh - inverter5: 20.92 kWh - inverter6: 21.36 kWh - inverter7: 21.51 kWh - inverter8: 16.87 kWh - inverter9: 12.49 kWh - inverter10: 25.98 kWh - inverter11: 59.41 kWh - inverter12: 10.62 kWh Data Quality Status: Good Visualization: • I've created a bar char

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

8. Galleria_Mall

Development • 27.8s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Galleria_Mall] Front page – Rated Power (Page 1, Table 1) 2. [Galleria_Mall] PV Array Characteristics – Array Configuration (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_3_image_2.png 01:10 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`3`
Network failures	`1`



9. Galleria_Mall

Development • 27.8s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:11 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 12s, token: 0 tokens What can I do? connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`4`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`3`
Network failures	`0`



10. Galleria_Mall

Development • 50.5s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA irradiance from `pyranometer_1` over the requested last 12 months is only partially available in the database. Available data window returned: - 2026-04-05 to 2026-09-11 - Days available: 160 I calculated daily summed POA irradiance in Wh/m² for each available day, then computed the statistics: - Median: 7040.02 Wh/m² - Mean: 6768.26 Wh/m² - Kurtosis: 8.4228 Daily POA sums (Wh/m²): 2026-04-05: 6704.45 2026-04-06: 6793.26 2026-04-07: 6895.94 2026-04-08: 6760.17 2026-04-09: 4432.46 2026-04-10: 6675.47 2026-04-11: 3938.75 2026-04-12: 4342.20 2026-04-13: 6634.87 2026-04-14: 6945.42 2026-04-15: 7216.21 2026-04-16: 6011.90 2026-04-17: 7068.52 2026-04-18: 6363.57 2026-04-19: 4021.91 2026-04-20: 1524.48 2026-04-21: 4823.79 2026-04-22: 6713.24 2026-04-23: 4930.56 2026-04-24: 5697.92 2026-04-25: 4757.37 2026-04-26: 6091.48 2026-04-27: 6680.85 2026-04-28: 7089.39 2026-04-29: 7258.17 2026-04-30: 7099.12 2026-05-01:

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



11. Galleria_Mall

Development • 20.0s

Question: Pull up the latest cleaning log

Response: No cleaning activity logs have been recorded yet for October 2026 at Galleria Mall. 01:14 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



12. Galleria_Mall

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add this cleaning activity log, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically to Galleria_Mall. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning, Inspection, HSE Incident, Spare Parts Usage, General Site Activity) 01:14 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



13. Galleria_Mall

Development • 32.2s

Question: How can I shut down my inverters?

Response: To safely shut down your SUN2000 inverters, follow these steps as specified in the manual: 1. Wear personal protective equipment and use dedicated insulated tools before starting shutdown. 2. If two inverters share the same AC switch, power off both concurrently using the shared AC switch. 3. Turn off the AC switch/disconnector on the inverter's AC side. Refer to this diagram for AC switch location: 4. Switch off the DC switches (if present) by turning them to the OFF position. Check the AC and DC switch locations in the inverter wiring/connection layout. Diagram: 5. Wait at least 15 minutes after powering off to let internal energy and heat dissipate. Wear protective gloves before touching the inverter. 6. Use a multimeter to verify no voltage is present prior to any maintenance. Check the measurement points in the diagram: Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SUN2000_115KTL_Manual/source/SUN2000_115KTL_Manual.pd

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



14. Galleria_Mall

Development • 26.6s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:16 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



15. Galleria_Mall

Development • 47.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (Last 2 Months: 2026-08-19 to 2026-10-19) - Inverter 1: 0.430 kWh - Inverter 2: 0.000 kWh - Inverter 3: 0.000 kWh - Inverter 4: 0.000 kWh - Inverter 5: 0.000 kWh - Inverter 6: 0.000 kWh - Inverter 7: 0.000 kWh - Inverter 8: 0.000 kWh - Inverter 9: 0.000 kWh - Inverter 10: 0.000 kWh - Inverter 11: 36.261 kWh - Inverter 12: 0.000 kWh Data Quality: - Status: Good Visualization: - The bar chart showing daily clipping loss by inverter for the last 2 months has been prepared. Clipping Loss Summary (Last 2 Months: 2026-08-19 to 2026-10-19) - Inverter 1: 0.430 kWh - Inverter 2: 0.000 kWh - Inverter 3: 0.000 kWh - Inverter 4: 0.000 kWh - Inverter 5: 0.000 kWh - Inverter 6: 0.000 kWh - Inverter 7: 0.000 kWh - Inverter 8: 0.000 kWh - Inverter 9: 0.000 kWh - Inverter 10: 0.000 kWh - Inverter 11: 36.261 kWh - Inverter 12: 0.000 kWh Data Quality: - Status: Good Visualization: - The bar chart showing daily

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



16. Galleria_Mall

Development • 37.2s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:17 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`specific_yield_ag, total_energy_func_ag, generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



17. Abdali_Mall_Barza

Development • 29.2s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting Steps for COMMUNICATION_FAULT Error: 1. Ensure that the energy meter is correctly integrated into the same network as the inverter. Refer to the network configuration screen diagram showing both WLAN and Ethernet statuses: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/STP50-US-40-BA-en-10/images/page_0028_diagram_001.png. Look specifically for matching network names and active connection status on this diagram. 2. If using WLAN: - Check the WLAN connection quality as shown in the diagram and improve it if needed (e.g., use a WLAN repeater). 3. If using Ethernet: - Verify that the Ethernet cable is securely connected as indicated by the Ethernet port status section in the diagram. - Confirm that there is an active connection to the DHCP server (router). 4. Reconfigure the inverter's network settings using the user interface as displayed in the diagram. Select either 'automatic' or 'manual' configuration according to your network

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`16`
Last API call	`GET /chat-history/Abdali_Mall_Barza → 200`
Console errors	`4`
Network failures	`1`



18. Abdali_Mall_Barza

Development • 32.3s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 2446.1131 kWh - inverter2_active_power: 2446.1131 kWh - inverter3_active_power: 2446.1131 kWh - inverter4_active_power: 2446.1131 kWh - inverter5_active_power: 2446.1131 kWh - inverter6_active_power: 2446.1131 kWh Status: Good 01:20 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



19. Abdali_Mall_Barza

Development • 20.0s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_September_2026_external_report.pdf' Abdali_Mall_Barza Report 01:20 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



20. Abdali_Mall_Barza

Development • 29.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy over the period queried: - 2026-10-12: 1884.77 kWh - 2026-10-13: 1904.29 kWh - 2026-10-14: 1400.53 kWh - 2026-10-15: 1612.04 kWh - 2026-10-16: 1704.06 kWh - 2026-10-17: 2173.84 kWh - 2026-10-18: 2201.05 kWh - 2026-10-19: 1871.24 kWh Note: the latest day is incomplete because data currently only runs to 2026-10-19 15:55:00, but it is clearly not a 0-production day. 01:21 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



21. Abdali_Mall_Barza

Development • 21.7s

Question: Please generate December 2025 performance report

Response: I've generated the external performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_December_2025_external_report.pdf' Abdali_Mall_Barza Report 01:22 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



22. Abdali_Mall_Barza

Development • 35.2s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-12 to 2026-10-19 15:55, the data quality assessment is: - Daytime points assessed: 1067 - Missing daytime POA data points: 0 - Missing daytime plant power data points: 31 - POA mismatches vs satellite/model prediction: 552 points - Power mismatches vs irradiance prediction: 0 points Definitions used: - Daytime: modelled_poa_1 > 20 W/m² - POA mismatch: |pyranometer_1 - modelled_poa_1| / modelled_poa_1 > 30% - Power mismatch: either modelled_poa_1 > 200 W/m² with active_power < 2% of period max, or modelled_poa_1 < 50 W/m² with active_power > 10% of period max Note: the available data ends at 2026-10-19 15:55, not end-of-day. 01:23 PM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



23. Abdali_Mall_Barza

Development • 32.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:23 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

24. Abdali_Mall_Barza

Development • 21.6s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 01:24 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



25. Abdali_Mall_Barza

Development • 30.5s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:25 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

26. Abdali_Mall_Barza

Development • 47.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Here is the summary of clipping losses over the last 6 months by inverter: - Inverter 1: 10,314.37 kWh - Inverter 2: 10,228.84 kWh - Inverter 3: 10,314.72 kWh - Inverter 4: 10,180.51 kWh - Inverter 5: 10,192.91 kWh - Inverter 6: 10,008.64 kWh Data quality status: Good I've created a bar chart showing monthly clipping loss by inverter for the last 6 months. Here is the summary of clipping losses over the last 6 months by inverter: - Inverter 1: 10,314.37 kWh - Inverter 2: 10,228.84 kWh - Inverter 3: 10,314.72 kWh - Inverter 4: 10,180.51 kWh - Inverter 5: 10,192.91 kWh - Inverter 6: 10,008.64 kWh Data quality status: Good I've created a bar chart showing monthly clipping loss by inverter for the last 6 months. View Fullscreen 01:26 PM ★ Are you satisfied with the answer? Time taken: 32s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

27. Abdali_Mall_Barza

Development • 44.6s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 7 days of 5-minute pyranometer data (2026-10-12 to 2026-10-19 15:55) and flagged repeated sharp irradiance dips relative to both local trend and modelled POA, with a coincident plant power drop to reduce cloud-only false positives. Summary: - Candidate dip events found: 40 - Candidate dip points: 45 - Daylight points analyzed: 941 - Data available through: 2026-10-19 15:55:00 Most frequent times of day for dips: - 11:00: 7 points - 12:00: 7 points - 09:00: 6 points - 13:00: 5 points - 15:00: 5 points - 10:00: 4 points - 14:00: 3 points - 17:00: 3 points - 08:00: 2 points - 16:00: 2 points - 07:00: 1 point Longest / strongest dip windows detected: - 2026-10-12 14:25 to 14:30 (10 min) - 2026-10-14 12:30 to 12:35 (10 min) - 2026-10-16 10:40 to 10:45 (10 min) - 2026-10-16 13:05 to 13:10 (10 min) - 2026-10-19 09:00 to 09:05 (10 min) Detected dip times: - 2026-10-12 12:40 - 2026-10-12 14:25 to 14:30 - 2026-10-12 15

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



28. Abdali_Mall_Barza

Development • 26.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Front Page (Page 1, Table 1) 2. [Abdali_Mall_Barza] System Summary (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_2_image_2.png 01:28 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	3
Last API call	`GET /chat-history/Abdali_Mall_Barza → 200`
Console errors	4
Network failures	1



29. Abdali_Mall_Barza

Development • 34.2s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:29 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



30. Abdali_Mall_Barza

Development • 53.5s

Question: When was the last time the BOM data showed up

Response: The last BOM data timestamp was 2026-10-19 15:55:00. That is 35 minutes before the stated current time of 2026-10-19 16:30:13. 01:30 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 38s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



31. Abdali_Mall_Barza

Development • 32.2s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA sums over the last 12 months were aggregated from `pyranometer_1` and summarized as: - Median: 6565.38 Wh/m²/day - Mean: 6109.48 Wh/m²/day - Kurtosis: -0.313 - Days in range: 366 Note: the extracted series ends at 2026-10-19 15:55:00, so the final day is partial. Also, the period contains some missing daily values (NaNs), which were ignored in the summary statistics. 01:31 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



32. Abdali_Mall_Barza

Development • 23.1s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for Abdali_Mall_Barza in October 2026. 01:31 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



33. Abdali_Mall_Barza

Development • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes You can also confirm or add the Activity Type if it's different from 'Cleaning'. 01:32 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



34. Abdali_Mall_Barza

Development • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps precisely as stated in the manual: 1. Disconnect the inverter from all voltage sources: - Switch off the AC circuit breaker to disconnect the inverter from the AC supply. Refer to the diagram for the location of the AC cable and circuit breaker. - Unplug or switch off the DC connectors to disconnect the DC input. Make sure the DC connectors are fully isolated from the inverter. 2. Confirm the inverter is fully disconnected by ensuring there is no power coming from either the AC or DC side. 3. If you are addressing a DC overvoltage issue, ensure the DC voltage is below the maximum allowed input before reconnecting. 4. For visual reference: - Wiring & voltage diagram: - Ground fault/troubleshooting diagram: Do not reconnect the inverter until you have verified all voltages are within the safe range. If shutdown was due to fault or overvoltage, consult manual instructions before restarting. Manual reference (PDF): https://

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



35. Abdali_Mall_Barza

Development • 20.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:33 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



36. Abdali_Mall_Barza

Development • 42.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here's the summary of clipping losses for the period 2026-08-19 to 2026-10-19, broken down by inverter: - Inverter 1: 1,439.6843 kWh - Inverter 2: 1,472.4535 kWh - Inverter 3: 1,442.3747 kWh - Inverter 4: 1,459.0948 kWh - Inverter 5: 1,471.4983 kWh - Inverter 6: 1,429.8394 kWh Data quality status: Good I've created a line chart showing daily clipping loss per inverter for the requested period. Here's the summary of clipping losses for the period 2026-08-19 to 2026-10-19, broken down by inverter: - Inverter 1: 1,439.6843 kWh - Inverter 2: 1,472.4535 kWh - Inverter 3: 1,442.3747 kWh - Inverter 4: 1,459.0948 kWh - Inverter 5: 1,471.4983 kWh - Inverter 6: 1,429.8394 kWh Data quality status: Good I've created a line chart showing daily clipping loss per inverter for the requested period. View Fullscreen 01:34 PM ★ Are you satisfied with the answer? Time taken: 27s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Ch

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



37. Abdali_Mall_Barza

Development • 35.3s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:35 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`generate_graphs_via_code, total_energy_func_ag, specific_yield_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



38. MOF

Development • 36.8s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT on your inverters, please follow these steps: 1. Inspect the communication pathways and all relevant electrical connections as highlighted in the diagram. Focus on the wiring routes and labeled connection points. Refer to this diagram for visual guidance: 2. Verify all cables and connectors are securely attached according to the internal component layout. Look for any loose or misconnected cables at the key connection points labeled in the system overview. See this diagram: 3. Examine the installation zone for issues such as cable positioning or mechanical obstructions that could affect signal transmission. Confirm each cable and component is correctly positioned as shown, ensuring nothing is missing or incorrectly installed. Visual guide here: 4. Use the front panel or keypad interface to check for further system status messages or error indications, referencing the front view diagram. If there's a specific area monitoring communication,

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



39. MOF

Development • 21.5s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_September_2026_external_report.pdf' MOF Report 01:38 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 7s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



40. MOF

Development • 29.2s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-13: 1400.01 kWh - 2026-10-14: 1475.56 kWh - 2026-10-15: 1407.36 kWh - 2026-10-16: 1326.77 kWh - 2026-10-17: 1479.44 kWh - 2026-10-18: 1461.27 kWh - 2026-10-19: 1415.76 kWh Note: 2026-10-19 is incomplete because data currently only extends to 15:45. 01:39 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



41. MOF

Development • 21.6s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_December_2025_external_report.pdf' MOF Report 01:39 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



42. MOF

Development • 39.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Data quality assessment for 2026-10-12 to 2026-10-19 16:00: - Daytime points analyzed: 351 - Missing daytime POA readings (pyranometer_1): 45 - Missing daytime plant power readings (active_power): 1 - POA mismatches vs satellite/modelled prediction proxy (pyranometer_1 vs modelled_poa_1): 46 - Power mismatches vs high-irradiance expectation: 0 Notes: - The available data ends at 2026-10-19 16:00:00, so the assessment uses data up to that timestamp. - For the mismatch check, I used the available modelled POA column (modelled_poa_1) as the prediction proxy, since no direct satellite POA column is present. 01:40 PM Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, multi_tool_use.parallel`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



43. MOF

Development • 23.1s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. 01:41 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



44. MOF

Development • 23.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 01:41 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



45. MOF

Development • 31.7s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:42 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

46. MOF

Development • 43.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping loss over the last 6 months (2026-04-19 to 2026-10-19) broken down by inverter: - inverter1: 0.000 kWh - inverter2: 4.702 kWh - inverter3: 0.000 kWh - inverter4: 0.000 kWh - inverter5: 0.000 kWh - inverter6: 0.000 kWh - inverter7: 4.735 kWh - inverter8: 15.076 kWh Data quality status: Good I've created a bar chart showing monthly clipping loss by inverter for the requested period. Clipping loss over the last 6 months (2026-04-19 to 2026-10-19) broken down by inverter: - inverter1: 0.000 kWh - inverter2: 4.702 kWh - inverter3: 0.000 kWh - inverter4: 0.000 kWh - inverter5: 0.000 kWh - inverter6: 0.000 kWh - inverter7: 4.735 kWh - inverter8: 15.076 kWh Data quality status: Good I've created a bar chart showing monthly clipping loss by inverter for the requested period. View Fullscreen 01:43 PM ★ Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possibl

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



47. MOF

Development • 43.0s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-18), the plant produced **1,461.27 kWh**. Key metrics: - **Total energy:** 1,461.27 kWh - **Specific yield:** 2.982 kWh/kWp - **Performance ratio (PR):** 0.8224 Notes on data quality: - The energy/specific-yield data is **incomplete** for the day: available data runs from **05:45 to 17:45**. - The PR result is based on a **very incomplete irradiance window**: data only runs from **07:00 to 10:00**, so treat the PR with caution. - I could **not return availability** from the standard availability tool because it failed on this request. - I also could not return performance index because that calculation errored on this request. So overall: the plant generated **about 1.46 MWh yesterday**, with a reported **PR of 82.2%**, but both the day coverage and especially the PR input coverage were incomplete, so this is only a partial view of performance. 01:44 PM Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Mof LE

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel, functions.energy_based_avaiability_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



48. MOF

Development • 40.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 7 days of pyranometer data (2026-10-12 to 2026-10-19 16:00) and screened for daytime dips where measured POA was substantially below modelled POA and dropped sharply between samples. Result: I found 10 dip events. The recurring dip times were: - 13:00 — 2 occurrences - 14:00 — 2 occurrences - 15:15 — 2 occurrences Detected dip events: - 2026-10-12 11:45 - 2026-10-12 13:00 - 2026-10-12 14:00 - 2026-10-13 08:00 - 2026-10-13 09:00 - 2026-10-15 14:15 - 2026-10-15 15:15 - 2026-10-16 15:15 - 2026-10-17 13:00 - 2026-10-17 14:00 Most indicative recurring windows of possible shading are therefore around 13:00, 14:00, and 15:15. A few of the strongest dips were: - 2026-10-12 13:00: measured/modelled ratio 0.416, dip ~368.8 W/m² - 2026-10-17 14:00: measured/modelled ratio 0.349, dip ~323.5 W/m² - 2026-10-13 09:00: measured/modelled ratio 0.354, dip ~321.8 W/m² - 2026-10-12 11:45: measured/modelled ratio 0.523, dip ~325.9 W/m² In

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



49. MOF

Development • 24.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [MOF] Grid Connected System summary (Page 1, Table 1) 2. [MOF] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_1_image_1.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_3_image_2.jpg 01:46 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	5
Last API call	`GET /chat-history/MOF → 200`
Console errors	3
Network failures	1



50. MOF

Development • 32.2s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:46 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens What can I do? connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



51. MOF

Development • 30.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA summed as Wh/m² for the last 12 months was calculated from `pyranometer_1` using 15-minute data (`Wh/m² = W/m² × 0.25 h`) and then summed by day. Results: - Median daily POA: 1449.68 Wh/m² - Mean daily POA: 2564.79 Wh/m² - Kurtosis: -1.6504 Note: the extracted data ends at 2026-10-19 16:00:00, so the last day (2026-10-19) is partial. 01:48 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



52. MOF

Development • 20.0s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for MOF so far this month. 01:48 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



53. MOF

Development • 24.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (you said "today"; confirming you want 2026-10-19) - Fault Cause - Action Taken - Status Site will be set automatically to MOF. Optional fields you can also provide, but they are not required: - Priority - Responsibility (suggested: Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) 01:49 PM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



54. MOF

Development • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these detailed steps as outlined in the manual: 1. Locate the keypad interface on the inverter. The keypad is highlighted in the front view of the device, which you can see in this diagram: 2. Review the overall PV system configuration to identify connections from the solar strings, DC combiners, inverter, and monitoring systems. This diagram shows the system layout and helps you identify all required components for disconnection: 3. Inspect operational components, such as the fan and control mechanisms, to ensure that all active components are properly shut down. Reference the locations and labels in this diagram: Be sure to follow all safety guidelines in the manual and ensure all personnel are clear of electrical hazards before starting the shutdown procedure. For more details, consult the full manual: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/STP_60-10_Manual/source/STP_60-10_Manual.pdf 01:50 PM Are

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



55. MOF

Development • 20.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:50 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



56. MOF

Development • 42.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss for the Last 2 Months by Inverter: - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Note: The data returned extends up to 2026-10-19 16:00:00, so the final partial day is only available up to that timestamp. I've created a line chart showing daily clipping loss per inverter over the last 2 months. Clipping Loss for the Last 2 Months by Inverter: - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Note: The data returned extends up to 2026-10-19 16:00:00, so the final partial day is only available up to that timestamp. I've created a line chart showing daily clipping loss per inverter over the last 2 months. View Fullscreen 01:51 PM ★ Are you satisfied with the answer? Time taken: 27s, token:

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



57. MOF

Development • 38.3s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:52 PM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.inspect_xpool, functions.execute_custom_code, functions.generate_graphs_via_code, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



58. GID

Development • 29.2s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: The manual documents do not provide a targeted explanation or detailed troubleshooting steps for the COMMUNICATION_FAULT error. However, they outline general troubleshooting procedures for system faults, which may apply: 1. Wait for the inverter to return to normal. 2. Disconnect the AC and DC switches, and disconnect the battery side switches if there are batteries. Then, after 15 minutes, close the AC and DC switches in turn and restart the system. 3. If the fault persists after these steps, contact Sungrow Customer Service. For system alarms (which may also apply): - The inverter can continue running. - Check whether the related wiring and terminal are abnormal. - Check for foreign objects or other environmental abnormalities and correct them if necessary. - If the fault remains unresolved, contact Sungrow Power Customer Service. The manual does not contain troubleshooting diagrams or images specifically referencing communication faults or their wiring/connection points. No actio

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



59. GID

Development • 32.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026 was present. Per inverter (kWh): - inverter1_active_power: 31,189.9486 - inverter2_active_power: 31,079.4484 - inverter3_active_power: 31,194.9013 - inverter4_active_power: 31,190.0687 - inverter5_active_power: 36,155.4914 - inverter6_active_power: 36,155.4914 - inverter7_active_power: 36,145.1083 - inverter8_active_power: 36,145.1083 - inverter9_active_power: 36,155.4914 Total clipping loss: 301,411.0578 kWh Status: Good 01:54 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



60. GID

Development • 21.5s

Question: Please generate last months report

Response: I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_September_2026_external_report.pdf' Mathkor_GID Report 01:55 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



61. GID

Development • 29.2s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no zero-production days in the last 7 days. Daily plant energy over 2026-10-13 to 2026-10-19: - 2026-10-13: 18,704.80 kWh - 2026-10-14: 14,210.67 kWh - 2026-10-15: 21,210.45 kWh - 2026-10-16: 16,293.92 kWh - 2026-10-17: 20,158.08 kWh - 2026-10-18: 10,681.68 kWh - 2026-10-19: 20,186.06 kWh Note: today's data is partial; the latest available point is 2026-10-19 16:25:00. 01:56 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



62. GID

Development • 20.0s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_December_2025_external_report.pdf' Mathkor_GID Report 01:56 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



63. GID

Development • 45.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-12 to 2026-10-19 (data available through 2026-10-19 16:25), the data quality is: 1) Overall completeness and quality - POA (pyranometer_1): 96.61% complete overall; 92.66% complete during daytime. - Active power: 96.61% complete overall; 92.66% complete during daytime. - Overall assessment: both signals are generally good, but there is a noticeable daytime data gap segment affecting about 7.34% of daytime points. 2) Missing data points during daytime - POA missing daytime points: 73 - Active power missing daytime points: 73 3) Data points mismatching with satellite/modelled predictions - POA vs modelled_poa_1: 196 mismatches out of 911 valid daytime points (21.51%) - Active power vs modelled POA trend: 45 mismatches out of 911 valid daytime points (4.94%) Method used - Daytime defined as zenith < 85° and modelled_poa_1 > 20 W/m². - POA mismatch flagged when both absolute error > 150 W/m² and relative error > 25%. - Active power mismatch flagg

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



64. GID

Development • 43.2s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:58 PM ★ Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



65. GID

Development • 42.0s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:59 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



66. GID

Development • 30.9s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:00 PM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



67. GID

Development • 69.2s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (2026-04-19 to 2026-10-19): - Inverter 1: 130,674.33 kWh - Inverter 2: 130,294.98 kWh - Inverter 3: 130,420.02 kWh - Inverter 4: 130,370.76 kWh - Inverter 5: 153,838.81 kWh - Inverter 6: 153,834.51 kWh - Inverter 7: 154,136.24 kWh - Inverter 8: 154,147.28 kWh - Inverter 9: 153,848.52 kWh Data Quality Status: Good The chart displaying monthly clipping loss per inverter for the last six months has been prepared. Clipping Loss by Inverter (2026-04-19 to 2026-10-19): - Inverter 1: 130,674.33 kWh - Inverter 2: 130,294.98 kWh - Inverter 3: 130,420.02 kWh - Inverter 4: 130,370.76 kWh - Inverter 5: 153,838.81 kWh - Inverter 6: 153,834.51 kWh - Inverter 7: 154,136.24 kWh - Inverter 8: 154,147.28 kWh - Inverter 9: 153,848.52 kWh Data Quality Status: Good The chart displaying monthly clipping loss per inverter for the last six months has been prepared. View Fullscreen 02:01 PM ★ Are you satisfied with the answer? Time

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.final_result, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

68. GID

Development • 43.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of pyranometer data against modelled POA irradiance, using daylight points only. Findings: - There is a strong, repeatable morning dip pattern consistent with fixed-object shading or horizon obstruction. - The clearest shading window is about 07:00–07:35. - The deepest dip occurs at 07:05, where the median measured/modelled ratio is 0.213. - The overall daylight median ratio is 1.011, so these early-morning values are far below normal. - The dip gradually recovers after sunrise: - 07:00: 0.248 - 07:05: 0.213 - 07:10: 0.257 - 07:15: 0.265 - 07:20: 0.352 - 07:25: 0.418 - 07:30: 0.449 - 07:35: 0.483 - 07:50: 0.604 - There are also weaker late-afternoon dips around 17:10–17:40, but these are much less convincing and may just reflect low-sun-angle effects rather than true shading. Interpretation: - This looks like recurring morning shading on the pyranometer, most likely from a nearby obstruction affecting l

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



69. GID

Development • 27.8s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Mathkor_GID] System summary (Page 2, Table 2) – contains overall rated power of the plant 2. [Mathkor_GID] PV Array Characteristics (Page 3, Table 2) – contains rated power of the array configuration Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_3_image_2.jpg 02:04 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Mathkor_GID → 200`
Console errors	`3`
Network failures	`1`



70. GID

Development • 36.0s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:05 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 20s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



71. GID

Development • 27.6s

Question: When was the last time the BOM data showed up

Response: The last BOM data visible in the dataset showed up at 2026-10-19 17:00:00. That's 5 minutes before the current time you provided: 2026-10-19 17:05:44. 02:05 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



72. GID

Development • 70.2s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA irradiance for the last 12 months (using `pyranometer_1`) and summary stats: - Median: 308.61 Wh/m² - Mean: 291.97 Wh/m² - Kurtosis: -1.0221 - Valid days: 365 - Missing daily value: 2025-12-12 = NaN Note: the requested range through 2026-10-19 is inclusive, but today's data only extends to 2026-10-19 17:00:00, so 2026-10-19 is a partial day. Daily summed POA irradiance (Wh/m²): 2025-10-19: 271.84 2025-10-20: 274.92 2025-10-21: 262.24 2025-10-22: 257.77 2025-10-23: 253.13 2025-10-24: 218.93 2025-10-25: 268.79 2025-10-26: 262.47 2025-10-27: 153.19 2025-10-28: 235.68 2025-10-29: 240.31 2025-10-30: 233.43 2025-10-31: 227.04 2025-11-01: 231.33 2025-11-02: 201.47 2025-11-03: 212.48 2025-11-04: 172.35 2025-11-05: 205.74 2025-11-06: 217.94 2025-11-07: 197.91 2025-11-08: 200.82 2025-11-09: 198.36 2025-11-10: 195.26 2025-11-11: 192.23 2025-11-12: 184.06 2025-11-13: 178.64 2025-11-14: 115.61 2025-11-15: 153.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



73. GID

Development • 23.1s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs recorded for Mathkor_GID in October 2026. 02:07 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



74. GID

Development • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a maintenance record, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 02:08 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



75. GID

Development • 32.3s

Question: How can I shut down my inverters?

Response: To shut down your inverters, please follow these detailed steps based on the manufacturer manual: 1. Before performing any shutdown, check the inverter indicator: - If the indicator is OFF, WAIT until nighttime before disconnecting the DC switch for safety. - See inverter position in the solar system diagram: - If the indicator is ON, you may directly disconnect the DC switch to isolate PV input from the inverter. - Inverter isolation diagram: 2. After powering off the inverter, WAIT at least 25 minutes. Measure DC voltage and current at the inverter terminals with professional instruments. Proceed only when both are confirmed to be zero. 3. Wear protective gloves before touching the inverter, as surfaces may be hot after shutdown. 4. If a fault code or alarm indicates shutdown is needed (e.g., system hardware fault or overtemperature), follow the same steps above. Additional Safety Notes: - Always disconnect the AC grid-side circuit breaker before service. - U

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



76. GID

Development • 21.9s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 02:09 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



77. GID

Development • 61.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping loss over the last 2 months (2026-08-19 to 2026-10-19), by inverter: - Inverter 1: 27,083.78 kWh - Inverter 2: 27,086.98 kWh - Inverter 3: 27,086.98 kWh - Inverter 4: 26,824.47 kWh - Inverter 5: 33,663.96 kWh - Inverter 6: 33,665.38 kWh - Inverter 7: 33,663.96 kWh - Inverter 8: 33,663.96 kWh - Inverter 9: 33,668.36 kWh I've created a line chart showing daily clipping loss per inverter for the requested period. Clipping loss over the last 2 months (2026-08-19 to 2026-10-19), by inverter: - Inverter 1: 27,083.78 kWh - Inverter 2: 27,086.98 kWh - Inverter 3: 27,086.98 kWh - Inverter 4: 26,824.47 kWh - Inverter 5: 33,663.96 kWh - Inverter 6: 33,665.38 kWh - Inverter 7: 33,663.96 kWh - Inverter 8: 33,663.96 kWh - Inverter 9: 33,668.36 kWh I've created a line chart showing daily clipping loss per inverter for the requested period. View Fullscreen 02:11 PM ★ Are you satisfied with the answer? Time taken: 46s, token: 0 tokens connected

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



78. GID

Development • 40.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 02:11 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, multi_tool_use.parallel`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



79. KUPCO_HQ_DAJEEJ

Development • 33.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot the COMMUNICATION_FAULT on your inverters, please follow these manual-based steps: 1. Check the physical network and communication wiring between the inverters and the SmartLogger. Focus on the RS485A and RS485B connections and the COM ports as indicated in this network configuration diagram: 2. Inspect the MBUS and RS485 communication lines connecting the SUN2000 inverters, combiner box, and transformer station. Pay special attention to the points for the circuit breakers, SmartLogger, and power meter shown in the MBUS communication setup diagram: 3. Confirm the MBUS and RS485 lines are correctly terminated between each component per the labels in this technical diagram: 4. On each inverter, inspect the LED indicators and communication port status. The layout showing the location of LED indicators and connectors is here: Make sure each cable is firmly connected and not damaged. Check the corresponding diagram for each step to visually verify the correct co

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



80. KUPCO_HQ_DAJEEJ

Development • 27.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 487.1175 kWh - inverter2_active_power: 1744.3757 kWh - inverter3_active_power: 1061.5417 kWh Status: Good 02:14 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



81. KUPCO_HQ_DAJEEJ

Development • 21.5s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 02:14 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



82. KUPCO_HQ_DAJEEJ

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily inverter energy from 2026-10-12 to 2026-10-19 was above 0 kWh on every day for all three inverters. Lowest daily values in that period: - 2026-10-18: inverter1 = 132.627 kWh, inverter2 = 473.780 kWh, inverter3 = 442.708 kWh - 2026-10-19: inverter1 = 132.186 kWh, inverter2 = 471.004 kWh, inverter3 = 439.112 kWh 02:15 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



83. KUPCO_HQ_DAJEEJ

Development • 23.1s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' KUPCO_HQ_Dajeej Report 02:16 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



84. KUPCO_HQ_DAJEEJ

Development • 39.8s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-19, using available data through 15:55 only: - Daytime data points assessed: 116 - Missing daytime POA points (pyranometer_1): 0 - Missing daytime power points (sum of inverter1-3 active power): 0 - Daytime POA mismatch points vs satellite/model proxy (modelled_poa_1): 116 - Daytime power mismatch points vs POA proxy: 5 Note: I used modelled_poa_1 as the satellite/model comparison proxy because there is no direct satellite POA column in the provided structure. Also, today's dataset does not yet extend to the end of the day. 02:16 PM Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, multi_tool_use.parallel`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



85. KUPCO_HQ_DAJEEJ

Development • 33.8s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:17 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



86. KUPCO_HQ_DAJEEJ

Development • 37.5s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:18 PM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



87. KUPCO_HQ_DAJEEJ

Development • 29.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:19 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



88. KUPCO_HQ_DAJEEJ

Development • 46.2s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months by Inverter: - Inverter 1: 2,450.42 kWh - Inverter 2: 8,822.28 kWh - Inverter 3: 5,672.90 kWh Data Quality Status: Good Visualization: - A grouped bar chart titled "Monthly Clipping Loss by Inverter - Last 6 Months" has been created to illustrate the clipping losses per inverter over the requested period. Clipping Loss Over the Last 6 Months by Inverter: - Inverter 1: 2,450.42 kWh - Inverter 2: 8,822.28 kWh - Inverter 3: 5,672.90 kWh Data Quality Status: Good Visualization: - A grouped bar chart titled "Monthly Clipping Loss by Inverter - Last 6 Months" has been created to illustrate the clipping losses per inverter over the requested period. View Fullscreen 02:20 PM ★ Are you satisfied with the answer? Time taken: 30s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



89. KUPCO_HQ_DAJEEJ

Development • 66.0s

Question: How did my plant perform yesterday?

Response: I've generated the plant performance report for yesterday (October 18, 2026). You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_October_18%2C_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 02:21 PM Are you satisfied with the answer? Time taken: 51s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



90. KUPCO_HQ_DAJEEJ

Development • 53.8s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed ~91 days of 5-minute pyranometer data (2026-07-21 to 2026-10-19 15:55) by comparing each pyranometer to its corresponding modelled POA signal and looking for recurring clock-time dips in the pyranometer/modelled ratio. Findings: - There are recurring time-specific dips that are consistent with possible shading or horizon obstruction effects. - The strongest repeated patterns are in the late afternoon, especially on pyranometer_1 and pyranometer_3. - pyranometer_2 also shows repeated dips, but with some suspicious behavior because its median ratio exceeds 1.0 at some times, suggesting calibration/orientation/temperature-response bias in addition to any shading signal. Most likely recurring shading windows: - pyranometer_1: - 08:10 - 15:20–16:30, strongest around 16:10–16:25 - Dip depth typically ~30–37% versus its typical value at those same times - pyranometer_2: - 07:30–08:10 - 12:55 - 14:10–14:50, strongest around 14:45–14:50 - D

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, multi_tool_use.parallel`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



91. KUPCO_HQ_DAJEEJ

Development • 27.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [KUPCO_HQ_Dajeej] Front Page – Grid connected system with rated power (Page 1, Table 1) 2. [KUPCO_HQ_Dajeej] System Summary – PV array configuration including number of modules and rated power (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_2_image_2.png 02:23 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/KUPCO_HQ_Dajeej → 200`
Console errors	`3`
Network failures	`1`



92. KUPCO_HQ_DAJEEJ

Development • 35.4s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:24 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens What can I do? connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



93. KUPCO_HQ_DAJEEJ

Development • 53.5s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA source, I retrieved the daily data over the requested last 12 months window. However, the dataset is incomplete: available data only runs from 2026-04-12 to 2026-10-19, so the statistics below are for those 191 daily values only. Daily POA irradiation sum statistics (Wh/m²): - Median: 6204.34 Wh/m² - Mean: 5735.42 Wh/m² - Kurtosis: 0.6663 - Number of days used: 191 Daily POA summed values (Wh/m²): 2026-04-12: 4179.34 2026-04-13: 6496.27 2026-04-14: 6543.98 2026-04-15: 6702.76 2026-04-16: 5521.16 2026-04-17: 7207.07 2026-04-18: 6395.07 2026-04-19: 3950.52 2026-04-20: 1519.08 2026-04-21: 4832.97 2026-04-22: 6928.17 2026-04-23: 5062.22 2026-04-24: 5835.13 2026-04-25: 4872.32 2026-04-26: 5415.59 2026-04-27: 6485.17 2026-04-28: 6737.80 2026-04-29: 6865.51 2026-04-30: 6774.07 2026-05-01: 6749.66 2026-05-02: 6967.80 2026-05-03: 7135.47 2026-05-04: 6694.07 2026-05-05: 6536.89 2026-05-06: 5918.19

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



94. KUPCO_HQ_DAJEEJ

Development • 21.6s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for KUPCO_HQ_Dajeej: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-06 KUPCO_HQ_Dajeej Routine soiling on pyranometer sensor Pyranometer cleaned by Jim Completed - - - - - - - - - 02:27 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



95. KUPCO_HQ_DAJEEJ

Development • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 02:27 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



96. KUPCO_HQ_DAJEEJ

Development • 33.8s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps as per the manual: 1. Log in to the system app and go to Maintenance > Inverter ON/OFF from the home screen. 2. Send a shutdown command for the inverter using the app. 3. Set the DC SWITCH of the inverter to OFF as indicated in the procedure. 4. If you need to shut down specific PV strings or perform further troubleshooting, repeat the above steps for each relevant string. 5. Always ensure the shutdown command is completed from the app and the DC SWITCH is set to OFF before disconnecting or reconnecting any PV modules or optimizers. 6. Refer to the following diagrams for the location of components and the inverter configuration: - Inverter and network configuration: - MBUS and RS485 communication/component positions: These diagrams will help you visually identify the DC SWITCH and other relevant components for shutdown. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SUN2

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



97. KUPCO_HQ_DAJEEJ

Development • 20.6s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 02:29 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



98. KUPCO_HQ_DAJEEJ

Development • 41.6s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Total Clipping Loss Over the Last 2 Months (2026-08-19 to 2026-10-19): - Inverter 1: 237.0183 kWh - Inverter 2: 827.5514 kWh - Inverter 3: 421.2896 kWh Data Quality Status: Good I've created a line chart showing daily clipping loss for each inverter over the last two months. Total Clipping Loss Over the Last 2 Months (2026-08-19 to 2026-10-19): - Inverter 1: 237.0183 kWh - Inverter 2: 827.5514 kWh - Inverter 3: 421.2896 kWh Data Quality Status: Good I've created a line chart showing daily clipping loss for each inverter over the last two months. View Fullscreen 02:30 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



99. KUPCO_HQ_DAJEEJ

Development • 36.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 02:30 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



100. Noor_Al_Aqaba

Development • 30.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT on your inverters, follow these manufacturer-recommended steps: 1. Verify all connections of the PV strings (labeled A) to the inverter (labeled B). Ensure there are no loose or damaged cables. Reference diagram: — check elements A and B in the diagram. 2. Inspect the connection from the inverter (B) to the AC combiner (C) for proper connectivity and physical damage. Same diagram as above, focusing on sections B and C: . 3. Check the connection between the AC combiner (C) and transformer station (D), as issues here can also cause communication faults. Refer to the same diagram, elements C and D: . 4. Ensure all cables connecting the inverter and AC combiner to the SmartLogger (F) and management system (G) are properly connected. Inspect for disconnected plugs, broken wires, or corrosion. Reference diagram: – focus on F and G. 5. If your system includes a SmartMBU (F), check its connection, as a problem here can disrupt system monitoring. See

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



101. Noor_Al_Aqaba

Development • 38.3s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 34,258.2605 kWh - inverter2_active_power: 34,257.4975 kWh - inverter3_active_power: 34,257.4975 kWh - inverter4_active_power: 34,257.4975 kWh - inverter5_active_power: 29,015.9477 kWh - inverter6_active_power: 34,250.2521 kWh - inverter7_active_power: 34,258.2605 kWh - inverter8_active_power: 34,250.2521 kWh - inverter9_active_power: 34,242.4765 kWh - inverter10_active_power: 29,010.0137 kWh - inverter11_active_power: 8,005.5913 kWh - inverter12_active_power: 34,456.9157 kWh - inverter13_active_power: 34,456.9157 kWh - inverter14_active_power: 34,456.9157 kWh - inverter15_active_power: 28,320.7443 kWh Status: Good 02:33 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 23s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



102. Noor_Al_Aqaba

Development • 20.0s

Question: Please generate last months report

Response: I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_September_2026_external_report.pdf' Noor_Al_Aqaba Report 02:33 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 5s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



103. Noor_Al_Aqaba

Development • 29.1s

Question: Was there any 0 production days in the last 7 days?

Response: No — there were no 0-production days in the last 7 days. Using the daily data from 2026-10-12 to 2026-10-19, every day had non-zero production on the operating inverters, and the pyranometer also showed non-zero irradiance each day. Note: inverter11 was NaN for all listed days, but the plant did not have a full zero-production day because the other inverters were producing on every day in the period. Data status: today (2026-10-19) is partial; data currently runs to 16:55:00. 02:34 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



104. Noor_Al_Aqaba

Development • 20.1s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_December_2025_external_report.pdf' Noor_Al_Aqaba Report 02:35 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



105. Noor_Al_Aqaba

Development • 42.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the available data window ending 2026-10-19 16:55:00, I evaluated 241 daytime 5-minute points. Results: - Missing POA daytime points: 0 - Missing power-output daytime points: 0 - POA daytime mismatches vs satellite/model-based POA proxy: 20 - Power-output daytime mismatches vs irradiance-based prediction: 23 Method used: - Daytime defined as zenith < 85° and modelled_poa_1 > 20 W/m². - POA mismatch flagged when measured pyranometer_1 differed from modelled_poa_1 by >20% and >100 W/m². - Power mismatch flagged by comparing summed inverter active power against an irradiance-based fleet power prediction fitted from the available daytime data; mismatch threshold was >25% relative error plus a material absolute deviation. Notes: - Data did not extend to the requested end of day; the latest available timestamp was 2026-10-19 16:55:00. - Power was assessed using all 15 inverter active power columns summed to site total, since plant-level active_power is not avai

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



106. Noor_Al_Aqaba

Development • 42.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:37 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

107. Noor_Al_Aqaba

Development • 38.7s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:38 PM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.perf_ratio_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



108. Noor_Al_Aqaba

Development • 32.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:38 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

109. Noor_Al_Aqaba

Development • 75.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Here is the summary of clipping losses over the last six months (2026-04-19 to 2026-10-19), broken down by inverter: - Inverter 1: 110,770.36 kWh - Inverter 2: 111,470.02 kWh - Inverter 3: 111,454.57 kWh - Inverter 4: 111,168.84 kWh - Inverter 5: 93,314.64 kWh - Inverter 6: 111,464.80 kWh - Inverter 7: 111,477.72 kWh - Inverter 8: 111,464.80 kWh - Inverter 9: 110,355.94 kWh - Inverter 10: 93,565.93 kWh - Inverter 11: 50,538.22 kWh - Inverter 12: 111,657.03 kWh - Inverter 13: 111,657.03 kWh - Inverter 14: 111,657.03 kWh - Inverter 15: 92,631.43 kWh Data Quality Note: The clipping-loss API returned partial results (HTTP 429 rate-limit errors) for the period from 2026-09-10 to 2026-10-19, so the above values are likely understated for all inverters. I've created a line chart showing the monthly clipping loss for each inverter over the requested period. Here is the summary of clipping losses over the last six months (20

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



110. Noor_Al_Aqaba

Development • 43.0s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-18), the plant's top-level available view is inverter-level. Overall: - Production was strong across 14 of 15 inverters. - One clear issue: inverter11 produced 0.0 kWh, with Specific Yield = NaN and PR = NaN. - Daily average POA irradiance from pyranometer_1 was 313.28 W/m². Per inverter performance: - inverter1: 2496.85 kWh, 6.8926 kWh/kWp, PR 0.7554 - inverter2: 2480.57 kWh, 6.8477 kWh/kWp, PR 0.7515 - inverter3: 2487.48 kWh, 6.8668 kWh/kWp, PR 0.7542 - inverter4: 2495.83 kWh, 6.8898 kWh/kWp, PR 0.7553 - inverter5: 2395.33 kWh, 6.9129 kWh/kWp, PR 0.7553 - inverter6: 2526.10 kWh, 6.9734 kWh/kWp, PR 0.7614 - inverter7: 2519.10 kWh, 6.9540 kWh/kWp, PR 0.7559 - inverter8: 2524.77 kWh, 6.9697 kWh/kWp, PR 0.7538 - inverter9: 2520.39 kWh, 6.9576 kWh/kWp, PR 0.7529 - inverter10: 2412.98 kWh, 6.9639 kWh/kWp, PR 0.7532 - inverter11: 0.00 kWh, NaN kWh/kWp, PR NaN - inverter12: 2258.60 kWh, 6.2349 kWh/kWp, PR 0.6724 - inverter13: 2515.18 k

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



111. Noor_Al_Aqaba

Development • 50.7s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of 5-minute pyranometer data against modelled POA and compared it with summed inverter power. Findings: - Analysis window: 2026-09-19 07:15 to 2026-10-19 16:55 - Daytime valid points analyzed: 3,567 - Dip definition used: pyranometer_1 / modelled_poa_1 < 0.724 - Median pyranometer/modelled POA ratio: 1.045 - Dip occurrences: 357 points, or 10.0% of filtered daytime samples Most frequent dip times: - 17:20 — 38.1% of samples were dips (8/21) - 17:15 — 37.5% (9/24) - 17:25 — 31.6% (6/19) - 16:35 — 25.0% (7/28) - 07:35 — 25.0% (6/24) - 17:00 — 25.0% (6/24) - 07:30 — 25.0% (5/20) - 16:30 — 24.1% (7/29) - 16:05 — 23.3% (7/30) - 17:45 — 23.1% (3/13) - 16:50 — 22.2% (6/27) - 17:30 — 22.2% (4/18) Interpretation: - The dip pattern is strongly concentrated near the solar-day edges, especially late afternoon (about 16:05–17:30) and to a lesser extent early morning (around 07:30–07:35). - That timing is consistent with pote

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



112. Noor_Al_Aqaba

Development • 29.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Noor_Al_Aqaba] Grid-connected system summary (Page 1, Table 1) 2. [Noor_Al_Aqaba] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_3_image_2.png 02:43 PM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	5
Last API call	`GET /chat-history/Noor_Al_Aqaba → 200`
Console errors	3
Network failures	1



113. Noor_Al_Aqaba

Development • 39.0s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 02:43 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 23s, token: 0 tokens What can I do? connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



114. Noor_Al_Aqaba

Development • 32.2s

Question: When was the last time the BOM data showed up

Response: The last BOM data showed up at 2026-10-19 16:55:00. The data available in the `source` field also ends at that same timestamp. 02:44 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



115. Noor_Al_Aqaba

Development • 52.0s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA irradiance summed from `pyranometer_1` over the requested last 12 months could only be computed for the available data window. Available data window used: - 2026-05-09 to 2026-10-19 - Requested window was incomplete; data before 2026-05-09 was not available. Results on available daily sums (Wh/m²): - Days included: 164 - Median: 10082.33 Wh/m² - Mean: 9559.61 Wh/m² - Kurtosis: 1.3299 Daily POA sums by day (Wh/m²): - 2026-05-09: 5513.67 - 2026-05-10: 8749.50 - 2026-05-11: 10391.67 - 2026-05-12: 9233.67 - 2026-05-13: 10041.08 - 2026-05-14: 10073.25 - 2026-05-15: 6948.17 - 2026-05-16: 9748.33 - 2026-05-17: 9177.75 - 2026-05-18: 8215.33 - 2026-05-19: 9160.42 - 2026-05-20: 7635.75 - 2026-05-21: 10173.92 - 2026-05-22: 10097.75 - 2026-05-23: 10162.50 - 2026-05-24: 10796.58 - 2026-05-25: 10817.67 - 2026-05-26: 8859.33 - 2026-05-27: 10436.67 - 2026-05-28: 10813.42 - 2026-05-29: 10558.42 - 2026-05-30: 10942.00 - 2026-05

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



116. Noor_Al_Aqaba

Development • 21.6s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs for Noor_Al_Aqaba for October 2026. 02:46 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



117. Noor_Al_Aqaba

Development • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (is it today, 2026-10-19?) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (Noor_Al_Aqaba). Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Please provide the missing required details to proceed. 02:47 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



118. Noor_Al_Aqaba

Development • 35.3s

Question: How can I shut down my inverters?

Response: To shut down your inverter, follow these steps as detailed in the manual: 1. Put on the required personal protective equipment (PPE). 2. If the inverter does not shut down due to a fault, use the app, SmartLogger, or management system to send a shutdown command. If the SUN2000 has already shut down due to a fault, move to the next step. 3. Turn off the AC switch located between the SUN2000 inverter and the power grid. 4. Using a clamp meter, measure the DC current for each PV string going into the SUN2000. - If the current is ≤0.01 A, proceed. - If the current is higher, wait until night or until solar irradiance drops so current is below 0.01 A, then proceed. 5. Open the maintenance compartment door, install a support strut, and check the voltage between the AC terminal block and ground with a multimeter to confirm the AC side is powered off. 6. Turn off all DC input switches to the SUN2000. Make sure every switch is OFF. If any DC switch turns off automatically, proceed to th

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



119. Noor_Al_Aqaba

Development • 20.6s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 02:48 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



120. Noor_Al_Aqaba

Development • 53.6s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss (2026-08-19 to 2026-10-19) by Inverter: - Inverter 1: 33 912.1725 kWh - Inverter 2: 34 348.0067 kWh - Inverter 3: 34 344.9636 kWh - Inverter 4: 34 344.9636 kWh - Inverter 5: 27 316.3951 kWh - Inverter 6: 34 350.0334 kWh - Inverter 7: 34 350.0334 kWh - Inverter 8: 34 350.0334 kWh - Inverter 9: 34 109.9647 kWh - Inverter 10: 27 317.3373 kWh - Inverter 11: 0.0000 kWh - Inverter 12: 34 348.0067 kWh - Inverter 13: 34 348.0067 kWh - Inverter 14: 34 348.0067 kWh - Inverter 15: 27 317.3373 kWh The visualization has been prepared. Clipping Loss (2026-08-19 to 2026-10-19) by Inverter: - Inverter 1: 33 912.1725 kWh - Inverter 2: 34 348.0067 kWh - Inverter 3: 34 344.9636 kWh - Inverter 4: 34 344.9636 kWh - Inverter 5: 27 316.3951 kWh - Inverter 6: 34 350.0334 kWh - Inverter 7: 34 350.0334 kWh - Inverter 8: 34 350.0334 kWh - Inverter 9: 34 109.9647 kWh - Inverter 10: 27 317.3373 kWh - Inverter 11: 0.0000 kWh - Inverter 12: 34

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



121. Noor_Al_Aqaba

Development • 44.5s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 02:50 PM ★ Are you satisfied with the answer? Time taken: 30s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



122. BF_Wheeling

Development • 33.9s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Follow these steps to troubleshoot and resolve COMMUNICATION_FAULT on your inverters: 1. Check the Relay Circuit Condition: - Inspect the relay circuit as shown on the left side of the relay diagram. If operating normally, the relay should be inactive (circuit disconnected, LED off). - Reference diagram for relay status: 2. If Fault Occurs: - A tripped relay with the LED indicator on means a fault (right side of relay diagram). Observe LED and relay per the diagram: 3. Inspect Terminal Connections: - Ensure wiring is correctly connected to terminals labeled DI, PGND, NC, COM, and NO for Emergency Stop and Fault Output. - Terminal locations are shown in this diagram: 4. Confirm All Components Are Properly Installed: - Verify the inverter, mounting bracket, AC junction box, DC connector sets, sealing blocks, and fastening screws are all present and properly installed before further troubleshooting. - Component layout for identification: Manual Reference

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



123. BF_Wheeling

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 1760.9091 kWh - inverter2_active_power: 618.5402 kWh - inverter3_active_power: 1760.9091 kWh - inverter4_active_power: 1760.9091 kWh - inverter5_active_power: 618.5402 kWh - inverter6_active_power: 1255.2086 kWh Status: Good 02:52 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



124. BF_Wheeling

Development • 21.5s

Question: Please generate last months report

Response: I've generated the external performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_September_2026_external_report.pdf' BF_Wheeling Report 02:53 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



125. BF_Wheeling

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No — there were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-12: 1543.84 kWh - 2026-10-13: 1576.57 kWh - 2026-10-14: 1408.48 kWh - 2026-10-15: 1524.78 kWh - 2026-10-16: 1308.26 kWh - 2026-10-17: 1852.41 kWh - 2026-10-18: 1878.76 kWh - 2026-10-19: 1834.44 kWh so far Note: today is partial; data currently ends at 2026-10-19 17:25:00. 02:54 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



126. BF_Wheeling

Development • 20.1s

Question: Please generate December 2025 performance report

Response: I've generated the external performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_December_2025_external_report.pdf' BF_Wheeling Report 02:54 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



127. BF_Wheeling

Development • 38.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-19 up to the latest available timestamp (17:25), daytime data quality is: - Daytime points assessed: 129 - Missing POA data during daytime: 0 - Missing plant power data during daytime: 0 - POA mismatches vs satellite/modelled POA: 100 - Power mismatches vs irradiance-based expectation proxy: 0 Notes: - The dataset for today does not extend to end-of-day; it currently ends at 17:25. - I used `modelled_poa_1` as the satellite/model-based POA prediction proxy. - For mismatch counting, I applied a robust rule rather than exact equality: - POA mismatch: abs difference > 100 W/m² and > 20% relative difference during daytime - Power mismatch: high irradiance (`modelled_poa_1` > 600 W/m²) but near-zero plant power Called tools: extract_timeseries_data_ag, execute_custom_code 02:55 PM Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key in

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



128. BF_Wheeling

Development • 35.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:56 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

129. BF_Wheeling

Development • 36.9s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 02:57 PM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.perf_ratio_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



130. BF_Wheeling

Development • 30.8s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 02:58 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

131. BF_Wheeling

Development • 50.6s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping loss over the last 6 months by inverter: - inverter1: 8087.5907 kWh - inverter2: 2372.9445 kWh - inverter3: 8086.3140 kWh - inverter4: 8086.5181 kWh - inverter5: 2372.9445 kWh - inverter6: 5508.2070 kWh Data quality status: Good The visualization has been prepared to show these clipping losses per inverter. 02:59 PM Are you satisfied with the answer? Time taken: 35s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



132. BF_Wheeling

Development • 47.6s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 8 days of 5–minute pyranometer data (2026–10–12 to 2026–10–19 17:25), comparing `pyranometer_1` against `modelled_poa_1` during daylight periods. Findings: - There are recurring irradiance dips at specific times of day, which is consistent with potential fixed-object shading rather than random cloud only. - The strongest recurring dip cluster is around late morning to early afternoon. Most frequent dip times (measured/modelled POA ratio, lower = stronger dip): - 08:20 -> 1.326 - 08:25 -> 1.377 - 10:35 -> 1.335 - 10:40 -> 1.200 - 10:50 -> 1.156 - 12:20 -> 1.363 - 12:45 -> 1.152 - 12:50 -> 1.354 - 12:55 -> 1.038 - 13:00 -> 1.321 - 13:15 -> 1.351 - 13:20 -> 1.327 Context: - Overall median measured/modelled ratio across filtered daylight points: 1.624 - The deepest repeated dip was at 12:55, about 0.586 below the overall median ratio. Hourly pattern: - 08:00 -> 1.485 - 09:00 -> 1.551 - 10:00 -> 1.650, but with local dips

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



133. BF_Wheeling

Development • 29.3s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections: 1. [Blue_Fig_Extension] Front Page – Grid-connected system title showing rated power (Page 1, Table 1) 2. [Blue_Fig] System Summary – PV array and plant rated power details (Page 2, Table 2) 3. [Blue_Fig] PV Array Characteristics – Module and total PV power data (Page 3, Table 2) 4. [Blue_Fig_Extension] PV Array Characteristics (extended) – Total inverter and array sub-array power information (Page 3, Table 2) Please access the URLs below to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_2_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_3_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig_Extension/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/B

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	5
Last API call	`GET /chat-history/BF_Wheeling → 200`
Console errors	3
Network failures	1



134. BF_Wheeling

Development • 37.6s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:02 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



135. BF_Wheeling

Development • 35.2s

Question: When was the last time the BOM data showed up

Response: I couldn't find any BOM-labelled records in the available `source` data. - Last BOM timestamp: none found - Latest timestamp present in the data: 2026-10-19 17:55:00 - BOM-labelled rows found: 0 So based on the current dataset, BOM data does not appear to have shown up at all in this queried period. 03:03 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



136. BF_Wheeling

Development • 48.9s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: I could only compute this for the available data window, not the full last 12 months. Available period: 2026-05-01 to 2026-10-19 Days available: 172 Status: requested 12-month window is incomplete because data starts at 2026-05-01. Daily POA summed as Wh/m²: 2026-05-01: 329.64 2026-05-02: 292.38 2026-05-03: 313.66 2026-05-04: 281.85 2026-05-05: 172.66 2026-05-06: 219.49 2026-05-07: 320.42 2026-05-08: 312.33 2026-05-09: 286.01 2026-05-10: 321.61 2026-05-11: 324.05 2026-05-12: 265.59 2026-05-13: 320.61 2026-05-14: 293.17 2026-05-15: 255.19 2026-05-16: 262.46 2026-05-17: 306.26 2026-05-18: 292.27 2026-05-19: 324.56 2026-05-20: 316.04 2026-05-21: 228.96 2026-05-22: 321.14 2026-05-23: 318.38 2026-05-24: 316.91 2026-05-25: 321.79 2026-05-26: 319.54 2026-05-27: 314.20 2026-05-28: 303.38 2026-05-29: 317.26 2026-05-30: 190.78 2026-05-31: 306.02 2026-06-01: 310.25 2026-06-02: 308.79 2026-06-03: 312.87 2026-06-04: 304

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



137. BF_Wheeling

Development • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for BF_Wheeling so far this month. 03:05 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



138. BF_Wheeling

Development • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (BF_Wheeling). Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes You can also specify Activity Type if you want to clarify (default is Cleaning). 03:05 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



139. BF_Wheeling

Development • 35.3s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these troubleshooting steps from the manual: 1. Inspect the relay operation in the inverter's circuit: - In normal operation, the relay should be engaged and the LED indicator should be off. In the event of a fault or when a shutdown is needed, the relay will trip, and the LED indicator will turn on, showing the shutdown state. Refer to the relay circuit diagram here: 2. For another type of relay circuit: - Normally the relay will be closed and the LED will be on. When a fault occurs (including manual shutdown), the relay opens, disconnecting the circuit and turning off the LED. Check the following diagram for this implementation: 3. Ensure the shutdown command or passive switch is properly connected: - Confirm that the passive switch's wiring is correctly connected to the inverter's Digital Input (DI) and Ground (PGND) terminals. This connection is critical for the shutdown function. See this wiring diagram for terminal locations:

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



140. BF_Wheeling

Development • 20.3s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:07 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



141. BF_Wheeling

Development • 38.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss — Last 2 Months (2026-08-19 to 2026-10-19) • inverter1: 2,177.6879 kWh • inverter2: 395.1019 kWh • inverter3: 2,177.6879 kWh • inverter4: 2,176.6154 kWh • inverter5: 395.1019 kWh • inverter6: 1,349.0334 kWh Data Quality Status: Good I've created a bar chart showing clipping loss by inverter for the requested period. 03:07 PM Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.inspect_xpool, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



142. BF_Wheeling

Development • 41.5s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 03:08 PM ★ Are you satisfied with the answer? Time taken: 27s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.specific_yield_ag, functions.generate_graphs_via_code, functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



143. Abdali_Mall_Netmetering

Development • 30.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT on your inverter, follow these steps: 1. On your inverter's user interface, check the status indicators for both WLAN and Ethernet connections. The display will show connection status and any assigned IP addresses. If either status reads "No connection," proceed with troubleshooting that specific network type. Refer to this user interface diagram: 2. For WLAN communication issues: - Ensure WLAN is enabled in the settings (as shown in the diagram's WLAN status/options). - Confirm the inverter is connected to the correct WLAN network. - For direct WLAN mode, verify it is activated. - If the device should be on a local network, check wiring and configuration according to the diagram. 3. For Ethernet communication issues: - Confirm the Ethernet cable is firmly attached to both the inverter and the network switch/router (refer to the visual indicators in the diagram). - Make sure the network port displays a valid IP address. If it

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



144. Abdali_Mall_Netmetering

Development • 36.7s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 218.943 kWh - inverter2_active_power: 131.9139 kWh - inverter3_active_power: 188.2499 kWh - inverter4_active_power: 318.8087 kWh - inverter5_active_power: 467.7012 kWh - inverter6_active_power: 0.0 kWh - inverter7_active_power: 0.0 kWh - inverter8_active_power: 13.2321 kWh - inverter9_active_power: 0.0 kWh - inverter10_active_power: 0.0 kWh - inverter11_active_power: 0.0 kWh - inverter12_active_power: 0.0 kWh - inverter13_active_power: 0.0 kWh - inverter14_active_power: 3.2616 kWh - inverter15_active_power: 0.0 kWh Total clipping loss across all inverters: 1,342.1104 kWh Status: Good 03:11 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



145. Abdali_Mall_Netmetering

Development • 20.0s

Question: Please generate last months report

Response: I've generated the performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Netmetering Report 03:11 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



146. Abdali_Mall_Netmetering

Development • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no days with zero energy production in the last 7 days. Daily energy produced: - 2026-10-13: 2270.19 kWh - 2026-10-14: 1945.44 kWh - 2026-10-15: 2289.79 kWh - 2026-10-16: 2053.29 kWh - 2026-10-17: 2387.91 kWh - 2026-10-18: 2058.21 kWh - 2026-10-19: 2325.73 kWh Note: today's data is partial and currently available up to 2026-10-19 17:50:00. 03:12 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



147. Abdali_Mall_Netmetering

Development • 21.5s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Netmetering Report 03:13 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



148. Abdali_Mall_Netmetering

Development • 38.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-19 up to the latest available timestamp (17:50:00): - Daytime points evaluated: 124 - Missing daytime data points: - pyranometer_1 (POA): 0 - active_power (plant power): 0 - Mismatch counts vs predictions: - POA mismatch, pyranometer_1 vs modelled_poa_1: 59 - Power mismatch, active_power vs satellite irradiance proxy: 55 Supporting context: - Power vs satellite proxy correlation: 0.893 - POA comparison points used: 124 - Power comparison points used: 123 Note: today's data does not yet extend to end of day; the latest recorded point is 2026-10-19 17:50:00. 03:13 PM Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



149. Abdali_Mall_Netmetering

Development • 34.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:14 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



150. Abdali_Mall_Netmetering

Development • 35.9s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:15 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

151. Abdali_Mall_Netmetering

Development • 32.6s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:16 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

152. Abdali_Mall_Netmetering

Development • 75.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses found per inverter over the last 6-month period (2026-04-19 to 2026-10-19): - inverter1: 859.5414 kWh - inverter2: 563.7428 kWh - inverter3: 755.2135 kWh - inverter4: 1205.8126 kWh - inverter5: 1741.4402 kWh - inverter6: 0.0410 kWh - inverter7: 0.0000 kWh - inverter8: 87.6991 kWh - inverter9: 0.0000 kWh - inverter10: 0.9826 kWh - inverter11: 0.0000 kWh - inverter12: 0.0000 kWh - inverter13: 0.0000 kWh - inverter14: 50.5393 kWh - inverter15: 2.8942 kWh Note: These figures may be underestimated due to partial results returned by the clipping-loss API (rate-limit errors on later data chunks). I've created a bar chart showing the monthly clipping loss by inverter for the last six months. Here are the total clipping losses found per inverter over the last 6-month period (2026-04-19 to 2026-10-19): - inverter1: 859.5414 kWh - inverter2: 563.7428 kWh - inverter3: 755.2135 kWh - inverter4: 1205.8126 kWh - inve

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



153. Abdali_Mall_Netmetering

Development • 46.1s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last ~31 days of `pyranometer_1` against `modelled_poa_1`, using daylight points with modelled POA ≥ 300 W/m² and normalizing by solar azimuth to highlight recurring shortfalls likely consistent with shading-type dips. Findings: - Analysis window: 2026-09-19 00:00 to 2026-10-19 17:50 - Daylight points used: 2,940 - Significant dip points detected: 365 Strongest recurring dip period: - 08:30–08:59 is the clearest candidate window for repeated shading-like dips. - In the 08:30 30-minute window: 69 dips out of 161 observations - Dip fraction: 42.9% Top recurring exact times: - 08:50: 14/29 dips, 48.3% - 08:35: 12/26 dips, 46.2% - 08:45: 13/29 dips, 44.8% - 08:40: 11/26 dips, 42.3% - 08:55: 11/29 dips, 37.9% - 08:30: 8/22 dips, 36.4% Secondary weaker windows: - 09:30: 30/186, 16.1% - 15:00: 27/186, 14.5% - 09:00: 26/181, 14.4% - 14:30: 26/186, 14.0% - 13:30: 23/186, 12.4% - 15:30: 21/183, 11.5% Interpretation: - There is a

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



154. Abdali_Mall_Netmetering

Development • 26.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections containing rated power and array configuration details: 1. [AMC_Zone_A] Front Page (Page 1, Table 1) 2. [AMC_Zone_A] System Summary (Page 2, Table 2) Please access the URLs to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Netmetering/AMC_Zone_A/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Netmetering/AMC_Zone_A/page_2_image_2.png 03:20 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Abdali_Mall_Netmetering → 200`
Console errors	`3`
Network failures	`1`



155. Abdali_Mall_Netmetering

Development • 35.4s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:21 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



156. Abdali_Mall_Netmetering

Development • 29.1s

Question: When was the last time the BOM data showed up

Response: The last BOM data timestamp was 2026-10-19 17:50:00. That is about 31 minutes before the stated current time of 2026-10-19 18:21:49. 03:21 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



157. Abdali_Mall_Netmetering

Development • 48.9s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as POA, I computed daily summed POA over the requested past 12 months window. The dataset is incomplete: available data only runs from 2026-04-01 00:05 to 2026-10-19 17:50, so the result covers 197 days with data, not a full 12 months. Summary of daily POA sums: - Days with data: 197 - Median: 20.025 Wh/m² - Mean: 18.861 Wh/m² - Kurtosis (Fisher): 2.261 Notes: - Daily values were derived from daily sums of 5-minute `pyranometer_1` readings, converted to Wh/m² by multiplying by 5/60. - There are apparent anomalous/near-zero days in the series, e.g. 2026-09-03 = 0.000 Wh/m² and 2026-09-16 = 0.446 Wh/m². Daily POA summed values (Wh/m²): 2026-04-01: 4.656 2026-04-02: 12.668 2026-04-03: 15.533 2026-04-04: 17.823 2026-04-05: 15.147 2026-04-06: 15.408 2026-04-07: 14.475 2026-04-08: 14.949 2026-04-09: 19.331 2026-04-10: 19.574 2026-04-11: 15.628 2026-04-12: 18.726 2026-04-13: 19.735 2026-04-14: 19.749 2026-04-15: 15.244

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



158. Abdali_Mall_Netmetering

Development • 21.5s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for Abdali_Mall_Netmetering: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-01 Abdali_Mall_Netmetering Pyranometer cleaning required Jim cleaned the pyranometer Completed - - - - - - - - - 03:23 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
Tools used	`get_activity_logs_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



159. Abdali_Mall_Netmetering

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add this cleaning activity, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically as Abdali_Mall_Netmetering. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) 03:24 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



160. Abdali_Mall_Netmetering

Development • 26.1s

Question: How can I shut down my inverters?

Response: The manual documents do not contain information regarding the shutdown procedure for your inverters. There are no steps or diagrams available in the provided manual for this process. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/STP50-US-40-BA-en-10/source/STP50-US-40-BA-en-10.pdf 03:24 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



161. Abdali_Mall_Netmetering

Development • 20.9s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:25 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



162. Abdali_Mall_Netmetering

Development • 49.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: I've created the visualization for you. View Fullscreen 03:26 PM ★ Are you satisfied with the answer? Time taken: 34s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



163. Abdali_Mall_Netmetering

Development • 40.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 03:27 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



164. Abdali_Mall_Lahoun

Development • 33.8s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting steps for a COMMUNICATION_FAULT error (Event 037: Communication failure) on inverters are as follows: 1. Check all cable connections to ensure none are loose, disconnected, or misaligned. Refer to this diagram to view all cable connection points that require verification: 2. Confirm correct plug or connector installation. Follow the arrows shown in the diagram to ensure connections are pushed down and inserted at the indicated points: 3. If the communication failure message is displayed frequently after checking connections, contact Service because further troubleshooting must be performed by Service staff. Manual reference: STP_110-60_Manual.pdf 03:28 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



165. Abdali_Mall_Lahoun

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 4748.8347 kWh - inverter2_active_power: 4748.8347 kWh - inverter3_active_power: 4748.8347 kWh - inverter4_active_power: 3402.0295 kWh - inverter5_active_power: 3402.0295 kWh - inverter6_active_power: 1908.1348 kWh Status: Good 03:29 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



166. Abdali_Mall_Lahoun

Development • 21.5s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Lahoun Report 03:30 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



167. Abdali_Mall_Lahoun

Development • 29.2s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy over the period: - 2026-10-12: 3396.81 kWh - 2026-10-13: 3479.91 kWh - 2026-10-14: 2713.18 kWh - 2026-10-15: 4075.69 kWh - 2026-10-16: 3107.88 kWh - 2026-10-17: 4267.26 kWh - 2026-10-18: 4333.23 kWh - 2026-10-19: 4230.17 kWh Note: today's data is partial and currently available up to 2026-10-19 17:55:00. 03:30 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



168. Abdali_Mall_Lahoun

Development • 21.5s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Lahoun Report 03:31 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



169. Abdali_Mall_Lahoun

Development • 36.8s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the available data window 2026-10-18 00:00 to 2026-10-19 17:55, I assessed daytime points using daytime = pyranometer_1 > 20 W/m² or modelled_poa_1 > 20 W/m². Results: - Daytime timestamps: 285 - Missing POA during daytime: 0 - Missing plant active power during daytime: 0 - Missing either POA or power during daytime: 0 - POA mismatches vs satellite/model prediction: 179 - Power mismatches vs satellite/model prediction: 0 Mismatch rules used: - POA mismatch: |pyranometer_1 - modelled_poa_1| / modelled_poa_1 > 20%, for points with modelled_poa_1 >= 50 W/m² - Power mismatch: active_power <= 0 W when modelled_poa_1 >= 200 W/m² Note: the extracted data does not yet extend to the end of 2026-10-19; it currently ends at 17:55:00, which is normal for the present day. 03:32 PM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



170. Abdali_Mall_Lahoun

Development • 34.7s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:33 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



171. Abdali_Mall_Lahoun

Development • 21.6s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 03:33 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



172. Abdali_Mall_Lahoun

Development • 32.4s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:34 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



173. Abdali_Mall_Lahoun

Development • 49.0s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Here are the clipping losses recorded over the last 6 months (2026-04-19 to 2026-10-19), broken down by inverter: - Inverter 1: 19 836.28 kWh - Inverter 2: 19 801.75 kWh - Inverter 3: 19 842.10 kWh - Inverter 4: 14 075.67 kWh - Inverter 5: 14 074.78 kWh - Inverter 6: 7 948.98 kWh I've created a bar chart illustrating the monthly clipping loss per inverter for the last 6 months. Here are the clipping losses recorded over the last 6 months (2026-04-19 to 2026-10-19), broken down by inverter: - Inverter 1: 19 836.28 kWh - Inverter 2: 19 801.75 kWh - Inverter 3: 19 842.10 kWh - Inverter 4: 14 075.67 kWh - Inverter 5: 14 074.78 kWh - Inverter 6: 7 948.98 kWh I've created a bar chart illustrating the monthly clipping loss per inverter for the last 6 months. View Fullscreen 03:35 PM ★ Are you satisfied with the answer? Time taken: 33s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key inf

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

174. Abdali_Mall_Lahoun

Development • 42.9s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 7 days of pyranometer data (2026-10-12 to 2026-10-19 18:25) against modelled POA irradiance and flagged short irradiance dips consistent with possible shading-type events. Results: - Daylight points analyzed: 963 - Dip events detected: 20 - Most events were brief: typically 5–10 minutes - Highest event concentration: 12:00, 14:00, and 15:00 hours Daily frequency: - 2026-10-12: 8 events, 50 min total - 2026-10-13: 3 events, 15 min total - 2026-10-14: 2 events, 15 min total - 2026-10-15: 1 event, 5 min total - 2026-10-16: 4 events, 20 min total - 2026-10-18: 1 event, 5 min total - 2026-10-19: 1 event, 5 min total Frequency by hour of day: - 08:00: 1 - 09:00: 1 - 10:00: 2 - 11:00: 2 - 12:00: 4 - 13:00: 1 - 14:00: 4 - 15:00: 3 - 16:00: 2 Detected dip times: - 2026-10-12 12:40–12:40, 5 min - 2026-10-12 12:55–13:00, 10 min - 2026-10-12 13:25–13:25, 5 min - 2026-10-12 14:30–14:30, 5 min - 2026-10-12 14:45–14:50,

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



175. Abdali_Mall_Lahoun

Development • 24.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Lahoun] System summary (Page 2, Table 2) 2. [Abdali_Mall_Lahoun] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_3_image_2.jpg 03:37 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /chat-history/Abdali_Mall_Lahoun → 200`
Console errors	`3`
Network failures	`1`



176. Abdali_Mall_Lahoun

Development • 31.0s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 03:38 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



177. Abdali_Mall_Lahoun

Development • 26.1s

Question: When was the last time the BOM data showed up

Response: I do not have access to BOM (Bill of Materials) tracking data as part of the available plant management logs and functions. I can assist with activity logs, job cards, maintenance schedules, and spare parts inventory for the plant. If you would like to view or update spare parts inventory—which may relate to BOM components—I can help with that. Let me know how you'd like to proceed. 03:39 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 11s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



178. Abdali_Mall_Lahoun

Development • 30.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA totals over the last 12 months were computed from `pyranometer_1` and summarized as follows: - Median daily POA: 5882.45 Wh/m² - Mean daily POA: 5869.44 Wh/m² - Kurtosis: 0.1125 Data coverage: - Total days in range: 366 - Non-null daily totals used in stats: 314 Note: the extracted data ends at 2026-10-19 18:25:00, so the last day is partial. 03:40 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



179. Abdali_Mall_Lahoun

Development • 20.0s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs recorded for Abdali_Mall_Lahoun in October 2026. 03:40 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



180. Abdali_Mall_Lahoun

Development • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (Is today, 2026-10-19, correct?) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (Abdali_Mall_Lahoun). Optional fields you can also provide, but they are not required: - Priority - Responsibility (e.g., Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Please provide the missing required details. If you wish, you can also add any optional information. 03:41 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



181. Abdali_Mall_Lahoun

Development • 32.2s

Question: How can I shut down my inverters?

Response: To shut down your inverters, please follow these steps: 1. Switch off the AC miniature circuit breakers located on the bottom of the device. These are shown as toggle switches in the diagrams. 2. Switch off the DC load-break switches, also located on the bottom of the inverter. For reference, see this diagram showing the positions of the AC and DC switches: 3. Wait at least 15 minutes before performing any further actions or attempting to restart the inverter. 4. If you need to verify cabling or input status, you may inspect all cable connections at the bottom of the device. Up to 48 possible connections are indicated here: 5. To confirm shutdown or check inverter status, use the user interface for system status and values. Refer to this display diagram: If the inverter does not return to normal mode after restarting, contact Service. Do not attempt repairs beyond these steps without consulting qualified personnel. Manual reference: https://manual-aepco-sydney.s3.ap-southeast-

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



182. Abdali_Mall_Lahoun

Development • 19.6s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 03:42 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



183. Abdali_Mall_Lahoun

Development • 46.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping loss for the last 2 months (2026-08-19 to 2026-10-19): - Inverter 1: 1653.2374 kWh - Inverter 2: 1653.2374 kWh - Inverter 3: 1653.2374 kWh - Inverter 4: 938.5291 kWh - Inverter 5: 937.6380 kWh - Inverter 6: 608.1240 kWh Data quality: Good I've created a line chart showing daily clipping loss per inverter for the requested period. Clipping loss for the last 2 months (2026-08-19 to 2026-10-19): - Inverter 1: 1653.2374 kWh - Inverter 2: 1653.2374 kWh - Inverter 3: 1653.2374 kWh - Inverter 4: 938.5291 kWh - Inverter 5: 937.6380 kWh - Inverter 6: 608.1240 kWh Data quality: Good I've created a line chart showing daily clipping loss per inverter for the requested period. View Fullscreen 03:43 PM ★ Are you satisfied with the answer? Time taken: 31s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



184. Abdali_Mall_Lahoun

Development • 33.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 03:44 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code, multi_tool_use.parallel`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



185. SADAFCO

Development • 36.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT error on your inverter, follow these steps with diagram references to verify and correct wiring issues: 1. Inspect Connections: Improper cable connections are a common cause. Visually compare all communication cable attachments with the reference image for correct vs. faulty connections. Diagram: 2. Verify Cable Cutting and Insertion: Ensure single-core cables are cut to the specified lengths and diameters (e.g., L + 3 mm, D 14–32 mm). Misalignment or inaccurate cutting can disrupt communication. Diagram: 3. Check Wire Size Grouping: Confirm each connector uses compatible wire size groupings (14–15 mm, 15–22 mm, etc.) per the reference diagram. Mismatched wire size can cause unreliable communication. Diagram: 4. Confirm System Layout and Connections: Review the full system layout (main switch, backup battery, grounding) and ensure all critical points are secure. Loose or faulty connections can trigger errors. Diagram: 5. Va

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`18`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



186. SADAFCO

Development • 21.5s

Question: Please generate last months report

Response: I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/SADAFCO_Solar_Plant_September_2026_external_report.pdf' SADAFCO Report 03:47 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



187. SADAFCO

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy for 2026-10-13 to 2026-10-19: - 2026-10-13: 4809.19 kWh - 2026-10-14: 4166.23 kWh - 2026-10-15: 4194.41 kWh - 2026-10-16: 3879.57 kWh - 2026-10-17: 4208.53 kWh - 2026-10-18: 4456.76 kWh - 2026-10-19: 4465.92 kWh Note: today's data is partial and currently recorded through 2026-10-19 18:25:00. 03:47 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



188. SADAFCO

Development • 21.5s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/SADAFCO_Solar_Plant_December_2025_external_report.pdf' SADAFCO Report 03:48 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



189. SADAFCO

Development • 41.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For the last 7 days available in the data (2026-10-12 00:00 to 2026-10-19 18:30), using daytime only (zenith < 85°): - Daytime points checked: 5,188 Missing data during daytime - pyranometer_1: 4 - active_power: 398 - inverter1_active_power: 398 - inverter2_active_power: 398 - inverter3_active_power: 398 - inverter4_active_power: 398 - inverter5_active_power: 398 - inverter6_active_power: 398 - inverter7_active_power: 398 - inverter8_active_power: 398 - inverter9_active_power: 398 - inverter10_active_power: 398 - inverter11_active_power: 398 - inverter12_active_power: 398 Mismatches with satellite/model prediction during daytime - pyranometer_1: 34 - active_power: 9 - inverter1_active_power: 102 - inverter2_active_power: 63 - inverter3_active_power: 71 - inverter4_active_power: 63 - inverter5_active_power: 74 - inverter6_active_power: 65 - inverter7_active_power: 5 - inverter8_active_power: 39 - inverter9_active_power: 5 - in

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



190. SADAFCO

Development • 35.3s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:50 PM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

191. SADAFCO

Development • 38.4s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 03:51 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



192. SADAFCO

Development • 32.3s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 03:51 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

193. SADAFCO

Development • 125.4s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (Requested period: 2026-04-19 to 2026-10-19; data available from 2026-06-18 06:26) Monthly Clipping Loss per Inverter (kWh): - 2026-06: • Inverter 1: 1109.600 • Inverter 3: 221.787 • Inverter 5: 225.054 • Inverter 6: 170.990 • Inverters 2,4,7-12: no reported data - 2026-07: • Inverter 1: 65.199 • Inverter 2: 165.599 • Inverter 3: 62.006 • Inverter 4: 73.500 • Inverter 5: 84.021 • Inverter 6: 19.649 • Inverters 7-12: no reported data - 2026-08: • Inverter 1: 423.008 • Inverter 3: 50.325 • Inverter 4: 15.345 • Inverter 5: 129.272 • Inverter 6: 134.413 • Inverters 2,7-12: no reported data - 2026-09 and 2026-10: no clipping loss reported Total Clipping Loss over returned months (kWh): - Inverter 1: 1597.807 - Inverter 2: 165.599 - Inverter 3: 334.118 - Inverter 4: 88.845 - Inverter 5: 438.347 - Inverter 6: 325.051 - Inverters 7-12: no reported data Notes: - Avai

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`4`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



194. SADAFCO

Development • 39.9s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed `pyranometer_1` over 2026-10-12 to 2026-10-19 and looked for short, repeated irradiance dips during daylight that are consistent with likely shading-type events. Findings: - Frequent dip pattern was not strong overall. - I found 2 material dip events, both on 2026-10-16. - Recurrent time windows observed: 11:15 and 12:15 buckets, but only once each, so this does not yet indicate a stable daily shading signature. Detected dip events: 1. 2026-10-16 11:26 to 11:27 - Duration: 2 min - Minimum irradiance: 336.47 W/m² - Local baseline irradiance: 550.43 W/m² - Irradiance dip ratio: 0.557 2. 2026-10-16 12:25 to 12:29 - Duration: 5 min - Minimum irradiance: 387.03 W/m² - Local baseline irradiance: 701.15 W/m² - Irradiance dip ratio: 0.591 Conclusion: - There is no evidence here of frequent recurring pyranometer dips strongly suggesting persistent shading. - The two detected events are isolated and could also be caused b

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



195. SADAFCO

Development • 23.1s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: No relevant PVsyst report sections found for the rated power of this plant and array configuration. 03:56 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



196. SADAFCO

Development • 29.4s

Question: When was the last time the BOM data showed up

Response: The last BOM/satellite data point showed up at 2026-10-19 18:30:00. The latest `source` value at that timestamp was `1.0`. Note: the available data currently only extends to 2026-10-19 18:30:00, which is normal for the latest refresh window. 03:58 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



197. SADAFCO

Development • 30.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA source, I computed daily POA sums in Wh/m² for the available last-12-month query window. Important note: the database does not contain a full 12 months of `pyranometer_1` data. Available data starts on 2026-06-18 and ends on 2026-10-19, so the statistics below are for that incomplete period only. Results for the daily POA summed series: - Days available: 124 - Median: 5224.92 Wh/m² - Mean: 5168.39 Wh/m² - Kurtosis: 0.0588 Data status: - Requested: 2025-10-19 to 2026-10-19 - Available: 2026-06-18 06:26:00 to 2026-10-19 18:30:00 03:58 PM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



198. SADAFCO

Development • 21.6s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs recorded for SADAFCO in October 2026. 03:59 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



199. SADAFCO

Development • 20.2s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 04:00 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



200. SADAFCO

Development • 40.1s

Question: How can I shut down my inverters?

Response: To shut down your SUN2000-115KTL inverters, follow these steps using the diagrams provided for visual reference: 1. Determine the inverter's current operating mode (Operating, Standby, or Shutdown) using the operational mode diagram. - Diagram URL: 2. To stop the inverter, either send a shutdown command or turn the DC switch to the OFF position. This is illustrated in the same diagram as above. - Diagram URL: 3. Confirm visually that the inverter has transitioned to Shutdown Mode according to the mode flow in the diagram. 4. For electrical isolation, use the schematic to locate and disconnect the DC switches and confirm surge protection devices are in place. - DC switches and surge protection diagram: 5. Once DC switches are OFF and system is in Shutdown Mode, review surge protection and current check points as shown: - Diagram for surge protection and current checks: 6. If shutdown is due to a fault, use the system monitoring and management diagram to further

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



201. SADAFCO

Development • 20.1s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 04:01 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



202. SADAFCO

Development • 100.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 2 Months (2026-08-19 to 2026-10-19) by Inverter: - Inverter 1: 1,161.19 kWh - Inverter 2: 5.95 kWh - Inverter 3: 80.71 kWh - Inverter 4: 22.38 kWh - Inverter 5: 202.34 kWh - Inverter 6: 181.44 kWh - Inverter 7: 0.00 kWh - Inverter 8: 0.00 kWh - Inverter 9: 0.00 kWh - Inverter 10: 0.00 kWh - Inverter 11: 0.00 kWh - Inverter 12: 0.00 kWh Data Quality: - Status: Good The visualization has been prepared. Clipping Loss Over the Last 2 Months (2026-08-19 to 2026-10-19) by Inverter: - Inverter 1: 1,161.19 kWh - Inverter 2: 5.95 kWh - Inverter 3: 80.71 kWh - Inverter 4: 22.38 kWh - Inverter 5: 202.34 kWh - Inverter 6: 181.44 kWh - Inverter 7: 0.00 kWh - Inverter 8: 0.00 kWh - Inverter 9: 0.00 kWh - Inverter 10: 0.00 kWh - Inverter 11: 0.00 kWh - Inverter 12: 0.00 kWh Data Quality: - Status: Good The visualization has been prepared. View Fullscreen 04:

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



203. SADAFCO

Development • 41.7s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 04:04 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Sadafco LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



204. SAK_1

Development • 36.8s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting COMMUNICATION_FAULT on your inverters (as described in the manual): 1. Open the technical enclosure door by loosening the screws as shown in Step 1 and Step 2 of the following diagram. Be sure to secure the door after you're done, as in Step 3. Diagram: 2. Remove the sealing plate at the marked points (Step 1) inside the enclosure to access communication wiring. After checking or maintenance, securely reseal the plate (Step 2). Diagram: 3. Check cable termination points for any loose or incorrect wiring. Use the correct cable entry fitting size (24 mm, 14 mm, or max 32 mm) to avoid connection issues which can cause communication faults. Diagram: 4. Reference your wiring and grounding against the official diagram for proper connection (L1, L2, L3, N, PE). Check that you are matching your system type (TT, TN-C, TN-S, TN-C-S, or IT) as illustrated. Diagram: Important: Always reseal the enclosure properly after maintenance. Use correct cable sizes and check tig

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



205. SAK_1

Development • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 6585.0801 kWh - inverter2_active_power: 6585.0801 kWh - inverter3_active_power: 6585.0801 kWh - inverter4_active_power: 6585.0801 kWh - inverter5_active_power: 6585.0801 kWh - inverter6_active_power: 6585.0801 kWh - inverter7_active_power: 6585.0801 kWh - inverter8_active_power: 6582.6539 kWh Status: Good 04:06 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



206. SAK_1

Development • 20.0s

Question: Please generate last months report

Response: I've generated the plant performance report for last month (September 2026). You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Karak_Solar_Plant_September_2026_external_report.pdf' SAK_1 Report 04:07 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



207. SAK_1

Development • 26.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-12: 5067.131 kWh - 2026-10-13: 5498.131 kWh - 2026-10-14: 4331.722 kWh - 2026-10-15: 6203.944 kWh - 2026-10-16: 4892.697 kWh - 2026-10-17: 6039.390 kWh - 2026-10-18: 6048.671 kWh 04:07 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



208. SAK_1

Development • 20.0s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Karak_Solar_Plant_December_2025_external_report.pdf' SAK_1 Report 04:08 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



209. SAK_1

Development • 38.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-12 to 2026-10-19 18:55, using daytime defined as modelled_poa_1 ≥ 50 W/m²: - POA missing during daytime: 3 intervals - Power missing during daytime: 3 intervals - POA mismatches vs satellite/model prediction proxy: 540 intervals - Power mismatches vs satellite/model prediction proxy: 2 intervals Basis: - Daytime points assessed: 1,026 - Valid POA comparison points: 1,023 - Valid power comparison points: 969 Notes: - The query window does not extend to the full requested end-of-day; data currently ends at 2026-10-19 18:55:00. - There is no direct satellite POA column, so POA mismatch was assessed against modelled_poa_1 as the best available satellite/model prediction proxy. - Power mismatch was assessed as high irradiance with unusually low plant active_power relative to irradiance-based expectation. 04:09 PM Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possib

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



210. SAK_1

Development • 34.2s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 04:10 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



211. SAK_1

Development • 40.6s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 04:11 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.inspect_xpool, functions.perf_ratio_ag, functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



212. SAK_1

Development • 30.7s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 04:11 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

213. SAK_1

Development • 49.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months (by Inverter) - Inverter 1: 15,400.5209 kWh - Inverter 2: 15,489.1892 kWh - Inverter 3: 15,486.2119 kWh - Inverter 4: 15,489.1892 kWh - Inverter 5: 15,400.5209 kWh - Inverter 6: 15,489.1892 kWh - Inverter 7: 15,489.1892 kWh - Inverter 8: 15,395.3963 kWh Data Quality Status: - Good Visualization: - A bar chart showing monthly clipping loss by inverter for the last 6 months has been created. Clipping Loss Over the Last 6 Months (by Inverter) - Inverter 1: 15,400.5209 kWh - Inverter 2: 15,489.1892 kWh - Inverter 3: 15,486.2119 kWh - Inverter 4: 15,489.1892 kWh - Inverter 5: 15,400.5209 kWh - Inverter 6: 15,489.1892 kWh - Inverter 7: 15,489.1892 kWh - Inverter 8: 15,395.3963 kWh Data Quality Status: - Good Visualization: - A bar chart showing monthly clipping loss by inverter for the last 6 months has been created. View Fullscreen 04:12 PM ★ Are you satisfied with the answer? Time taken: 35s,

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



214. SAK_1

Development • 46.1s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I found a recurring irradiance depression pattern in the pyranometer data, consistent with time-of-day shading. Findings - Analysis window: 2026-09-19 07:00 to 2026-10-19 17:10 (daylight points only). - I compared measured POA irradiance (`pyranometer_1`) against modeled POA (`modelled_poa_1`). - Frequent dip window detected: mainly 15:25–17:35, with a minor isolated dip around 14:10. - The strongest repeated dips occur late afternoon: - 16:15 median ratio ≈ 0.219 - 16:20 median ratio ≈ 0.210 - 16:40 median ratio ≈ 0.171 - 16:45 median ratio ≈ 0.160 - 16:50 median ratio ≈ 0.160 - 16:55 median ratio ≈ 0.160 - 17:00 median ratio ≈ 0.148 - 17:05 median ratio ≈ 0.159 - 17:10 median ratio ≈ 0.172 - In those periods, measured POA is only about 15–22% of modeled POA on a typical basis, which is too systematic to look like random cloud passages. Power behavior during dip periods - Plant power also weakens during the same windows. - Relati

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



215. SAK_1

Development • 27.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections: 1. [SR_Final_Part_1] Front Page - Rated Power (Page 1, Table 1) 2. [SR_Final_Part_1] System Summary - Array Configuration & Rated Power (Page 2, Table 2) 3. [SR_Final_Part_2] Front Page - Rated Power (Page 1, Table 1) 4. [SR_Final_Part_2] System Summary - Array Configuration & Rated Power (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_2_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_2_image_2.png 04:15 PM Are you satisfied with the answer? Time taken: 12s, token:

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	5
Last API call	`GET /chat-history/SAK_1 → 200`
Console errors	3
Network failures	1



216. SAK_1

Development • 39.0s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 04:16 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 23s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



217. SAK_1

Development • 26.1s

Question: When was the last time the BOM data showed up

Response: The last BOM data point showed up at 2026-10-19 18:55:00. That is about 21 minutes before the stated current time of 2026-10-19 19:16:53. 04:16 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 11s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



218. SAK_1

Development • 30.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA is only available for the period with data present, not the full last 12 months. Available data window: - 2026-07-09 to 2026-10-19 - Requested window was 2025-10-19 to 2026-10-19 Statistics on the available daily summed POA (Wh/m²): - Median: 9266.08 Wh/m² - Mean: 8506.18 Wh/m² - Kurtosis: -0.7134 - Days available: 103 Note: I derived daily summed POA from the daily aggregated pyranometer_1 values returned by the tool for the available period only. 04:17 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



219. SAK_1

Development • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for SAK_1 so far in October 2026. 04:18 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



220. SAK_1

Development • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (e.g., 2026-10-19) - Fault Cause - Action Taken - Status Site will be set automatically as SAK_1. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning, Inspection, HSE Incident, Spare Parts Usage, General Site Activity) 04:18 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



221. SAK_1

Development • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps extracted directly from the manual documents: 1. Identify your inverter's layout and main connections by reviewing the labeled diagram: . 2. Ensure that you understand which grid system you are using and verify the wiring according to the system diagram here: . 3. Follow the energy flow in the system layout so you can safely disconnect at the appropriate points: . 4. Check that voltage levels are safe for maintenance or shut down. Reference voltage information here: . 5. Confirm you are referencing the correct inverter model as labeled in your installation: . 6. For additional instructions, you may scan the QR code provided in the documentation for your inverter: . Please follow all safety and isolation procedures as illustrated in the referenced diagrams before interacting with the inverter or its connections. PDF Manual reference: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SG125CX_P2_manual/so

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



222. SAK_1

Development • 20.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 04:20 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



223. SAK_1

Development • 46.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here are the total clipping losses over the last two months (2026-08-19 to 2026-10-19), broken down by inverter: - Inverter 1: 5 350.4088 kWh - Inverter 2: 5 438.5788 kWh - Inverter 3: 5 436.0997 kWh - Inverter 4: 5 438.5788 kWh - Inverter 5: 5 350.4088 kWh - Inverter 6: 5 438.5788 kWh - Inverter 7: 5 438.5788 kWh - Inverter 8: 5 350.4088 kWh Data quality: Status – Good I've also prepared a line chart showing daily clipping loss for each inverter over the requested period. Here are the total clipping losses over the last two months (2026-08-19 to 2026-10-19), broken down by inverter: - Inverter 1: 5 350.4088 kWh - Inverter 2: 5 438.5788 kWh - Inverter 3: 5 436.0997 kWh - Inverter 4: 5 438.5788 kWh - Inverter 5: 5 350.4088 kWh - Inverter 6: 5 438.5788 kWh - Inverter 7: 5 438.5788 kWh - Inverter 8: 5 350.4088 kWh Data quality: Status – Good I've also prepared a line chart showing daily clipping loss for each inverter over the requested period

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



224. SAK_1

Development • 34.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 04:22 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, multi_tool_use.parallel`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0