

Environment: **Production** • Trigger: **Manual** • Started: Jul 30, 2026 17:35 • Ended: Jul 30, 2026 19:29
Generated: 7/31/2026, 1:31:58 AM

189	87.8%	166 / 23	0
Total Tests	Pass Rate (excl. skipped)	Passed / Failed	Skipped (connection)

1. Noor_AI_aqaba

Production • 35.3s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized t

AEPCO

Alternative Energy Projects Company

TE

AI Brain

Job Car...

Mainten...

Chat

Teams

Please generate last months report

TE

Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resources'

07:10 PM

Are you satisfied with the answer?

Click here for Source

Click here for Steps

Click here for Tools

Time taken: 19s, token: 0 tokens

connected to Noor AI Aqaba

How can we help you today?

LEAVE ANY FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

2. Noor_AI_aqaba

Production • 76.7s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'error occurred'): - Data calculation: • An internal error occurred during the clipping-loss calculation: ``calculate_clipping_or_curtailment_losses()`` got an unexpected keyword argument `'reactive_col'`. • As a result

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The Chat tab is active. A message from the AI assistant is shown, detailing an error during data calculation and mentioning a visualization. The message text is as follows:

- Data calculation:
• An internal error occurred during the clipping-loss calculation:
``calculate_clipping_or_curtailment_losses()`` got an unexpected keyword argument `'reactive_col'`.
• As a result, we're currently unable to provide the clipping loss figures broken down by inverter for the last 6 months.

- Visualization:
• The chart for "Clipping Loss by Inverter - Last 6 Months" has been prepared.


Below the message, there is a timestamp of 07:19 PM and a question "Are you satisfied with the answer?". At the bottom, there is a text input field with the placeholder "How can we help you today?" and a microphone icon. A status bar at the very bottom indicates "Time taken: 62s, token: 0 tokens" and "connected to Noor AI Aqaba".

3. Noor_AI_aqaba

Production • 35.3s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'COLUMN_NOT_FOUND: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resour



4. Noor_AI_aqaba

Production • 70.2s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Data Calculation & Quality

Notes: - Attempted to calculate clipping losses per inverter for the last 2 months. - The calculation tool failed with the following error: • calculate_clipping_or_curtai

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. The chat area shows a message from the AI assistant. The message text is as follows:

- Attempted to calculate clipping losses per inverter for the last 2 months.
- The calculation tool failed with the following error:
• calculate_clipping_or_curtailment_losses() got an unexpected keyword argument 'reactive_col'
- As a result, no trustworthy clipping-loss values are available at this time.

Visualization:
- A line chart titled "Clipping loss per inverter over the last 2 months" has been prepared.
- Since no data could be computed, the chart is currently empty.

Below the message, there is a timestamp '07:34 PM' and a question 'Are you satisfied with the answer?'. At the bottom of the chat area, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. Below the input field, there is a status bar that reads 'Time taken: 54s, token: 0 tokens' and 'connected to Noor AI Aqaba'. At the very bottom, there is a footer with the text 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

5. MOF

Production • 21.5s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Error reason: AI indicated failure (matched 'unable to provide'): The manual documents for your inverters are not currently available, so I am unable to provide troubleshooting steps or diagram references for a COMMUNICATION_FAULT. Please ensure the correct manual i

The screenshot displays the AEPSCO chat interface. At the top, the AEPSCO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. The chat history shows a previous message asking 'Are you satisfied with the answer?' with a 'Time taken: 23s, token: 0 tokens' status. The current message is a blue bubble asking 'I have a COMMUNICATION_FAULT what do I do to my inverters?'. The response is a white bubble stating: 'The manual documents for your inverters are not currently available, so I am unable to provide troubleshooting steps or diagram references for a COMMUNICATION_FAULT. Please ensure the correct manual is available for your system so I can assist further.' This message is timestamped '07:42 PM' and includes a 'Time taken: 6s, token: 0 tokens' status. Below the chat, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. At the bottom, a footer contains the text 'LEAVE ANY FEEDBACK' and a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'

6. MOF

Production • 36.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Data Quality Issue: - The clipping-loss calculation tool encountered an internal error ('unexpected keyword argument 'reactive_col') and failed to produce per-inverter values for the requested 2-mon


The screenshot shows the AEP CO2 AI Chat interface. At the top, there's a navigation bar with tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. Below the navigation bar, a blue box contains the user's question: 'Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well'. The AI's response is displayed in a dark blue box with a light blue header 'Data Quality Issue:'. The response text reads: '- The clipping-loss calculation tool encountered an internal error ('unexpected keyword argument 'reactive_col') and failed to produce per-inverter values for the requested 2-month period.' Below this, a section titled 'Visualization:' contains the text: '- I've created a chart titled "Clipping loss by inverter for the last 2 months."' The response is timestamped '07:52 PM'. Below the response, there's a prompt 'Are you satisfied with the answer?' with thumbs up and thumbs down icons. At the bottom, there's a status bar showing 'Time taken: 22s, token: 0 tokens' and a 'connected to Mof' indicator. The bottom input area has a placeholder 'How can we help you today?' and a 'LEAVE ANY FEEDBACK' link.

7. KUPCO_HQ_DAJEEJ

Production • 29.3s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 08:09 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t




8. Galleria_Mall

Production • 103.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Data Calculation: - Unable to calculate inverter-by-inverter clipping loss for the last six months due to an internal tool failure. - Error encountered: `calculate\_clipping\_or\_curtailment\_losses`




9. Galleria_Mall

Production • 116.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Estimation (2026-05-30 to 2026-07-30) Data Quality Notes: - The clipping-loss tool failed internally with the error `unexpected keyword argument 'reactive\_col'`. - Attempts in bot



10. GID

Production • 23.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 08:52 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat, and Teams. The chat window shows a message from the user: "When was the last time the BOM data showed up". The AI response is: "Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 08:52 PM Do you want to report this error? YES NO". The interface includes a status bar at the bottom indicating "connected to Mathkor Gid" and a footer with the text "Mistakes in P2Chat are possible. Double-check key information."

11. GID

Production • 40.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-07-29), your plant produced 14,691.50 kWh. Key metrics: - Specific yield: 3.99 kWh/kWp - PR: unavailable for yesterday because the PR dataframe came back empty - Availability:

The screenshot shows a chat interface for AEP CO2. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window displays a performance report for yesterday (2026-07-29). The report states that the performance index is unavailable due to a tool error. It compares actual production against the PVsyst expectation, showing a shortfall of 17,405.27 kWh. The overall assessment is that yesterday was a weak-production day. The chat interface also includes a timestamp of 09:01 PM, a satisfaction poll, and a footer with a feedback link and a disclaimer.

AEP CO₂ Alternative Energy Projects Company

AI Brain Job Car... Mainten... Chat Teams

- Performance index: unavailable due to a tool error

Against PVsyst expectation:

- Expected daily energy: 32,096.77 kWh
- Actual vs expected: 45.8%
- Shortfall: 17,405.27 kWh

Overall: yesterday appears to have been a weak-production day versus PVsyst expectation.

09:01 PM

Are you satisfied with the answer?

Time taken: 24s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?


LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

12. GID

Production • 26.2s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 09:03 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



13. GID

Production • 87.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Data - Unable to calculate clipping loss by inverter for the last 2 months due to an internal tool failure. - Error encountered: `calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'

The screenshot shows the AEP CO2 AI Chat interface. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Card, Maintenance, Chat (selected), and Teams. The main chat area displays a message from the AI system:

for the last 2 months due to an internal tool failure.

- Error encountered:
`calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'

Data Quality Note

- Clipping-loss tool failed internally, so no reliable values are available at this time.

Visualization

- The visualization has been prepared showing clipping loss by inverter for the requested period.

09:04 PM

Are you satisfied with the answer?

Time taken: 72s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?

LEAVE ANY FEEDBACK

Mistakes in P2Chat are possible. Double-check key information.

14. Abdali_Mall_Netmetering

Production • 58.1s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'tool error'): Clipping Loss Calculation — Last 6 Months • Data Agent: - Calculation could not be completed due to an internal tool error: ``calculate_clipping_or_curtailment_losses()` got an unexpected keyword ``reactive_col``

The screenshot displays the AEPSCO AI chat interface. At the top, the AEPSCO logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat, and Teams. The Chat tab is active. A chat window titled "Clipping Loss Calculation — Last 6 Months" is open. It contains a message from the Data Agent stating: "Calculation could not be completed due to an internal tool error: ``calculate_clipping_or_curtailment_losses()` got an unexpected keyword argument ``reactive_col``". Below this, the Graph Agent responds: "A chart titled 'Clipping Loss per Inverter – Last 6 Months' has been prepared to visualize the results once the data is available." The chat window also shows a timestamp of 09:15 PM and a prompt asking "Are you satisfied with the answer?". At the bottom of the chat window, it indicates "Time taken: 44s, token: 0 tokens" and "connected to Abdali Mall Netmetering". Below the chat window is a text input field with the placeholder "How can we help you today?" and a microphone icon. At the very bottom, there is a footer with the text "LEAVE ANY FEEDBACK" and "Mistakes in P2Chat are possible. Double-check key information."

15. BF_Wheeling

Production • 51.9s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv.

Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI


The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is currently selected. The chat window shows a message from the AI: 'Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'. The message is timestamped '09:26 PM'. Below the message, there is a section asking 'Are you satisfied with the answer?' with icons for thumbs up and thumbs down. Further down, there are three links: 'Click here for Source', 'Click here for Steps', and 'Click here for Tools'. At the bottom of the chat window, it says 'Time taken: 37s, token: 0 tokens' and 'connected to BF Wheeling'. Below the chat window, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. At the very bottom, there is a footer with the text 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

16. BF_Wheeling

Production • 44.4s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI



17. BF_Wheeling

Production • 46.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Clipping Loss Analysis (Last 2 Months) Data Calculation - The clipping-loss tool failed internally and could not produce per-inverter values. - Error encountered: `calculate_clipping_or_curtailment_

The screenshot shows the AEP CO2 AI Chat interface. The top navigation bar includes the AEP CO2 logo and a 'TE' button. Below the navigation bar, there are tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active, displaying a message from the AI. The message states: 'could not produce per-inverter values. - Error encountered: `calculate\_clipping\_or\_curtailment\_losses()` received an unexpected keyword argument `reactive\_col`.' Below this, a 'Data Quality Note' is shown: '- No reliable clipping-loss figures are available due to the above exception.' A 'Visualization' section follows, stating: '- I've created a chart titled "Clipping Loss by Inverter for the Last 2 Months." - As no data could be calculated, the chart contains no plotted values.' The message is timestamped '09:41 PM' and includes a 'Are you satisfied with the answer?' prompt with thumbs up and down icons. At the bottom, there is a text input field with the placeholder 'How can we help you today?' and a 'connected to BF Wheeling' status indicator. A footer note reads: 'Mistakes in P2Chat are possible. Double-check key information.'

18. Abdali_Mall_Lahoun

Production • 65.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'unexpected keyword argument'): Here's the summary of what was found for clipping losses over the past six months: • Data Agent Findings: - The clipping-loss calculation tool failed with the error: `calculate\_clipping\_or\_curt`

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is active. The chat window shows a message from the AI agent:

- As a result, no reliable clipping-loss values could be produced for inverter1 through inverter6 for the period 2026-01-30 to 2026-07-30.

- Inverter energy generation data does exist for that timeframe, but it cannot be used as a substitute for true clipping-loss values.

- Visualization:

- A chart titled "Clipping losses per inverter over the last 6 months" has been prepared.
- Since no valid clipping-loss data was available, the plot is empty.

No further clipping-loss figures can be reported until the calculation tool issue is resolved.

Below the message, there is a timestamp '09:52 PM' and a status bar indicating 'connected to Abdali Mall Lahoun'. At the bottom, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. A footer note states: 'Mistakes in P2Chat are possible. Double-check key information.'

19. Abdali_Mall_Lahoun

Production • 41.3s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 10:10 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t

The screenshot displays the AEP CO chat interface. At the top, the logo for AEP CO (Alternative Energy Projects Company) is visible. Below the logo, there are tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The 'Chat' tab is selected. The chat area shows a conversation with a user. The user's message is: 'Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times'. The AI's response is: 'Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 10:10 PM Do you want to report this error? YES NO'. The chat interface includes a sidebar with icons for adding, deleting, and editing messages. At the bottom, there is a text input field with the placeholder 'How can we help you today?' and a microphone icon. A status bar at the bottom indicates 'connected to Abdali Mall Lahoun' and provides feedback instructions: 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

20. Abdali_Mall_Lahoun

Production • 60.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Clipping Loss Calculation - The clipping-loss tool failed to calculate losses for the last two months. - Error encountered: `unexpected keyword argument 'reactive\_col'`. Visualization - I've



21. Abdali_Mall_Barza

Production • 26.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i'm sorry'): I'm sorry, I can't process performance or data queries. Please refer to the plant performance report or contact the report agent for BOM data information. 10:19 PM Are you satisfied with the answer?

The screenshot displays a chat window for AEP CO. The top navigation bar includes 'AI Brain', 'Job Car...', 'Mainten...', 'Chat', and 'Teams'. The chat area shows a user message: 'When was the last time the BOM data showed up'. The AI response is: 'I'm sorry, I can't process performance or data queries. Please refer to the plant performance report or contact the report agent for BOM data information. 10:19 PM'. Below the response is a satisfaction survey: 'Are you satisfied with the answer?'. The chat area also shows a status indicator 'TE' and a 'connected to Abdali Mall Barza' status. The bottom of the chat shows a feedback prompt: 'LEAVE ANY FEEDBACK' and 'Mistakes in P2Chat are possible. Double-check key information.'

22. Abdali_Mall_Barza

Production • 48.9s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Clipping Loss Summary • Calculation Status: Failed to compute monthly clipping losses by inverter over 2026-01-30 to 2026-07-30 due to an internal tool exception. • Error Details: `calculate\_clipping`

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo and 'Alternative Energy Projects Company' are visible. Below the logo, there are navigation tabs: 'AI Brain', 'Job Car...', 'Mainten...', 'Chat' (selected), and 'Teams'. The main chat area shows a message from the AI with the following content:

Clipping Loss Summary

- Calculation Status: Failed to compute monthly clipping losses by inverter over 2026-01-30 to 2026-07-30 due to an internal tool exception.
- Error Details:
`calculate\_clipping\_or\_curtailment\_losses()` got an unexpected keyword argument 'reactive_col'

Visualization

- The chart for "Clipping losses by inverter – last 6 months" has been prepared.

10:20 PM

Are you satisfied with the answer?

Time taken: 34s, token: 0 tokens

connected to Abdali Mall Barza

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

23. Abdali_Mall_Barza

Production • 64.3s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): - Data Retrieval Error: The clipping-loss tool failed to compute results for this plant/query due to an unexpected argument error. No numerical values could be returned. - Visualization: I'

