# Test Run Report — Run #310

Environment: Production • Website: aepc2.p2agentx.com • Trigger: Manual • Started: Nov 1, 2026 20:50 • Ended: Nov 1, 2026 23:41

Generated: 11/1/2026, 11:56:35 PM

## Summary

| 220 | 87.3% | 192 / 28 | 0 |
|---|---|---|---|
| Total Tests | Pass Rate (excl. skipped) | Passed / Failed | Skipped (connection) |

## Plant-wise Summary

10 plants

Pass rate is based on completed tests only: passed, failed, and errors. Skipped tests are excluded.

| Plant | Environment | Total | Passed | Failed | Errors | Skipped | Pass r |
|---|---|---|---|---|---|---|---|
| Abdali_Mall_Barza | Production | 22 | 19 | 3 | 0 | 0 | 86. |
| Abdali_Mall_Lahoun | Production | 22 | 19 | 3 | 0 | 0 | 86. |
| Abdali_Mall_Netmetering | Production | 22 | 20 | 2 | 0 | 0 | 90. |
| BF_Wheeling | Production | 22 | 19 | 3 | 0 | 0 | 86. |
| Galleria_Mall | Production | 22 | 18 | 4 | 0 | 0 | 81. |
| GID | Production | 22 | 19 | 3 | 0 | 0 | 86. |
| KUPCO_HQ_DAJEEJ | Production | 22 | 20 | 2 | 0 | 0 | 90. |
| MOF | Production | 22 | 19 | 3 | 0 | 0 | 86. |
| Noor_Al_aqaba | Production | 22 | 20 | 2 | 0 | 0 | 90. |
| SAK_1 | Production | 22 | 19 | 3 | 0 | 0 | 86. |

## Failures (28)

| Failure Cluster | Category | Failures |
|---|---|---|
| LLM Reasoning Issues | Llm Reasoning | 19 |
| Tool Execution Failures | Tool Execution | 8 |
| Data Availability Issues | Data Availability | 1 |

### LLM Reasoning Issues LLM REASONING (19 failures)

## 1. Noor_Al_aqaba

Production • 26.1s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 15 inverters because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS resolution

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
for all 15 inverters because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS
resolution failure).\n\nSo I cannot determine from that tool whether there was clipping loss in July 2026.\n
\nStatus: Failed\nCause: external request/API connectivity failure, not a confirmed plant result.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 15 inverters
because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS resolution failur
e).\n\nSo I cannot determine from that tool whether there was clipping loss in July 2026.\n\nStatus: Failed
\nCause: external request/API connectivity failure, not a confirmed plant result."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
endpoint could not be reached (`ipv-api.ndtensor.ai` DNS resolution failure).
So I cannot determine from that tool whether there was clipping loss in July 2026.
Status: Failed
Cause: external request/API connectivity failure, not a confirmed plant result.
11:52 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 11s, token: 0 tokens
connected to Noor Al Aqaba
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 2. Noor_Al_aqaba

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 12:02 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Cha

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:


```
{
  "error": "An unexpected error occurred. Please try again later."
}
```


**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 3. MOF

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 12:18 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are poss

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 4. KUPCO_HQ_DAJEEJ

Production • 24.5s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all three inverters because the external clipping analytics API could not be reached (DNS/name resolution failure fo

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
for all three inverters because the external clipping analytics API could not be reached (DNS/name resolutio
n failure for `ipv-api.ndtensor.ai`).\n\nSo I cannot determine from that tool whether there was any clipping
loss in July 2026.\n\nResult from the requested tool:\n- inverter1: no result returned due to API request fa
ilure\n- inverter2: no result returned due to API request failure\n- inverter3: no result returned due to AP
I request failure\n- Overall status: Failed",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all three invert
ers because the external clipping analytics API could not be reached (DNS/name resolution failure for `ipv-a
pi.ndtensor.ai`).\n\nSo I cannot determine from that tool whether there was any clipping loss in July 202
6.\n\nResult from the requested tool:\n- inverter1: no result returned due to API request failure\n- inverte
r2: no result returned due to API request failure\n- inverter3: no result returned due to API request failur
e\n- Overall status: Failed"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Result from the requested tool:
- inverter1: no result returned due to API request failure
- inverter2: no result returned due to API request failure
- inverter3: no result returned due to API request failure
- Overall status: Failed
12:27 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Kupco Hq Dajeej
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 5. KUPCO_HQ_DAJEEJ

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 12:35 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2C

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 6. Galleria_Mall

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Error reason:** AI indicated failure (matched 'i cannot'): I checked the last 7 days (2026-10-26 to 2026-11-01) using daily inverter-level energy aggregation, which is the highest available production view for this site. Result: no actual energy production

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Was there any 0 production days in the last 7 days?",
    "displayed_response": "I checked the last 7 days (2026-10-26 to 2026-11-01) using daily inverter-level
energy aggregation, which is the highest available production view for this site.\n\nResult: no actual energ
y production data was returned for that period — the dataset was empty for the requested dates.\n\nBecause o
f that, I cannot determine whether any of those days had zero production versus simply missing data.",
    "coding_response": [
      "I checked the last 7 days (2026-10-26 to 2026-11-01) using daily inverter-level energy aggregation,
which is the highest available production view for this site.\n\nResult: no actual energy production data wa
s returned for that period — the dataset was empty for the requested dates.\n\nBecause of that, I cannot det
ermine whether any of those days had zero production versus simply missing data."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.total_energy_func_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from October 26, 2026, to November 1, 2026, incl
uding both start and end dates.  \n2. I find all columns related to inverter power, making sure to leave out
any columns for reactive power or flags.  \n3. I clean each inverter's power data by removing or marking any
invalid measurements.  \n4. For each inverter, I calculate the energy by multiplying the power values by the
time interval (0.0833 hours), and convert units if needed (for example, dividing by 1000 if the data is in W
atts).  \n5. I make sure to include every day in the selected date range for each inverter.  \n6. I sum up t
he energy values for each inverter, grouping them by the chosen time period (such as daily, monthly, or year
ly).  \n7. I provide the energy totals for each inverter for every aggregation period.  \n8. I organize the
results into a DataFrame, with inverters as columns and the aggregation periods as rows.  \n9. I return the
results as a dictionary, either broken down by aggregation period or as a single total, depending on the set
tings."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
I checked the last 7 days (2026-10-26 to 2026-11-01) using daily inverter-level energy aggregation, which is the highest available production view for this site.
Result: no actual energy production data was returned for that period — the dataset was empty for the requested dates.
Because of that, I cannot determine whether any of those days had zero production versus simply missing data.
12:45 AM
Are you satisfied with the answer?
Time taken: 10s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 7. Galleria_Mall

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 12:51 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Cha

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:


```
{
  "error": "An unexpected error occurred. Please try again later."
}
```


**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 8. GID

Production • 26.1s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping-loss values because the external analytics API failed for all 9 inverters in all date chunks due to DNS

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping-loss values because the external analytics API failed for all 9 inverters in all date chunks due to DNS/name-resolution errors.\n\nSo for July 2026, I cannot determine whether there was clipping loss from that tool run.\n\nStatus: Failed\n\nAffected inverters:\n- inverter1: request failed\n- inverter2: request failed\n- inverter3: request failed\n- inverter4: request failed\n- inverter5: request failed\n- inverter6: request failed\n- inverter7: request failed\n- inverter8: request failed\n- inverter9: request failed",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping-loss values because the external analytics API failed for all 9 inverters in all date chunks due to DNS/name-resolution errors.\n\nSo for July 2026, I cannot determine whether there was clipping loss from that tool run.\n\nStatus: Failed\n\nAffected inverters:\n- inverter1: request failed\n- inverter2: request failed\n- inverter3: request failed\n- inverter4: request failed\n- inverter5: request failed\n- inverter6: request failed\n- inverter7: request failed\n- inverter8: request failed\n- inverter9: request failed"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter4: request failed
- inverter5: request failed
- inverter6: request failed
- inverter7: request failed
- inverter8: request failed
- inverter9: request failed
01:00 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 11s, token: 0 tokens
connected to Mathkor Gid
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 9. GID

Production • 18.6s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 01:10 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 10. Abdali_Mall_Netmetering

Production • 24.6s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics endpoint failed for all 15 inverters in every July chunk due to a

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics endpoint failed for all 15 inverters in every July chunk due to a DNS/network resolution error (`ipv-api.ndtensor.ai` could not be resolved).\n\nSo I cannot determine from this tool run whether there was clipping loss in July 2026.\n\nResult from the requested tool:\n- Status: Failed\n- Coverage attempted: all 15 inverters, all July 2026 chunks\n- Outcome: no clipping-loss kWh values were produced",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics endpoint failed for all 15 inverters in every July chunk due to a DNS/network resolution error (`ipv-api.ndtensor.ai` could not be resolved).\n\nSo I cannot determine from this tool run whether there was clipping loss in July 2026.\n\nResult from the requested tool:\n- Status: Failed\n- Coverage attempted: all 15 inverters, all July 2026 chunks\n- Outcome: no clipping-loss kWh values were produced"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
whether there was clipping loss in July 2026.
Result from the requested tool:
- Status: Failed
- Coverage attempted: all 15 inverters, all July 2026 chunks
- Outcome: no clipping-loss kWh values were produced
01:18 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Abdali Mall Netmetering
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 11. Abdali_Mall_Netmetering

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 01:28 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistake

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:


```
{
  "error": "An unexpected error occurred. Please try again later."
}
```


**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 12. BF_Wheeling

Production • 24.6s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 6 inverters because the external analytics API endpoint could not be resolved. So I cannot determine from tha

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
for all 6 inverters because the external analytics API endpoint could not be resolved.\n\nSo I cannot determ
ine from that tool whether there was clipping loss in July 2026.\n\nResult from the requested tool:\n- inver
ter1: Failed\n- inverter2: Failed\n- inverter3: Failed\n- inverter4: Failed\n- inverter5: Failed\n- inverter
6: Failed\n\nCause:\n- Network/API resolution error to `ipv-api.ndtensor.ai`\n\nTherefore, the clipping-loss
result for July 2026 is unavailable from `clipping_loss_via_requests` at this time.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 6 inverters
because the external analytics API endpoint could not be resolved.\n\nSo I cannot determine from that tool w
hether there was clipping loss in July 2026.\n\nResult from the requested tool:\n- inverter1: Failed\n- inve
rter2: Failed\n- inverter3: Failed\n- inverter4: Failed\n- inverter5: Failed\n- inverter6: Failed\n\nCaus
e:\n- Network/API resolution error to `ipv-api.ndtensor.ai`\n\nTherefore, the clipping-loss result for July
2026 is unavailable from `clipping_loss_via_requests` at this time."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter6: Failed
Cause:
- Network/API resolution error to `ipv-api.ndtensor.ai`
Therefore, the clipping-loss result for July 2026 is unavailable from `clipping_loss_via_requests` at this time.
01:36 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Bf Wheeling
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 13. BF_Wheeling

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 01:45 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 14. Abdali_Mall_Lahoun

Production • 23.0s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all six inverters because the external analytics API host could not be resolved. So I cannot determine from this

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
for all six inverters because the external analytics API host could not be resolved.\n\nSo I cannot determin
e from this tool whether there was any clipping loss in July 2026.\n\nResult from the requested tool:\n- Sta
tus: Failed\n- Inverters affected: inverter1, inverter2, inverter3, inverter4, inverter5, inverter6\n- Failu
re type: network/DNS resolution error contacting `ipv-api.ndtensor.ai`\n\nBecause the requested calculation
did not complete, there is no valid clipping-loss value to report for July 2026.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all six inverter
s because the external analytics API host could not be resolved.\n\nSo I cannot determine from this tool whe
ther there was any clipping loss in July 2026.\n\nResult from the requested tool:\n- Status: Failed\n- Inver
ters affected: inverter1, inverter2, inverter3, inverter4, inverter5, inverter6\n- Failure type: network/DNS
resolution error contacting `ipv-api.ndtensor.ai`\n\nBecause the requested calculation did not complete, the
re is no valid clipping-loss value to report for July 2026."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Status: Failed
- Inverters affected: inverter1, inverter2, inverter3, inverter4, inverter5, inverter6
- Failure type: network/DNS resolution error contacting `ipv-api.ndtensor.ai`
Because the requested calculation did not complete, there is no valid clipping-loss value to report for July 2026.
01:53 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Abdali Mall Lahoun
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 15. Abdali_Mall_Lahoun

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 02:01 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 16. Abdali_Mall_Barza

Production • 24.5s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics API failed for all six inverters in every chunk due to a DNS/netw

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics API failed for all six inverters in every chunk due to a DNS/network resolution error.\n\nSo I cannot determine from that tool whether there was clipping loss in July 2026.\n\nStatus: Failed\n\nAffected inverters:\n- inverter1: request failed in all 4 chunks\n- inverter2: request failed in all 4 chunks\n- inverter3: request failed in all 4 chunks\n- inverter4: request failed in all 4 chunks\n- inverter5: request failed in all 4 chunks\n- inverter6: request failed in all 4 chunks",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it did not return clipping values because the external analytics API failed for all six inverters in every chunk due to a DNS/network resolution error.\n\nSo I cannot determine from that tool whether there was clipping loss in July 2026.\n\nStatus: Failed\n\nAffected inverters:\n- inverter1: request failed in all 4 chunks\n- inverter2: request failed in all 4 chunks\n- inverter3: request failed in all 4 chunks\n- inverter4: request failed in all 4 chunks\n- inverter5: request failed in all 4 chunks\n- inverter6: request failed in all 4 chunks"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter1: request failed in all 4 chunks
- inverter2: request failed in all 4 chunks
- inverter3: request failed in all 4 chunks
- inverter4: request failed in all 4 chunks
- inverter5: request failed in all 4 chunks
- inverter6: request failed in all 4 chunks
02:09 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 17. Abdali_Mall_Barza

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 02:18 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:


```
{
  "error": "An unexpected error occurred. Please try again later."
}
```


**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)



## 18. SAK_1

Production • 24.5s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 8 inverters because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS/name resolut

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
for all 8 inverters because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS/
name resolution failure).\n\nSo I cannot determine from that tool whether there was any clipping loss in Jul
y 2026.\n\nResult from the requested tool: Failed\nCause: external request failure for all chunks and all in
verter power columns.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed for all 8 inverters
because the external analytics endpoint could not be reached (`ipv-api.ndtensor.ai` DNS/name resolution fail
ure).\n\nSo I cannot determine from that tool whether there was any clipping loss in July 2026.\n\nResult fr
om the requested tool: Failed\nCause: external request failure for all chunks and all inverter power column
s."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
endpoint could not be reached (` ipv-api.ndtensor.ai ` DNS/name resolution failure).
So I cannot determine from that tool whether there was any clipping loss in July 2026.
Result from the requested tool: Failed
Cause: external request failure for all chunks and all inverter power columns.
02:25 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 9s, token: 0 tokens
connected to Sak 1
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 19. SAK_1

Production • 18.5s

**Question:** Based on pvsyst report, what is the rated power of this plant and array configuration

**Error reason:** AI indicated failure (matched 'an error'): Sorry, there was an error processing your request. 02:34 AM Do you want to report this error? YES NO Time taken: s, token: tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are po

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 500`

Raw API response:

```
{
  "error": "An unexpected error occurred. Please try again later."
}
```

**Console errors:** Failed to load resource: the server responded with a status of 500 (Internal Server Error)




## Tool Execution Failures TOOL EXECUTION (8 failures)

## 1. MOF

Production • 23.0s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i can't'): I could not determine July 2026 clipping loss using `clipping_loss_via_requests` because the tool failed internally with a missing column error: `wind_speed_1` not found. Result from the requested

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I could not determine July 2026 clipping loss using `clipping_loss_via_requests`
because the tool failed internally with a missing column error: `wind_speed_1` not found.\n\nResult from the
requested tool:\n- Status: Failed\n- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\n
So I can’t confirm whether there was clipping loss for July 2026 from that tool run.",
    "coding_response": [
      "I could not determine July 2026 clipping loss using `clipping_loss_via_requests` because the tool fa
iled internally with a missing column error: `wind_speed_1` not found.\n\nResult from the requested tool:\n-
Status: Failed\n- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\nSo I can’t confirm
whether there was clipping loss for July 2026 from that tool run."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Result from the requested tool:
- Status: Failed
- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`
So I can't confirm whether there was clipping loss for July 2026 from that tool run.
12:10 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 7s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 2. MOF

Production • 32.2s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-11-01), the plant showed moderate performance, with a clear limitation: the dataset is incomplete, so the assessment should be treated as provisional. - Total energy: 1,177.78 kWh

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant showed moderate performance, with a clear limi
tation: the dataset is incomplete, so the assessment should be treated as provisional.\n\n- Total energy: 1,
177.78 kWh\n- Specific yield: 2.404 kWh/kWp\n- Reference yield: 2.437 kWh/kWp\n- Performance ratio (PR): 0.8
202\n\nInterpretation:\n- A PR of 0.82 indicates the plant converted available irradiance into energy reason
ably well overall.\n- Since specific yield (2.404) was very close to reference yield (2.437), the day's loss
es relative to irradiance were limited.\n- Hourly power profile looks normal for a daytime production curve,
peaking around 12:00 at about 221.6 kW average active power for that hour.\n- Irradiance peaked around midda
y as well, with pyranometer readings around 468–477 W/m² during the strongest production hours.\n\nImportant
data-quality note:\n- Energy/yield data starts at 05:45 and ends at 17:30.\n- PR data only spans 06:00 to 1
4:00.\n- Because the requested full day is not completely covered, the reported metrics may slightly underst
ate or distort full-day performance.\n- Plant availability could not be calculated because the availability
tool failed on this request.\n\nPer-inverter energy yesterday:\n- inverter1: 170.594 kWh\n- inverter2: 158.4
20 kWh\n- inverter3: 119.214 kWh\n- inverter4: 148.838 kWh\n- inverter5: 136.087 kWh\n- inverter6: 122.308 k
Wh\n- inverter7: 159.770 kWh\n- inverter8: 162.547 kWh\n\nOperational assessment:\n- The plant appears to ha
ve operated in a broadly normal way during the available daylight window.\n- Inverter production is uneven,
with inverter1/inverter8/inverter7 highest and inverter3/inverter6 lowest, which may warrant follow-up if th
at spread is unusual for this site.\n- No direct evidence here of a plant-wide outage during production hour
s, but the incomplete data coverage prevents a fully definitive conclusion.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant showed moderate performance, with a clear limitation: the dataset
is incomplete, so the assessment should be treated as provisional.\n\n- Total energy: 1,177.78 kWh\n- Specif
ic yield: 2.404 kWh/kWp\n- Reference yield: 2.437 kWh/kWp\n- Performance ratio (PR): 0.8202\n\nInterpretatio
n:\n- A PR of 0.82 indicates the plant converted available irradiance into energy reasonably well overall.\n
- Since specific yield (2.404) was very close to reference yield (2.437), the day's losses relative to irrad
iance were limited.\n- Hourly power profile looks normal for a daytime production curve, peaking around 12:0
0 at about 221.6 kW average active power for that hour.\n- Irradiance peaked around midday as well, with pyr
anometer readings around 468–477 W/m² during the strongest production hours.\n\nImportant data-quality not
e:\n- Energy/yield data starts at 05:45 and ends at 17:30.\n- PR data only spans 06:00 to 14:00.\n- Because
the requested full day is not completely covered, the reported metrics may slightly understate or distort fu
ll-day performance.\n- Plant availability could not be calculated because the availability tool failed on th
is request.\n\nPer-inverter energy yesterday:\n- inverter1: 170.594 kWh\n- inverter2: 158.420 kWh\n- inverte
r3: 119.214 kWh\n- inverter4: 148.838 kWh\n- inverter5: 136.087 kWh\n- inverter6: 122.308 kWh\n- inverter7:
159.770 kWh\n- inverter8: 162.547 kWh\n\nOperational assessment:\n- The plant appears to have operated in a
broadly normal way during the available daylight window.\n- Inverter production is uneven, with inverter1/in
verter8/inverter7 highest and inverter3/inverter6 lowest, which may warrant follow-up if that spread is unus
ual for this site.\n- No direct evidence here of a plant-wide outage during production hours, but the incomp
lete data coverage prevents a fully definitive conclusion."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Operational assessment:
- The plant appears to have operated in a broadly normal way during the available daylight window.
- Inverter production is uneven, with inverter1/inverter8/inverter7 highest and inverter3/inverter6 lowest, which may warrant follow-up if that spread is unusual for this site.
- No direct evidence here of a plant-wide outage during production hours, but the incomplete data coverage prevents a fully definitive conclusion.
12:17 AM
Are you satisfied with the answer?
Time taken: 18s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 3. Galleria_Mall

Production • 23.0s

**Question:** Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

**Error reason:** AI indicated failure (matched 'i cannot'): I used the requested `clipping_loss_via_requests` method for 2026-07-01 to 2026-07-31, but it failed and did not return a clipping-loss value. Result: - Status: Failed - Error: `COLUMN_NOT_FOUN

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026",
    "displayed_response": "I used the requested `clipping_loss_via_requests` method for 2026-07-01 to 2026-07-31, but it failed and did not return a clipping-loss value.\n\nResult:\n- Status: Failed\n- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\nSo I cannot determine from this method whether there was any clipping loss in July 2026, because the calculation itself could not run on the available dataset.",
    "coding_response": [
      "I used the requested `clipping_loss_via_requests` method for 2026-07-01 to 2026-07-31, but it failed and did not return a clipping-loss value.\n\nResult:\n- Status: Failed\n- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\nSo I cannot determine from this method whether there was any clipping loss in July 2026, because the calculation itself could not run on the available dataset."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Result:
- Status: Failed
- Error: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`
So I cannot determine from this method whether there was any clipping loss in July 2026, because the calculation itself could not run on the available dataset.
12:43 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 7s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 4. GID

Production • 32.2s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-11-01), the plant showed moderate energy production but poor performance efficiency. - Total energy: 15,982.58 kWh - Specific yield: 4.39 kWh/kWp - Performance ratio (PR): 0.124

### TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant showed moderate energy production but poor per
formance efficiency.\n\n- Total energy: 15,982.58 kWh\n- Specific yield: 4.39 kWh/kWp\n- Performance ratio
(PR): 0.124\n\nOperationally, the plant followed a normal solar production profile:\n- Generation started ar
ound 06:00\n- Strong ramp-up from 07:00 onward\n- Peak hourly average plant power occurred around 11:00 at
2.26 MW\n- Production tapered off after 16:00 and was near zero by 19:00\n\nIrradiance also looked physicall
y consistent for the day:\n- Morning irradiance rose from ~33 W/m² at 07:00\n- Midday irradiance peaked arou
nd 645–646 W/m² at 12:00–13:00\n- Declined through the afternoon\n\nInterpretation:\n- The plant was clearly
operating and tracking daylight as expected.\n- However, the PR of 0.124 is very low for a normally performi
ng PV plant, indicating substantial underperformance relative to available irradiance.\n- Also, the PR calcu
lation reported that the dataset starts at 04:50 rather than exactly at 00:00, but this missing pre-dawn por
tion should not materially affect daytime interpretation.\n\nAvailability could not be computed because the
availability tool failed internally for this request.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant showed moderate energy production but poor performance efficienc
y.\n\n- Total energy: 15,982.58 kWh\n- Specific yield: 4.39 kWh/kWp\n- Performance ratio (PR): 0.124\n\nOper
ationally, the plant followed a normal solar production profile:\n- Generation started around 06:00\n- Stron
g ramp-up from 07:00 onward\n- Peak hourly average plant power occurred around 11:00 at 2.26 MW\n- Productio
n tapered off after 16:00 and was near zero by 19:00\n\nIrradiance also looked physically consistent for the
day:\n- Morning irradiance rose from ~33 W/m² at 07:00\n- Midday irradiance peaked around 645–646 W/m² at 1
2:00–13:00\n- Declined through the afternoon\n\nInterpretation:\n- The plant was clearly operating and track
ing daylight as expected.\n- However, the PR of 0.124 is very low for a normally performing PV plant, indica
ting substantial underperformance relative to available irradiance.\n- Also, the PR calculation reported tha
t the dataset starts at 04:50 rather than exactly at 00:00, but this missing pre-dawn portion should not mat
erially affect daytime interpretation.\n\nAvailability could not be computed because the availability tool f
ailed internally for this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from November 1, 2026, including that day.\n2. I group the data by day.\n3.
I make sure every day in the range is included.\n4. I add up the total energy produced during this period, u
sing the plant's power readings and a time step of 0.0833 hours.\n5. I divide the total energy by the plan
t's rated capacity to get the specific yield in kWh per kWp.\n6. I provide the specific yield for each day a
s a detailed breakdown.\n\n1. I select data from November 1, 2026, including that day.\n2. I pick out the co
lumns for power, irradiance, and temperature.\n3. I clean the data by removing or marking any invalid power
or irradiance values.\n4. I calculate the actual energy produced by multiplying power by the time interval
(0.0833 hours) and adjusting the units.\n5. I also calculate the expected energy, without adjusting for temp
erature.\n6. If the system is bifacial, I apply extra corrections based on factors like ground reflectivity,
area, and shading losses.\n7. I group both actual and expected energy by day.\n8. I calculate the performanc
e ratio for each day, including bifacial corrections if needed.\n9. I return the average performance ratio f
or the period.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n1. I select data fro
m November 1, 202
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
daylight as expected.
- However, the PR of 0.124 is very low for a normally performing PV plant, indicating substantial underperformance relative to available irradiance.
- Also, the PR calculation reported that the dataset starts at 04:50 rather than exactly at 00:00, but this missing pre-dawn portion should not materially affect daytime interpretation.
Availability could not be computed because the availability tool failed internally for this request.
01:09 AM
Are you satisfied with the answer?
Time taken: 17s, token: 0 tokens
connected to Mathkor Gid
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 5. BF_Wheeling

Production • 32.2s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-11-01), the plant performed reasonably well overall, with solid production but only moderate conversion efficiency. - Total energy produced: 1,778.95 kWh - Specific yield: 4.90 kW

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant performed reasonably well overall, with solid production but only moderate conversion efficiency.\n\n- Total energy produced: 1,778.95 kWh\n- Specific yield: 4.90 kWh/kWp\n- Performance ratio (PR): 0.664\n\nUsing the plant DC size of 363.4 kWdc, the specific yield is consistent with the reported energy.\n\nOperationally, the hourly pattern looked normal:\n- Production began around 07:00\n- Peak hourly average power occurred around 12:00 at 263.1 kW\n- Output tapered off after 17:00\n- Irradiance peaked around 12:00 at about 904 W/m² POA\n\nThis indicates the plant tracked the solar resource in a normal bell-shaped profile, with no obvious daytime collapse in plant-level output.\n\nInterpretation:\n- The energy yield was decent for the day.\n- The PR of 66.4% is on the low-to-moderate side, suggesting noticeable system losses relative to available irradiance.\n- I could not provide contractual/technical availability because the availability tool failed on this dataset rather than returning a value.\n\nIn short: yesterday was a normal operating day with 1.78 MWh generated, but performance efficiency was somewhat below ideal based on the PR.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant performed reasonably well overall, with solid production but only moderate conversion efficiency.\n\n- Total energy produced: 1,778.95 kWh\n- Specific yield: 4.90 kWh/kWp\n- Performance ratio (PR): 0.664\n\nUsing the plant DC size of 363.4 kWdc, the specific yield is consistent with the reported energy.\n\nOperationally, the hourly pattern looked normal:\n- Production began around 07:00\n- Peak hourly average power occurred around 12:00 at 263.1 kW\n- Output tapered off after 17:00\n- Irradiance peaked around 12:00 at about 904 W/m² POA\n\nThis indicates the plant tracked the solar resource in a normal bell-shaped profile, with no obvious daytime collapse in plant-level output.\n\nInterpretation:\n- The energy yield was decent for the day.\n- The PR of 66.4% is on the low-to-moderate side, suggesting noticeable system losses relative to available irradiance.\n- I could not provide contractual/technical availability because the availability tool failed on this dataset rather than returning a value.\n\nIn short: yesterday was a normal operating day with 1.78 MWh generated, but performance efficiency was somewhat below ideal based on the PR."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.query_plant_details_ag"
    ],
    "urls": [],
    "steps": "1. Choose data from November 1, 2026 (including that day).\n2. Use the \"active_power\" column for calculations.\n3. Clean the data by removing or marking any invalid values in the power column.\n4. For each data point, calculate energy by multiplying power by 0.0833 hours, then divide by the correct unit (like 1000 to convert Watts to kilowatts).\n5. Make sure all days in the range are included.\n6. Add up all the energy values for the selected period to get the total energy.\n\n---\n\n1. I select data from November 1, 2026 (including that day).\n2. I find the columns for power, irradiance, and temperature.\n3. I clean the data by removing or flagging invalid values in the power and irradiance columns.\n4. I calculate the actual energy produced by multiplying power by the time interval (0.0833 hours) and adjusting for units.\n5. I calculate the expected energy without considering temperature effects.\n6. If the system is bifacial, I apply extra corrections based on metadata like ground reflectivity, area, and shading losses.\n7. I group the actual and expected energy by day.\n8. I calculate the performance ratio for each day, applying bifacial corrections if needed.\n9. I return the average performance ratio for all days.\n10. I cap the performance ratio at 1.3 to avoid unreal
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Interpretation:
- The energy yield was decent for the day.
- The PR of 66.4% is on the low-to-moderate side, suggesting noticeable system losses relative to available irradiance.
- I could not provide contractual/technical availability because the availability tool failed on this dataset rather than returning a value.
In short: yesterday was a normal operating day with 1.78 MWh generated, but performance efficiency was somewhat below ideal based on the PR.
01:43 AM
Are you satisfied with the answer?
Time taken: 17s, token: 0 tokens
connected to Bf Wheeling
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 6. Abdali_Mall_Lahoun

Production • 30.7s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'tool failed'): Yesterday (2026-11-01), the plant performed well overall based on the available operational data. - Energy produced: 3,827.70 kWh - Specific yield: 4.87 kWh/kWp - Performance ratio (PR): 0.8913

TECHNICAL EVIDENCE

**API call:** `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant performed well overall based on the available
operational data.\n\n- Energy produced: 3,827.70 kWh\n- Specific yield: 4.87 kWh/kWp\n- Performance ratio (P
R): 0.8913\n- Reference yield: 4.20 kWh/kWp\n\nInterpretation:\n- A PR of 89.13% indicates strong conversion
of available solar resource into delivered energy.\n- The specific yield of 4.87 kWh/kWp is solid for a sing
le day.\n- The reference yield was 4.20 kWh/kWp, consistent with a decent irradiance day.\n\nOperational pro
file:\n- Production started around 06:00.\n- Generation ramped up strongly through the morning.\n- Peak aver
age hourly plant power occurred around 09:00 at 475.64 kW.\n- Midday power stayed broadly steady around 445-
458 kW from 11:00 to 15:00.\n- Production declined after 16:00 and was essentially zero after 18:00.\n- Peak
hourly average irradiance occurred around 12:00 at 649.10 W/m².\n\nData note:\n- The dataset for yesterday e
nds at 23:25 rather than 23:55, but since production was already zero by then, this should not materially af
fect the daily energy assessment.\n- Plant availability could not be computed because the availability tool
failed on this dataset.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant performed well overall based on the available operational data.\n
\n- Energy produced: 3,827.70 kWh\n- Specific yield: 4.87 kWh/kWp\n- Performance ratio (PR): 0.8913\n- Refer
ence yield: 4.20 kWh/kWp\n\nInterpretation:\n- A PR of 89.13% indicates strong conversion of available solar
resource into delivered energy.\n- The specific yield of 4.87 kWh/kWp is solid for a single day.\n- The refe
rence yield was 4.20 kWh/kWp, consistent with a decent irradiance day.\n\nOperational profile:\n- Production
started around 06:00.\n- Generation ramped up strongly through the morning.\n- Peak average hourly plant pow
er occurred around 09:00 at 475.64 kW.\n- Midday power stayed broadly steady around 445-458 kW from 11:00 to
15:00.\n- Production declined after 16:00 and was essentially zero after 18:00.\n- Peak hourly average irrad
iance occurred around 12:00 at 649.10 W/m².\n\nData note:\n- The dataset for yesterday ends at 23:25 rather
than 23:55, but since production was already zero by then, this should not materially affect the daily energ
y assessment.\n- Plant availability could not be computed because the availability tool failed on this datas
et."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.query_plant_details_ag",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I choose data from November 1, 2026, including that day.  \n2. I group the data by day (bu
t could also group by minute, hour, month, or year).  \n3. I make sure every day in the range is included.
\n4. I add up all the energy produced during this period, using the plant's power data and the time step of
0.0833 hours.  \n5. I divide the total energy by the plant's rated capacity to get the specific yield in kWh
per kWp.  \n6. I provide the specific yield for each time period as a detailed breakdown.\n\n---\n\n1. I get
your question about a specific plant detail, like \"power (kW DC)\".  \n2. I open the plant's metadata, whic
h has all the system info.  \n3. I look in the \"System\" section of the metadata for key plant details.  \n
4. I search for the \"power (kW DC)\" field in that section.\n\n---\n\n1. I pick data from November 1, 2026,
including that day.  \n2. I find the columns for power, irradiance, and temperature.  \n3. I clean the data
by removing or marking any bad values in the power and irradiance columns.  \n4. I calculate the actual ener
gy produced by multiplying power by the time step (0.0833 hours) and adjusting units.  \n5. I also calculate
the expected energy, without adjusting for temperature.  \n6. If the system is bifacial, I apply extra corre
ctions using metadata l
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Production declined after 16:00 and was essentially zero after 18:00.
- Peak hourly average irradiance occurred around 12:00 at 649.10 W/m².
Data note:
- The dataset for yesterday ends at 23:25 rather than 23:55, but since production was already zero by then, this should not materially affect the daily energy assessment.
- Plant availability could not be computed because the availability tool failed on this dataset.
01:59 AM
Are you satisfied with the answer?
Time taken: 16s, token: 0 tokens
connected to Abdali Mall Lahoun
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 7. Abdali_Mall_Barza

Production • 32.3s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'internal error'): Yesterday (2026-11-01), the plant showed solid daytime production, with one important caveat: the dataset is incomplete because available data starts at 05:45 and ends at 17:20. Key performance met

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant showed solid daytime production, with one impo
rtant caveat: the dataset is incomplete because available data starts at 05:45 and ends at 17:20.\n\nKey per
formance metrics:\n- Total energy: 1,786.76 kWh\n- Specific yield: 4.546 kWh/kWp\n- Performance ratio (PR):
0.773\n\nOperational interpretation:\n- The PR of 0.773 indicates reasonably good conversion of available so
lar resource into delivered energy.\n- Hourly plant power followed irradiance in a normal bell-shaped daytim
e profile, which suggests generally healthy operation.\n- Peak hourly average plant power occurred around 0
8:00 at 220.57 kW, while irradiance continued increasing and peaked around 11:00 at 728.02 W/m². Power then
stayed broadly flat near 205–211 kW through midday, which may indicate the plant was operating near its prac
tical limit or under normal midday operating constraints.\n- Production tapered off in the afternoon in line
with falling irradiance.\n\nHourly overview:\n- 05:00 — active power 0.26 kW, irradiance 0.17 W/m²\n- 06:00
— 33.10 kW, 84.67 W/m²\n- 07:00 — 166.51 kW, 285.11 W/m²\n- 08:00 — 220.57 kW, 469.43 W/m²\n- 09:00 — 216.31
kW, 610.83 W/m²\n- 10:00 — 205.04 kW, 693.01 W/m²\n- 11:00 — 205.83 kW, 728.02 W/m²\n- 12:00 — 210.59 kW, 69
7.85 W/m²\n- 13:00 — 211.36 kW, 580.92 W/m²\n- 14:00 — 202.34 kW, 417.62 W/m²\n- 15:00 — 102.20 kW, 202.67
W/m²\n- 16:00 — 12.85 kW, 38.85 W/m²\n- 17:00 — 0.00 kW, 0.00 W/m²\n\nLimitations:\n- Availability could not
be computed because the availability tool returned an internal error.\n- Performance index also could not be
computed because the tool returned an internal error.\n- Because the day is flagged as incomplete, these res
ults should be treated as operationally indicative rather than a fully validated end-of-day assessment.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant showed solid daytime production, with one important caveat: the da
taset is incomplete because available data starts at 05:45 and ends at 17:20.\n\nKey performance metrics:\n-
Total energy: 1,786.76 kWh\n- Specific yield: 4.546 kWh/kWp\n- Performance ratio (PR): 0.773\n\nOperational
interpretation:\n- The PR of 0.773 indicates reasonably good conversion of available solar resource into del
ivered energy.\n- Hourly plant power followed irradiance in a normal bell-shaped daytime profile, which sugg
ests generally healthy operation.\n- Peak hourly average plant power occurred around 08:00 at 220.57 kW, whi
le irradiance continued increasing and peaked around 11:00 at 728.02 W/m². Power then stayed broadly flat ne
ar 205–211 kW through midday, which may indicate the plant was operating near its practical limit or under n
ormal midday operating constraints.\n- Production tapered off in the afternoon in line with falling irradian
ce.\n\nHourly overview:\n- 05:00 — active power 0.26 kW, irradiance 0.17 W/m²\n- 06:00 — 33.10 kW, 84.67 W/m
²\n- 07:00 — 166.51 kW, 285.11 W/m²\n- 08:00 — 220.57 kW, 469.43 W/m²\n- 09:00 — 216.31 kW, 610.83 W/m²\n- 1
0:00 — 205.04 kW, 693.01 W/m²\n- 11:00 — 205.83 kW, 728.02 W/m²\n- 12:00 — 210.59 kW, 697.85 W/m²\n- 13:00 —
211.36 kW, 580.92 W/m²\n- 14:00 — 202.34 kW, 417.62 W/m²\n- 15:00 — 102.20 kW, 202.67 W/m²\n- 16:00 — 12.85
kW, 38.85 W/m²\n- 17:00 — 0.00 kW, 0.00 W/m²\n\nLimitations:\n- Availability could not be computed because t
he availability tool returned an internal error.\n- Performance index also could not be computed because the
tool returned an internal error.\n- Because the day is flagged as incomplete, these results should be treate
d as operationally indicative rather than a fully validated end-of-day assessment."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Choose data from November 1, 2026, including that day.\n2. Find all inverter power columns
and their DC rat
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- 17:00 — 0.00 kW, 0.00 W/m²
Limitations:
- Availability could not be computed because the availability tool returned an internal error.
- Performance index also could not be computed because the tool returned an internal error.
- Because the day is flagged as incomplete, these results should be treated as operationally indicative rather than a fully validated end-of-day assessment.
02:16 AM
Are you satisfied with the answer?
Time taken: 17s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## 8. SAK_1

Production • 30.8s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'failed internally'): Yesterday (2026-11-01), the plant performed reasonably well, with a few important caveats about data completeness. - Total energy: 5,426.56 kWh - Specific yield: 5.19 kWh/kWp - Performance rati

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-11-01), the plant performed reasonably well, with a few importan
t caveats about data completeness.\n\n- Total energy: 5,426.56 kWh\n- Specific yield: 5.19 kWh/kWp\n- Perfor
mance ratio (PR): 0.703\n\nOperationally, the plant followed a normal solar production shape:\n- Generation
began around 07:00\n- Output peaked in the afternoon, with the highest hourly average active power at 14:00:
746.79 kW\n- Production tapered off by about 18:00\n\nIrradiance also looked consistent with this profile:\n
- Peak hourly average POA irradiance (pyranometer_1) was at 12:00: 730.0 W/m²\n- Strong irradiance persisted
from roughly 08:00 to 15:00\n\nImportant note on confidence:\n- The PR calculation reported incomplete cover
age: data starts at 2026-11-01 07:00:00 and ends at 2026-11-01 16:05:00 for that analysis window.\n- Because
of that, the PR should be treated as indicative rather than fully definitive.\n\nWhat this suggests:\n- The
plant delivered solid daily energy and yield.\n- A PR of 70.3% is moderate; not necessarily poor, but below
what might be expected from a very clean, fully healthy plant on a strong day.\n- Since the dataset for perf
ormance analysis is incomplete, I would avoid concluding underperformance from PR alone.\n\nAvailability and
performance index could not be computed because the corresponding tool calls failed internally, so I am not
reporting them.",
    "coding_response": [
      "Yesterday (2026-11-01), the plant performed reasonably well, with a few important caveats about data
completeness.\n\n- Total energy: 5,426.56 kWh\n- Specific yield: 5.19 kWh/kWp\n- Performance ratio (PR): 0.7
03\n\nOperationally, the plant followed a normal solar production shape:\n- Generation began around 07:00\n-
Output peaked in the afternoon, with the highest hourly average active power at 14:00: 746.79 kW\n- Producti
on tapered off by about 18:00\n\nIrradiance also looked consistent with this profile:\n- Peak hourly average
POA irradiance (pyranometer_1) was at 12:00: 730.0 W/m²\n- Strong irradiance persisted from roughly 08:00 to
15:00\n\nImportant note on confidence:\n- The PR calculation reported incomplete coverage: data starts at 20
26-11-01 07:00:00 and ends at 2026-11-01 16:05:00 for that analysis window.\n- Because of that, the PR shoul
d be treated as indicative rather than fully definitive.\n\nWhat this suggests:\n- The plant delivered solid
daily energy and yield.\n- A PR of 70.3% is moderate; not necessarily poor, but below what might be expected
from a very clean, fully healthy plant on a strong day.\n- Since the dataset for performance analysis is inc
omplete, I would avoid concluding underperformance from PR alone.\n\nAvailability and performance index coul
d not be computed because the corresponding tool calls failed internally, so I am not reporting them."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Choose data from November 1, 2026, including that day.\n2. Use the \"active_power\" column
for calculations.\n3. Remove or flag any invalid values in the power data.\n4. For each data point, calculat
e energy by multiplying the power by 0.0833 hours (5 minutes), then convert units if needed (e.g., from Watt
s to kilowatts).\n5. Make sure all days in the selected range are included.\n6. Add up all the energy values
for the total energy during this period.\n\n---\n\n1. Choose data from November 1, 2026, including that da
y.\n2. Group the data by day (or by minute, hour, month, or year as needed).\n3. Make sure all days are incl
uded in the calculation.\n4. Calculate the total energy produced during the selected period using the plan
t's power data, adjusting for the 5-minute interval.\n5. Divide the total energy by the plant's rated capaci
ty to get the specific yield in kWh per kWp.\n6. Provide the specific yield for eac
```




## Data Availability Issues DATA AVAILABILITY (1 failure)

## 1. Galleria_Mall

Production • 33.7s

**Question:** How did my plant perform yesterday?

**Error reason:** AI indicated failure (matched 'i can't'): I can’t assess yesterday’s performance because there is no actual operational data available for 2026-11-01 in the database yet. What I checked for 2026-11-01: - Inverter energy: empty - Specif

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "I can’t assess yesterday’s performance because there is no actual operational da
ta available for 2026-11-01 in the database yet.\n\nWhat I checked for 2026-11-01:\n- Inverter energy: empty
\n- Specific yield: empty\n- Performance ratio: empty\n- Reference irradiance/yield basis: empty\n- Pyranome
ter data: empty\n- Availability: returned null across all 12 inverters\n\nInterpretation:\n- Since the curre
nt time is 2026-11-02 00:50, the prior day’s dataset appears not to have been ingested or finalized yet.\n-
With no actual irradiance or production records for yesterday, I can’t provide a valid operational performan
ce assessment or meaningful KPIs.\n\nStatus by inverter availability output:\n- inverter1_active_power: NaN
\n- inverter2_active_power: NaN\n- inverter3_active_power: NaN\n- inverter4_active_power: NaN\n- inverter5_a
ctive_power: NaN\n- inverter6_active_power: NaN\n- inverter7_active_power: NaN\n- inverter8_active_power: Na
N\n- inverter9_active_power: NaN\n- inverter10_active_power: NaN\n- inverter11_active_power: NaN\n- inverter
12_active_power: NaN\n\nIf you want the latest completed assessment, use 2026-10-31 instead of 2026-11-01.",
    "coding_response": [
      "I can’t assess yesterday’s performance because there is no actual operational data available for 202
6-11-01 in the database yet.\n\nWhat I checked for 2026-11-01:\n- Inverter energy: empty\n- Specific yield:
empty\n- Performance ratio: empty\n- Reference irradiance/yield basis: empty\n- Pyranometer data: empty\n- A
vailability: returned null across all 12 inverters\n\nInterpretation:\n- Since the current time is 2026-11-0
2 00:50, the prior day’s dataset appears not to have been ingested or finalized yet.\n- With no actual irrad
iance or production records for yesterday, I can’t provide a valid operational performance assessment or mea
ningful KPIs.\n\nStatus by inverter availability output:\n- inverter1_active_power: NaN\n- inverter2_active_
power: NaN\n- inverter3_active_power: NaN\n- inverter4_active_power: NaN\n- inverter5_active_power: NaN\n- i
nverter6_active_power: NaN\n- inverter7_active_power: NaN\n- inverter8_active_power: NaN\n- inverter9_active
_power: NaN\n- inverter10_active_power: NaN\n- inverter11_active_power: NaN\n- inverter12_active_power: NaN
\n\nIf you want the latest completed assessment, use 2026-10-31 instead of 2026-11-01."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": "1. I select data from 2026-11-01 to 2026-11-01, including the end date.\n2. I find all invert
er power columns and their DC rated powers using the plant metadata.\n3. I set calculation parameters like t
he irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5
minutes).\n4. For each inverter, I filter the data to times when irradiance is above the threshold, then cou
nt the total useful intervals (T_useful) and downtime intervals (T_down).\n5. I convert these interval count
s into hours based on the data interval.\n6. I calculate Technical Availability for each inverter using: (T_
useful - T_down) / T_useful × 100.\n7. I return a dictionary showing the availability percentage for each in
verter.\n\n1. I select data from 2026-11-01 to 2026-11-01, including the end date.\n2. I identify the releva
nt columns for power, irradiance, and temperature.\n3. I clean the data by removing or flagging invalid powe
r and irradiance values.\n4. I calculate the actual energy produced by multiplying power by the time interva
l (0.0833 hours) and adjusting units if needed.\n5. I calculate the expected energy without temperature corr
ection.\n6. If the system is bifacial, I apply extra corrections based on metadata like ground albedo, area
normalization, and shading losses.\n7. I group the actual and expected energy b
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter6_active_power: NaN
- inverter7_active_power: NaN
- inverter8_active_power: NaN
- inverter9_active_power: NaN
- inverter10_active_power: NaN
- inverter11_active_power: NaN
- inverter12_active_power: NaN
If you want the latest completed assessment, use 2026-10-31 instead of 2026-11-01.
12:50 AM
Are you satisfied with the answer?
Time taken: 18s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

## Passed (192)

## 1. Noor_Al_aqaba

Production • 29.3s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for COMMUNICATION_FAULT from the manufacturer manual: 1. Open the Huawei Enspire power system interface. 2. Check that the serial number (SN) list is correctly uploaded for all connected devices. Use this diagram for reference: 3. Verify the grid code settings for each device. The grid code must match your site's requirements. Locate the settings in the device list using this diagram: 4. For power meter connections (Modbus), inspect and configure: - COM port - Baud rate - Parity - Stop bit - Device address These should match the parameters highlighted in the deployment wizard. Make sure cables are securely attached to the correct terminals as identified for Modbus communication and all devices are properly added and running information is visible. - Reference diagram: Check each connection using the diagrams to confirm proper cabling and configuration. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.co

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 2. Noor_Al_aqaba

Production • 106.7s

**Question:** Please generate last months report

**Response:** I've generated the external report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_October_2026_external_report.pdf' Noor_Al_Aqaba Report 11:54 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 91s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 3. Noor_Al_aqaba

Production • 27.6s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there was no zero-production day in the last 7 days (2026-10-26 to 2026-11-01). Day-by-day measured energy production was positive every day across the reporting inverters. The only exception is inverter11, which is NaN on all 7 days, but the rest of the inverters produced substantial energy each day, so none of these days was a plant-wide zero-production day. Daily check: - 2026-10-26: positive production - 2026-10-27: positive production - 2026-10-28: positive production - 2026-10-29: positive production - 2026-10-30: positive production - 2026-10-31: positive production - 2026-11-01: positive production Note: inverter11_Energy_kWh = NaN for all 7 days. 11:55 PM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 4. Noor_Al_aqaba

Production • 21.5s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_December_2025_external_report.pdf' Noor_Al_Aqaba Report 11:55 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 5. Noor_Al_aqaba

Production • 36.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01 daytime data quality: - Daytime samples assessed: 128 - Data available through: 2026-11-01 23:00:00 Missing-data occurrences during daytime - POA (`pyranometer_1`): 0 - Power, any inverter missing at a timestamp: 128 - Power, all inverters missing at a timestamp: 0 Per-inverter daytime missing counts - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_active_power: 0 - inverter6_active_power: 0 - inverter7_active_power: 0 - inverter8_active_power: 0 - inverter9_active_power: 0 - inverter10_active_power: 0 - inverter11_active_power: 128 - inverter12_active_power: 0 - inverter13_active_power: 0 - inverter14_active_power: 0 - inverter15_active_power: 0 Mismatch counts against predictions - POA mismatches vs predicted/modelled POA (>20% relative deviation): 37 daytime occurrences - Power-vs-irradiance shape mismatches (>25% normalized deviation): 13 d

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 6. Noor_Al_aqaba

Production • 49.0s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 11:57 PM ★ Are you satisfied with the answer? Time taken: 34s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 7. Noor_Al_aqaba

Production • 37.6s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 11:58 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 8. Noor_Al_aqaba

Production • 30.7s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 11:59 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 9. Noor_Al_aqaba

Production • 55.1s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:00 AM ★ Are you satisfied with the answer? Time taken: 39s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 10. Noor_Al_aqaba

Production • 41.4s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-11-01), the plant delivered about 30.33 MWh based on summed inverter energy, which corresponds to an estimated plant specific yield of 5.63 kWh/kWp using 5,387 kW DC installed capacity. Key performance metrics: - Reference yield (irradiance-based): 6.00 kWh/kWp - Estimated fleet-average PR: ~0.75 - Data completeness note: PR/reference-yield outputs indicate the dataset ends slightly before midnight, so values are near-complete rather than perfectly full-day. Inverter performance summary: - Best energy: inverter14 = 2,088.09 kWh - Next highest: inverter13 = 2,076.76 kWh, inverter8 = 2,070.51 kWh, inverter9 = 2,069.62 kWh, inverter7 = 2,064.29 kWh - Lowest producing operating inverter: inverter12 = 1,844.40 kWh - inverter11 = 0.00 kWh with null PR / null specific yield, indicating a likely outage or no valid production data yesterday Per-inverter energy and PR: - inverter1: 2047.94 kWh, PR 0.7649 - inverter2: 2030.48 kWh, PR 0.7525 - inverter3

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.query_plant_details_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 11. Noor_Al_aqaba

Production • 36.9s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I checked the last 30 days of measured POA pyranometer data against modelled POA and looked for repeated low measured/modelled ratios at the same times of day. Conclusion: yes, the pyranometer pattern is consistent with recurring shading, mainly in the late afternoon, with a smaller morning effect. Strongest recurring dip times: - 17:15 → median measured/modelled ratio 0.620 - 17:20 → 0.624 - 17:10 → 0.677 - 17:05 → 0.745 - 17:00 → 0.771 - 16:55 → 0.773 - 16:50 → 0.835 - 16:45 → 0.843 - 16:35 → 0.844 - Morning secondary dips: - 07:40 → 0.728 - 07:35 → 0.773 - 07:45 → 0.804 Azimuth view supports this: - Worst bin: ~255° azimuth, median ratio 0.750 - Also weak at ~240° azimuth, median ratio 0.836 - Smaller morning weakness at ~90° azimuth, median ratio 0.858 Interpretation: - The repeated afternoon depression around 16:35–17:20 suggests west-side / late-day shading. - The smaller repeated dip around 07:35–07:45 suggests some east-side

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 12. Noor_Al_aqaba

Production • 33.8s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 12:03 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 13. Noor_Al_aqaba

Production • 26.2s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp when BOM data was available is 2026-11-01 22:55:00. At that timestamp, pyranometer_1 had a value of 0.0 W/m². Note: the dataset itself currently extends to 2026-11-01 23:00:00, so BOM data was present up to 5 minutes before the latest recorded timestamp. 12:04 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 14. Noor_Al_aqaba

Production • 32.3s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** I calculated the daily summed POA irradiance from `pyranometer_1` in Wh/m² over the requested last 12 months window. However, the dataset is incomplete for that full period: - Requested: 2025-11-02 to 2026-11-02 - Available POA data: 2026-05-09 10:45 to 2026-11-01 23:00 - Daily totals analyzed: 177 days Results from the available data only: - Median daily POA irradiance: 10028.25 Wh/m² - Mean daily POA irradiance: 9309.82 Wh/m² - Kurtosis of daily totals: 0.2635 Notes: - Daily totals were computed by converting 5-minute POA irradiance samples from W/m² to Wh/m² and summing by day. - Because the first requested ~6 months are missing, these statistics are not representative of the full last 12 months. 12:04 AM Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 15. Noor_Al_aqaba

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning logs recorded for Noor_Al_Aqaba in November 2026. 12:05 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 16. Noor_Al_aqaba

Production • 18.5s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) 12:05 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 17. Noor_Al_aqaba

Production • 29.2s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure for SUN2000-330KTL Inverter (according to manufacturer manual): 1. Wear proper personal protective equipment (PPE) before beginning shutdown. 2. If the inverter is functioning, issue a shutdown command through the app, SmartLogger, or management system. If already shut down due to a fault, continue. 3. Turn off the AC switch between the inverter and the grid. See this diagram for reference: 4. Use a clamp meter to measure DC current from each PV string input. If current is above 0.01 A, wait until it drops below 0.01 A (usually at night), then proceed. 5. Open the maintenance compartment, install support strut, and use a multimeter to confirm the AC side is powered off by measuring voltage between AC terminal block and ground. 6. Turn off all DC input switches on the inverter (ensure all are OFF; if any turn off automatically, continue). 7. Wait at least 15 minutes to allow internal capacitors to discharge before any maintenance. 8. In case of abnormal smells, smo

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 18. Noor_Al_aqaba

Production • 19.0s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 12:07 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 19. Noor_Al_aqaba

Production • 40.2s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:08 AM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 20. Noor_Al_aqaba

Production • 32.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 12:08 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.specific_yield_ag, functions.generate_graphs_via_code, functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 21. MOF

Production • 27.6s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** To troubleshoot the COMMUNICATION_FAULT on your inverters, follow these steps: 1. Verify Power Supply: - Check the power switch position on your inverter system. Refer to the diagram for the correct ON position: 2. Inspect Communication Connections: - Use the LCS tool and ensure your laptop (label 1 in the diagram) is properly connected to the connecting device (label 2), and check the paths leading to each inverter (labels 3, 4, 5, 6). Make sure all connections match the routing in the diagram: 3. Verify Inverter Detection: - Open the Local Commissioning & Service Tool and use the Commissioning Wizard. Each connected inverter's serial number and software version should display correctly—ensure every inverter appears in the list as shown here: 4. Check Inverter Status: - In the service tool, check that all inverters show as "Connected" (not stuck on "Connecting"). Inverters not connecting or showing zero power output can indicate a communication fault. Refer to th

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `13` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `2` |
| Network failures | `0` |



## 22. MOF

Production • 32.1s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_October_2026_external_report.pdf' MOF Report 12:11 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 23. MOF

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no 0-production days in the last 7 days based on actual measured daily energy. Daily measured energy production: - 2026-10-26: 1032.04 kWh - 2026-10-27: 1441.37 kWh - 2026-10-28: 1426.27 kWh - 2026-10-29: 707.68 kWh - 2026-10-30: 1366.62 kWh - 2026-10-31: 1376.55 kWh - 2026-11-01: 1177.78 kWh Note: the dataset is flagged as incomplete for this window because data starts at 2026-10-26 05:45 and ends at 2026-11-01 17:30, but none of the days summed to 0 kWh. 12:12 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 24. MOF

Production • 32.2s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_December_2025_external_report.pdf' MOF Report 12:13 AM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 25. MOF

Production • 32.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01, using `pyranometer_1`, `modelled_poa_1` as the satellite/modelled POA reference, and plant `active_power`: - Daytime instances assessed: 40 - Missing POA during daytime: 2 instances - Missing power during daytime: 0 instances - POA mismatches vs satellite/modelled prediction: 8 instances - Power mismatches vs irradiance expectation: 0 instances Missing POA timestamps: - 2026-11-01 07:15:00 - 2026-11-01 13:45:00 POA mismatch timestamps: - 2026-11-01 09:15:00 - 2026-11-01 09:30:00 - 2026-11-01 09:45:00 - 2026-11-01 10:00:00 - 2026-11-01 10:15:00 - 2026-11-01 10:30:00 - 2026-11-01 12:45:00 - 2026-11-01 14:15:00 Notes: - The available data for the day ends at 2026-11-01 18:00:00, so this is a partial-day assessment. - Daytime was defined as modelled POA >= 50 W/m². - POA mismatch was flagged where measured vs modelled POA differed by more than max(150 W/m², 30% of modelled POA). - Power mismatch was checked as daylight with mo

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 26. MOF

Production • 21.5s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. 12:14 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 27. MOF

Production • 21.5s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 12:15 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 28. MOF

Production • 31.5s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 12:15 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 29. MOF

Production • 44.9s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:16 AM ★ Are you satisfied with the answer? Time taken: 29s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 30. MOF

Production • 38.5s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last month of pyranometer data (2026-10-01 to 2026-11-01) against modelled POA and looked for recurring sub-hourly depressions at the same time of day. Conclusion: there is a repeated dip pattern consistent with possible shading or another time-of-day-specific obstruction, but it is not sharply confined to a single narrow window. The dips recur most often from late morning through mid-afternoon, with the strongest clustering around 13:30-14:15. Most recurring dip times: - 13:45 — 5 dip events across 5 dates - 14:00 — 5 dip events across 5 dates - 14:15 — 4 events across 4 dates - 12:45 — 4 events across 4 dates - 11:45 — 4 events across 4 dates - 10:30 — 4 events across 4 dates - 09:00 — 4 events across 4 dates Additional recurring times: - 08:15, 08:30 - 09:30, 09:45 - 10:00 - 11:00 - 12:30 - 13:00, 13:30 - 14:30, 14:45 Hour-level concentration of dips: - 14:00 hour: 15 dip points - 13:00 hour: 13 dip points - 09:00 hour: 11

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 31. MOF

Production • 30.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 12:19 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 32. MOF

Production • 24.7s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp with BOM data available is 2026-11-01 18:00:00. The latest available data in the query also ends at 2026-11-01 18:00:00, so BOM data was still present at the last recorded timestamp. 12:20 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 33. MOF

Production • 27.7s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` over the last 12 months of available data (2025-11-02 to 2026-11-01, with data available through 2026-11-01 18:00), the daily summed POA irradiance statistics are: - Median daily POA: **2436.84 Wh/m²** - Mean daily POA: **2623.74 Wh/m²** - Kurtosis: **-1.6281** Notes: - Daily POA was computed by summing the raw `pyranometer_1` irradiance samples after converting each 15-minute W/m² reading to Wh/m² using a 0.25 h interval. - Number of daily sums used: **365**. 12:21 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 34. MOF

Production • 23.1s

**Question:** Pull up the latest cleaning log

**Response:** Here are the latest cleaning logs for MOF. The most recent entries are from August 2026. Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-08-12 MOF N/A Cleaned pyranometer Completed - Jim - - - - - - - 2026-08-12 MOF N/A Jim cleaned the pyranometer Completed - - - - - - - - - 2026-08-07 MOF Not specified Jim cleaned the pyranometer Not specified - - - - - - - - - 12:21 AM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 35. MOF

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log entry, please provide the following required details: - Fault Cause - Action Taken - Status The Date will be set as today (2026-11-02) and Site as MOF. Optional fields you can also provide, but they are not required: - Priority - Responsibility (e.g., Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) Please provide the missing required details so I can proceed. 12:22 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 36. MOF

Production • 24.7s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure for Inverters (per Manufacturer Manual): 1. Identify the location of your inverter, shutdown switches, and the distribution block. Refer to the layout in this diagram: 2. Locate the isolation switches that are positioned between the solar panel and your inverter. Use these isolation switches to disconnect power from the inverter. For switch locations, see: 3. After disconnecting, verify that all power sources to the inverter are off. Ensure isolation switches and circuit breakers are in the OFF position as shown in the diagram. 4. Before performing any maintenance, inspect all wiring and connections between solar panels, inverter, and the distribution block to confirm they are secure and undamaged. Use the diagram to check specific cable runs and terminal points. Safety Precautions: - ALWAYS use the designated isolation switches to disconnect power prior to working on the inverter or related equipment. - Confirm power is off at the switches and breakers before

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 37. MOF

Production • 18.6s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 12:23 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 38. MOF

Production • 43.0s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:24 AM ★ Are you satisfied with the answer? Time taken: 27s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 39. MOF

Production • 30.8s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 12:25 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.specific_yield_ag, functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 40. KUPCO_HQ_DAJEEJ

Production • 27.6s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** To troubleshoot a COMMUNICATION_FAULT on your inverters, follow these steps: 1. Ensure all cable connections are secure. Visually confirm that each communication cable is properly positioned and firmly attached as shown in the following diagram: 2. Prepare and connect the signal cable to the COM port. Pay close attention to the pin alignments for DIN1, DIN2, DIN3, DIN4, and GND as indicated in this diagram: 3. Once the cable is attached, secure the signal cable connector by carefully aligning and turning as illustrated here: 4. If installing a new cable, measure and cut the cable consistent with the manual's specified dimensions (D=4–8 mm or D=8–11 mm; lengths 12–14 mm). Make sure that the GND and DIN5 wires are correctly oriented as shown in: For additional visual guidance, please refer to the linked diagrams in each step above. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SUN2000_20KTL_Manual/source/SUN2000_20KTL_

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `15` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `1` |
| Network failures | `0` |



## 41. KUPCO_HQ_DAJEEJ

Production • 29.1s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/KUPCO_HQ_Dajeej_October_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 12:27 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 42. KUPCO_HQ_DAJEEJ

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there were no zero-production days in the last 7 days (2026-10-26 to 2026-11-01). Daily inverter energy was positive on every day: - 2026-10-26: inverter1 86.16 kWh, inverter2 311.14 kWh, inverter3 288.19 kWh - 2026-10-27: inverter1 114.71 kWh, inverter2 424.47 kWh, inverter3 387.77 kWh - 2026-10-28: inverter1 109.55 kWh, inverter2 402.41 kWh, inverter3 370.73 kWh - 2026-10-29: inverter1 48.46 kWh, inverter2 183.19 kWh, inverter3 169.32 kWh - 2026-10-30: inverter1 98.29 kWh, inverter2 366.85 kWh, inverter3 333.73 kWh - 2026-10-31: inverter1 91.09 kWh, inverter2 347.16 kWh, inverter3 306.04 kWh - 2026-11-01: inverter1 79.96 kWh, inverter2 299.45 kWh, inverter3 264.42 kWh 12:28 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 43. KUPCO_HQ_DAJEEJ

Production • 29.1s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/KUPCO_HQ_Dajeej_December_2025_external_report.pdf' KUPCO_HQ_Dajeej Report 12:29 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 44. KUPCO_HQ_DAJEEJ

Production • 35.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01, using `pyranometer_1` for POA and summed inverter active power (`inverter1`+`inverter2`+`inverter3`) for power: - Daytime samples assessed: 127 - POA missing during daytime: 1 case - Power missing during daytime: 0 cases - POA mismatches vs satellite/modelled POA: 36 cases - Power mismatches vs POA-based expectation: 0 cases Notes: - The data available ended at 2026-11-01 22:00:00, so the late-night tail of the day was not present; this does not affect daytime quality assessment materially. - The POA mismatch count was assessed against `modelled_poa_1` with a strong-deviation rule. - There is no direct plant-level power column, so power was assessed from the sum of the 3 inverter active power channels. 12:30 AM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 45. KUPCO_HQ_DAJEEJ

Production • 33.0s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 12:30 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 46. KUPCO_HQ_DAJEEJ

Production • 23.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 12:31 AM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 47. KUPCO_HQ_DAJEEJ

Production • 32.6s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 12:32 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 48. KUPCO_HQ_DAJEEJ

Production • 41.3s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:33 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 49. KUPCO_HQ_DAJEEJ

Production • 32.3s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-11-01), using the most top-level available view (inverter-level): - Total generation: 643.83 kWh - inverter1: 79.96 kWh - inverter2: 299.45 kWh - inverter3: 264.42 kWh Relevant performance metrics: - Specific yield: - inverter1: 2.240 kWh/kWp - inverter2: 2.205 kWh/kWp - inverter3: 2.042 kWh/kWp - Performance ratio (PR): - inverter1: 0.691 - inverter2: 0.571 - inverter3: 0.606 - Reference yield (plant irradiance-based): 2.634 kWh/kWp - Technical/contractual availability: unavailable/NaN for inverter1, inverter2, and inverter3 Assessment: - The plant produced 643.83 kWh yesterday. - inverter2 was the top energy producer, followed by inverter3, while inverter1 was much lower than both and appears to have underperformed materially. - PR values were moderate overall, with inverter1 highest on PR despite low absolute generation, and inverter2/inverter3 lower at 0.571 and 0.606. - There is a late-day data coverage i

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 50. KUPCO_HQ_DAJEEJ

Production • 56.6s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of pyranometer data against modelled POA and looked for dips that recur at the same time of day, which is a strong shading signature. Conclusion: yes — the pattern is consistent with shading, but it appears sensor-specific rather than plant-wide. Findings - Analysis window: 2026-10-03 to 2026-11-01 - Data status: records run to 2026-11-01 22:00, so the very end of the final day is missing; this does not affect the daytime shading assessment. pyranometer_1 - Daytime points analyzed: 2963 - Dip points: 458 - Dip fraction: 15.5% - Clear recurring morning dip window: - 07:40, 07:45, 07:50, 07:55, 08:00, 08:05 - Dip frequency across those times: 42.9% to 64.3% - Solar azimuth during these dips: about 110° to 117° - Smaller recurring afternoon dip window: - 15:50, 16:00 - Dip frequency: about 35.7% to 36.0% - Solar azimuth: about 247° to 249° Interpretation for pyranometer_1 - The repeated morning dip at nearly t

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.execute_custom_code, functions.inspect_xpool` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 51. KUPCO_HQ_DAJEEJ

Production • 30.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 12:36 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 52. KUPCO_HQ_DAJEEJ

Production • 27.7s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp where BOM data was available is 2026-11-01 22:00:00. Details: - BOM/source value at that timestamp: 1.0 - The queried data also indicates records currently extend only up to 2026-11-01 22:00:00, which is the latest available data point before the current time. 12:37 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 53. KUPCO_HQ_DAJEEJ

Production • 29.2s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1`, I summed the 5-minute POA irradiance into daily totals in Wh/m² for the last 12 months requested. Results: - Median daily POA: 6155.64 Wh/m² - Mean daily POA: 5517.21 Wh/m² - Kurtosis: 0.1142 Data coverage note: - The requested window was 2025-11-02 to 2026-11-01. - Available data only spans 2026-04-12 to 2026-11-01, so this is based on 204 daily totals, not a full 12 months. 12:37 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 54. KUPCO_HQ_DAJEEJ

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs recorded for KUPCO_HQ_Dajeej so far this month. 12:38 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 55. KUPCO_HQ_DAJEEJ

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log entry, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Could you provide the missing required details? 12:38 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 56. KUPCO_HQ_DAJEEJ

Production • 24.7s

**Question:** How can I shut down my inverters?

**Response:** To safely shut down your inverters according to the manufacturer manual, follow these steps: 1. Log in to the system's maintenance app. - On the home screen, select Maintenance > Inverter ON/OFF. - Send a shutdown command to the inverter. 2. Once the shutdown command is sent, set the DC SWITCH to OFF. This will disconnect the DC power input to the inverter. 3. If further inspection or hardware changes are needed, you may have to disconnect the connectors or power cables between the optimizer and PV modules (refer to additional instructions in the manual if required). 4. If you need to repeat the shutdown process for another string or after hardware changes, repeat steps 1 and 2. Note: Both the software shutdown command and the manual DC SWITCH OFF action are necessary for complete inverter shutdown. No diagram is directly associated with the shutdown procedure in the manual. If you require a diagram showing the DC SWITCH location or physical controls, refer to other manual s

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 57. KUPCO_HQ_DAJEEJ

Production • 18.6s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 12:40 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 58. KUPCO_HQ_DAJEEJ

Production • 35.4s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:41 AM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 59. KUPCO_HQ_DAJEEJ

Production • 30.9s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 12:41 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.specific_yield_ag, functions.generate_graphs_via_code, functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 60. Galleria_Mall

Production • 26.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** To troubleshoot and resolve a COMMUNICATION_FAULT on your inverters, follow these step-by-step instructions. Be sure to follow all safety protocols, including turning off power to the communication lines and using insulated tools if required. 1. Check all communication cable connections for proper orientation and secure attachment. Use the connectors labeled with positive (+) and negative (–) as shown in the diagram. Arrows in the diagram indicate the correct assembly direction. Reference diagram: 2. Inspect that all cable connections are made at precise 90–degree angles and that a minimum cable spacing of 150 mm is maintained, as shown in the diagram, to prevent interference. Reference diagram: 3. Ensure there is at least 150 mm of clearance between all cables and the inverter device, and that cables are routed at 90° angles. Reference diagram: Always verify that the system is powered down before making or adjusting connections to avoid electrical hazards. For complete deta

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `2` |
| Network failures | `0` |



## 61. Galleria_Mall

Production • 35.2s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_October_2026_external_report.pdf' Galleria_Mall Report 12:44 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 20s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 62. Galleria_Mall

Production • 29.1s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_December_2025_external_report.pdf' Galleria_Mall Report 12:45 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 63. Galleria_Mall

Production • 23.1s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** I couldn't assess POA/power data quality because the queried dataset for 2026-10-02 to 2026-11-01 came back empty. Result: - Missing daytime instances: not assessable - Satellite mismatch instances: not assessable Note: the returned status indicates no data was available for that period in the Athena source. 12:46 AM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 64. Galleria_Mall

Production • 24.6s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. 12:47 AM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 65. Galleria_Mall

Production • 26.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 12:47 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 66. Galleria_Mall

Production • 30.1s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 12:48 AM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 67. Galleria_Mall

Production • 45.1s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:49 AM ★ Are you satisfied with the answer? Time taken: 30s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 68. Galleria_Mall

Production • 44.4s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the measured pyranometer behavior against modelled POA and checked for recurring time-of-day dips. Findings - Available data only extends to 2026-09-11 19:00:00. I could assess 2026-09-01 to 2026-09-11. - A shading-event tool returned no detected shading events in the later requested window, but that window had no data. - For pyranometer_1, the measured/modelled ratio is generally healthy: - median ratio: 0.973 - 10th percentile: 0.871 - only mild recurring low points around 06:55–07:05 and 16:20–16:35 - these are not severe, and dip frequency below 0.75 was 0.0 at the flagged times - For pyranometer_2, there is a strong recurring morning depression: - median ratio: 0.800 - 10th percentile: 0.693 - persistent low ratios from 06:55 through 07:50 - dip frequency below 0.75 is 0.91 to 1.00 at those times across 11 days Interpretation - This is consistent with a recurring morning obstruction or shading effect affecting pyranometer_

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, multi_tool_use.parallel, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 69. Galleria_Mall

Production • 21.6s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. 12:52 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 70. Galleria_Mall

Production • 29.2s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp when BOM data was available is 2026-09-11 19:00:00. The `source` value at that timestamp was `1.0`. Note: available data in this query spans from 2026-04-05 00:00:00 to 2026-09-11 19:00:00, so there is no BOM data after that in the dataset. 12:53 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 71. Galleria_Mall

Production • 29.2s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1`, the requested last-12-month window is incomplete in the database. Available daily data only spans 2026-04-05 to 2026-09-11 (160 days). Daily POA totals (Wh/m²), based on the available data: - Median: 7040.02 Wh/m² - Mean: 6768.26 Wh/m² - Kurtosis: 8.42 Note: this was calculated from the available daily aggregated `pyranometer_1` data only, not a full 12-month history. 12:53 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 72. Galleria_Mall

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs for Galleria_Mall in November 2026 so far. 12:54 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 73. Galleria_Mall

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log entry, please provide the following required details: - Fault Cause - Action Taken - Status Site and Date will be set automatically based on the connected plant and today's date. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes You can also specify the Activity Type if needed, but it will be set to Cleaning by default for this entry. 12:55 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 74. Galleria_Mall

Production • 68.9s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure for Inverters (Per Manufacturer Manual): 1. Wear appropriate personal protective equipment before approaching the inverter. Reference safety equipment as shown in the diagram: 2. Open the management app and check for any system alerts or notifications, as indicated in the diagram. Stay updated on current system status before taking further action. Diagram: 3. Switch off the AC switch at the location shown in the diagram (look for the AC switch label/position). Ensure you follow the diagram for correct AC switch identification and operation: 4. After disconnecting AC, turn off the DC switch as the next step, following the sequence and labels shown in the same diagram. 5. Use a multimeter to check for voltage at the inverter terminals as shown in the diagram. Only proceed once the voltage is confirmed to be at a safe level. Multimeter use location and connection are depicted here: Important Safety Considerations: - Always wear the required personal prote

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 75. Galleria_Mall

Production • 20.1s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 12:57 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 76. Galleria_Mall

Production • 38.4s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 12:57 AM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 77. Galleria_Mall

Production • 32.4s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 12:58 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `generate_graphs_via_code, total_energy_func_ag, specific_yield_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 78. GID

Production • 24.6s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** The manual documents do not contain any information about troubleshooting a COMMUNICATION_FAULT, safe checks, or recommended next steps. There are no troubleshooting steps, safety guidelines, or relevant diagrams available for this issue in the provided manual documentation. Manual reference: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SG320_350HX_Manual_en/source/SG320_350HX_Manual_en.pdf 01:00 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 10s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 79. GID

Production • 102.1s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_October_2026_external_report.pdf' Mathkor_GID Report 01:02 AM Are you satisfied with the answer? Time taken: 87s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `3` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 80. GID

Production • 24.6s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no zero-production days in the last 7 days based on actual measured plant energy production. Daily measured energy: - 2026-10-26: 13,315.97 kWh - 2026-10-27: 11,172.88 kWh - 2026-10-28: 16,787.91 kWh - 2026-10-29: 6,369.64 kWh - 2026-10-30: 20,031.95 kWh - 2026-10-31: 17,231.60 kWh - 2026-11-01: 15,982.58 kWh Lowest day was 2026-10-29 with 6,369.64 kWh, which is above zero. 01:03 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 81. GID

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_December_2025_external_report.pdf' Mathkor_GID Report 01:03 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 82. GID

Production • 38.3s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01: - Daytime points assessed: 130 - POA missing during daytime: 0 cases - Power missing during daytime: - active_power: 0 - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_active_power: 0 - inverter6_active_power: 0 - inverter7_active_power: 0 - inverter8_active_power: 0 - inverter9_active_power: 0 Mismatch checks against satellite/model proxy: - POA mismatch cases: 60 out of 117 valid daytime comparison points - Criterion: |pyranometer_1 - modelled_poa_1| / modelled_poa_1 > 30% with modelled POA >= 200 W/m² - Power mismatch cases under high irradiance: 81 high-irradiance daytime points were checked - Plant active_power: 0 cases - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_active_power: 0 - inverter6_active_power: 0 - inverter7_active

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 83. GID

Production • 32.2s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 01:05 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 84. GID

Production • 36.9s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 01:06 AM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 85. GID

Production • 29.2s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 01:07 AM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 86. GID

Production • 58.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:08 AM ★ Are you satisfied with the answer? Time taken: 43s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 87. GID

Production • 36.8s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of raw 5-minute pyranometer data (2026-10-03 to 2026-11-01) against modelled POA irradiance and looked for recurring underperformance at the same times of day. Findings: - There are frequent recurring dips, which is consistent with fixed-object shading rather than random cloud effects. - 3,303 daytime points were usable; 797 were flagged as significant dip points. Most recurrent dip times: - 07:40 — 11 events - 07:45 — 11 events - 07:50 — 11 events - 08:00 — 11 events - 08:05 — 11 events - 08:10 — 11 events - 15:30 — 12 events - 15:35 — 12 events - 15:40 — 12 events - 15:50 — 12 events - 16:05 — 11 events - 17:00 — 11 events - 17:05 — 11 events - 17:10 — 11 events - 17:15 — 13 events Strongest recurring dip windows: - Morning: about 07:40–08:10 - Afternoon: about 15:30–17:15 Severity examples: - Around 08:00, measured irradiance was typically only ~35% of the expected normalized level for that sun angle.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 88. GID

Production • 33.8s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 01:11 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 89. GID

Production • 24.7s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp where BOM data was available is 2026-11-02 01:00:00. I checked the BOM-related sensor column `pyranometer_1`, and its last non-null reading was 1.0 at that timestamp. 01:11 AM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 90. GID

Production • 30.8s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` as POA and summing 5-minute irradiance to daily irradiation over the last 12 months (2025-11-02 to 2026-11-02 available through 2026-11-02 01:00), the daily summed POA statistics are: - Median daily POA: 7,277.00 Wh/m² - Mean daily POA: 6,886.60 Wh/m² - Kurtosis of daily POA totals: -1.0038 - Number of daily totals used: 365 Notes: - Conversion used: `Wh/m² = (W/m²) × 5/60` for each 5-minute sample, then summed by day. - The final day, 2026-11-02, is only partially populated because data currently extends to 01:00. - There is also one fully missing day in the series (`2025-12-12`, NaN), which was excluded from the summary statistics. If you want the full list of all 365 daily totals, I can provide it formatted as a table or CSV-style list. 01:12 AM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 91. GID

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs recorded for Mathkor_GID in November 2026. 01:13 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 92. GID

Production • 18.6s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:13 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 93. GID

Production • 27.7s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure (from the manufacturer manual): 1. Disconnect the external AC circuit breaker and secure it against reconnection to isolate the inverter from mains power. 2. Rotate the DC switch to the OFF position to disconnect all PV string inputs from the inverter. 3. Wait approximately 25 minutes to allow the internal capacitors of the inverter to fully discharge. 4. Verify that the DC cables are current-free by using a current clamp. Safety Precautions: - Surfaces may remain hot after shutdown. Use protective gloves after allowing the unit to cool down. - There is a risk of lethal voltage being present even after shutdown; always use professional instruments to confirm no voltage or current is present before any work. - Do not remove or cover any safety signs and labels before the equipment is decommissioned. - Always comply with local laws, regulations, and onsite safety conditions. Relevant Diagram URLs: - Connection points and component alignment: - General inverter com

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 94. GID

Production • 18.6s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 01:15 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 95. GID

Production • 47.8s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:16 AM ★ Are you satisfied with the answer? Time taken: 33s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 96. GID

Production • 30.8s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 01:16 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, multi_tool_use.parallel` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 97. Abdali_Mall_Netmetering

Production • 29.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for COMMUNICATION_FAULT: 1. Identify the inverter and access its components. Reference the labeled layout of the Sunny Tripower inverter (labels A through O) for identifying operational ports, connectors, and interfaces. Diagram: 2. Inspect communication interfaces. Check cables and connectors involved in communication (typically specific communication ports as labeled on the inverter diagram) to confirm they are securely attached. Use this diagram for port locations: 3. Verify that connectors and wires in these communication ports are not loose, damaged, or corroded. Match physical inspection points to those shown in the diagrams so you inspect the correct locations. 4. If the error message appears frequently, or persists after physical checks, contact the Service department for further diagnosis. The manual does not instruct end-users to perform internal diagnostics or board-level repairs. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southe

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `13` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 98. Abdali_Mall_Netmetering

Production • 108.2s

**Question:** Please generate last months report

**Response:** I've generated the external report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_October_2026_external_report.pdf' Abdali_Mall_Netmetering Report 01:20 AM Are you satisfied with the answer? Time taken: 93s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `3` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 99. Abdali_Mall_Netmetering

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there were no 0-production days in the last 7 days. Day-by-day measured energy production: - 2026-10-26: 1868.25 kWh - 2026-10-27: 1287.40 kWh - 2026-10-28: 2175.56 kWh - 2026-10-29: 2379.37 kWh - 2026-10-30: 2397.77 kWh - 2026-10-31: 2136.55 kWh - 2026-11-01: 2264.46 kWh Note: the data for 2026-11-01 ends at 23:10, not 23:55, but the measured daily energy is still clearly non-zero. 01:21 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 100. Abdali_Mall_Netmetering

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Netmetering Report 01:22 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 101. Abdali_Mall_Netmetering

Production • 39.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01, using daytime defined as modelled POA > 20 W/m²: - POA missing during daytime: 0 points - Power missing during daytime: 0 points - POA mismatches with satellite/modelled prediction: 63 points - Power mismatches with prediction: 0 points Context: - Total daytime points assessed: 129 - Plant DC size used for context lookup: 745.325 kW DC Method used: - POA quality was checked by comparing pyranometer_1 against modelled_poa_1. - A POA mismatch was counted when the absolute deviation exceeded 30% during daytime. - Power mismatch was counted when modelled POA was strong (>200 W/m²) but plant active_power was zero or below. Note: the dataset ended at 23:50 rather than 23:55, but that does not affect the daytime assessment materially. 01:22 AM Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, multi_tool_use.parallel` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 102. Abdali_Mall_Netmetering

Production • 33.8s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 01:23 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 103. Abdali_Mall_Netmetering

Production • 21.6s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 01:24 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 104. Abdali_Mall_Netmetering

Production • 31.0s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 01:25 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 105. Abdali_Mall_Netmetering

Production • 47.6s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:26 AM ★ Are you satisfied with the answer? Time taken: 33s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 106. Abdali_Mall_Netmetering

Production • 32.2s

**Question:** How did my plant perform yesterday?

**Response:** Yesterday (2026-11-01), the plant showed moderate performance based on the measured data available, but the day's dataset is incomplete: records start at 05:45 and end at 23:10, so all figures should be treated with caution. - Total energy produced: 2264.46 kWh - Specific yield: 3.038 kWh/kWp - Performance ratio (PR): 0.763 (76.32%) - Plant availability: unavailable from the tool due to a calculation error Operationally, the hourly profile looks normal for a solar day: - Irradiance ramped from near zero at 06:00 to a midday peak around 11:00–12:00 of about 522 W/m² on pyranometer_1. - Plant active power followed the irradiance trend closely, rising to a midday hourly average peak of about 431.9 kW at 12:00, then tapering off through the afternoon. - Power was effectively zero from 17:00 onward, consistent with sunset. Assessment: - The plant appears to have operated normally during daylight hours, with power tracking irradiance in a consistent way. - PR of 76.3

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag, specific_yield_ag, technical_contractual_availability_ag, total_energy_func_ag, perf_ratio_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 107. Abdali_Mall_Netmetering

Production • 49.0s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed the last 30 days of measured pyranometer data against modelled POA and looked for dips that recur at the same clock times. Findings: - There is a strong recurring dip pattern centered around roughly 08:10–08:55. - The deepest recurring dips are at: - 08:40: median measured/modelled ratio 0.278 over 29 samples - 08:35: 0.288 over 28 samples - 08:30: 0.308 over 27 samples - 08:10: 0.324 over 19 samples - 08:20: 0.329 over 25 samples - These are far below the overall daytime median ratio of 0.768. - Consistency is high for those times: - 08:40: 75.9% of samples below 0.85 - 08:35: 78.6% below 0.85 - 08:30: 77.8% below 0.85 - 08:10: 94.7% below 0.85 - 08:20: 80.0% below 0.85 - There is also a broader morning weakness: - Morning median ratio: 0.729 - Afternoon median ratio: 0.793 Assessment: - Yes, this pattern is consistent with possible fixed-object shading or another repeatable morning obstruction affecting the

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 108. Abdali_Mall_Netmetering

Production • 30.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 01:29 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 109. Abdali_Mall_Netmetering

Production • 23.1s

**Question:** When was the last time the BOM data showed up

**Response:** BOM data was last recorded on 2026-11-01 23:50:00. I checked `pyranometer_1` as the BOM-related irradiance source, and the returned status shows the data ends at 2026-11-01 23:50:00, which is the latest available timestamp before the current time (2026-11-02 01:29:42). 01:29 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 110. Abdali_Mall_Netmetering

Production • 29.2s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` as the POA source, the available data does not cover the full last 12 months. Data is available from 2026-04-01 to 2026-11-01 only. Daily summed POA (irradiation) statistics over the available period: - Median: 5614.73 Wh/m² - Mean: 5280.92 Wh/m² - Kurtosis: 0.8754 Coverage used: - 210 daily totals - From 2026-04-01 to 2026-11-01 Note: the requested 12-month window (2025-11-02 to 2026-11-02) is incomplete in the database. 01:30 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 111. Abdali_Mall_Netmetering

Production • 21.6s

**Question:** Pull up the latest cleaning log

**Response:** Here is the latest cleaning log for Abdali_Mall_Netmetering: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-01 Abdali_Mall_Netmetering Pyranometer cleaning required Jim cleaned the pyranometer Completed - - - - - - - - - 01:31 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 112. Abdali_Mall_Netmetering

Production • 18.6s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:31 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 113. Abdali_Mall_Netmetering

Production • 26.2s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure and Safety Precautions (As Stated in the Manufacturer Manual): 1. Only qualified personnel should perform any shutdown procedure or work on the inverter or PV system. 2. Disconnect the inverter from **all voltage sources** before performing any work. The manual urges this as a primary safety step and references additional instructions in the full documentation. 3. After disconnecting from all voltage sources, **wait at least five minutes** before touching any part of the PV system or the inverter itself. This is to ensure any internal capacitance is discharged and there is no residual high voltage present. 4. Ensure that all metal frames and conductive surfaces associated with the PV system are properly grounded as per local, state, and national codes. 5. The product contains no user-serviceable parts, and no modifications should be done. Only qualified service personnel should attempt maintenance. Important Safety Notes: - There is a risk of lethal electric shock

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 114. Abdali_Mall_Netmetering

Production • 18.5s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 01:32 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 115. Abdali_Mall_Netmetering

Production • 37.0s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:33 AM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 116. Abdali_Mall_Netmetering

Production • 33.9s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 01:34 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.generate_graphs_via_code, functions.total_energy_func_ag, multi_tool_use.parallel, functions.specific_yield_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 117. BF_Wheeling

Production • 26.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** To troubleshoot the COMMUNICATION_FAULT on your inverter, follow these detailed steps referencing the manufacturer's manual diagrams: 1. Measure Circuit Resistance: - Use a multimeter to measure resistance in the relevant communication circuit. - Connect the positive (red) lead to the designated terminal and the negative (blue) lead to the appropriate terminal as shown in the diagram. - Confirm that the multimeter displays a resistance value (e.g., 880.0 ohms) to ensure proper connections and component functionality. - Diagram reference: 2. Check Electrical Terminal Connections: - Ensure the red wire is connected to the positive (+) terminal and the black wire to the negative (–) terminal. - Improper wiring (such as reversing wires) can cause communication faults. - Verify correct alignment as shown in the terminal connection diagram. - Diagram reference: 3. Inspect Communication Boards/Connectors: - If internal inspection is required, carefully raise

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 118. BF_Wheeling

Production • 56.4s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_October_2026_external_report.pdf' BF_Wheeling Report 01:37 AM Are you satisfied with the answer? Time taken: 41s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 119. BF_Wheeling

Production • 29.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no days with zero actual energy production in the last 7 days. Daily actual energy produced: - 2026-10-26: 1310.50 kWh - 2026-10-27: 1070.65 kWh - 2026-10-28: 1493.05 kWh - 2026-10-29: 1683.80 kWh - 2026-10-30: 1823.54 kWh - 2026-10-31: 1659.29 kWh - 2026-11-01: 1778.95 kWh Note: the dataset for 2026-10-26 begins at 01:20:00 rather than 00:00:00, but the day still had non-zero production. 01:38 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 120. BF_Wheeling

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_December_2025_external_report.pdf' BF_Wheeling Report 01:38 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 121. BF_Wheeling

Production • 29.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-10-26 to 2026-11-01: - POA missing during daytime: 2 cases - Power missing during daytime: 0 cases - POA mismatches vs satellite/model prediction: 655 cases - Power mismatches vs irradiance expectation: 8 cases Examples: - POA missing daytime: 2026-10-31 12:15, 2026-10-31 12:20 - Power mismatch examples: 2026-10-26 17:25, 2026-10-27 17:15, 2026-10-27 17:20, 2026-10-28 07:50, 2026-10-29 07:15, 2026-10-30 07:10, 2026-10-31 07:15, 2026-11-01 07:15 Notes: - Daytime was treated as modeled or measured POA > 20 W/m². - POA mismatch was counted when |measured POA - modelled POA| / modelled POA > 50% during daytime. - Power mismatch was counted when POA > 200 W/m² with active_power < 50 W, or POA < 20 W/m² with active_power > 5000 W. 01:39 AM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 122. BF_Wheeling

Production • 33.9s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 01:40 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 123. BF_Wheeling

Production • 26.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 01:41 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.inspect_xpool, functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 124. BF_Wheeling

Production • 29.8s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 01:41 AM ★ Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 125. BF_Wheeling

Production • 39.8s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:42 AM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.inspect_xpool, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 126. BF_Wheeling

Production • 68.8s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I analyzed 93 days of 5-minute historical data from 2026-08-01 to 2026-11-01, comparing measured pyranometer POA (`pyranometer_1`) against modelled POA (`modelled_poa_1`) during daytime. Conclusion: the pyranometer does show recurring dips at certain times of day, but the pattern is weak-to-moderate rather than strongly diagnostic of persistent structural shading. Also, the dedicated shading tool found no shading events in this period. Key findings - Period analyzed: 2026-08-01 00:00 to 2026-11-01 23:55 - Days analyzed: 93 - Daytime points used: 7,422 - Dip points flagged: 709 - Shading-tool result: No shading was found within the timeframe Most recurring dip times - 14:30-15:10: strongest recurring window - 9 consecutive 5-min slots - median recurrence: 15 days - max recurrence by slot: 16 days - typical frequency: ~16.1% of analyzed days - 15:20-15:30 - 3 slots - median recurrence: 15 days - max recurrence: 16 days - frequency: ~

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `calculate_shading_loss_ag, execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 127. BF_Wheeling

Production • 29.5s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 01:46 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 128. BF_Wheeling

Production • 26.2s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent time BOM data was present in the available dataset is 2026-11-02 01:25:00. I checked the BOM-related irradiance column provided here, `pyranometer_1`, and found its last non-null timestamp there. The dataset itself currently appears to stop at 2026-11-02 01:25:00. 01:46 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 129. BF_Wheeling

Production • 27.7s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** I calculated this from measured `pyranometer_1` data, but the requested last 12 months is incomplete in the database. Available measured-data window used: - 2026-05-01 to 2026-11-02 - Days with data: 186 Daily summed POA irradiation from measured data (`pyranometer_1`), in Wh/m²: - Median: 7048.66 Wh/m² - Mean: 6780.85 Wh/m² - Kurtosis: 11.45 Note: data availability starts at 2026-05-01, so this is not a full 12-month result. 01:47 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 130. BF_Wheeling

Production • 21.6s

**Question:** Pull up the latest cleaning log

**Response:** Here is the latest cleaning log for BF_Wheeling. Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-11-01 BF_Wheeling N/A Pyranometer cleaned by Jim Completed - - - - - - - - - 01:48 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 131. BF_Wheeling

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log, please provide the following required details: - Date (already provided: 2026-11-02) - Fault Cause - Action Taken (already provided: Jim cleaned the pyranometer) - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning, but you may specify otherwise if needed) 01:48 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 132. BF_Wheeling

Production • 30.8s

**Question:** How can I shut down my inverters?

**Response:** To safely shut down your inverters according to the manufacturer manual, please follow these steps and observe all safety precautions: 1. Ensure you are wearing proper personal protective equipment (PPE): protective clothing, gloves, and eyewear before beginning any shutdown procedure. See PPE diagram: 2. Disconnect the DC and AC supply to the inverter. Always use insulated tools (refer to the required tools list and diagram): 3. Confirm the inverter is shut down by checking the blue indicator light. The inverter should be OFF (refer to indicator position in this diagram): 4. For emergency shutdown: Use the Emergency Stop dry contact. Locate the terminal labeled "DI", "PGND" in the lower layer terminal layout (Emergency Stop wiring diagram): 5. If a fault requires shutdown, observe the relay status and LED indicator (relay status & LED operation diagram): Safety Warnings: - Only use insulated tools for electrical work. - Follow all PPE guidelines indicated in the manual. -

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 133. BF_Wheeling

Production • 18.6s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 01:50 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 134. BF_Wheeling

Production • 37.1s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:50 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.total_energy_func_ag, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 135. BF_Wheeling

Production • 32.3s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 01:51 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `specific_yield_ag, generate_graphs_via_code, total_energy_func_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 136. Abdali_Mall_Lahoun

Production • 27.6s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for a COMMUNICATION_FAULT on your inverter, according to the manual, are as follows: 1. Visually inspect all communication cables connected to the inverter. Make sure each plug is properly aligned, fully inserted, and securely attached. Refer to this diagram for cable connection and labeling: 2. Confirm that each cable is connected to the correct port as shown in this diagram: 3. Ensure that all cables are routed and secured correctly. The manual provides an example of correct and incorrect routing—follow the path with the green checkmark, not the one marked with a red "X": 4. If there are multiple cables (e.g., in multi-inverter setups), double-check that all are connected as indicated in this diagram: 5. Verify switch positions to be in the correct "ON" or "OFF" state for your scenario. Mistakes here can lead to communication errors. See this diagram for switch details: 6. If, after these checks, the communication fault persists, the manual instructs

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `11` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 137. Abdali_Mall_Lahoun

Production • 20.0s

**Question:** Please generate last months report

**Response:** I've generated the plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_October_2026_external_report.pdf' Abdali_Mall_Lahoun Report 01:54 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 138. Abdali_Mall_Lahoun

Production • 24.5s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-26: 2914.36 kWh - 2026-10-27: 2025.90 kWh - 2026-10-28: 2985.24 kWh - 2026-10-29: 3949.04 kWh - 2026-10-30: 4165.80 kWh - 2026-10-31: 3633.90 kWh - 2026-11-01: 3827.70 kWh Note: the data ends at 2026-11-01 23:25, so the last day is slightly incomplete, but it still clearly was not a zero-production day. 01:54 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 139. Abdali_Mall_Lahoun

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Lahoun Report 01:55 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 140. Abdali_Mall_Lahoun

Production • 32.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01, using daytime defined as modelled POA > 20 W/m²: - Daytime samples assessed: 198 - Missing POA instances during daytime: 0 - Missing plant power instances during daytime: 0 - POA mismatches vs satellite/model prediction: 84 - Power mismatches vs model-informed expectation: 29 Percentages: - Missing POA during daytime: 0.0% - Missing power during daytime: 0.0% - POA mismatch rate: 42.4% of valid daytime samples - Power mismatch rate: 14.6% of valid daytime samples Notes: - I used pyranometer_1 for measured POA, modelled_poa_1 as the satellite/model POA reference, and active_power for plant power. - Source data for the day ends at 2026-11-01 23:25:00, so the final 30 minutes of the requested day were not available. - The power mismatch check was based on expected power shaped by modelled POA, with an estimated plant capacity of about 670,199 W from the observed data. 01:56 AM Are you satisfied with the answer? Time taken: 16s, token: 0 to

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 141. Abdali_Mall_Lahoun

Production • 29.2s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 01:56 AM ★ Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 142. Abdali_Mall_Lahoun

Production • 20.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 01:57 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 143. Abdali_Mall_Lahoun

Production • 27.2s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 01:58 AM ★ Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 144. Abdali_Mall_Lahoun

Production • 41.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 01:59 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 145. Abdali_Mall_Lahoun

Production • 41.4s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I assessed recurring dips in measured POA irradiance (`pyranometer_1`) against `modelled_poa_1` over 2026-10-03 to 2026-11-01, using daytime points and normalizing by solar azimuth to look for time-of-day patterns consistent with shading. Conclusion: there is weak but recurring evidence of late-afternoon shading. Pattern found: - Candidate recurring window: 16:30–16:40 - Strongest recurring dip times: - 16:30: median dip -0.025, with 44.8% of samples more than 0.05 below baseline - 16:35: median dip -0.020, with 40.7% of samples more than 0.05 below baseline - 16:40: median dip -0.030, with 44.4% of samples more than 0.05 below baseline Interpretation: - The pattern is narrow in time and repeats on many days, which is consistent with a fixed-object shading effect near the end of the solar day. - The magnitude is modest in October overall, so this does not look like severe all-day shading. - The dip appears strongest around 16:40. Relevant periods: -

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 146. Abdali_Mall_Lahoun

Production • 30.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 02:02 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, multi_tool_use.parallel` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 147. Abdali_Mall_Lahoun

Production • 24.7s

**Question:** When was the last time the BOM data showed up

**Response:** The most recent timestamp when BOM data was available is 2026-11-01 23:25:00. Note: the dataset itself currently appears to end at 2026-11-01 23:25:00, so that is also the latest available timestamp in the queried data. 02:02 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 148. Abdali_Mall_Lahoun

Production • 26.2s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** For the last 12 months, the daily measured POA irradiance totals (from pyranometer_1) have these statistics: - Median: 5,812.95 Wh/m²/day - Mean: 5,800.73 Wh/m²/day - Kurtosis: -0.123 - Valid daily totals used: 313 days Note: the available data ends at 2026-11-01 23:25:00, so the result uses the last 12 months of available data up to that point. 02:03 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 149. Abdali_Mall_Lahoun

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning logs for Abdali_Mall_Lahoun so far in November 2026. 02:03 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 150. Abdali_Mall_Lahoun

Production • 20.1s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log entry, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 02:04 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 151. Abdali_Mall_Lahoun

Production • 27.7s

**Question:** How can I shut down my inverters?

**Response:** Safe inverter shutdown procedure and safety warnings from the manufacturer manual: Step-by-Step Shutdown Procedure: 1. If an inverter fault or anomaly occurs, begin by switching off the AC miniature circuit breakers. These are typically found in your distribution board or control panel (see main unit connection diagram). 2. Next, turn off the DC load-break switches as depicted in the system layout diagram. 3. Wait at least 15 minutes after shutdown before starting any work to allow all internal capacitors to safely discharge. 4. When shutting down or starting up the inverter, always follow this order: FIRST the AC circuit breakers, THEN the DC load-break switches. 5. For verification or after maintenance, ensure all AC live wires (L1, L2, L3) and PE (protective earth) wires are securely fastened before or after shutdown, as shown in the conductor/connection diagrams. Confirm visual inspection of all terminal connections (reference system architecture diagrams). 6. When restarting, fo

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 152. Abdali_Mall_Lahoun

Production • 19.1s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 02:05 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 153. Abdali_Mall_Lahoun

Production • 38.5s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 02:06 AM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 154. Abdali_Mall_Lahoun

Production • 30.9s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 02:07 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `specific_yield_ag, total_energy_func_ag, generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 155. Abdali_Mall_Barza

Production • 27.7s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for COMMUNICATION_FAULT on your inverters (based strictly on the manual documents): 1. Check the network interface configuration for both WLAN and Ethernet as shown in the diagram. Ensure connection status shows 'connected.' If either interface shows 'No connection,' follow the steps for restoring communications depicted in the diagram: Diagram URL: 2. For Ethernet connections, verify the Ethernet cable is securely plugged into the correct port on the inverter and trace the connection to your network switch/router as illustrated in the diagram. 3. For WLAN connections, check the connection status and assigned IP address on the inverter's display or interface (also shown in the referenced diagram). If not connected, verify network SSID and password, then reconnect. 4. If automatic network configuration is enabled but no connection is established, manually configure the settings or use a direct Ethernet connection as outlined in the network setup screen (see d

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 156. Abdali_Mall_Barza

Production • 67.1s

**Question:** Please generate last months report

**Response:** I've generated the external plant performance report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_October_2026_external_report.pdf' Abdali_Mall_Barza Report 02:10 AM Are you satisfied with the answer? Time taken: 52s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 157. Abdali_Mall_Barza

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No — there were no days with zero actual energy production in the last 7 days. Daily actual energy produced: - 2026-10-26: 1414.06 kWh - 2026-10-27: 1091.77 kWh - 2026-10-28: 1314.82 kWh - 2026-10-29: 1761.39 kWh - 2026-10-30: 1730.99 kWh - 2026-10-31: 1660.04 kWh - 2026-11-01: 1786.76 kWh Note: the dataset is incomplete over this window; available data starts at 2026-10-26 05:40 and ends at 2026-11-01 17:20. 02:11 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 158. Abdali_Mall_Barza

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the December 2025 performance report. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_December_2025_external_report.pdf' Abdali_Mall_Barza Report 02:12 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 159. Abdali_Mall_Barza

Production • 36.8s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** For 2026-11-01 daytime data quality: - Daytime records assessed: 128 five-minute intervals Missing data during daytime - pyranometer_1: 0 missing records (0.0%) - active_power: 4 missing records (3.125%) - inverter1_active_power: 4 missing records (3.125%) - inverter2_active_power: 4 missing records (3.125%) - inverter3_active_power: 4 missing records (3.125%) - inverter4_active_power: 4 missing records (3.125%) - inverter5_active_power: 4 missing records (3.125%) - inverter6_active_power: 4 missing records (3.125%) Mismatch with satellite/modelled prediction - POA sensor vs modelled_poa_1: 64 mismatched records (50.0% of valid daytime points) - Plant active_power vs expected from modelled POA: 115 mismatched records (92.74% of valid daytime points) - inverter1_active_power: 111 mismatched records (89.52% of valid daytime points) - inverter2_active_power: 111 mismatched records (89.52% of valid daytime points) - inverter3_active_power: 111 mismatched

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `multi_tool_use.parallel, functions.query_plant_details_ag, functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 160. Abdali_Mall_Barza

Production • 29.2s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 02:13 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 161. Abdali_Mall_Barza

Production • 20.1s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. 02:14 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 162. Abdali_Mall_Barza

Production • 26.8s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 02:14 AM ★ Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 163. Abdali_Mall_Barza

Production • 41.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 02:15 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 164. Abdali_Mall_Barza

Production • 36.9s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** Yes — the pyranometer data shows clear, recurring irradiance dips consistent with shading-like behavior. Period analyzed: 2026-10-03 to 2026-11-01 Evidence basis: measured pyranometer_1 compared against modelled_poa_1 during daylight hours. Findings: - Midday measured/modelled irradiance ratio is about 1.00, so the sensor tracks expected irradiance well around solar noon. - Two strong recurring dip windows appear almost every day: - 07:15–10:40: average median measured/modelled ratio 0.567 - strong dip seen on 29 of 30 days with data (96.7%) - 14:20–17:20: average median measured/modelled ratio 0.611 - strong dip seen on 29 of 30 days with data (96.7%) Worst recurring times: - 07:15 → median ratio 0.256 - 07:20 → 0.303 - 07:25 → 0.311 - 07:30 → 0.336 - 07:35 → 0.354 - 07:40 → 0.369 - 07:55 → 0.373 - 08:00 → 0.376 Interpretation: - Because the midday ratio is normal but the morning and late-afternoon ratios repeatedly collapse at s

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 165. Abdali_Mall_Barza

Production • 30.7s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 02:18 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 166. Abdali_Mall_Barza

Production • 23.1s

**Question:** When was the last time the BOM data showed up

**Response:** The last BOM data point showed up at 2026-11-02 00:55:00. That is about 1 hour 24 minutes before the stated current time of 2026-11-02 02:19:17. 02:19 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 167. Abdali_Mall_Barza

Production • 26.1s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** For the last 12 months, using measured POA irradiance from `pyranometer_1` summed into daily totals in Wh/m²: - Median daily POA: 6310.74 Wh/m² - Mean daily POA: 5963.76 Wh/m² - Kurtosis of daily totals: -0.4567 Notes: - I converted 5-minute POA values from W/m² to Wh/m² using a factor of 5/60, then summed by day. - There were 311 days with non-null daily totals used in the statistics. - The extracted data ends at 2026-11-02 00:55:00, so the final day is only partial. 02:20 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 168. Abdali_Mall_Barza

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** There are no cleaning activity logs for Abdali_Mall_Barza for November 2026. 02:20 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 169. Abdali_Mall_Barza

Production • 18.5s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility (e.g., "Jim") - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) 02:21 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 170. Abdali_Mall_Barza

Production • 27.7s

**Question:** How can I shut down my inverters?

**Response:** Shutdown Procedure and Safety Precautions (from Manufacturer Manual): Shutdown Procedure: 1. Initiate rapid shutdown by disconnecting the utility grid, following the instructions for the system's rapid shutdown procedure. 2. The inverter will automatically discharge on the AC side to ≤ 30 V within 30 seconds after shutdown initiation. If an additional disconnection device is installed between inverter and PV array, the DC side will also independently discharge to ≤ 30 V within 30 seconds. 3. Ensure that the system status indicator is installed close to the system actuator, so the safe shutdown indication is clearly visible. 4. Observe the LED indicator: During shutdown/waiting for feed-in, the green LED will flash (two seconds on, two seconds off). Once the shutdown state is confirmed, the indicators will update accordingly. 5. Only qualified personnel should execute shutdown. All work must comply with local/national electrical codes. Safety Precautions: - Inverter operates at high a

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 171. Abdali_Mall_Barza

Production • 18.5s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 02:22 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 172. Abdali_Mall_Barza

Production • 32.3s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 02:23 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 173. Abdali_Mall_Barza

Production • 29.5s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 02:23 AM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 174. SAK_1

Production • 26.1s

**Question:** I have a COMMUNICATION_FAULT what do I do to my inverters?

**Response:** Troubleshooting steps for a COMMUNICATION_FAULT on your inverter: 1. Check the communication cable and terminals for any abnormalities. If you find any loose or damaged connections, correct them to ensure a reliable connection. 2. Reconnect the communication cable of the meter. 3. If the issue persists after you have completed the above checks, contact Sungrow Customer Service for further assistance. Additional notes: - If you are troubleshooting a communication fault involving parallel inverter communication, follow the same steps as above. - There are no specific diagram references provided for this fault, so no image URLs are available for this particular issue. - Always ensure safe handling and, if you are unsure or uncomfortable performing these checks, contact a professional technician. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SG125CX_P2_manual/source/SG125CX_P2_manual.pdf If you need further assistance or if a diag

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | `12` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 175. SAK_1

Production • 73.2s

**Question:** Please generate last months report

**Response:** I've generated the external report for October 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Karak_Solar_Plant_October_2026_external_report.pdf' SAK_1 Report 02:27 AM Are you satisfied with the answer? Time taken: 58s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 176. SAK_1

Production • 26.1s

**Question:** Was there any 0 production days in the last 7 days?

**Response:** No. In the last 7 days (2026-10-26 to 2026-11-01), there were no days with zero actual energy production. Daily actual energy: - 2026-10-26: 3822.84 kWh - 2026-10-27: 964.73 kWh - 2026-10-28: 4647.13 kWh - 2026-10-29: 5709.03 kWh - 2026-10-30: 6006.69 kWh - 2026-10-31: 5201.86 kWh - 2026-11-01: 5426.56 kWh 02:28 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.total_energy_func_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 177. SAK_1

Production • 20.0s

**Question:** Please generate December 2025 performance report

**Response:** I've generated the plant performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Karak_Solar_Plant_December_2025_external_report.pdf' SAK_1 Report 02:28 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `report_agent` |
| Tools used | `agent_external_report_tool` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 178. SAK_1

Production • 32.2s

**Question:** How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

**Response:** Data quality assessment for 2026-10-26 to 2026-11-01: - Daytime instances evaluated: 864 - Missing POA during daytime: 8 instances (0.93%) - Missing plant power during daytime: 8 instances (0.93%) - Missing both POA and plant power during daytime: 8 instances (0.93%) - POA mismatches vs satellite/modelled POA: 247 instances (28.86%) - Power mismatches vs irradiance expectation: 36 instances (4.21%) Method used: - Daytime defined as measured or modelled POA > 50 W/m² - POA mismatch flagged when absolute difference > 150 W/m² and relative difference > 35% versus modelled/satellite POA - Power mismatch flagged when modelled POA > 600 W/m² but plant active power < 1000 W Interpretation: - Missing daytime data is low. - POA disagreement with satellite/modelled POA is relatively frequent, suggesting either sensor drift/offset, transient sky conditions not captured by the model, or occasional modelling bias. - Power-vs-irradiance mismatches are limited but prese

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 179. SAK_1

Production • 31.7s

**Question:** Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 02:30 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |

## 180. SAK_1

Production • 40.7s

**Question:** Please plot last 3 days hourly performance ratio for my Strings for inverter 2

**Response:** I've created the visualization for you. View Fullscreen 02:31 AM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | `2` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 181. SAK_1

Production • 27.8s

**Question:** Please plot the last 4 days hourly performance ratio for all my inverters

**Response:** I've created the visualization for you. View Fullscreen 02:31 AM ★ Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.perf_ratio_ag, functions.generate_graphs_via_code` |
| API calls made | `2` |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 182. SAK_1

Production • 41.4s

**Question:** Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 02:32 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |

## 183. SAK_1

Production • 41.4s

**Question:** Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

**Response:** I checked the last 30 days of raw 5-minute pyranometer data against modelled POA and screened for repeated negative departures. Findings: - Recurrent dips are present and they occur at consistent clock times, which is suggestive of shading rather than random cloud effects. - Total flagged dip points: 1,022 - Days affected: 30/30 - Baseline measured/modelled ratio stats: - median: 0.868 - 10th percentile: 0.242 - 5th percentile: 0.161 Most recurrent dip times: - 13:25 occurred on 30 days (100% of affected days) - 13:20 and 13:30 occurred on 21 days each (70%) - 16:40 occurred on 20 days (66.7%) - 08:05 occurred on 20 days (66.7%) - 16:35 and 16:45 occurred on 19 days each (63.3%) - 14:25, 14:30, 14:35 each occurred on 18–19 days (60–63%) - 08:10 and 08:15 occurred on 18–19 days (60–63%) Hours with the most dip activity: - 14:00 hour: 170 points - 13:00 hour: 164 - 16:00 hour: 164 - 08:00 hour: 128 - 15:00 hour: 112 Assessment: -

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 184. SAK_1

Production • 32.3s

**Question:** Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

**Response:** I've created the visualization for you. View Fullscreen 02:35 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 185. SAK_1

Production • 26.1s

**Question:** When was the last time the BOM data showed up

**Response:** The latest timestamp with BOM data is 2026-11-02 02:25:00. Source value at that timestamp: 1.0 Status note: the latest available data in the extract ends at 2026-11-02 02:25:00. 02:36 AM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `execute_custom_code, extract_timeseries_data_ag` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 186. SAK_1

Production • 30.8s

**Question:** Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

**Response:** Using `pyranometer_1` as POA and summing 5-minute irradiance into daily irradiation in Wh/m² over the requested last 12 months window, the available data is incomplete. Available coverage: - Start: 2026-07-09 07:05:00 - End: 2026-11-02 02:25:00 - Daily totals available: 117 days Daily summed POA statistics from the available period: - Median: 8854.42 Wh/m² - Mean: 7861.55 Wh/m² - Kurtosis: -0.8290 Important note: - The requested 12-month period is not fully available in the dataset. - Data only begins on 2026-07-09, so these statistics are for the available subset, not a full 12 months. - The value for 2026-11-02 is partial and near zero because the day is incomplete at the current timestamp. If you want the strict comparable daily-statistics set, excluding partial boundary days, the usable full-day range would be 2026-07-10 to 2026-11-01. 02:37 AM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBAC

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_agent` |
| Tools used | `functions.execute_custom_code, functions.extract_timeseries_data_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 187. SAK_1

Production • 20.1s

**Question:** Pull up the latest cleaning log

**Response:** No cleaning activity logs have been recorded for this plant in November 2026. 02:37 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | 2 |
| Last API call | `GET /teamchat/testuser2/mentions/unread → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 188. SAK_1

Production • 18.9s

**Question:** Jim cleaned the pyranometer today, can you add it to the cleaning log?

**Response:** To add a cleaning log entry, please provide the following required details: - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 02:38 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `data_entry_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 189. SAK_1

Production • 27.7s

**Question:** How can I shut down my inverters?

**Response:** To safely shut down your inverters according to the manufacturer manual, follow these steps: 1. Locate the passive switch connection on your inverter. This involves wiring a passive switch to the terminals labeled "DI" and "PGND" as shown in the shutdown wiring diagram. This switch serves as a local stop and can safely halt inverter operation when needed. Reference this diagram for the correct wiring: 2. Verify the inverter has stopped: - If use a normally open relay contact, ensure the relay is open (circuit disconnected, LED off). See: - For a normally closed relay contact, check that the relay is now open (circuit disconnected, LED off) after shutdown. See: 3. Confirm all wiring and external stop functions (like "RSD STOP" and "LOCAL STOP") are properly connected as per the terminal diagram. Reference: **PDF manual reference:** SG125CX_P2_manual.pdf 02:38 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBA

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `manual_agent` |
| Tools used | `functions.manual_rag_tool` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 190. SAK_1

Production • 18.9s

**Question:** Please change to dark mode

**Response:** Sure, I will turn on dark mode 02:39 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `ui_agent` |
| API calls made | `1` |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | `0` |
| Network failures | `0` |



## 191. SAK_1

Production • 37.0s

**Question:** Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

**Response:** I've created the visualization for you. View Fullscreen 02:40 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `functions.calculate_clipping_or_curtailment_losses_ag, functions.execute_custom_code, functions.generate_graphs_via_code` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |



## 192. SAK_1

Production • 30.8s

**Question:** Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

**Response:** I've created the visualization for you. View Fullscreen 02:40 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

### TECHNICAL EVIDENCE

| | |
|---|---|
| Agents used | `graph_agent` |
| Tools used | `total_energy_func_ag, generate_graphs_via_code, specific_yield_ag` |
| API calls made | 2 |
| Last API call | `GET /testuser2/ai_agent_chat → 200` |
| Console errors | 0 |
| Network failures | 0 |