Test Run Report — Run #286

Environment: **Production** • Website: **aepc2.p2agentx.com** • Trigger: Scheduled • Started: Oct 14, 2026 19:00 • Ended: Oct 14, 2026 22:27

Generated: 10/15/2026, 1:05:42 AM

Summary

220	90.9%	200 / 20	0
Total Tests	Pass Rate (excl. skipped)	Passed / Failed	Skipped (connection)

Plant-wise Summary

10 plants

Pass rate is based on completed tests only: passed, failed, and errors. Skipped tests are excluded.

Plant	Environment	Total	Passed	Failed	Errors	Skipped	Pass
Abdali_Mall_Barza	Production	22	20	2	0	0	90
Abdali_Mall_Lahoun	Production	22	20	2	0	0	90
Abdali_Mall_Netmetering	Production	22	21	1	0	0	95
BF_Wheeling	Production	22	22	0	0	0	100
Galleria_Mall	Production	22	16	6	0	0	72
GID	Production	22	21	1	0	0	95
KUPCO_HQ_DAJEEJ	Production	22	21	1	0	0	95
MOF	Production	22	19	3	0	0	86
Noor_Al_aqaba	Production	22	21	1	0	0	95
SAK_1	Production	22	19	3	0	0	86

Failures (20)

Failure Cluster	Category	Failures
LLM Reasoning Issues	Llm Reasoning	9
Tool Execution Failures	Tool Execution	6
Data Availability Issues	Data Availability	5

LLM Reasoning Issues LLM REASONING (9 failures)

1. Noor_Al_aqaba

Production • 41.5s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'i can't'): Yesterday (2026-10-13), your plant's top-level performance is best represented at inverter level. Overall: - Most inverters performed well, with specific yield mostly around 5.86–6.01 kWh/kWp -

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-13), your plant's top-level performance is best represented a
t inverter level.\n\nOverall:\n- Most inverters performed well, with specific yield mostly around 5.86–6.01
kWh/kWp\n- PR was mostly around 0.76–0.78\n- Inverter11 had no reported energy / yield / PR data (NaN), so
it appears missing or unavailable for yesterday\n- Availability output returned null for all inverters, so
I can't reliably report availability from that calculation\n\nPer inverter, sorted:\n- inverter1: 2129.63 k
Wh, 5.8789 kWh/kWp, PR 0.7688\n- inverter2: 2056.72 kWh, 5.6776 kWh/kWp, PR 0.7243\n- inverter3: 2122.80 kW
h, 5.8600 kWh/kWp, PR 0.7616\n- inverter4: 2124.65 kWh, 5.8651 kWh/kWp, PR 0.7643\n- inverter5: 2041.99 kW
h, 5.8932 kWh/kWp, PR 0.7676\n- inverter6: 2145.47 kWh, 5.9226 kWh/kWp, PR 0.7727\n- inverter7: 2154.61 kW
h, 5.9479 kWh/kWp, PR 0.7792\n- inverter8: 2160.23 kWh, 5.9634 kWh/kWp, PR 0.7794\n- inverter9: 2157.39 kW
h, 5.9555 kWh/kWp, PR 0.7810\n- inverter10: 2065.73 kWh, 5.9617 kWh/kWp, PR 0.7799\n- inverter11: NaN kWh,
NaN kWh/kWp, PR NaN\n- inverter12: 2154.35 kWh, 5.9471 kWh/kWp, PR 0.7796\n- inverter13: 2156.24 kWh, 5.952
4 kWh/kWp, PR 0.7782\n- inverter14: 2169.25 kWh, 5.9883 kWh/kWp, PR 0.7801\n- inverter15: 2080.96 kWh, 6.00
57 kWh/kWp, PR 0.7845\n\nBest / weakest observed:\n- Highest energy: inverter14 at 2169.25 kWh\n- Highest s
pecific yield: inverter15 at 6.0057 kWh/kWp\n- Highest PR: inverter15 at 0.7845\n- Lowest valid specific yi
eld and PR: inverter2 at 5.6776 kWh/kWp and PR 0.7243\n- Missing data: inverter11\n\nCalled tools: total_en
ergy_func_ag, specific_yield_ag, perf_ratio_ag, technical_contractual_availability_ag",
    "coding_response": [
      "Yesterday (2026-10-13), your plant's top-level performance is best represented at inverter level.\n
\nOverall:\n- Most inverters performed well, with specific yield mostly around 5.86–6.01 kWh/kWp\n- PR was
mostly around 0.76–0.78\n- Inverter11 had no reported energy / yield / PR data (NaN), so it appears missing
or unavailable for yesterday\n- Availability output returned null for all inverters, so I can't reliably re
port availability from that calculation\n\nPer inverter, sorted:\n- inverter1: 2129.63 kWh, 5.8789 kWh/kWp,
PR 0.7688\n- inverter2: 2056.72 kWh, 5.6776 kWh/kWp, PR 0.7243\n- inverter3: 2122.80 kWh, 5.8600 kWh/kWp, P
R 0.7616\n- inverter4: 2124.65 kWh, 5.8651 kWh/kWp, PR 0.7643\n- inverter5: 2041.99 kWh, 5.8932 kWh/kWp, PR
0.7676\n- inverter6: 2145.47 kWh, 5.9226 kWh/kWp, PR 0.7727\n- inverter7: 2154.61 kWh, 5.9479 kWh/kWp, PR
0.7792\n- inverter8: 2160.23 kWh, 5.9634 kWh/kWp, PR 0.7794\n- inverter9: 2157.39 kWh, 5.9555 kWh/kWp, PR
0.7810\n- inverter10: 2065.73 kWh, 5.9617 kWh/kWp, PR 0.7799\n- inverter11: NaN kWh, NaN kWh/kWp, PR NaN\n-
inverter12: 2154.35 kWh, 5.9471 kWh/kWp, PR 0.7796\n- inverter13: 2156.24 kWh, 5.9524 kWh/kWp, PR 0.7782\n-
inverter14: 2169.25 kWh, 5.9883 kWh/kWp, PR 0.7801\n- inverter15: 2080.96 kWh, 6.0057 kWh/kWp, PR 0.7845\n
\nBest / weakest observed:\n- Highest energy: inverter14 at 2169.25 kWh\n- Highest specific yield: inverter
15 at 6.0057 kWh/kWp\n- Highest PR: inverter15 at 0.7845\n- Lowest valid specific yield and PR: inverter2 a
t 5.6776 kWh/kWp and PR 0.7243\n- Missing data: inverter11\n\nCalled tools: total_energy_func_ag, specific_
yield_ag, perf_ratio_ag, technical_contractual_availability_ag"
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "total_energy_func_ag",
      "technical_contractual_availability_ag",
      "specific_yield_ag",
      "perf_ratio_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to only include records from October 13, 2026.\n2. I pick out the column
s that contain power, irradiance, and temperature data.\n3. I clean up the data by removing or marking any
invalid values in the power and irradiance columns.\n4. I figure out how much energy the plant actually
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Highest energy: inverter14 at 2169.25 kWh
- Highest specific yield: inverter15 at 6.0057 kWh/kWp
- Highest PR: inverter15 at 0.7845
- Lowest valid specific yield and PR: inverter2 at 5.6776 kWh/kWp and PR 0.7243
- Missing data: inverter11
Called tools: total_energy_func_ag, specific_yield_ag, perf_ratio_ag, technical_contractual_availability_ag
10:14 PM
Are you satisfied with the answer?
Time taken: 26s, token: 0 tokens
connected to Noor Al Aqaba
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. MOF

Production • 39.8s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'i cannot'): I found 2 shading-like pyranometer dips in the available recent data window. Period analyzed: - 2026-10-13 to 2026-10-14 - Available data actually extends to: 2026-10-14 18:00:00 Detected di

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I found 2 shading-like pyranometer dips in the available recent data window.\n\n
Period analyzed:\n- 2026-10-13 to 2026-10-14\n- Available data actually extends to: 2026-10-14 18:00:00\n\n
Detected dip frequency:\n- Total dips: 2\n- By day:\n  - 2026-10-13: 2\n- By hour of day:\n  - 08:00 hour:
1\n  - 09:00 hour: 1\n\nDetected dip times:\n1. 2026-10-13 08:15:00\n   - Duration: 1 sample\n   - Pyranome
ter: 193.42 W/m²\n   - Modelled POA: 359.92 W/m²\n   - Measured/modelled ratio: 0.537\n\n2. 2026-10-13 09:0
0:00\n   - Duration: 1 sample\n   - Pyranometer: 176.00 W/m²\n   - Modelled POA: 497.82 W/m²\n   - Measure
d/modelled ratio: 0.354\n\nInterpretation:\n- These are short, discrete irradiance dips where measured POA
dropped well below the local/modelled expectation, consistent with possible transient shading.\n- Both occu
rred in the morning, which can be consistent with fixed-object shading or brief cloud passages. With pyrano
meter data alone, I can identify dip events, but I cannot definitively separate shading from fast-moving cl
ouds.",
    "coding_response": [
      "I found 2 shading-like pyranometer dips in the available recent data window.\n\nPeriod analyzed:\n-
2026-10-13 to 2026-10-14\n- Available data actually extends to: 2026-10-14 18:00:00\n\nDetected dip frequen
cy:\n- Total dips: 2\n- By day:\n  - 2026-10-13: 2\n- By hour of day:\n  - 08:00 hour: 1\n  - 09:00 hour: 1
\n\nDetected dip times:\n1. 2026-10-13 08:15:00\n   - Duration: 1 sample\n   - Pyranometer: 193.42 W/m²\n
- Modelled POA: 359.92 W/m²\n   - Measured/modelled ratio: 0.537\n\n2. 2026-10-13 09:00:00\n   - Duration:
1 sample\n   - Pyranometer: 176.00 W/m²\n   - Modelled POA: 497.82 W/m²\n   - Measured/modelled ratio: 0.35
4\n\nInterpretation:\n- These are short, discrete irradiance dips where measured POA dropped well below the
local/modelled expectation, consistent with possible transient shading.\n- Both occurred in the morning, wh
ich can be consistent with fixed-object shading or brief cloud passages. With pyranometer data alone, I can
identify dip events, but I cannot definitively separate shading from fast-moving clouds."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.extract_timeseries_data_ag",
      "functions.execute_custom_code"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Measured/modelled ratio: 0.354
Interpretation:
- These are short, discrete irradiance dips where measured POA dropped well below the local/modelled expectation, consistent with possible transient shading.
- Both occurred in the morning, which can be consistent with fixed-object shading or brief cloud passages. With pyranometer data alone, I can identify dip events, but I cannot definitively separate shading from fast-moving clouds.
10:34 PM
Are you satisfied with the answer?
Time taken: 25s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. KUPCO_HQ_DAJEEJ

Production • 32.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i can't'): I checked the available timeseries up to the latest recorded point, which is 2026-10-14 22:00:00. There were no rows where the `source` field contained `BOM`, so I can't identify a last BOM timestamp

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "I checked the available timeseries up to the latest recorded point, which is 202
6-10-14 22:00:00. There were no rows where the `source` field contained `BOM`, so I can't identify a last B
OM timestamp from the data returned.",
    "coding_response": [
      "I checked the available timeseries up to the latest recorded point, which is 2026-10-14 22:00:00. Th
ere were no rows where the `source` field contained `BOM`, so I can't identify a last BOM timestamp from th
e data returned."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag",
      "execute_custom_code"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
When was the last time the BOM data showed up
TE
I checked the available timeseries up to the latest recorded point, which is 2026-10-14 22:00:00. There were no rows where the `source` field contained `BOM`, so I can't identify a last BOM timestamp from the data returned.
10:56 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 17s, token: 0 tokens
connected to Kupco Hq Dajeej
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. Galleria_Mall

Production • 27.6s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Error reason: AI indicated failure (matched 'i can't'): I can’t assess it for 2026-10-14 because the queried dataframe is empty for that date, so there are no POA or inverter power samples to count daytime missing points or compare against the satellite/mo

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How is my data quality for POA and power? How many of them show missing data during dayt
ime or mismatches with satellite prediction?",
    "displayed_response": "I can’t assess it for 2026-10-14 because the queried dataframe is empty for that
date, so there are no POA or inverter power samples to count daytime missing points or compare against the
satellite/modelled reference.",
    "coding_response": [
      "I can’t assess it for 2026-10-14 because the queried dataframe is empty for that date, so there are
no POA or inverter power samples to count daytime missing points or compare against the satellite/modelled
reference."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Time taken: 53s, token: 0 tokens
How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?
TE
I can't assess it for 2026-10-14 because the queried dataframe is empty for that date, so there are no POA or inverter power samples to count daytime missing points or compare against the satellite/modelled reference.
11:09 PM
Are you satisfied with the answer?
Time taken: 13s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

5. Galleria_Mall

Production • 34.1s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'i can't'): Yesterday (2026-10-13), I can't assess plant performance because the dataset for that day is effectively empty. The plant-level top view is inverter level here, and the queried results came back with

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-13), I can't assess plant performance because the dataset for
that day is effectively empty. The plant-level top view is inverter level here, and the queried results cam
e back with no usable values.\n\nSummary for 2026-10-13:\n- Energy: all 12 inverters returned null\n- Speci
fic yield: empty for all 12 inverters\n- Performance ratio: empty for all 12 inverters\n- Availability: nul
l for all 12 inverter power channels\n\nPer inverter:\n- inverter1: Energy null, Specific yield empty, PR e
mpty, Availability null\n- inverter2: Energy null, Specific yield empty, PR empty, Availability null\n- inv
erter3: Energy null, Specific yield empty, PR empty, Availability null\n- inverter4: Energy null, Specific
yield empty, PR empty, Availability null\n- inverter5: Energy null, Specific yield empty, PR empty, Availab
ility null\n- inverter6: Energy null, Specific yield empty, PR empty, Availability null\n- inverter7: Energ
y null, Specific yield empty, PR empty, Availability null\n- inverter8: Energy null, Specific yield empty,
PR empty, Availability null\n- inverter9: Energy null, Specific yield empty, PR empty, Availability null\n-
inverter10: Energy null, Specific yield empty, PR empty, Availability null\n- inverter11: Energy null, Spec
ific yield empty, PR empty, Availability null\n- inverter12: Energy null, Specific yield empty, PR empty, A
vailability null\n\nSo the correct conclusion is: no usable data is available for yesterday, so performance
cannot be determined from the database for that date.",
    "coding_response": [
      "Yesterday (2026-10-13), I can't assess plant performance because the dataset for that day is effecti
vely empty. The plant-level top view is inverter level here, and the queried results came back with no usab
le values.\n\nSummary for 2026-10-13:\n- Energy: all 12 inverters returned null\n- Specific yield: empty fo
r all 12 inverters\n- Performance ratio: empty for all 12 inverters\n- Availability: null for all 12 invert
er power channels\n\nPer inverter:\n- inverter1: Energy null, Specific yield empty, PR empty, Availability
null\n- inverter2: Energy null, Specific yield empty, PR empty, Availability null\n- inverter3: Energy nul
l, Specific yield empty, PR empty, Availability null\n- inverter4: Energy null, Specific yield empty, PR em
pty, Availability null\n- inverter5: Energy null, Specific yield empty, PR empty, Availability null\n- inve
rter6: Energy null, Specific yield empty, PR empty, Availability null\n- inverter7: Energy null, Specific y
ield empty, PR empty, Availability null\n- inverter8: Energy null, Specific yield empty, PR empty, Availabi
lity null\n- inverter9: Energy null, Specific yield empty, PR empty, Availability null\n- inverter10: Energ
y null, Specific yield empty, PR empty, Availability null\n- inverter11: Energy null, Specific yield empty,
PR empty, Availability null\n- inverter12: Energy null, Specific yield empty, PR empty, Availability null\n
\nSo the correct conclusion is: no usable data is available for yesterday, so performance cannot be determi
ned from the database for that date."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from 2026-10-13 (including the end date).\n2. I
find all inverter power columns in the dataset, making sure to exclude any columns related to reactive powe
r or flags.\n3. I clean each inverter's power data by removing or marking any invalid measurements.\n4. For
each inverter, I calculate the energy produced by multiplying the power by the time interval (0.0833 hour
s), and convert units if needed (for example, dividing by 1000 if the data is in Watts).\n5. I make sure to
include all days in the calculation for each inverter.\n6. I add up all the energy values within the select
ed period to get a single total energy
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- inverter9: Energy null, Specific yield empty, PR empty, Availability null
- inverter10: Energy null, Specific yield empty, PR empty, Availability null
- inverter11: Energy null, Specific yield empty, PR empty, Availability null
- inverter12: Energy null, Specific yield empty, PR empty, Availability null
So the correct conclusion is: no usable data is available for yesterday, so performance cannot be determined from the database for that date.
11:14 PM
Are you satisfied with the answer?
Time taken: 20s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

6. Abdali_Mall_Lahoun

Production • 44.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'i can't'): I analyzed the last 30 days of 5-minute pyranometer data (2026-09-15 to 2026-10-14) against modelled POA and solar azimuth to look for repeatable irradiance depressions. Conclusion: yes, the pyrano

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I analyzed the last 30 days of 5-minute pyranometer data (2026-09-15 to 2026-10-
14) against modelled POA and solar azimuth to look for repeatable irradiance depressions.\n\nConclusion: ye
s, the pyranometer shows a strong, repeatable shading-like signature at specific times/directions.\n\nKey f
indings:\n- Daylight samples analyzed: 3,398\n- Median measured/modelled POA ratio: 0.633\n- 10th percentil
e ratio: 0.324\n- Share of daylight points below 0.75 ratio: 65.8%\n- Share below 0.60 ratio: 45.7%\n\nMost
affected azimuth bands:\n- 97.5°: median ratio 0.321 (n=69)\n- 102.5°: median ratio 0.346 (n=135)\n- 107.
5°: median ratio 0.410 (n=160)\n- 112.5°: median ratio 0.467 (n=149)\n- 247.5°: median ratio 0.499 (n=165)
\n- 252.5°: median ratio 0.409 (n=171)\n- 257.5°: median ratio 0.323 (n=140)\n- 262.5°: median ratio 0.316
(n=75)\n\nThese cluster into two clear directional windows:\n- Morning: roughly 97.5° to 112.5° azimuth\n-
Afternoon: roughly 247.5° to 262.5° azimuth\n\nMost frequent low-ratio times:\n- Morning around 09:30\n- Af
ternoon concentrated around 15:50 to 16:40, especially:\n  - 15:50, 15:55, 16:00, 16:05, 16:10, 16:15, 16:2
0, 16:25, 16:30, 16:35, 16:40\n\nInterpretation:\n- Because the dips recur at consistent solar directions a
nd clock times, this is consistent with fixed-object shading of the pyranometer or nearby sensor field-of-v
iew obstruction rather than random cloud events.\n- The symmetric morning/afternoon pattern suggests an eas
t-side obstruction in the morning and a west-side obstruction in the afternoon, or horizon/row/structure ef
fects affecting the sensor.\n- The ratios are very low in those windows (~0.32–0.47 median), which is a str
ong signal.\n\nImportant caution:\n- The overall measured/modelled ratio is low even outside the worst wind
ows, so there may also be sensor bias, tilt/orientation mismatch, fouling, or model mismatch. I can identif
y shading-like dips from timing patterns, but I can't assess soiling directly.\n\nBottom line:\n- Likely sh
ading is occurring at the plant sensor location, with repeatable dips around ~09:30 and ~15:50–16:40, corre
sponding to azimuths near 100–112° and 248–263°.",
    "coding_response": [
      "I analyzed the last 30 days of 5-minute pyranometer data (2026-09-15 to 2026-10-14) against modelled
POA and solar azimuth to look for repeatable irradiance depressions.\n\nConclusion: yes, the pyranometer sh
ows a strong, repeatable shading-like signature at specific times/directions.\n\nKey findings:\n- Daylight
samples analyzed: 3,398\n- Median measured/modelled POA ratio: 0.633\n- 10th percentile ratio: 0.324\n- Sha
re of daylight points below 0.75 ratio: 65.8%\n- Share below 0.60 ratio: 45.7%\n\nMost affected azimuth ban
ds:\n- 97.5°: median ratio 0.321 (n=69)\n- 102.5°: median ratio 0.346 (n=135)\n- 107.5°: median ratio 0.410
(n=160)\n- 112.5°: median ratio 0.467 (n=149)\n- 247.5°: median ratio 0.499 (n=165)\n- 252.5°: median ratio
0.409 (n=171)\n- 257.5°: median ratio 0.323 (n=140)\n- 262.5°: median ratio 0.316 (n=75)\n\nThese cluster i
nto two clear directional windows:\n- Morning: roughly 97.5° to 112.5° azimuth\n- Afternoon: roughly 247.5°
to 262.5° azimuth\n\nMost frequent low-ratio times:\n- Morning around 09:30\n- Afternoon concentrated aroun
d 15:50 to 16:40, especially:\n  - 15:50, 15:55, 16:00, 16:05, 16:10, 16:15, 16:20, 16:25, 16:30, 16:35, 1
6:40\n\nInterpretation:\n- Because the dips recur at consistent solar directions and clock times, this is c
onsistent with fixed-object shading of the pyranometer or nearby sensor field-of-view obstruction rather th
an random cloud events.\n- The symmetric morning/afternoon pattern suggests an east-side obstruction in the
morning and a west-side obstruction in the afternoon, or horizon/row/structure effects affecting the senso
r.\n- The ratios are ve
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Important caution:
- The overall measured/modelled ratio is low even outside the worst windows, so there may also be sensor bias, tilt/orientation mismatch, fouling, or model mismatch. I can identify shading-like dips from timing patterns, but I can't assess soiling directly.
Bottom line:
- Likely shading is occurring at the plant sensor location, with repeatable dips around ~09:30 and ~15:50–16:40, corresponding to azimuths near 100–112° and 248–263°.
12:40 AM
Are you satisfied with the answer?
Time taken: 30s, token: 0 tokens
connected to Abdali Mall Lahoun
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

7. Abdali_Mall_Barza

Production • 42.9s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'could not retrieve'): Yesterday (2026-10-14): - Total energy generated: 1,400.53 kWh - Performance ratio (PR): 0.821 - Capacity factor: 19.45% (computed from 1,400.53 kWh ÷ (300 kW × 24 h)) Notable losses:

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-14):\n- Total energy generated: 1,400.53 kWh\n- Performance r
atio (PR): 0.821\n- Capacity factor: 19.45%  \n  (computed from 1,400.53 kWh ÷ (300 kW × 24 h))\n\nNotable
losses:\n- I could not retrieve the detailed loss breakdown because the loss-classification tool failed on
this single-day query.\n- Also, the dataset is incomplete for the day: available data runs from 06:40 to 1
8:45, so these metrics should be treated with caution.\n\nNotes:\n- Plant AC capacity used: 300 kW\n- Both
energy and PR tools reported incomplete daily coverage.",
    "coding_response": [
      "Yesterday (2026-10-14):\n- Total energy generated: 1,400.53 kWh\n- Performance ratio (PR): 0.821\n-
Capacity factor: 19.45%  \n  (computed from 1,400.53 kWh ÷ (300 kW × 24 h))\n\nNotable losses:\n- I could n
ot retrieve the detailed loss breakdown because the loss-classification tool failed on this single-day quer
y.\n- Also, the dataset is incomplete for the day: available data runs from 06:40 to 18:45, so these metric
s should be treated with caution.\n\nNotes:\n- Plant AC capacity used: 300 kW\n- Both energy and PR tools r
eported incomplete daily coverage."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.energy_based_avaiability_ag"
    ],
    "urls": [],
    "steps": "1. Choose all data from October 14, 2026, including that day.\n2. Use the \"active_power\" co
lumn for calculations.\n3. Clean the data by removing or marking any invalid power readings.\n4. For each d
ata point, calculate energy by multiplying the power value by 0.0833 hours (5 minutes), then convert units
if needed (e.g., divide by 1000 to go from Watts to kilowatts).\n5. Make sure to include every day in the s
elected range.\n6. Add up all the calculated energy values to get the total energy for the period.\n\n---\n
\n1. I pick out data from October 14, 2026, including the end date.\n2. I find the plant's rated power and
temperature derating factor from its metadata.\n3. I estimate the baseline energy using modeled irradiance,
temperature, and rated power, applying clipping limits with a 10% oversizing assumption.\n4. I check the qu
ality of the irradiance data and decide whether to use measured or modeled values.\n5. If the system is bif
acial, I apply corrections for bifaciality.\n6. I calculate losses at each stage, including:\n   - String t
o MPPT losses\n   - MPPT to inverter losses\n   - Inverter to plant losses\n   - Clipping losses\n   - Curt
ailment losses\n   - Insulation resistance (RISO) losses\n   - Inverter communication losses\n   - Inverter
degradation losses\n   - Potential MPPT issues (detected statistically)\n7. I calculate any unaccounted los
ses as the difference between the baseline, all known losses, and the actual measured energy.\n8. I organiz
e all loss categories and their values into a table for easy visualization.\n9. I return the loss breakdown
as a dictionary for easy use.\n\n---\n\n1. I select data from October 14, 2026, including the end date.\n2.
I identify the columns for power, irradiance, and temperature.\n3. I clean the data by removing or flagging
invalid power and irradiance values.\n4. I calculate the actual energy produced by multiplying power by the
time interval (0.0833 hours) and adjusting units as needed.\n5. I estimate the expected energy without temp
erature correction.\n6. If the system is bifacial, I apply extra corrections based on metadata like ground
reflectivity, area, and shading.\n7. I group the actual and expected energy by day.\n8. I calculate the per
formance ratio for each day, applying bifacial corrections if needed.\n9. I return the average performance
ratio across all days.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n---\n\n1. I
receive your question about a specific plant detail, such as \"power (kW AC)\".\n2. I access th
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Notable losses:
- I could not retrieve the detailed loss breakdown because the loss-classification tool failed on this single-day query.
- Also, the dataset is incomplete for the day: available data runs from 06:40 to 18:45, so these metrics should be treated with caution.
Notes:
- Plant AC capacity used: 300 kW
- Both energy and PR tools reported incomplete daily coverage.
12:58 AM
Are you satisfied with the answer?
Time taken: 27s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

8. Abdali_Mall_Barza

Production • 35.2s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'i can't'): The last BOM data point did not appear in the queried window. What I found: - Last timestamp in the available data: 2026-10-15 00:55:00 - No `source` value matching BOM was present up to that t

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "The last BOM data point did not appear in the queried window.\n\nWhat I found:\n- Last timestamp in the available data: 2026-10-15 00:55:00\n- No `source` value matching BOM was present up to that time\n- The recent `source` values were `1.0`, so the BOM label is not showing explicitly in this dataset\n\nSo based on the available data, I can’t confirm any BOM timestamp; the latest recorded source entry is at 2026-10-15 00:55:00.",
    "coding_response": [
      "The last BOM data point did not appear in the queried window.\n\nWhat I found:\n- Last timestamp in the available data: 2026-10-15 00:55:00\n- No `source` value matching BOM was present up to that time\n- The recent `source` values were `1.0`, so the BOM label is not showing explicitly in this dataset\n\nSo based on the available data, I can’t confirm any BOM timestamp; the latest recorded source entry is at 2026-10-15 00:55:00."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.execute_custom_code",
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- No `source` value matching BOM was present up to that time
- The recent `source` values were `1.0`, so the BOM label is not showing explicitly in this dataset
So based on the available data, I can't confirm any BOM timestamp; the latest recorded source entry is at 2026-10-15 00:55:00.
01:02 AM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 20s, token: 0 tokens
connected to Abdali Mall Barza
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

9. SAK_1

Production • 46.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'i can't'): I checked the last 7 days of raw 5-minute pyranometer data (2026-10-08 to 2026-10-14) against modelled POA irradiance and looked for repeated low-irradiance periods by time of day. Conclusion: yes,

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I checked the last 7 days of raw 5-minute pyranometer data (2026-10-08 to 2026-1
0-14) against modelled POA irradiance and looked for repeated low-irradiance periods by time of day.\n\nCon
clusion: yes, there are frequent repeated dips that are consistent with shading or a fixed field-of-view ob
struction affecting the pyranometer.\n\nMain repeated dip windows\n- Morning: about 07:15–08:30\n- Late aft
ernoon: about 16:35–17:30\n- There are also weaker/intermittent midday dips around 13:20–14:30 on several d
ays, but these are less consistent than the morning/evening pattern.\n\nStrongest recurring clock-time dips
\n- 07:40, 07:45, 07:25, 07:50, 07:30, 07:35 all dipped on 7/7 days\n- 16:50 and 16:55 dipped on 6/6 availa
ble points\n- 07:20 dipped on 5/5 days\n- 07:15 dipped on 4/4 days\n\nThese are very strong repeat pattern
s, which is what you would expect from shading tied to sun position rather than random clouds.\n\nSolar azi
muth ranges most associated with dips\n- ~100° azimuth: dip frequency 89.7%, median measured/modelled ratio
0.422\n- ~250° azimuth: dip frequency 91.7%, median measured/modelled ratio 0.333\n\nThat means the dips oc
cur at fairly specific sun angles in both the morning and afternoon, which further supports a shading/obstr
uction interpretation.\n\nExamples of repeated daily dip periods\n- 2026-10-08: 07:10–08:30 and 16:35–17:30
\n- 2026-10-09: 07:15–08:25 and 16:40–17:30\n- 2026-10-10: 07:15–08:05, plus several afternoon dip blocks\n
- 2026-10-11: 07:25–08:50 and 15:30–16:15\n- 2026-10-12: 07:15–07:50 and 16:45–17:05\n- 2026-10-13: 07:20–0
7:50 and 16:00–17:20\n- 2026-10-14: 07:25–07:50 plus later intermittent dip blocks\n\nImportant context\n-
The pyranometer-to-modelled POA median ratio over the analyzed daytime data is about 0.779, so the sensor r
eads materially below the model not only during the dip windows.\n- The repeated timing is the strongest ev
idence of shading; however, the lower overall ratio could also include sensor bias, tilt/orientation mismat
ch, dirt, or calibration issues.\n- I can identify shading-like dip timing from pyranometer behavior, but I
can’t perform soiling analysis here.\n\nBottom line\n- Yes: the pyranometer shows frequent, repeatable dips
at fixed morning and late-afternoon times that are highly suggestive of shading/obstruction on the senso
r.\n- Most likely affected windows are around 07:15–08:30 and 16:35–17:30, corresponding roughly to solar a
zimuths near 100° and 250°.",
    "coding_response": [
      "I checked the last 7 days of raw 5-minute pyranometer data (2026-10-08 to 2026-10-14) against modell
ed POA irradiance and looked for repeated low-irradiance periods by time of day.\n\nConclusion: yes, there
are frequent repeated dips that are consistent with shading or a fixed field-of-view obstruction affecting
the pyranometer.\n\nMain repeated dip windows\n- Morning: about 07:15–08:30\n- Late afternoon: about 16:35–
17:30\n- There are also weaker/intermittent midday dips around 13:20–14:30 on several days, but these are l
ess consistent than the morning/evening pattern.\n\nStrongest recurring clock-time dips\n- 07:40, 07:45, 0
7:25, 07:50, 07:30, 07:35 all dipped on 7/7 days\n- 16:50 and 16:55 dipped on 6/6 available points\n- 07:20
dipped on 5/5 days\n- 07:15 dipped on 4/4 days\n\nThese are very strong repeat patterns, which is what you
would expect from shading tied to sun position rather than random clouds.\n\nSolar azimuth ranges most asso
ciated with dips\n- ~100° azimuth: dip frequency 89.7%, median measured/modelled ratio 0.422\n- ~250° azimu
th: dip frequency 91.7%, median measured/modelled ratio 0.333\n\nThat means the dips occur at fairly specif
ic sun angles in both the morning and afternoon, which further supports a shading/obstruction interpretatio
n.\n\nExamples of repeated daily dip periods\n
```



Tool Execution Failures TOOL EXECUTION (6 failures)

1. MOF

Production • 26.0s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return clipping loss values. Error returned: `COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolve

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
and did not return clipping loss values.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' canno
t be resolved`\n\nSo I can't provide the July 2026 clipping loss from that tool for this plant because the
tool is trying to access a column that is not available in the dataset.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return c
lipping loss values.\n\nError returned:\n`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`\n\nSo
I can't provide the July 2026 clipping loss from that tool for this plant because the tool is trying to acc
ess a column that is not available in the dataset."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Error returned:
`COLUMN_NOT_FOUND: Column 'wind_speed_1' cannot be resolved`
So I can't provide the July 2026 clipping loss from that tool for this plant because the tool is trying to access a column that is not available in the dataset.
10:25 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. MOF

Production • 32.2s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-13), your plant produced 1400.01 kWh. Key performance metrics: - Specific yield: 2.857 kWh/kWp - Performance ratio (PR): 0.783 Important data-quality note: - The dataset

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-13), your plant produced 1400.01 kWh.\n\nKey performance metr
ics:\n- Specific yield: 2.857 kWh/kWp\n- Performance ratio (PR): 0.783\n\nImportant data-quality note:\n- T
he dataset is incomplete.\n- Energy/yield data only spans 05:45 to 17:45.\n- PR data only spans 06:00 to 1
1:00.\nSo these values should be treated as indicative, not a full-day assessment.\n\nI could not report te
chnical availability because that calculation tool failed for this request.",
    "coding_response": [
      "Yesterday (2026-10-13), your plant produced 1400.01 kWh.\n\nKey performance metrics:\n- Specific yie
ld: 2.857 kWh/kWp\n- Performance ratio (PR): 0.783\n\nImportant data-quality note:\n- The dataset is incomp
lete.\n- Energy/yield data only spans 05:45 to 17:45.\n- PR data only spans 06:00 to 11:00.\nSo these value
s should be treated as indicative, not a full-day assessment.\n\nI could not report technical availability
because that calculation tool failed for this request."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. Select data from October 13, 2026 (including the end date).\n2. Use the \"active_power\" c
olumn for calculations.\n3. Clean the data by removing or marking any invalid values in the power column.\n
4. For each data point, calculate energy as (Power × 0.25 hours), converting units if needed (e.g., divide
by 1000 to get kWh from Watts).\n5. Make sure all days in the selected range are included.\n6. Add up all t
he calculated energy values to get the total energy for the period.\n\n---\n\n1. Select data from October 1
3, 2026 (including the end date).\n2. Identify all inverter power columns and their DC rated power from the
plant's metadata.\n3. Set calculation parameters: irradiance threshold (usually 50 W/m²), power threshold
(usually 0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, filter the data to only i
nclude intervals where irradiance is above the threshold, then count the total useful time (T_useful) and d
owntime (T_down).\n5. Convert these counts into hours based on the data interval.\n6. Calculate Technical A
vailability for each inverter using: (T_useful - T_down) / T_useful × 100.\n7. Return a dictionary showing
the availability percentage for each inverter.\n\n---\n\n1. Select data from October 13, 2026 (including th
e end date).\n2. Group the data by day (or by minute, hour, month, or year as needed).\n3. Include all days
in the calculation.\n4. Calculate the total energy produced during the selected period using the plant's po
wer data and a 0.25-hour time interval.\n5. Normalize the total energy by dividing by the plant's installed
capacity (rated power) to get the specific yield in kWh per kWp.\n6. Return the specific yield for each tim
e interval as a detailed breakdown.\n\n---\n\n1. Select data from October 13, 2026 (including the end dat
e).\n2. Identify the relevant columns for power, irradiance, and temperature.\n3. Clean the data by removin
g or flagging invalid values in the power and irradiance columns.\n4. Calculate the actual energy produced
by multiplying power by the time interval (0.25 hours) and adjusting units as needed.\n5. Calculate the exp
ected energy without applying temperature correction.\n6. If the system is bifacial, apply extra correction
factors based on metadata (like ground albedo, area normalization, and shading losses).\n7. Group both actu
al and expected energy by day.\n8. Calculate the performance ratio for each interval, including bifacial co
rrections if needed.\n9. Return the performance ratio for each interval as a detailed breakdown.\n10. Cap t
he performance ratio values at 1.3 to avoid unrealistic results."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Important data-quality note:
- The dataset is incomplete.
- Energy/yield data only spans 05:45 to 17:45.
- PR data only spans 06:00 to 11:00.
So these values should be treated as indicative, not a full-day assessment.
I could not report technical availability because that calculation tool failed for this request.
10:33 PM
Are you satisfied with the answer?
Time taken: 17s, token: 0 tokens
connected to Mof
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. Galleria_Mall

Production • 24.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Error reason: AI indicated failure (matched 'i can't'): I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return clipping loss values. Error returned: `Data retrieval failed with Exception: Query failed: COLUM

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 202
6",
    "displayed_response": "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed
and did not return clipping loss values.\n\nError returned:\n`Data retrieval failed with Exception: Query f
ailed: COLUMN_NOT_FOUND: line 1:23: Column 'wind_speed_1' cannot be resolved or requester is not authorized
to access requested resources`\n\nSo I can't provide the July 2026 clipping loss from that tool because the
calculation itself failed upstream.",
    "coding_response": [
      "I used `clipping_loss_via_requests` for 2026-07-01 to 2026-07-31, but it failed and did not return c
lipping loss values.\n\nError returned:\n`Data retrieval failed with Exception: Query failed: COLUMN_NOT_FO
UND: line 1:23: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested
resources`\n\nSo I can't provide the July 2026 clipping loss from that tool because the calculation itself
failed upstream."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.clipping_loss_via_requests"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Error returned:
`Data retrieval failed with Exception: Query failed: COLUMN_NOT_FOUND: line 1:23: Column 'wind_speed_1' cannot be resolved or requester is not authorized to access requested resources`
So I can't provide the July 2026 clipping loss from that tool because the calculation itself failed upstream.
11:04 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 10s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. GID

Production • 50.5s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-13): - Total energy generated: 18,704.80 kWh - Performance ratio (PR): 0.6700 - Specific yield: 5.0787 kWh/kWp - Reference yield: 5.4215 kWh/kWp - Estimated DC capacity: 3

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-13):\n- Total energy generated: 18,704.80 kWh\n- Performance
ratio (PR): 0.6700\n- Specific yield: 5.0787 kWh/kWp\n- Reference yield: 5.4215 kWh/kWp\n- Estimated DC cap
acity: 3,683 kWDC\n\nAdditional context:\n- Expected energy from reference yield × DC size: about 19,970.8
kWh\n- PR cross-check from yields: 5.0787 / 5.4215 = 0.9368\n\nData quality / limitations:\n- PR tool repor
ted incomplete data coverage: data starts at 01:15 and ends at 22:10 on 2026-10-13, so interpret the PR val
ue with caution.\n- Availability could not be returned because the availability tool failed internally.\n-
Performance index could not be returned because that tool failed internally.\n- Energy-based availability c
ould not be returned because the tool requires a wider valid interval and did not return data for the singl
e-day request.\n\nBecause the returned PR (0.6700) is inconsistent with the yield-based cross-check (0.936
8), the incomplete data coverage likely affected the PR calculation. The yield-based figures are internally
consistent.",
    "coding_response": [
      "Yesterday (2026-10-13):\n- Total energy generated: 18,704.80 kWh\n- Performance ratio (PR): 0.6700\n
- Specific yield: 5.0787 kWh/kWp\n- Reference yield: 5.4215 kWh/kWp\n- Estimated DC capacity: 3,683 kWDC\n
\nAdditional context:\n- Expected energy from reference yield × DC size: about 19,970.8 kWh\n- PR cross-che
ck from yields: 5.0787 / 5.4215 = 0.9368\n\nData quality / limitations:\n- PR tool reported incomplete data
coverage: data starts at 01:15 and ends at 22:10 on 2026-10-13, so interpret the PR value with caution.\n-
Availability could not be returned because the availability tool failed internally.\n- Performance index co
uld not be returned because that tool failed internally.\n- Energy-based availability could not be returned
because the tool requires a wider valid interval and did not return data for the single-day request.\n\nBec
ause the returned PR (0.6700) is inconsistent with the yield-based cross-check (0.9368), the incomplete dat
a coverage likely affected the PR calculation. The yield-based figures are internally consistent."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.query_plant_details_ag"
    ],
    "urls": [],
    "steps": "1. I select data from October 13, 2026, including the end date.\n2. I calculate the total ene
rgy produced by the plant during this period.\n3. I identify and sum up all significant energy losses, excl
uding baseline and measured energy, using a loss classification method.\n4. I determine the energy-based av
ailability by dividing the delivered energy by the sum of delivered and lost energy, then express it as a p
ercentage.\n5. I provide the energy-based availability value, which ranges from 0% to 100%.\n\n1. I select
data from October 13, 2026, including the end date.\n2. I find all inverter power columns and their DC rate
d powers from the plant's metadata.\n3. I set calculation parameters like irradiance threshold (usually 50
W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes).\n4. For each inverter, I
filter data to times when irradiance is above the threshold, then count the total useful time and downtime
intervals.\n5. I convert these interval counts into hours based on the data interval.\n6. I calculate techn
ical availability for each inverter using the formula: (useful time - downtime) / useful time × 100.\n7. I
return a dictionary showing the availability percentage for each inverter.\n\n1. I receive your question ab
out a specific plant detail, such as \"power (kW DC).\"\n2. I access the plant's metadata dictionary contai
ning all system information.\n3. I look inside the \"System\" section of the metadata, where key plant attr
ibutes are stored.\n4. I search for the \"power (kW DC)\" field within the \"System\"
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
- Availability could not be returned because the availability tool failed internally.
- Performance index could not be returned because that tool failed internally.
- Energy-based availability could not be returned because the tool requires a wider valid interval and did not return data for the single-day request.
Because the returned PR (0.6700) is inconsistent with the yield-based cross-check (0.9368), the incomplete data coverage likely affected the PR calculation. The yield-based figures are internally consistent.
11:37 PM
Are you satisfied with the answer?
Time taken: 35s, token: 0 tokens
connected to Mathkor Gid
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

5. Abdali_Mall_Netmetering

Production • 32.3s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-13), your plant performed as follows: - Energy produced: 2,270.19 kWh - Specific yield: 3.046 kWh/kWp - Performance ratio (PR): 0.8185, or 81.85% I could not report techni

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-13), your plant performed as follows:\n\n- Energy produced:
2,270.19 kWh\n- Specific yield: 3.046 kWh/kWp\n- Performance ratio (PR): 0.8185, or 81.85%\n\nI could not r
eport technical availability because that calculation tool failed on this query.",
    "coding_response": [
      "Yesterday (2026-10-13), your plant performed as follows:\n\n- Energy produced: 2,270.19 kWh\n- Speci
fic yield: 3.046 kWh/kWp\n- Performance ratio (PR): 0.8185, or 81.85%\n\nI could not report technical avail
ability because that calculation tool failed on this query."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "multi_tool_use.parallel",
      "functions.query_plant_details_ag"
    ],
    "urls": [],
    "steps": "1. I choose data from October 13, 2026, including that day.\n2. I find all inverter power col
umns and their DC rated powers using the plant's metadata.\n3. I set calculation settings like the irradian
ce threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minute
s).\n4. For each inverter, I filter the data to times when irradiance is above the threshold, then count th
e total useful intervals (T_useful) and the downtime intervals (T_down).\n5. I convert these interval count
s into hours based on the data interval.\n6. I calculate Technical Availability for each inverter using: (T
_useful - T_down) / T_useful × 100.\n7. I provide a dictionary showing the availability percentage for each
inverter.\n\n1. You ask me about a specific plant detail, like \"power (kW DC)\".\n2. I look up the plant's
metadata dictionary, which has all the system information.\n3. I focus on the \"System\" section of the met
adata, where key plant details are stored.\n4. I search for the \"power (kW DC)\" field within that sectio
n.\n\n1. I select data from October 13, 2026, including that day.\n2. I pick out the columns for power, irr
adiance, and temperature.\n3. I clean the data by removing or marking invalid values in the power and irrad
iance columns.\n4. I calculate the actual energy produced by multiplying power by the time interval (0.0833
hours) and adjusting units as needed.\n5. I calculate the expected energy, without correcting for temperatu
re.\n6. If the system is bifacial, I apply extra corrections using metadata like ground albedo, area normal
ization, and shading losses.\n7. I group the actual and expected energy by day.\n8. I calculate the perform
ance ratio for each day, applying bifacial corrections if needed.\n9. I return a detailed breakdown of the
performance ratio for each day.\n10. I cap the performance ratio at 1.3 to avoid unrealistic results.\n\n1.
I select data from October 13, 2026, including that day.\n2. I group the data by day (or by minute, hour, m
onth, or year if needed).\n3. I make sure all days are included in the calculation.\n4. I calculate the tot
al energy produced during the selected period using the plant's power data and the time interval (0.0833 ho
urs).\n5. I normalize the total energy by the plant's installed capacity (rated power) to get the specific
yield in kWh per kWp.\n6. I provide a detailed breakdown of the specific yield for each time interval.\n\n
1. I select data from October 13, 2026, including that day.\n2. I use the active_power column(s) for the ca
lculation.\n3. I clean the data by removing or flagging invalid values in the power column(s).\n4. I calcul
ate the energy for each data point as (Power × 0.0833 hours), converting units if needed (e.g., dividing by
1000 to go from Watts to kW).\n5. I include all days in the calculation.\n6. I sum up all the energy values
for the selected period to get the total energy produced."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Yesterday (2026-10-13), your plant performed as follows:
- Energy produced: 2,270.19 kWh
- Specific yield: 3.046 kWh/kWp
- Performance ratio (PR): 0.8185, or 81.85%
I could not report technical availability because that calculation tool failed on this query.
11:59 PM
Are you satisfied with the answer?
Time taken: 18s, token: 0 tokens
connected to Abdali Mall Netmetering
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

6. Abdali_Mall_Lahoun

Production • 33.7s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool failed'): Yesterday (2026-10-14), your plant produced 2,713.18 kWh. Key performance: - Specific yield: 3.45 kWh/kWp - Performance ratio (PR): 0.877 - PVsyst daily expectation: 3,832.26 kWh - Actual v

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "How did my plant perform yesterday?",
    "displayed_response": "Yesterday (2026-10-14), your plant produced 2,713.18 kWh.\n\nKey performance:\n- Specific yield: 3.45 kWh/kWp\n- Performance ratio (PR): 0.877\n- PVsyst daily expectation: 3,832.26 kWh\n- Actual vs PVsyst expectation: 70.8%\n\nPlant DC size:\n- 786 kWp\n\nNotes:\n- The data available currently ends at 23:25, so the last 30 minutes of the day were not yet present in the database when queried.\n- I could not return contractual/technical availability because that tool failed on this dataset.",
    "coding_response": [
      "Yesterday (2026-10-14), your plant produced 2,713.18 kWh.\n\nKey performance:\n- Specific yield: 3.45 kWh/kWp\n- Performance ratio (PR): 0.877\n- PVsyst daily expectation: 3,832.26 kWh\n- Actual vs PVsyst expectation: 70.8%\n\nPlant DC size:\n- 786 kWp\n\nNotes:\n- The data available currently ends at 23:25, so the last 30 minutes of the day were not yet present in the database when queried.\n- I could not return contractual/technical availability because that tool failed on this dataset."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.query_plant_details_ag",
      "multi_tool_use.parallel"
    ],
    "urls": [],
    "steps": "1. When you ask about a specific plant detail like \"power (kW DC)\", I check the plant's metadata, focusing on the \"System\" section, and look for the \"power (kW DC)\" field there.\n\n2. I select data from 2026-10-14 to 2026-10-14 (including the end date), group it by day, and include all days in the calculation. I then total up the energy produced during this period using the plant's power data and the time interval (0.0833 hours). Next, I divide this total energy by the plant's installed capacity to get the specific yield (kWh per kWp), and provide a detailed breakdown for each day.\n\n3. I select data from 2026-10-14 to 2026-10-14 (including the end date), identify the columns for power, irradiance, and temperature, and clean the data by removing or flagging invalid values. I calculate the actual energy produced by multiplying power by the time interval (0.0833 hours), and also calculate the expected energy without temperature correction. If the system is bifacial, I apply extra corrections based on metadata like ground albedo and shading losses. I then group the actual and expected energy by day, calculate the performance ratio for each day (with bifacial correction if needed), and return the average performance ratio, making sure it doesn't exceed 1.3.\n\n4. I select data from 2026-10-14 to 2026-10-14 (including the end date), use the \"active_power\" column, and clean the data by removing or flagging invalid values. For each data point, I calculate energy as (Power × 0.0833 hours) divided by the correct unit conversion (like 1000 for Watts to kW). I include all days, sum up all the energy values for the period, and return the total energy produced.\n\n5. I select data from 2026-10-14 to 2026-10-14 (including the end date), identify all inverter power columns and their DC rated powers from the plant metadata, and set calculation parameters like irradiance threshold (usually 50 W/m²), power threshold (usually 0.1 kW), and data interval (typically 5 minutes). For each inverter, I filter the data to times when irradiance is above the threshold, count the total useful time and downtime, and convert these counts to hours. I then calculate the technical availability for each inverter as (useful time minus downtime) divided by useful time, times 100, and return the availability percentage for each inverter."
  }
}
```



Data Availability Issues DATA AVAILABILITY (5 failures)

1. Galleria_Mall

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Error reason: AI indicated failure (matched 'i can't'): I can't confirm any 0-production days in the last 7 days because the daily inverter energy query returned no data for 2026-10-08 to 2026-10-14. Result: data unavailable for that period. Status re

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Was there any 0 production days in the last 7 days?",
    "displayed_response": "I can't confirm any 0-production days in the last 7 days because the daily inver
ter energy query returned no data for 2026-10-08 to 2026-10-14.\n\nResult: data unavailable for that perio
d.\nStatus returned: the dataframe is empty and does not reach the end of the requested range.",
    "coding_response": [
      "I can't confirm any 0-production days in the last 7 days because the daily inverter energy query ret
urned no data for 2026-10-08 to 2026-10-14.\n\nResult: data unavailable for that period.\nStatus returned:
the dataframe is empty and does not reach the end of the requested range."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.total_energy_func_ag"
    ],
    "urls": [],
    "steps": "1. I filter the data to include only records from October 8, 2026, to October 14, 2026, inclu
ding both start and end dates.  \n2. I find all columns related to inverter power, making sure to leave out
any columns for reactive power or status flags.  \n3. I clean each inverter's power data by removing or mar
king any invalid measurements.  \n4. For each inverter, I calculate the energy produced by multiplying the
power values by the time interval (0.0833 hours), and convert units if necessary (for example, dividing by
1000 if the data is in Watts).  \n5. I make sure to include every day in the selected date range for each i
nverter's calculations.  \n6. I sum up the energy values for each inverter, grouping them by the chosen tim
e period (such as daily, monthly, or yearly totals).  \n7. I provide the energy totals for each inverter fo
r every aggregation period.  \n8. I organize the results into a DataFrame, where each column represents an
inverter and each row represents an aggregation period.  \n9. I return the results as a dictionary, either
with keys for each aggregation period or as a single total, depending on the settings."
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Was there any 0 production days in the last 7 days?
TE
I can't confirm any 0-production days in the last 7 days because the daily inverter energy query returned no data for 2026-10-08 to 2026-10-14.
Result: data unavailable for that period.
Status returned: the dataframe is empty and does not reach the end of the requested range.
11:07 PM
Are you satisfied with the answer?
Time taken: 12s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

2. Galleria_Mall

Production • 26.1s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'no data available'): I couldn't analyze shading-like irradiance dips because the requested recent period has no available timeseries data. The pyranometer query for 2026-09-14 to 2026-10-14 returned empty, so there's noth

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Is there shading happening with my plant? Please analyze the pyranometer and check for f
requent dips at certain times",
    "displayed_response": "I couldn't analyze shading-like irradiance dips because the requested recent per
iod has no available timeseries data. The pyranometer query for 2026-09-14 to 2026-10-14 returned empty, so
there's nothing to test for recurring time-of-day dips or compare against modelled POA/solar position.\n\nR
esult: no data available in that window.\n\nIf you want, provide a different date range that contains data
and I can check for recurring pyranometer dip times as potential shading anomalies.",
    "coding_response": [
      "I couldn't analyze shading-like irradiance dips because the requested recent period has no available
timeseries data. The pyranometer query for 2026-09-14 to 2026-10-14 returned empty, so there's nothing to t
est for recurring time-of-day dips or compare against modelled POA/solar position.\n\nResult: no data avail
able in that window.\n\nIf you want, provide a different date range that contains data and I can check for
recurring pyranometer dip times as potential shading anomalies."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "functions.extract_timeseries_data_ag"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
I couldn't analyze shading-like irradiance dips because the requested recent period has no available timeseries data. The pyranometer query for 2026-09-14 to 2026-10-14 returned empty, so there's nothing to test for recurring time-of-day dips or compare against modelled POA/solar position.
Result: no data available in that window.
If you want, provide a different date range that contains data and I can check for recurring pyranometer dip times as potential shading anomalies.
11:15 PM
Are you satisfied with the answer?
Time taken: 11s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

3. Galleria_Mall

Production • 33.6s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'no data available'): The last BOM data I can identify in the available dataset is 2026-09-11 19:00:00. Note: the available data spans 2026-04-05 00:00:00 to 2026-09-11 19:00:00, so there is no data available after that

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "When was the last time the BOM data showed up",
    "displayed_response": "The last BOM data I can identify in the available dataset is 2026-09-11 19:00:0
0.\n\nNote: the available data spans 2026-04-05 00:00:00 to 2026-09-11 19:00:00, so there is no data availa
ble after that point to check.",
    "coding_response": [
      "The last BOM data I can identify in the available dataset is 2026-09-11 19:00:00.\n\nNote: the avail
able data spans 2026-04-05 00:00:00 to 2026-09-11 19:00:00, so there is no data available after that point
to check."
    ],
    "used_agents": [
      "data_agent"
    ],
    "used_tools": [
      "extract_timeseries_data_ag",
      "execute_custom_code"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
TE
When was the last time the BOM data showed up
The last BOM data I can identify in the available dataset is 2026-09-11 19:00:00.
Note: the available data spans 2026-04-05 00:00:00 to 2026-09-11 19:00:00, so there is no data available after that point to check.
11:17 PM
Are you satisfied with the answer?
Click here for Source
Click here for Steps
Click here for Tools
Time taken: 19s, token: 0 tokens
connected to Galleria Mall
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

4. SAK_1

Production • 82.4s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate last months report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Pla
nt 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP,
Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_M
all_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SA
K_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_A
l_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_La
houn, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Time taken: 15s, token: 0 tokens
Please generate last months report
TE
Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'
01:11 AM
Are you satisfied with the answer?
Time taken: 67s, token: 0 tokens
connected to Sak 1
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

5. SAK_1

Production • 53.5s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba

TECHNICAL EVIDENCE

API call: `GET /testuser2/ai_agent_chat → 200`

Raw API response:


```
{
  "result": {
    "user_input": "Please generate December 2025 performance report",
    "displayed_response": "Sorry, an error occurred while generating the report. Here are the details: 'Pla
nt 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP,
Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_M
all_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
    "coding_response": [
      [
        {
          "answer": "Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SA
K_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_A
l_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_La
houn, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'",
          "action": []
        }
      ]
    ],
    "used_agents": [
      "report_agent"
    ],
    "used_tools": [
      "agent_external_report_tool"
    ],
    "urls": [],
    "steps": []
  }
}
```


AEPCO
Alternative Energy Projects Company
AI Brain
Job Car...
Mainten...
Chat
Teams
Time taken: 12s, token: 0 tokens
Please generate December 2025 performance report
TE
Sorry, an error occurred while generating the report. Here are the details: 'Plant 'SAK_1' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_Al_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_Al_Mushagar, BF_Wheeling'
01:12 AM
Are you satisfied with the answer?
Time taken: 39s, token: 0 tokens
connected to Sak 1
How can we help you today?
LEAVE ANY FEEDBACK
Mistakes in P2Chat are possible. Double-check key information.

Passed (200)

1. Noor_Al_aqaba

Production • 36.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT error on your inverters, follow these steps: 1. Locate all relevant communication and monitoring components (SmartLogger, SmartMBU, management system) in your PV system. Refer to this diagram for component locations: 2. Check all physical connections, especially between the inverters, SmartLogger, and management/monitoring interface. Follow the connection paths as shown here: 3. On the software/configuration side, ensure all communication parameters (COM port, protocol, baud rate, parity, stop bit, device address) are set correctly using the deployment wizard as demonstrated here: 4. Verify the input parameters for any Energy Management Interface (EMI) as shown on this screen: 5. For potential Ethernet or gateway failures, check server address, port, and TLS settings in the diagnostic screen. Common error states and configuration adjustment points are shown here: Please review and compare all steps with your system's setup and the r

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`13`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



2. Noor_Al_aqaba

Production • 36.8s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss was present in July 2026. Per inverter clipping loss: - inverter1_active_power: 34,258.2605 kWh - inverter2_active_power: 34,257.4975 kWh - inverter3_active_power: 34,257.4975 kWh - inverter4_active_power: 34,257.4975 kWh - inverter5_active_power: 29,015.9477 kWh - inverter6_active_power: 34,250.2521 kWh - inverter7_active_power: 34,258.2605 kWh - inverter8_active_power: 34,250.2521 kWh - inverter9_active_power: 34,242.4765 kWh - inverter10_active_power: 29,010.0137 kWh - inverter11_active_power: 8,005.5913 kWh - inverter12_active_power: 34,456.9157 kWh - inverter13_active_power: 34,456.9157 kWh - inverter14_active_power: 34,456.9157 kWh - inverter15_active_power: 28,320.7443 kWh Total clipping loss across all inverters: 470,254.5378 kWh Status: Good 10:02 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FE

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



3. Noor_Al_aqaba

Production • 125.2s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_September_2026_external_report.pdf' Noor_Al_Aqaba Report 10:04 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 109s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`4`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



4. Noor_Al_aqaba

Production • 29.1s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no days with zero energy production in the last 7 days (2026-10-08 to 2026-10-14). All reported daily inverter energies were positive on every day. One exception is inverter11, which returned NaN for all 7 days, so its production is unavailable rather than zero. 10:05 PM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



5. Noor_Al_aqaba

Production • 79.3s

Question: Please generate December 2025 performance report

Response: I've generated the December 2025 performance report. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Noor_Alqaba_Power_Plant_December_2025_external_report.pdf' Noor_Al_Aqaba Report 10:07 PM Are you satisfied with the answer? Time taken: 64s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



6. Noor_Al_aqaba

Production • 45.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-13 to 2026-10-14, using daytime points defined by zenith < 90° and modelled POA > 20 W/m²: - Time coverage available through: 2026-10-14 21:00:00 - Daytime samples analyzed: 268 Missing data during daytime - POA sensor (pyranometer_1): 3 missing points - Power missing points by inverter: - inverter1_active_power: 3 - inverter2_active_power: 3 - inverter3_active_power: 3 - inverter4_active_power: 3 - inverter5_active_power: 3 - inverter6_active_power: 3 - inverter7_active_power: 3 - inverter8_active_power: 3 - inverter9_active_power: 3 - inverter10_active_power: 3 - inverter11_active_power: 268 - inverter12_active_power: 3 - inverter13_active_power: 3 - inverter14_active_power: 3 - inverter15_active_power: 3 Mismatches with satellite/modelled prediction - POA mismatches vs modelled_poa_1: 106 of 265 valid daytime comparison points - Criterion used: measured/modelled outside 0.7 to 1.3 - Plant

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



7. Noor_Al_aqaba

Production • 39.9s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 10:09 PM ★ Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

8. Noor_Al_aqaba

Production • 44.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 10:10 PM ★ Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



9. Noor_Al_aqaba

Production • 33.8s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 10:10 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



10. Noor_Al_aqaba

Production • 129.7s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months (2026-04-14 to 2026-10-14), by Inverter: - Inverter 1: 113,173.94 kWh - Inverter 2: 113,873.60 kWh - Inverter 3: 113,858.15 kWh - Inverter 4: 113,572.41 kWh - Inverter 5: 95,282.62 kWh - Inverter 6: 113,868.38 kWh - Inverter 7: 113,881.30 kWh - Inverter 8: 113,868.38 kWh - Inverter 9: 112,759.52 kWh - Inverter 10: 95,533.92 kWh - Inverter 11: 50,538.22 kWh - Inverter 12: 114,060.61 kWh - Inverter 13: 114,060.61 kWh - Inverter 14: 114,060.61 kWh - Inverter 15: 94,599.41 kWh Note: - Values are partial/underestimated for the full 6-month period due to API rate limits (429) encountered after 2026-09-13. The visualization has been prepared to show monthly clipping loss by inverter for the requested period. Clipping Loss Over the Last 6 Months (2026-04-14 to 2026-10-14), by Inverter: - Inverter 1: 113,173.94 kWh - Inverter 2: 113,873.60 kWh - Inverter 3: 113,858.15 kWh - Inverter 4: 113,572.41 kWh - Invert

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



11. Noor_Al_aqaba

Production • 43.2s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I checked the last 7 full days of pyranometer data against modelled POA to flag short irradiance dips that are consistent with possible shading behavior. Findings: - Daytime points analyzed: 914 - Dip points detected: 27 - Most dips were isolated 5-minute events rather than sustained shading periods. - Only one clock time repeated more than once: 16:00, occurring on 2026-10-13 and 2026-10-14. Potential recurring shading indicator: - 16:00 — observed 2 times All detected dip occurrence times: - 2026-10-07 14:05 - 2026-10-08 07:15 - 2026-10-09 13:35 - 2026-10-09 15:05 - 2026-10-09 15:25 - 2026-10-09 16:15 - 2026-10-09 16:35 - 2026-10-10 14:30 - 2026-10-10 15:10 - 2026-10-10 15:45 - 2026-10-11 12:35 - 2026-10-11 13:10 - 2026-10-11 13:25 - 2026-10-11 13:40 - 2026-10-12 08:40 - 2026-10-12 09:00 - 2026-10-12 10:05 - 2026-10-12 12:15 - 2026-10-12 15:50 - 2026-10-12 16:10 - 2026-10-13 07:40 - 2026-10-13 08:05 - 2026-10-13 16:00

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



12. Noor_Al_aqaba

Production • 26.1s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Noor_Al_Aqaba] Front Page - System Overview (Page 1, Table 1) 2. [Noor_Al_Aqaba] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Noor_Al_Aqaba/page_3_image_2.png 10:15 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	3
Last API call	`GET /testuser2/chat/ → 404`
Console errors	3
Network failures	1



13. Noor_Al_aqaba

Production • 39.8s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 10:16 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 24s, token: 0 tokens What can I do? connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	2
Network failures	0



14. Noor_Al_aqaba

Production • 32.1s

Question: When was the last time the BOM data showed up

Response: The last BOM data showed up at 2026-10-14 21:00:00. The `source` value at that timestamp was `1.0`. Note: the latest available data in the series currently ends at 2026-10-14 21:00:00, which is normal relative to refresh timing and not by itself a fault. 10:17 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



15. Noor_Al_aqaba

Production • 33.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA from `pyranometer_1` is only available for the period 2026-05-09 to 2026-10-14, not the full last 12 months requested. The data source reported: "Data starts at 2026-05-09 10:45:00 and ends at 2026-10-14 21:00:00", so the result is an incomplete 12-month window. Using the available daily data and converting daily average irradiance to daily summed POA: - Median: 10,173.92 Wh/m² - Mean: 9,827.49 Wh/m² - Kurtosis: 2.072 Available date range analyzed: - Start: 2026-05-09 - End: 2026-10-14 - Days returned: 159 A few sample daily summed POA values (Wh/m²): - 2026-05-09: 9,987.02 - 2026-06-25: 14,604.05 - 2026-08-04: 13,432.51 - 2026-09-04: 5,715.17 - 2026-10-14: 5,911.49 If you want the full daily series listed explicitly, I can provide all 159 dates and values. 10:18 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 18s, token: 0 tokens connected to Noor Al Aqaba LEAVE A

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



16. Noor_Al_aqaba

Production • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for Noor_Al_Aqaba in October 2026. 10:18 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



17. Noor_Al_aqaba

Production • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Would you like to provide these now? 10:19 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



18. Noor_Al_aqaba

Production • 33.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, please follow these manufacturer instructions: 1. Log in to the app/SmartLogger maintenance interface. On the home page, select "Inverter ON/OFF" and send a shutdown command to the relevant inverter. 2. Go to your inverter hardware and switch the DC SWITCH (labelled B in system diagrams) to the OFF position. - See the inverter and main connection diagram here: - Reference another diagram showing system layout: 3. If you are isolating individual PV strings, disconnect them as needed, ensure the DC SWITCH is off, and repeat the above steps for other strings/inverters as necessary. Elements to identify in diagrams: - "A": PV strings - "B": Inverter (locate DC SWITCH here) - "C": AC Combiner box - SmartLogger: refer to system diagrams for orientation Safety Note: Only perform shutdown when system voltage and irradiance are within safe limits as per the manual recommendations. Always follow safety and manufacturer protocols. Manual reference (PDF)

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



19. Noor_Al_aqaba

Production • 19.2s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 10:20 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



20. Noor_Al_aqaba

Production • 80.9s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-14 to 2026-10-14) - inverter1: 37527.5068 kWh - inverter2: 37963.3409 kWh - inverter3: 37960.2978 kWh - inverter4: 37960.2978 kWh - inverter5: 30594.1880 kWh - inverter6: 37965.3676 kWh - inverter7: 37965.3676 kWh - inverter8: 37965.3676 kWh - inverter9: 37725.2990 kWh - inverter10: 30595.1302 kWh - inverter11: 0.0000 kWh - inverter12: 37963.3409 kWh - inverter13: 37963.3409 kWh - inverter14: 37963.3409 kWh - inverter15: 30595.1302 kWh Data Quality Status: Good Visualization I've created a line chart showing daily clipping loss by inverter for the last two months. Clipping Loss Summary (2026-08-14 to 2026-10-14) - inverter1: 37527.5068 kWh - inverter2: 37963.3409 kWh - inverter3: 37960.2978 kWh - inverter4: 37960.2978 kWh - inverter5: 30594.1880 kWh - inverter6: 37965.3676 kWh - inverter7: 37965.3676 kWh - inverter8: 37965.3676 kWh - inverter9: 37725.2990 kWh - inverter10: 30595.1302 kWh - inv

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



21. Noor_Al_aqaba

Production • 43.0s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 10:23 PM ★ Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Noor Al Aqaba LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.generate_graphs_via_code, functions.total_energy_func_ag, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



22. MOF

Production • 32.3s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting steps for a COMMUNICATION_FAULT on inverters: 1. Verify the power supply to the inverter. Ensure the power switch is turned to the "ON" position as indicated by the arrow in the diagram. 2. Confirm the correct commissioning setup. Connect the laptop to the interface device and then to multiple inverters as shown in the system connection diagram. Ensure all cables and interface devices are securely connected. 3. On the Local Commissioning & Service Tool, check if all connected inverters appear with their serial numbers and software versions. Confirm that the versions are compatible and correctly displayed. 4. In the monitoring tool, ensure each inverter's status is listed and verify their modes and power output. The mode should not be stuck in "Connecting" or showing zero output, as this may indicate a communication issue. 5. If communication errors persist, verify the detailed connection setup using the LCS tool as shown in the operational configuration dia

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`11`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



23. MOF

Production • 67.1s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_September_2026_external_report.pdf' MOF Report 10:26 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 51s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



24. MOF

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-08: 1682.06 kWh - 2026-10-09: 1602.03 kWh - 2026-10-10: 1638.44 kWh - 2026-10-11: 1452.68 kWh - 2026-10-12: 1472.02 kWh - 2026-10-13: 1400.01 kWh - 2026-10-14: 1475.56 kWh Note: the data status says the available data in this window runs from 2026-10-08 05:30 to 2026-10-14 17:45, so the range is slightly incomplete at the edges, but none of the days had 0 production. 10:27 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



25. MOF

Production • 61.1s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/MOF_power_plant_December_2025_external_report.pdf' MOF Report 10:28 PM Are you satisfied with the answer? Time taken: 46s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



26. MOF

Production • 36.7s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Data quality assessment for 2026-10-01 to 2026-10-14 18:00:00: - Daytime points assessed: 633 - Missing daytime POA readings (pyranometer_1): 75 - Missing daytime power readings (active_power): 0 - POA mismatches vs satellite/model prediction (>30% deviation from modelled_poa_1 during daytime, modelled POA > 50 W/m²): 235 - Power mismatches vs irradiance prediction (suspiciously low plant power during strong irradiance): 0 Note: the available data ends at 2026-10-14 18:00:00, so the requested period does not include later timestamps on 2026-10-14. 10:29 PM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



27. MOF

Production • 23.0s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. 10:30 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



28. MOF

Production • 23.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 10:30 PM Are you satisfied with the answer? Time taken: 8s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



29. MOF

Production • 37.1s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 10:31 PM ★ Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

30. MOF

Production • 49.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss (kWh) for the Last 6 Months by Inverter: - inverter1: NaN kWh - inverter2: 4.70 kWh - inverter3: NaN kWh - inverter4: NaN kWh - inverter5: NaN kWh - inverter6: NaN kWh - inverter7: 4.74 kWh - inverter8: 15.08 kWh Data Quality Notes: - Only one monthly bucket is available, ending 2026-04-30. - The dataset currently ends on 2026-10-14 18:00:00, so it does not fully cover the requested end period. Visualization: - A bar chart showing clipping loss by inverter for the last 6 months has been prepared. Clipping Loss (kWh) for the Last 6 Months by Inverter: - inverter1: NaN kWh - inverter2: 4.70 kWh - inverter3: NaN kWh - inverter4: NaN kWh - inverter5: NaN kWh - inverter6: NaN kWh - inverter7: 4.74 kWh - inverter8: 15.08 kWh Data Quality Notes: - Only one monthly bucket is available, ending 2026-04-30. - The dataset currently ends on 2026-10-14 18:00:00, so it does not fully cover the requested end period. Visualization:

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.inspect_xpool, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



31. MOF

Production • 24.6s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [MOF] Grid connected system overview (Page 1, Table 1) 2. [MOF] PV Array Characteristics and Inverter Details (Page 3, Table 2) Please access the URLs provided to view the detailed rated power and array configuration information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_1_image_1.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/MOF/page_3_image_2.jpg 10:34 PM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	3
Last API call	`GET /testuser2/chat/ → 404`
Console errors	4
Network failures	1



32. MOF

Production • 36.1s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 10:35 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens What can I do? connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



33. MOF

Production • 26.1s

Question: When was the last time the BOM data showed up

Response: The last BOM data showed up at 2026-10-14 18:00:00. The status indicates the dataset currently ends there, so this is the latest recorded BOM timestamp available right now. 10:36 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 11s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



34. MOF

Production • 74.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA summed as Wh/m² for the last 12 months: - Period used: 2025-10-14 to 2026-10-14 - Days included: 366 - Data status: data ends at 2026-10-14 18:00:00, so the final day is partial Summary statistics on daily POA totals: - Median: 1359.94 Wh/m² - Mean: 2539.75 Wh/m² - Kurtosis (Fisher): -1.6544 Daily POA totals (Wh/m²): 2025-10-14: 890.44 2025-10-15: 989.56 2025-10-16: 943.14 2025-10-17: 930.87 2025-10-18: 891.16 2025-10-19: 885.85 2025-10-20: 904.79 2025-10-21: 889.05 2025-10-22: 878.82 2025-10-23: 858.98 2025-10-24: 840.18 2025-10-25: 827.76 2025-10-26: 794.18 2025-10-27: 840.57 2025-10-28: 827.31 2025-10-29: 825.42 2025-10-30: 787.88 2025-10-31: 765.16 2025-11-01: 784.85 2025-11-02: 857.28 2025-11-03: 835.38 2025-11-04: 818.88 2025-11-05: 786.33 2025-11-06: 699.71 2025-11-07: 648.38 2025-11-08: 626.69 2025-11-09: 667.28 2025-11-10: 666.11 2025-11-11: 672.94 2025-11-12: 592.17 2025-11-13: 547.42

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



35. MOF

Production • 21.6s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs recorded so far for October 2026 at the MOF plant. 10:38 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



36. MOF

Production • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add this cleaning activity, please provide the following required details: - Date (default is today: 2026–10–14) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (MOF). Optional fields you can also provide, but they are not required: - Priority - Responsibility (e.g., Jim) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 10:39 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



37. MOF

Production • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps as described in the manual: 1. Locate the toggle switch on the inverter. The switch is labeled with ON and OFF positions. To turn off the inverter, rotate the switch to the "OFF" position as shown in this diagram: 2. If you plan to access internal components for maintenance or further checks after shutdown, refer to the following diagram for device orientation and points of access: 3. For reassembly or to verify secure attachment points after servicing, use this detailed diagram showing connection points: Refer to the inverter manual for full details and safety instructions: STP 60–10 Manual PDF 10:39 PM Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



38. MOF

Production • 20.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 10:40 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



39. MOF

Production • 44.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Here are the clipping loss amounts per inverter over the last two months (2026-08-14 to 2026-10-14): - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Data Quality Notes: - The direct clipping-loss API failed due to a missing wind_speed_1 column. - Clipping loss was calculated using the available tool on the inverter active power columns instead. - Status: Good The visualization has been prepared to show daily clipping loss per inverter over the last two months. Here are the clipping loss amounts per inverter over the last two months (2026-08-14 to 2026-10-14): - inverter1: 0.0 kWh - inverter2: 0.0 kWh - inverter3: 0.0 kWh - inverter4: 0.0 kWh - inverter5: 0.0 kWh - inverter6: 0.0 kWh - inverter7: 0.0 kWh - inverter8: 0.0 kWh Data Quality Notes: - The direct clipping-loss API failed due to a missing wind_speed_1 colum

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



40. MOF

Production • 41.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 10:42 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Mof LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



41. KUPCO_HQ_DAJEEJ

Production • 30.6s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot a COMMUNICATION_FAULT on your inverters, follow these detailed steps referencing the manual diagrams: 1. Review the network configuration for multiple SUN2000 inverters connected to a SmartLogger. Check that all communication ports (COM) and serial connections (RS485A and RS485B) are correctly wired as in the diagram: - 2. For utility-scale systems, inspect the MBUS communication setup: - Make sure that all connections between SUN2000 inverters, the combiner box, SmartLogger, circuit breakers, and power meter are secure and match the diagram: - 3. Verify the overall connection configuration, especially the MBUS and RS485 communication lines. Match all wire paths and labeled connections to the diagram: - 4. When installing or checking a communication connector, ensure cables are prepared and inserted per the installation steps. Tighten the connector with a nut as shown: - 5. Check the correct positioning and pin connection of the communication

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`14`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`

42. KUPCO_HQ_DAJEEJ

Production • 29.1s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 487.1175 kWh - inverter2_active_power: 1744.3757 kWh - inverter3_active_power: 1061.5417 kWh Status: Good 10:44 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



43. KUPCO_HQ_DAJEEJ

Production • 83.8s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' KUPCO_HQ_Dajeej Report 10:46 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 69s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



44. KUPCO_HQ_DAJEEJ

Production • 29.1s

Question: Was there any 0 production days in the last 7 days?

Response: There were no zero-production days in the last 7 days (2026-10-08 to 2026-10-14). Daily inverter energy was positive on every day: - 2026-10-08: inverter1 145.07 kWh, inverter2 465.63 kWh, inverter3 428.20 kWh - 2026-10-09: inverter1 139.97 kWh, inverter2 447.95 kWh, inverter3 411.81 kWh - 2026-10-10: inverter1 140.73 kWh, inverter2 454.68 kWh, inverter3 415.71 kWh - 2026-10-11: inverter1 147.43 kWh, inverter2 515.21 kWh, inverter3 486.76 kWh - 2026-10-12: inverter1 148.45 kWh, inverter2 520.35 kWh, inverter3 490.78 kWh - 2026-10-13: inverter1 146.22 kWh, inverter2 505.46 kWh, inverter3 481.19 kWh - 2026-10-14: inverter1 141.06 kWh, inverter2 495.05 kWh, inverter3 470.65 kWh Note: plant-level energy is not directly available here, so inverter level is the highest available level. 10:46 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key informat

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



45. KUPCO_HQ_DAJEEJ

Production • 52.0s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' KUPCO_HQ_Dajeej Report 10:47 PM Are you satisfied with the answer? Time taken: 36s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



46. KUPCO_HQ_DAJEEJ

Production • 45.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026–10–14, using daytime defined as zenith < 85° and modelled POA > 20 W/m²: - Data available through: 2026–10–14 22:00:00 - Daytime samples: 127 points = 10.58 hours Missing data during daytime - POA (pyranometer_1): 2 points missing = 1.57% - Power, all inverters missing simultaneously: 0 points = 0.00% - Per inverter daytime missing points: - inverter1_active_power: 1 = 0.79% - inverter2_active_power: 2 = 1.57% - inverter3_active_power: 0 = 0.00% Mismatch counts with satellite/model prediction - POA vs modelled/satellite POA proxy (modelled_poa_1): 110 mismatches out of 125 valid daytime points = 88.00% - mismatch rule used: |measured POA - modelled POA| > max(100 W/m², 20% of modelled POA) - Sunny but zero power mismatch: 0 out of 125 valid daytime points = 0.00% - rule used: modelled POA > 200 W/m² while total inverter power <= 0 W Assessment - Missing-data quality is good for both POA and power. - POA agreement against the sate

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



47. KUPCO_HQ_DAJEEJ

Production • 34.2s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 10:49 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

48. KUPCO_HQ_DAJEEJ

Production • 41.4s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 10:50 PM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



49. KUPCO_HQ_DAJEEJ

Production • 32.2s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 10:51 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

50. KUPCO_HQ_DAJEEJ

Production • 74.9s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months by Inverter: - Inverter 1: 2,494.439 kWh - Inverter 2: 8,977.290 kWh - Inverter 3: 5,754.503 kWh Data Quality Status: Good The visualization has been prepared: a line chart titled “Monthly Clipping Loss by Inverter (Last 6 Months)”. Clipping Loss Over the Last 6 Months by Inverter: - Inverter 1: 2,494.439 kWh - Inverter 2: 8,977.290 kWh - Inverter 3: 5,754.503 kWh Data Quality Status: Good The visualization has been prepared: a line chart titled “Monthly Clipping Loss by Inverter (Last 6 Months)”. View Fullscreen 10:52 PM ★ Are you satisfied with the answer? Time taken: 59s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



51. KUPCO_HQ_DAJEEJ

Production • 32.3s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-13), your plant-level top view is only available as inverter-level totals. Energy produced: - inverter1: 146.22 kWh - inverter2: 505.46 kWh - inverter3: 481.19 kWh - Total: 1,132.87 kWh Specific yield: - inverter1: 4.096 kWh/kWp - inverter2: 3.722 kWh/kWp - inverter3: 3.716 kWh/kWp Performance ratio: - inverter1: 0.425 - inverter2: 0.351 - inverter3: 0.528 Availability: - inverter1: NaN - inverter2: NaN - inverter3: NaN Overall, inverter1 had the highest specific yield, while inverter3 had the strongest PR. Inverter1 also produced much less energy than inverter2 and inverter3, which may indicate lower capacity or underperformance relative to the others. 10:53 PM Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel(functions.total_energy_func_ag, functions.specific_yield_ag, functions.perf_ratio_ag, functions.technical_contractual_availability_ag)`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



52. KUPCO_HQ_DAJEEJ

Production • 44.4s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 31 days of pyranometer behavior against modelled POA and looked for recurring time-of-day dips. Findings: - pyranometer_1 shows a strong, repeatable morning dip around 07:25–08:00. - pyranometer_2 shows a very strong, repeatable late-afternoon dip around 16:15–16:50. - pyranometer_3 shows only a mild late-afternoon dip around 15:50–16:25. Most likely shading windows: 1. pyranometer_1 - 07:25: median measured/modelled ratio 0.292, count 14 - 07:30: 0.290, count 18 - 07:35: 0.284, count 26 - 07:40: 0.312, count 29 - 07:45: 0.368, count 30 - 07:50: 0.432, count 30 - 07:55: 0.485, count 30 - 08:00: 0.533, count 24 - Solar azimuth during strongest dip: about 101°–109° - Interpretation: strong east-side morning obstruction or sensor-specific shading. 2. pyranometer_2 - 16:15: median ratio 0.257, count 28 - 16:20: 0.234, count 28 - 16:25: 0.221, count 27 - 16:30: 0.214, count 25 - 16:35: 0.212, count 18 - 16:40: 0.211, count

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



53. KUPCO_HQ_DAJEEJ

Production • 29.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [KUPCO_HQ_Dajeej] Front page - Grid connected system and rated power (Page 1, Table 1) 2. [KUPCO_HQ_Dajeej] System Summary - PV array configuration and rated power (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/KUPCO_HQ_Dajeej/page_2_image_2.png 10:55 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`4`
Network failures	`1`



54. KUPCO_HQ_DAJEEJ

Production • 37.3s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 10:56 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens What can I do? connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



55. KUPCO_HQ_DAJEEJ

Production • 32.1s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA sensor, I computed daily POA for the requested last 12 months window. However, the database only contains available data from 2026-04-12 to 2026-10-14, so the result is incomplete for a full 12-month analysis. Results on available daily data (186 days): - Median daily POA: 6224.79 Wh/m² - Mean daily POA: 5804.99 Wh/m² - Kurtosis: 1.0621 Data availability note: - Requested window: 2025-10-14 to 2026-10-14 - Available POA data: 2026-04-12 to 2026-10-14 Method note: - I used daily aggregated `pyranometer_1` values and expressed them as daily POA in Wh/m². If you want the daily values themselves, they were computed for each day in the available range 2026-04-12 through 2026-10-14. 10:57 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



56. KUPCO_HQ_DAJEEJ

Production • 21.5s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for KUPCO_HQ_Dajeej. Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-06 KUPCO_HQ_Dajeej Routine soiling on pyranometer sensor Pyranometer cleaned by Jim Completed - - - - - - - - - 10:58 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
Tools used	`get_activity_logs_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



57. KUPCO_HQ_DAJEEJ

Production • 23.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (e.g., today or specify a date) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (KUPCO_HQ_Dajeej). Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 10:58 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



58. KUPCO_HQ_DAJEEJ

Production • 32.2s

Question: How can I shut down my inverters?

Response: To properly shut down your inverter, follow the precise steps below as extracted from the manual: 1. Log in to your inverter app and go to Maintenance > Inverter ON/OFF from the home screen to send a shutdown command. 2. Physically set the DC SWITCH on your inverter to the OFF position. Locate the physical switch labeled "DC SWITCH" directly on your inverter unit. 3. If you are troubleshooting (e.g., insulation resistance fault), disconnect the relevant PV module and optimizer from the PV string as instructed. 4. (If required for further fault isolation) Use a DC extension cable with MC4 connectors to connect adjacent PV modules/optimizers, then set the DC SWITCH to ON for further testing. 5. Repeat the app shutdown command and set the DC SWITCH to OFF after each check or module change to ensure safe handling and isolation. 6. When servicing or replacing modules or optimizers, always execute both the app-based shutdown and set the DC SWITCH to OFF beforehand. 7. After maintenance, set

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



59. KUPCO_HQ_DAJEEJ

Production • 21.5s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 11:00 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



60. KUPCO_HQ_DAJEEJ

Production • 61.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-14 to 2026-10-14): - Inverter 1: 343.7533 kWh - Inverter 2: 1214.2949 kWh - Inverter 3: 682.2127 kWh The visualization has been prepared showing daily clipping loss by inverter for the last 2 months. Clipping Loss Summary (2026-08-14 to 2026-10-14): - Inverter 1: 343.7533 kWh - Inverter 2: 1214.2949 kWh - Inverter 3: 682.2127 kWh The visualization has been prepared showing daily clipping loss by inverter for the last 2 months. View Fullscreen 11:01 PM ★ Are you satisfied with the answer? Time taken: 45s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



61. KUPCO_HQ_DAJEEJ

Production • 36.8s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 11:02 PM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Kupco Hq Dajeej LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, multi_tool_use.parallel`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



62. Galleria_Mall

Production • 39.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To resolve a COMMUNICATION_FAULT error on your inverters, please follow these steps, referencing the specified diagram elements for clarity: 1. Identify your device by locating the model label, as shown with reference (1) here: 2. Inspect the system's connection flow. Begin at the PV strings (A), check the SUN2000 inverters (B), ensure output to the AC combiner box (C), and verify connection through power distribution to the grid (E). Use the monitoring channel (G) to detect communication issues. Diagram: 3. Review the entire electricity flow from PV strings, through the inverter, AC combiner, to smart management. A disruption here can cause communication faults. Diagram: 4. Examine cable connections. Ensure you use the configuration shown on the left (correct) side of this diagram—not the misaligned setup marked “X” (incorrect): 5. Verify each connection point is at a 90–degree angle and spaced at least 150 mm. Correct cable placement is shown here: | 6. Check connector a

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`13`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`2`
Network failures	`0`



63. Galleria_Mall

Production • 99.0s

Question: Please generate last months report

Response: I've generated the report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_September_2026_external_report.pdf' Galleria_Mall Report 11:06 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 83s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



64. Galleria_Mall

Production • 68.7s

Question: Please generate December 2025 performance report

Response: I've generated the external performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Galleria_Mall_December_2025_external_report.pdf' Galleria_Mall Report 11:08 PM Are you satisfied with the answer? Time taken: 53s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



65. Galleria_Mall

Production • 31.4s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 11:10 PM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



66. Galleria_Mall

Production • 29.2s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 11:10 PM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



67. Galleria_Mall

Production • 30.7s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 11:11 PM ★ Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



68. Galleria_Mall

Production • 141.9s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Over the Last 6 Months (2026-04-14 to 2026-10-14): - Inverter 1: 2165.68 kWh - Inverter 2: 5.73 kWh - Inverter 3: 0.66 kWh - Inverter 4: 2.03 kWh - Inverter 5: 20.92 kWh - Inverter 6: 25.70 kWh - Inverter 7: 21.51 kWh - Inverter 8: 16.87 kWh - Inverter 9: 14.03 kWh - Inverter 10: 25.98 kWh - Inverter 11: 61.87 kWh - Inverter 12: 10.62 kWh Data Quality Status: Good Visualization: - I've created a line chart showing monthly clipping loss by inverter for the last six months. Clipping Loss Over the Last 6 Months (2026-04-14 to 2026-10-14): - Inverter 1: 2165.68 kWh - Inverter 2: 5.73 kWh - Inverter 3: 0.66 kWh - Inverter 4: 2.03 kWh - Inverter 5: 20.92 kWh - Inverter 6: 25.70 kWh - Inverter 7: 21.51 kWh - Inverter 8: 16.87 kWh - Inverter 9: 14.03 kWh - Inverter 10: 25.98 kWh - Inverter 11: 61.87 kWh - Inverter 12: 10.62 kWh Data Quality Status: Good Visualization: - I

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`4`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



69. Galleria_Mall

Production • 23.1s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Galleria_Mall] Plant Rated Power - Front Page (Page 1, Table 1) 2. [Galleria_Mall] PV Array Configuration - PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Galleria_Mall/page_3_image_2.png 11:16 PM Are you satisfied with the answer? Time taken: 9s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`3`
Network failures	`0`



70. Galleria_Mall

Production • 27.8s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 11:16 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 12s, token: 0 tokens What can I do? connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	3
Network failures	0



71. Galleria_Mall

Production • 51.9s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1`, I calculated the daily summed POA in Wh/m² over the last 12 months requested. The available data is incomplete: it only spans **2026-04-05 to 2026-09-11** within that 12-month window. Summary statistics of daily summed POA: - **Median:** 6943.73 Wh/m² - **Mean:** 6714.55 Wh/m² - **Kurtosis (Fisher):** 8.2525 - **Days used:** 160 Daily summed POA (Wh/m²): 2026-04-05: 6704.45 2026-04-06: 6793.26 2026-04-07: 6848.05 2026-04-08: 6760.17 2026-04-09: 4432.46 2026-04-10: 6582.76 2026-04-11: 3884.04 2026-04-12: 4312.05 2026-04-13: 6611.83 2026-04-14: 6873.08 2026-04-15: 7191.16 2026-04-16: 5991.03 2026-04-17: 7068.52 2026-04-18: 6275.19 2026-04-19: 3980.02 2026-04-20: 1524.47 2026-04-21: 4740.04 2026-04-22: 6620.00 2026-04-23: 4896.32 2026-04-24: 5638.57 2026-04-25: 4724.33 2026-04-26: 6091.48 2026-04-27: 6680.85 2026-04-28: 7089.39 2026-04-29: 7258.17 2026-04-30: 6975.88 2026-05-01: 6880.99 2026-05-02

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



72. Galleria_Mall

Production • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs recorded for Galleria_Mall in October 2026. 11:19 PM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



73. Galleria_Mall

Production • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes Activity Type will be set to Cleaning based on your entry, unless you specify otherwise. 11:19 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



74. Galleria_Mall

Production • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps referenced directly from the manual and relevant diagrams: 1. Identify the inverter (component B) in the PV system layout. Refer to this diagram: 2. Locate the DC switch as shown in the inverter schematic. This is the key component used to disconnect the DC input. Schematic: 3. Using an M6 tool if necessary, turn the DC switch to the 'OFF' position to cut DC current to the inverter. Refer to the step-by-step operation diagram: 4. Ensure the system has entered Shutdown Mode by verifying that the inverter no longer receives power and the DC switch is off. Confirm with the shutdown status flow diagram: PDF Manual Reference: https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/SUN2000_115KTL_Manual/source/SUN2000_115KTL_Manual.pdf 11:20 PM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key i

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



75. Galleria_Mall

Production • 19.1s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 11:21 PM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



76. Galleria_Mall

Production • 71.8s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (Last 2 Months – Available Data): • Date: 2026-08-31 - inverter1: 0.430 kWh - inverter2: Not available - inverter3: Not available - inverter4: Not available - inverter5: Not available - inverter6: Not available - inverter7: Not available - inverter8: Not available - inverter9: Not available - inverter10: Not available - inverter11: 45.663 kWh - inverter12: Not available Data Quality Notes: • The dataset ends at 2026-09-11 19:00:00, so no results are available beyond that point within the requested window. Visualization: • I've created a line chart showing daily clipping loss by inverter for the last two months. Clipping Loss by Inverter (Last 2 Months – Available Data): • Date: 2026-08-31 - inverter1: 0.430 kWh - inverter2: Not available - inverter3: Not available - inverter4: Not available - inverter5: Not available - inverter6: Not available - inverter7: Not availab

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



77. Galleria_Mall

Production • 42.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 11:23 PM ★ Are you satisfied with the answer? Time taken: 28s, token: 0 tokens connected to Galleria Mall LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.generate_graphs_via_code, functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



78. GID

Production • 27.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot and resolve a COMMUNICATION_FAULT in your inverters, follow these manufacturer-recommended steps: 1. Wait briefly to see if the inverter returns to normal operation on its own. Some communication faults can clear automatically after a temporary disruption. 2. If the communication fault does not clear: - Disconnect the AC and DC switches, and if your system uses batteries, disconnect the battery side switches as well. - After all switches are disconnected, wait for at least 15 minutes. - Reconnect the AC and DC switches in order, and restart the system. 3. If the issue persists, inspect all communication wiring and terminal connections—ensure there are no loose connections, signs of damage, or foreign materials in the wiring area. Correct any issues found. 4. If, after these steps, the fault or alarm still continues, contact Sungrow Customer Service for further assistance. Note: There are no diagrams specifically referencing COMMUNICATION_FAULT in the manual.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`13`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



79. GID

Production • 32.2s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 31,189.95 kWh - inverter2_active_power: 31,079.45 kWh - inverter3_active_power: 31,194.90 kWh - inverter4_active_power: 31,190.07 kWh - inverter5_active_power: 36,155.49 kWh - inverter6_active_power: 36,155.49 kWh - inverter7_active_power: 36,145.11 kWh - inverter8_active_power: 36,145.11 kWh - inverter9_active_power: 36,155.49 kWh Status: Good 11:25 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.final_result, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



80. GID

Production • 109.7s

Question: Please generate last months report

Response: I've generated the plant performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_September_2026_external_report.pdf' Mathkor_GID Report 11:27 PM Are you satisfied with the answer? Time taken: 95s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



81. GID

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-08: 21,694.78 kWh - 2026-10-09: 21,903.47 kWh - 2026-10-10: 21,696.10 kWh - 2026-10-11: 14,225.59 kWh - 2026-10-12: 18,796.04 kWh - 2026-10-13: 18,704.80 kWh - 2026-10-14: 14,210.67 kWh Note: 2026-10-14 is partial data only; the latest data available ends at 22:30. 11:28 PM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



82. GID

Production • 117.4s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/Mathkor_Solar_Plant_December_2025_external_report.pdf' Mathkor_GID Report 11:30 PM Are you satisfied with the answer? Time taken: 103s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



83. GID

Production • 48.9s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: Data quality summary for 2026-10-13 to 2026-10-14: - Coverage ends at 2026-10-14 22:30:00. - Total raw points checked: 559 - Daytime points checked: 267 Missing daytime data - pyranometer_1: 0 missing points - active_power: 0 - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_active_power: 0 - inverter6_active_power: 0 - inverter7_active_power: 0 - inverter8_active_power: 0 - inverter9_active_power: 0 Mismatch with satellite/model prediction - POA mismatch check used modelled_poa_1 as the prediction reference. - Screening basis: daytime only, with modelled POA > 200 W/m2. - Flag condition: >35% relative deviation between pyranometer_1 and modelled_poa_1. Results - POA mismatch points: 65 out of 229 evaluation points (28.38%) - Plant power mismatch points: 0 out of 229 (0.00%) Per-inverter power mismatch points - inverter1_active_power: 0 / 229 (0.00%) - invert

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



84. GID

Production • 34.7s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 11:32 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



85. GID

Production • 40.2s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 11:33 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.perf_ratio_ag, functions.generate_graphs_via_code, functions.execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



86. GID

Production • 32.2s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 11:34 PM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



87. GID

Production • 119.3s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss over the Last 6 Months (2026-04-14 to 2026-10-14), by Inverter: - inverter1: 131,938.60 kWh - inverter2: 131,418.80 kWh - inverter3: 131,543.84 kWh - inverter4: 131,635.03 kWh - inverter5: 155,044.46 kWh - inverter6: 155,035.33 kWh - inverter7: 155,497.46 kWh - inverter8: 155,508.50 kWh - inverter9: 155,049.34 kWh Data Quality Status: - Good Visualization: - I've created a bar chart showing monthly clipping loss by inverter for the requested period. Clipping Loss over the Last 6 Months (2026-04-14 to 2026-10-14), by Inverter: - inverter1: 131,938.60 kWh - inverter2: 131,418.80 kWh - inverter3: 131,543.84 kWh - inverter4: 131,635.03 kWh - inverter5: 155,044.46 kWh - inverter6: 155,035.33 kWh - inverter7: 155,497.46 kWh - inverter8: 155,508.50 kWh - inverter9: 155,049.34 kWh Data Quality Status: - Good Visualization: - I've created a bar chart showing monthly clipping loss by inverter for the requested period. View F

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0

88. GID

Production • 49.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 31 days of pyranometer data (2026-09-14 to 2026-10-14 23:25) against modelled POA to look for recurrent time-of-day irradiance dips consistent with shading. Findings: - There is a strong concentration of recurrent dips in the early morning, especially around 07:05–07:55. - The 07:00 hour is the clearest shading window: 81 dip points out of 254 daylight samples, or 31.9%. - Outside that hour, dip frequencies are much lower through the main production period. - The daylight median pyranometer/modelled-POA ratio is 1.016 overall, so the issue looks localized in time rather than a persistent sensor bias. Most recurrent dip times: - 07:05 — 7 dips / 7 samples, dip frequency 100.0%, mean ratio 0.187 - 07:10 — 9 / 15, 60.0%, mean ratio 0.399 - 07:15 — 9 / 20, 45.0%, mean ratio 0.429 - 07:20 — 10 / 25, 40.0%, mean ratio 0.467 - 07:25 — 10 / 27, 37.0%, mean ratio 0.535 - 07:30 — 5 / 27, 18.5%, mean ratio 0.552 - 07:35 — 6 / 26, 23.1%, mean ratio 0

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



89. GID

Production • 26.1s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Mathkor_GID] PV Array Characteristics (Page 3, Table 2) 2. [Mathkor_GID] Single Line Diagram (Page 13, Table 1) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_3_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Mathkor_GID/page_13_image_1.jpg 11:39 PM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`3`
Network failures	`1`



90. GID

Production • 37.1s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 11:40 PM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 22s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



91. GID

Production • 32.2s

Question: When was the last time the BOM data showed up

Response: The last BOM data point showed up at 2026-10-14 23:25:00. This is 15 minutes before the stated current time of 2026-10-14 23:40:40. 11:40 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



92. GID

Production • 83.9s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily total POA for the past 12 months was calculated from `pyranometer_1` by converting 5-minute irradiance samples (W/m²) to energy using 5/60 h and summing by day. Summary statistics for daily total POA (Wh/m²): - Median: 7,277.00 Wh/m² - Mean: 6,947.74 Wh/m² - Kurtosis: -0.9585 - Days included: 366 Notes: - The dataset runs through 2026-10-14 23:25:00, so the final day is effectively partial. - One day had missing daily total: 2025-12-12 = NaN If you want the full daily series, here it is in date-sorted order: 2025-10-14: 6930.83 Wh/m² 2025-10-15: 6817.83 Wh/m² 2025-10-16: 6421.00 Wh/m² 2025-10-17: 6135.75 Wh/m² 2025-10-18: 4820.00 Wh/m² 2025-10-19: 6524.17 Wh/m² 2025-10-20: 6575.17 Wh/m² 2025-10-21: 6271.92 Wh/m² 2025-10-22: 6186.58 Wh/m² 2025-10-23: 6054.08 Wh/m² 2025-10-24: 5254.33 Wh/m² 2025-10-25: 6428.67 Wh/m² 2025-10-26: 6299.33 Wh/m² 2025-10-27: 3025.50 Wh/m² 2025-10-28: 5656.25 Wh/m² 2025-10-29: 5747.33 Wh/m² 2025-10-3

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



93. GID

Production • 20.0s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for Mathkor_GID so far in October 2026. 11:43 PM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



94. GID

Production • 21.6s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 11:43 PM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



95. GID

Production • 29.2s

Question: How can I shut down my inverters?

Response: To shut down your inverters, please follow these steps strictly as outlined in the manual: 1. Check the inverter status via the inverter indicator: • If the indicator is OFF, wait until nighttime before disconnecting the DC switch. • If the indicator is ON, you may directly disconnect the DC switch. 2. Before any service work, disconnect the grid-side AC circuit breaker. 3. Wait at least 25 minutes after shutdown to ensure the inverter is powered off entirely. 4. Use a professional instrument to measure voltage and current. Proceed only if both are zero. Always use insulation tools and protective equipment during operations. 5. If a PV Grounding Fault (codes 1600–1615 or 1632–1655) is present, do NOT disconnect the DC switch or unplug PV terminals if the direct current exceeds 0.5A. Wait for it to fall below 0.5A before proceeding. 6. For a System Hardware Fault (code 1616), similarly, only disconnect the DC switch when the DC current drops below 0.5A. Do not power up the invert

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



96. GID

Production • 19.1s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 11:44 PM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



97. GID

Production • 73.4s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss for the Last 2 Months by Inverter: - inverter1: 30,883.9609 kWh - inverter2: 30,887.1532 kWh - inverter3: 30,887.1532 kWh - inverter4: 30,624.6451 kWh - inverter5: 37,987.9681 kWh - inverter6: 37,989.3863 kWh - inverter7: 37,987.9681 kWh - inverter8: 37,987.9681 kWh - inverter9: 37,992.3650 kWh A line chart showing the daily clipping loss by inverter over the last two months has been prepared. Clipping Loss for the Last 2 Months by Inverter: - inverter1: 30,883.9609 kWh - inverter2: 30,887.1532 kWh - inverter3: 30,887.1532 kWh - inverter4: 30,624.6451 kWh - inverter5: 37,987.9681 kWh - inverter6: 37,989.3863 kWh - inverter7: 37,987.9681 kWh - inverter8: 37,987.9681 kWh - inverter9: 37,992.3650 kWh A line chart showing the daily clipping loss by inverter over the last two months has been prepared. View Fullscreen 11:46 PM ★ Are you satisfied with the answer? Time taken: 59s, token: 0 tokens connected to Mathkor Gid LEAVE AN

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



98. GID

Production • 39.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 11:47 PM ★ Are you satisfied with the answer? Time taken: 25s, token: 0 tokens connected to Mathkor Gid LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



99. Abdali_Mall_Netmetering

Production • 29.2s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting steps for a COMMUNICATION_FAULT in your inverters (as referenced in the manual): 1. Ensure the energy meter is correctly integrated into the same network as the inverter. Check wiring and network setup according to the energy meter manual. 2. For WLAN connection: Improve WLAN connection quality (for example, by installing a WLAN repeater) or connect the inverter with the DHCP server (router) via Ethernet for more reliable communication. 3. Use the network configuration user interface to check the status of both WLAN and Ethernet connections. Verify that IP addresses are assigned correctly and that there is no "No connection" status. Reference this diagram for the relevant network setup and status indicators: 4. If the issue persists after confirming proper integration and connection quality, consult the energy meter manual for advanced troubleshooting or contact service support as detailed in the inverter user manual. Important notes: - Confirm both inverter and ene

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



100. Abdali_Mall_Netmetering

Production • 45.9s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss was present in July 2026. Per inverter clipping loss (kWh), sorted by inverter: - inverter1_active_power: 218.943 - inverter2_active_power: 131.9139 - inverter3_active_power: 188.2499 - inverter4_active_power: 318.8087 - inverter5_active_power: 467.7012 - inverter6_active_power: 0.0 - inverter7_active_power: 0.0 - inverter8_active_power: 13.2321 - inverter9_active_power: 0.0 - inverter10_active_power: 0.0 - inverter11_active_power: 0.0 - inverter12_active_power: 0.0 - inverter13_active_power: 0.0 - inverter14_active_power: 3.2616 - inverter15_active_power: 0.0 Total clipping loss across all inverters: 1,342.1104 kWh Status: Good 11:49 PM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 31s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.final_result, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



101. Abdali_Mall_Netmetering

Production • 125.0s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Netmetering Report 11:51 PM Are you satisfied with the answer? Time taken: 110s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



102. Abdali_Mall_Netmetering

Production • 29.2s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no zero-production days in the last 7 days. Daily plant energy: - 2026-10-08: 2444.70 kWh - 2026-10-09: 2486.51 kWh - 2026-10-10: 2522.43 kWh - 2026-10-11: 1941.06 kWh - 2026-10-12: 2040.09 kWh - 2026-10-13: 2270.19 kWh - 2026-10-14: 1945.44 kWh Note: the latest available data stops at 2026-10-14 23:25, so today is slightly incomplete, but it is clearly not zero. 11:52 PM Are you satisfied with the answer? Time taken: 14s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



103. Abdali_Mall_Netmetering

Production • 71.8s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Netmetering Report 11:53 PM Are you satisfied with the answer? Time taken: 56s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



104. Abdali_Mall_Netmetering

Production • 35.4s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-14, data quality looks good overall for both POA and plant power during daytime. - Daytime points analyzed: 132 - Missing daytime POA points (pyranometer_1): 0 - Missing daytime plant power points (active_power): 0 - Daytime mismatches vs satellite/model prediction: 20 Quality summary: - POA daytime completeness: 100.0% - Power daytime completeness: 100.0% - POA vs satellite/model daytime match rate: 84.85% Note: the available data for the day currently runs through 2026-10-14 23:25:00. 11:54 PM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



105. Abdali_Mall_Netmetering

Production • 33.8s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 11:55 PM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



106. Abdali_Mall_Netmetering

Production • 24.6s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 11:56 PM Are you satisfied with the answer? Time taken: 10s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



107. Abdali_Mall_Netmetering

Production • 33.2s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 11:57 PM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



108. Abdali_Mall_Netmetering

Production • 85.7s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss for the Last 6 Months (2026-04-14 to 2026-10-14) by Inverter: - Inverter 1: 875.8554 kWh - Inverter 2: 572.0198 kWh - Inverter 3: 768.5525 kWh - Inverter 4: 1,232.6694 kWh - Inverter 5: 1,782.3270 kWh - Inverter 6: 0.0410 kWh - Inverter 7: 0.0000 kWh - Inverter 8: 88.6248 kWh - Inverter 9: 0.0000 kWh - Inverter 10: 1.0476 kWh - Inverter 11: 0.0000 kWh - Inverter 12: 0.0000 kWh - Inverter 13: 0.0000 kWh - Inverter 14: 51.5630 kWh - Inverter 15: 3.2099 kWh Data Quality Notes: - Partial result: some API calls were rate-limited (429 Too Many Requests), so total clipping losses for the full 6-month period may be understated. Visualization: - A bar chart showing monthly clipping loss by inverter has been prepared. Clipping Loss for the Last 6 Months (2026-04-14 to 2026-10-14) by Inverter: - Inverter 1: 875.8554 kWh - Inverter 2: 572.0198 kWh - Inverter 3: 768.5525 kWh - Inverter 4: 1,232.6694 kWh - Inverter 5: 1,782.3270 kWh

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



109. Abdali_Mall_Netmetering

Production • 46.0s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of `pyranometer_1` against `modelled_poa_1` and looked for recurring low-irradiance events at the same times of day. Conclusion: the data suggests recurring time-of-day irradiance dips that are consistent with shading, especially in the morning. Key findings: - Period analyzed: 2026-09-15 to 2026-10-14 - Daytime high-irradiance points analyzed: 3,170 - Detected dip points: 1,349 - Strongest recurrence is concentrated around 09:00–11:00 Most recurrent dip times: - 09:50: 28 days - 09:55: 26 days - 10:05: 26 days - 10:10: 25 days - 09:15: 25 days - 10:55: 25 days - 09:40: 24 days - 10:40: 24 days - 09:20: 24 days - 09:30: 24 days - 09:05: 24 days - 09:45: 24 days Hourly pattern of dips: - 08:00 hour: 63 dip points - 09:00 hour: 292 dip points - 10:00 hour: 276 dip points - 11:00 hour: 219 dip points - 12:00 hour: 188 dip points - 13:00 hour: 104 dip points - 14:00 hour: 83 dip points - 15:00 hour: 107

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



110. Abdali_Mall_Netmetering

Production • 27.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [AMC_Zone_A] Project Front Page (Page 1, Table 1) – shows rated power of the plant 2. [AMC_Zone_A] System Summary (Page 2, Table 2) – shows PV array configuration and rated power Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Netmetering/AMC_Zone_A/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Netmetering/AMC_Zone_A/page_2_image_2.png 12:01 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`3`
Network failures	`0`



111. Abdali_Mall_Netmetering

Production • 28.1s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 12:01 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 13s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



112. Abdali_Mall_Netmetering

Production • 32.1s

Question: When was the last time the BOM data showed up

Response: The latest BOM/satellite data timestamp available is 2026-10-14 23:25:00. I checked the `source` field up to the current period, and the dataset itself currently only runs to 2026-10-14 23:25:00. In the returned data, the `source` values were only `1.0`, so there was no explicit `BOM` label present to identify a more specific last BOM-tagged record. 12:02 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



113. Abdali_Mall_Netmetering

Production • 33.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Using `pyranometer_1` as the POA sensor, I computed daily POA irradiation as daily summed Wh/m² over the requested last 12 months window. However, the available data is incomplete: it only spans 2026-04-01 to 2026-10-14. Results from the available daily values: - Days with data: 192 - Median daily POA: 5784.31 Wh/m² - Mean daily POA: 5481.98 Wh/m² - Kurtosis: 2.878 Data coverage note: - Requested window: 2025-10-15 to 2026-10-15 - Actual available POA data: 2026-04-01 to 2026-10-14 A few daily values in the available range appear anomalously low, including: - 2026-09-03: 0.00 Wh/m² - 2026-09-16: 128.48 Wh/m² Method note: - I used the daily aggregated `pyranometer_1` values and converted them to daily Wh/m² totals from the daily aggregated irradiance output. If you want the full daily series, it spans 2026-04-01 through 2026-10-14 and was used for the statistics above. 12:03 AM Are you satisfied with the answer? Click here for Source Click here for St

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



114. Abdali_Mall_Netmetering

Production • 21.5s

Question: Pull up the latest cleaning log

Response: Here is the latest cleaning log for Abdali_Mall_Netmetering: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-10-01 Abdali_Mall_Netmetering Pyranometer cleaning required Jim cleaned the pyranometer Completed - - - - - - - - - 12:04 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



115. Abdali_Mall_Netmetering

Production • 21.8s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 12:04 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



116. Abdali_Mall_Netmetering

Production • 32.2s

Question: How can I shut down my inverters?

Response: To safely shut down your inverters, please follow these steps, referencing the listed diagrams for visual aid: 1. Turn off the external AC and DC disconnect switches before servicing or shutting down. Refer to the main inverter diagram for the locations of these external switches: 2. Find and correctly identify the main AC and DC terminals. The diagram with elements labeled A through O shows these key connections: 3. Carefully observe all electrical safety warnings related to shock hazards before disconnecting any wiring or opening the inverter. Safety and compliance guidance is indicated in the following diagram: 4. After shutting down, confirm the inverter is fully powered down and that no voltage is present at the terminals. If available, check the inverter's user interface and performance diagram to ensure output and status indicate shutdown: Important: Only qualified personnel should perform shutdown procedures. Always follow electrical safety and certification standards

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



117. Abdali_Mall_Netmetering

Production • 18.9s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 12:06 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



118. Abdali_Mall_Netmetering

Production • 59.6s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (2026-08-15 to 2026-10-15) - inverter1: 1.4922 kWh - inverter2: 0.7094 kWh - inverter3: 1.1324 kWh - inverter4: 4.3719 kWh - inverter5: 19.3653 kWh - inverter6: 0.0000 kWh - inverter7: 0.0000 kWh - inverter8: 0.0435 kWh - inverter9: 0.0000 kWh - inverter10: 0.0000 kWh - inverter11: 0.0000 kWh - inverter12: 0.0000 kWh - inverter13: 0.0000 kWh - inverter14: 0.0000 kWh - inverter15: 0.0000 kWh Data Quality: - Status: Good Visualization: - I've created a line chart showing daily clipping loss by inverter for the last 2 months. Clipping Loss by Inverter (2026-08-15 to 2026-10-15) - inverter1: 1.4922 kWh - inverter2: 0.7094 kWh - inverter3: 1.1324 kWh - inverter4: 4.3719 kWh - inverter5: 19.3653 kWh - inverter6: 0.0000 kWh - inverter7: 0.0000 kWh - inverter8: 0.0435 kWh - inverter9: 0.0000 kWh - inverter10: 0.0000 kWh - inverter11: 0.0000 kWh - inverter12: 0.0000 kWh - inverter13: 0.0000 kWh - inv

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



119. Abdali_Mall_Netmetering

Production • 41.4s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 12:08 AM ★ Are you satisfied with the answer? Time taken: 26s, token: 0 tokens connected to Abdali Mall Netmetering LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.specific_yield_ag, functions.total_energy_func_ag, functions.inspect_xpool, functions.generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



120. BF_Wheeling

Production • 32.1s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting Steps for COMMUNICATION_FAULT: 1. Check the RS485-1 interface connections using the RJ45 connector. Ensure the cable is properly seated as shown in the upper section of the diagram. See diagram: 2. Verify the dip switch settings for RS485-1 as displayed in the upper part of the same diagram. Set the dip switch positions as required for your configuration. 3. Check emergency stop dry contact and fault output dry contact wiring as displayed in the lower section of the diagram. Make sure contacts are correctly wired for communication continuity. (same diagram) 4. For RS485-2 interface, refer to the terminal block connections as indicated in the second diagram. Ensure wires are firmly attached and there are no loose or broken wires. See: 5. Confirm correct configuration of the dip switch for RS485-1 according to your site requirements (refer to the same diagram as above). 6. If connection or component replacement is needed, follow the process illustrated: align and ins

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



121. BF_Wheeling

Production • 29.1s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 1760.9091 kWh - inverter2_active_power: 618.5402 kWh - inverter3_active_power: 1760.9091 kWh - inverter4_active_power: 1760.9091 kWh - inverter5_active_power: 618.5402 kWh - inverter6_active_power: 1255.2086 kWh Status: Good 12:10 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



122. BF_Wheeling

Production • 62.6s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_September_2026_external_report.pdf' BF_Wheeling Report 12:11 AM Are you satisfied with the answer? Time taken: 48s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



123. BF_Wheeling

Production • 30.7s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were 0 zero-production days in the last 7 days. Daily plant energy: - 2026-10-08: 1806.44 kWh - 2026-10-09: 1878.21 kWh - 2026-10-10: 1929.60 kWh - 2026-10-11: 1316.24 kWh - 2026-10-12: 1543.84 kWh - 2026-10-13: 1576.57 kWh - 2026-10-14: 1408.48 kWh Note: the data for 2026-10-14 ends at 23:30, but it is still clearly not a 0-production day. 12:12 AM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



124. BF_Wheeling

Production • 52.0s

Question: Please generate December 2025 performance report

Response: I've generated the external report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/BF_Wheeling_Solar_Plant_December_2025_external_report.pdf' BF_Wheeling Report 12:13 AM Are you satisfied with the answer? Time taken: 37s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



125. BF_Wheeling

Production • 38.3s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-14, using daytime points only: - Missing POA points during daytime: 0 - Missing plant power points during daytime: 0 - Missing either POA or power during daytime: 0 - POA mismatch instances vs prediction: 58 Assessment: - POA data quality: good for completeness over daytime hours - Power data quality: good for completeness over daytime hours - Prediction consistency: 58 daytime intervals showed a strong mismatch between measured POA and the prediction proxy Method used: - Daytime defined as pyranometer_1 > 20 W/m² or modelled_poa_1 > 20 W/m² - Mismatch defined as |pyranometer_1 - modelled_poa_1| / modelled_poa_1 > 35% for intervals where modelled_poa_1 >= 100 W/m² Data coverage note: - Retrieved data ran from 2026-10-14 00:00 to 2026-10-14 23:30, so the final 25 minutes of the day were not present in the source response. 12:14 AM Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



126. BF_Wheeling

Production • 73.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 12:15 AM ★ Are you satisfied with the answer? Time taken: 59s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.inspect_xpool, functions.perf_ratio_ag`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



127. BF_Wheeling

Production • 26.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 12:16 AM Are you satisfied with the answer? Time taken: 11s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



128. BF_Wheeling

Production • 31.0s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 12:17 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

129. BF_Wheeling

Production • 50.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Losses by Inverter (2026-04-15 to 2026-10-15): - Inverter 1: 7,962.8707 kWh - Inverter 2: 2,353.3082 kWh - Inverter 3: 7,961.5941 kWh - Inverter 4: 7,961.7981 kWh - Inverter 5: 2,353.3082 kWh - Inverter 6: 5,432.4289 kWh Data Quality: - Status: Good Visualization: - I've created a grouped bar chart showing clipping losses for each inverter over the last 6 months (titled "Monthly Inverter Energy (Last 6 Months) — Clipping Loss tool unavailable"). Clipping Losses by Inverter (2026-04-15 to 2026-10-15): - Inverter 1: 7,962.8707 kWh - Inverter 2: 2,353.3082 kWh - Inverter 3: 7,961.5941 kWh - Inverter 4: 7,961.7981 kWh - Inverter 5: 2,353.3082 kWh - Inverter 6: 5,432.4289 kWh Data Quality: - Status: Good Visualization: - I've created a grouped bar chart showing clipping losses for each inverter over the last 6 months (titled "Monthly Inverter Energy (Last 6 Months) — Clipping Loss tool unavailable"). View

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.clipping_loss_via_requests, functions.total_energy_func_ag, functions.inspect_xpool, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

130. BF_Wheeling

Production • 32.2s

Question: How did my plant perform yesterday?

Response: Yesterday (2026-10-14), your plant produced 1,408.48 kWh. Key performance: - Specific yield: 3.876 kWh/kWp - Performance ratio: 0.7375 Note: the dataset available right now ends at 23:30, so this is slightly short of a fully complete day. 12:18 AM Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



131. BF_Wheeling

Production • 55.1s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of pyranometer data against modelled POA to look for recurring irradiance dips at fixed times of day, which is a good shading signature. Findings: - Clear recurring dip windows are present. - Strongest clusters occur in the morning around 09:05–09:20 and in the afternoon around 15:40–16:40. - The most pronounced recurring afternoon dips are: - 16:20: dip frequency 27.6%, average measured/modelled ratio 0.51 - 16:25: 26.7%, ratio 0.48 - 16:15: 26.7%, ratio 0.51 - 16:10: 23.3%, ratio 0.50 - Strong recurring morning dips are: - 09:10: 23.3%, ratio 0.50 - 09:05: 23.3%, ratio 0.60 - 09:15: 20.0%, ratio 0.49 - 09:20: 20.0%, ratio 0.55 - Additional possible dip periods: - 15:40: 20.0%, ratio 0.42 - 15:45: 20.0%, ratio 0.58 - 12:55: 20.0%, ratio 0.55 Interpretation: - Repeated dips at consistent times strongly suggest fixed-object shading rather than random cloud events. - The morning and late-afternoon

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



132. BF_Wheeling

Production • 29.2s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections: 1. [Blue_Fig] Front page showing the Grid Connected system title with rated power and location. (Page: 1, Table: 1) 2. [Blue_Fig] PV Array Characteristics including module nominal power, total PV power, inverter unit power, total inverter power, and DC/AC ratio. (Page: 3, Table: 2) 3. [Blue_Fig_Extension] Front page showing the Grid Connected system title with rated power and location. (Page: 1, Table: 1) 4. [Blue_Fig_Extension] PV Array Characteristics with detailed module and inverter configuration for arrays/sub-arrays. (Page: 3, Table: 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/BF_Wheeling/Blue_Fig/page_3_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/t

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	`4`
Last API call	`GET /testuser2/chat/ → 404`
Console errors	`3`
Network failures	`0`



133. BF_Wheeling

Production • 27.6s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 12:21 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 12s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	1
Network failures	0



134. BF_Wheeling

Production • 32.1s

Question: When was the last time the BOM data showed up

Response: The latest available BOM-labelled data did not appear in the extracted window. What I found: - Last available timestamp in the data extract: 2026-10-14 23:30:00 - Last BOM timestamp found: none in that extract - The `source` values at the end were `1.0`, not a BOM label So, based on this extract, BOM data had not shown up by 2026-10-14 23:30:00. 12:22 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



135. BF_Wheeling

Production • 48.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA from `pyranometer_1` was computed as: POA daily sum (Wh/m²) = Σ[irradiance (W/m²) × 5/60 h] over each day. Result for the requested last 12 months window is incomplete because available data only spans: - start available: 2026-05-01 00:00:00 - end available: 2026-10-14 23:30:00 - days included: 167 Statistics on the available daily summed POA values: - Median: 7144.58 Wh/m² - Mean: 6908.87 Wh/m² - Kurtosis: 6.2701 Daily summed POA (Wh/m²): - 2026-05-01: 7911.33 - 2026-05-02: 7017.00 - 2026-05-03: 7527.92 - 2026-05-04: 6764.50 - 2026-05-05: 4143.92 - 2026-05-06: 5267.67 - 2026-05-07: 7690.00 - 2026-05-08: 7496.00 - 2026-05-09: 6864.33 - 2026-05-10: 7718.58 - 2026-05-11: 7777.25 - 2026-05-12: 6374.17 - 2026-05-13: 7614.42 - 2026-05-14: 7036.17 - 2026-05-15: 6124.58 - 2026-05-16: 6299.08 - 2026-05-17: 7350.25 - 2026-05-18: 7014.58 - 2026-05-19: 7789.42 - 2026-05-20: 7584.92 - 2026-05-21: 5495.08 - 2026-05

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`execute_custom_code, extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



136. BF_Wheeling

Production • 20.0s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs for this plant so far this month. 12:23 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



137. BF_Wheeling

Production • 20.0s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 12:24 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



138. BF_Wheeling

Production • 27.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps: 1. Locate the ON/OFF switch for each inverter as shown in the system diagram. Each inverter is equipped with a dedicated ON/OFF switch that can be used to manage its operational status individually. Reference diagram here: 2. Move the ON/OFF switch on the inverter to the OFF position as indicated in the diagram. Make sure the switch is fully in the OFF position. 3. If you have multiple inverters, repeat the above step for each inverter by using their individual ON/OFF switches, referring to the diagram for the exact location. Diagram URL: Manual reference: SG30CX_SG50CX_Manual_V1.0.pdf 12:25 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



139. BF_Wheeling

Production • 19.0s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 12:25 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



140. BF_Wheeling

Production • 50.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-15 to 2026-10-15): - inverter1: 2,226.9782 kWh - inverter2: 412.9522 kWh - inverter3: 2,226.9782 kWh - inverter4: 2,225.9057 kWh - inverter5: 412.9522 kWh - inverter6: 1,384.3956 kWh Data Quality: - Status: Good I've created a line chart showing the estimated clipping loss proxy for each inverter over the last 2 months. Clipping Loss Summary (2026-08-15 to 2026-10-15): - inverter1: 2,226.9782 kWh - inverter2: 412.9522 kWh - inverter3: 2,226.9782 kWh - inverter4: 2,225.9057 kWh - inverter5: 412.9522 kWh - inverter6: 1,384.3956 kWh Data Quality: - Status: Good I've created a line chart showing the estimated clipping loss proxy for each inverter over the last 2 months. View Fullscreen 12:26 AM ★ Are you satisfied with the answer? Time taken: 36s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



141. BF_Wheeling

Production • 38.3s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 12:27 AM ★ Are you satisfied with the answer? Time taken: 23s, token: 0 tokens connected to Bf Wheeling LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`specific_yield_ag, total_energy_func_ag, generate_graphs_via_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



142. Abdali_Mall_Lahoun

Production • 35.2s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: Troubleshooting steps for COMMUNICATION_FAULT on inverters, as outlined in the manual, are: 1. Ensure the cable or connector is properly assembled by aligning and inserting the top component (step 1), securing the middle piece (step 2), and fastening the cable at the bottom (step 3) as illustrated in the assembly diagram. Refer to this diagram: 2. Check that the cable is correctly positioned within the designated port as highlighted in the diagram showing proper connection to the device. Refer to this diagram: 3. Confirm that cables are routed correctly; the right side of the diagram shows a correct setup with a green checkmark, and the left side shows an incorrect setup with a red "X." Diagram: 4. Verify that the negative (A) and positive (B) DC connectors are correctly configured and NEVER disconnect connectors under load as shown in the DC connector configuration diagram. Diagram: 5. If the internal components need to be accessed, rotate the cover in the direction indicated

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



143. Abdali_Mall_Lahoun

Production • 32.1s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 4748.8347 kWh - inverter2_active_power: 4748.8347 kWh - inverter3_active_power: 4748.8347 kWh - inverter4_active_power: 3402.0295 kWh - inverter5_active_power: 3402.0295 kWh - inverter6_active_power: 1908.1348 kWh Status: Good 12:29 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



144. Abdali_Mall_Lahoun

Production • 82.3s

Question: Please generate last months report

Response: I've generated the external performance report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_September_2026_external_report.pdf' Abdali_Mall_Lahoun Report 12:31 AM Are you satisfied with the answer? Time taken: 67s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	3
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



145. Abdali_Mall_Lahoun

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: There were no zero-production days in the last 7 days. Daily energy produced: - 2026-10-08: 3701.10 kWh - 2026-10-09: 4195.34 kWh - 2026-10-10: 4018.39 kWh - 2026-10-11: 2402.84 kWh - 2026-10-12: 3396.81 kWh - 2026-10-13: 3479.91 kWh - 2026-10-14: 2713.18 kWh Note: the data for 2026-10-14 ends at 23:25, so that day is slightly incomplete, but it is clearly not zero. 12:32 AM Are you satisfied with the answer? Time taken: 13s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



146. Abdali_Mall_Lahoun

Production • 79.4s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/ABDM-L2_Project_December_2025_external_report.pdf' Abdali_Mall_Lahoun Report 12:33 AM Are you satisfied with the answer? Time taken: 64s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



147. Abdali_Mall_Lahoun

Production • 41.6s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-14, using `pyranometer_1`, `active_power`, and satellite/modelled POA (`modelled_poa_1`) as the daytime reference: - Overall completeness: - POA (`pyranometer_1`): 100.0% - Power (`active_power`): 100.0% - Both present together: 100.0% - Missing data during daytime: - POA missing points: 0 - Power missing points: 0 - Either POA or power missing: 0 - Mismatches with satellite/modelled prediction: - POA vs expected daytime (`modelled_poa_1 > 20 W/m²`): 33 points - Power vs expected daytime (`modelled_poa_1 > 20 W/m²`): 29 points - Either POA or power mismatched vs expected daytime: 33 points Context: - Assessed period covered 282 samples from 2026-10-14 00:00 to 2026-10-14 23:25. - Daytime was defined as `modelled_poa_1 > 20 W/m²`, giving 161 daytime points. - The source data did not extend to 23:55, so the last 30 minutes of the day were unavailable. 12:34 AM Are you satisfied with the answer? Time taken: 27s, token: 0

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.extract_timeseries_data_ag, functions.execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



148. Abdali_Mall_Lahoun

Production • 37.6s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 12:35 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



149. Abdali_Mall_Lahoun

Production • 33.8s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. 12:36 AM Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



150. Abdali_Mall_Lahoun

Production • 33.1s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 12:37 AM ★ Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

151. Abdali_Mall_Lahoun

Production • 71.8s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss by Inverter (Last 6 Months): - Inverter 1: 20,143.8118 kWh - Inverter 2: 20,109.2812 kWh - Inverter 3: 20,149.6302 kWh - Inverter 4: 14,277.9553 kWh - Inverter 5: 14,277.0642 kWh - Inverter 6: 8,069.2055 kWh Data Quality Status: Good The bar chart illustrating monthly clipping loss per inverter over the last 6 months has been created. Clipping Loss by Inverter (Last 6 Months): - Inverter 1: 20,143.8118 kWh - Inverter 2: 20,109.2812 kWh - Inverter 3: 20,149.6302 kWh - Inverter 4: 14,277.9553 kWh - Inverter 5: 14,277.0642 kWh - Inverter 6: 8,069.2055 kWh Data Quality Status: Good The bar chart illustrating monthly clipping loss per inverter over the last 6 months has been created. View Fullscreen 12:38 AM ★ Are you satisfied with the answer? Time taken: 56s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`3`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

152. Abdali_Mall_Lahoun

Production • 26.1s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Lahoun] System summary (Page 2, Table 2) 2. [Abdali_Mall_Lahoun] PV Array Characteristics (Page 3, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_2_image_2.jpg https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Lahoun/page_3_image_2.jpg 12:40 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	3
Last API call	`GET /testuser2/chat/ → 404`
Console errors	3
Network failures	1



153. Abdali_Mall_Lahoun

Production • 33.7s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 12:41 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



154. Abdali_Mall_Lahoun

Production • 29.1s

Question: When was the last time the BOM data showed up

Response: The last BOM/source data point showing up in the data is 2026-10-14 23:25:00. Note: the source column did not contain an explicit "BOM" label in the returned data, so this is the last non-null source timestamp available. 12:42 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



155. Abdali_Mall_Lahoun

Production • 65.6s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA for the last 12 months (from pyranometer_1, converted from 5-min W/m² to daily Wh/m²) spans 2025-10-15 to 2026-10-14. Summary statistics of the daily summed POA: - Median: 5878.95 Wh/m² - Mean: 5838.66 Wh/m² - Kurtosis: 0.2000 Daily summed POA (Wh/m²): 2025-10-15: 7476.02 2025-10-16: 7176.98 2025-10-17: 6800.18 2025-10-18: 5933.94 2025-10-19: 7372.98 2025-10-20: 7502.66 2025-10-21: 5125.38 2025-10-22: 4979.77 2025-10-23: 4908.11 2025-10-24: 4795.81 2025-10-25: 5303.09 2025-10-26: 5082.08 2025-10-27: 5042.70 2025-10-28: 4752.37 2025-10-29: 5161.61 2025-10-30: 5686.98 2025-10-31: 6335.34 2025-11-01: 6149.26 2025-11-02: 5869.16 2025-11-03: 5984.79 2025-11-04: 3571.94 2025-11-05: 5209.56 2025-11-06: 5754.72 2025-11-07: 5865.93 2025-11-08: 5878.95 2025-11-09: 5335.36 2025-11-10: 5519.38 2025-11-11: 5417.50 2025-11-12: 5149.94 2025-11-13: 4962.67 2025-11-14: 3632.07 2025-11-15: 1669.66 2025-11-16:

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



156. Abdali_Mall_Lahoun

Production • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning activity logs recorded for Abdali_Mall_Lahoun in October 2026. 12:44 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



157. Abdali_Mall_Lahoun

Production • 23.1s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning log, please provide the following required details: - Date (Is today's date, 2026-10-15, correct?) - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant. Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 12:44 AM Are you satisfied with the answer? Time taken: 7s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



158. Abdali_Mall_Lahoun

Production • 29.2s

Question: How can I shut down my inverters?

Response: To shut down your SMA STP 110-60 inverters, follow these steps as described and illustrated in the manual: 1. Use the LOCAL STOP (fast stop) function via the digital input on the COM assembly. Locate the relevant input terminals for LOCAL STOP and ALARM, as well as switch settings SW1 and SW2, on the component marked in this diagram: 2. For shutting down multiple inverters simultaneously, connect the LOCAL STOP trigger lines (D1+ and D1–) as shown between two Sunny Tripower CORE2 inverters in this diagram: 3. If disconnection of connectors is needed, ensure proper alignment guided by the arrow in this diagram: 4. To verify inverter shutdown, check the four toggle switches at the bottom of the device, ensuring they are in the OFF position as shown here: Always follow any additional safety notes in the manual. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/manuals/STP_110-60_Manual/source/STP_110-60_Manual.pdf 12:45 AM Are you

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



159. Abdali_Mall_Lahoun

Production • 19.3s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 12:46 AM Are you satisfied with the answer? Time taken: 4s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



160. Abdali_Mall_Lahoun

Production • 53.6s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: I've created the visualization for you. View Fullscreen 12:47 AM ★ Are you satisfied with the answer? Time taken: 39s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



161. Abdali_Mall_Lahoun

Production • 39.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 12:48 AM ★ Are you satisfied with the answer? Time taken: 24s, token: 0 tokens connected to Abdali Mall Lahoun LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`multi_tool_use.parallel, functions.generate_graphs_via_code, functions.specific_yield_ag, functions.total_energy_func_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



162. Abdali_Mall_Barza

Production • 27.7s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To troubleshoot and resolve the COMMUNICATION_FAULT on your inverter, follow these steps: 1. Check the network configuration user interface for both WLAN and Ethernet connection status of the device. If either shows "No connection," this may indicate a communication fault. View the network configuration diagram here: 2. Verify the IP addresses assigned to each communication type in the user interface. If an IP address is missing or shown as "No connection," check that the physical network is connected (Ethernet cable plugged in, WLAN access point in range and configured). 3. Adjust your network configuration. Use either the automatic configuration or the direct Ethernet option in the user interface, as shown in the linked diagram. Refer to the interface elements and their placements in the diagram for correct operation. 4. If the problem persists, visually confirm all cable connections. Ensure all cables are firmly connected in the sockets labeled for Ethernet and that WLAN settings

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



163. Abdali_Mall_Barza

Production • 30.6s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 2446.11 kWh - inverter2_active_power: 2446.11 kWh - inverter3_active_power: 2446.11 kWh - inverter4_active_power: 2446.11 kWh - inverter5_active_power: 2446.11 kWh - inverter6_active_power: 2446.11 kWh Status: Good 12:50 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



164. Abdali_Mall_Barza

Production • 68.6s

Question: Please generate last months report

Response: I've generated the external report for September 2026. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_September_2026_external_report.pdf' Abdali_Mall_Barza Report 12:51 AM Are you satisfied with the answer? Time taken: 53s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



165. Abdali_Mall_Barza

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-08: 2029.47 kWh - 2026-10-09: 2193.15 kWh - 2026-10-10: 2196.14 kWh - 2026-10-11: 1327.58 kWh - 2026-10-12: 1884.77 kWh - 2026-10-13: 1904.29 kWh - 2026-10-14: 1400.53 kWh Note: the dataset for this window is marked incomplete, with data available from 2026-10-08 06:30 to 2026-10-14 18:45. 12:52 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



166. Abdali_Mall_Barza

Production • 64.3s

Question: Please generate December 2025 performance report

Response: I've generated the performance report for December 2025. You can view it here: 'https://report-aepco-sydney.s3.ap-southeast-2.amazonaws.com/AMC-Abdali_Mall-Wheeling_December_2025_external_report.pdf' Abdali_Mall_Barza Report 12:53 AM Are you satisfied with the answer? Time taken: 49s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`report_agent`
Tools used	`agent_external_report_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



167. Abdali_Mall_Barza

Production • 33.7s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-14, using daytime points defined by modelled POA > 20 W/m²: - Daytime data points assessed: 131 - Missing POA daytime points: 0 - Missing power daytime points: 0 - POA daytime mismatches vs satellite/modelled prediction: 77 - Power daytime mismatches: 0 Mismatch criteria used: - POA mismatch: >20% relative deviation from modelled/satellite POA, with modelled POA >= 50 W/m² - Power mismatch: active_power <= 0 during daytime 12:54 AM Are you satisfied with the answer? Time taken: 18s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



168. Abdali_Mall_Barza

Production • 32.5s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 12:55 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

169. Abdali_Mall_Barza

Production • 32.4s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 12:56 AM ★ Are you satisfied with the answer? Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`



170. Abdali_Mall_Barza

Production • 30.8s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 12:56 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`

171. Abdali_Mall_Barza

Production • 58.1s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-04-15 to 2026-10-15) - inverter1: 10,457.21 kWh - inverter2: 10,367.93 kWh - inverter3: 10,453.81 kWh - inverter4: 10,319.60 kWh - inverter5: 10,332.00 kWh - inverter6: 10,147.73 kWh Status: Good The visualization has been prepared: "Monthly Clipping Loss by Inverter - Last 6 Months" (Clipping Loss in kWh) Clipping Loss Summary (2026-04-15 to 2026-10-15) - inverter1: 10,457.21 kWh - inverter2: 10,367.93 kWh - inverter3: 10,453.81 kWh - inverter4: 10,319.60 kWh - inverter5: 10,332.00 kWh - inverter6: 10,147.73 kWh Status: Good The visualization has been prepared: "Monthly Clipping Loss by Inverter - Last 6 Months" (Clipping Loss in kWh) View Fullscreen 12:57 AM ★ Are you satisfied with the answer? Time taken: 43s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.clipping_loss_via_requests, functions.generate_graphs_via_code, functions.calculate_clipping_or_curtailment_losses_ag`
API calls made	`3`
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	`0`
Network failures	`0`

172. Abdali_Mall_Barza

Production • 47.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Response: I analyzed the last 30 days of 5-minute pyranometer data against modelled POA to look for repeatable time-of-day dips, which is a good shading screen. Findings: - Clear recurrent dip windows are present in the morning around 07:15–07:45. - A stronger and longer recurrent dip window is present in the late afternoon around 16:40–17:40. - These repeated same-time depressions are consistent with fixed-object shading rather than random cloud effects. Most pronounced dip times: - 16:40: p25 ratio 0.362, median 0.465 - 16:35: p25 ratio 0.423, median 0.485 - 16:55: p25 ratio 0.363, median 0.416 - 17:00: p25 ratio 0.360, median 0.400 - 17:05: p25 ratio 0.344, median 0.382 - 17:10: p25 ratio 0.354, median 0.369 - 07:30: p25 ratio 0.386, median 0.423 - 07:25: p25 ratio 0.377, median 0.419 - 07:20: p25 ratio 0.410, median 0.430 - 07:15: p25 ratio 0.406, median 0.430 Detected depressed windows: - 07:15–07:45 - average p25 ratio: 0.395 - average median ra

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



173. Abdali_Mall_Barza

Production • 29.3s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 2 relevant PVsyst report sections: 1. [Abdali_Mall_Barza] Grid Connected System Overview (Page 1, Table 1) 2. [Abdali_Mall_Barza] System Summary and PV Array Configuration (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/Abdali_Mall_Barza/page_2_image_2.png 01:00 AM Are you satisfied with the answer? Time taken: 15s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	3
Last API call	`GET /testuser2/chat/ → 404`
Console errors	3
Network failures	1



174. Abdali_Mall_Barza

Production • 32.7s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:01 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 17s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.execute_custom_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`1`
Network failures	`0`



175. Abdali_Mall_Barza

Production • 33.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily POA summed as Wh/m² for the last 12 months: - Period used: 2025-10-15 to 2026-10-15 - Data available through: 2026-10-15 00:55:00 - Daily values returned: 311 days Summary statistics on daily POA totals: - Median: 6565.38 Wh/m² - Mean: 6060.38 Wh/m² - Kurtosis: -0.2420 Notes: - I converted pyranometer_1 from W/m² at 5-minute intervals into Wh/m² using W/m² × (5/60), then summed by day. - There are substantial data gaps within the requested 12-month window, so only 311 daily totals were available. - The request end date extends beyond the latest available timestamp, but the last available partial day was included. - Some daily totals are 0.0 Wh/m², which likely indicates missing or bad sensor data rather than true irradiance. 01:03 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 19s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. D

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



176. Abdali_Mall_Barza

Production • 21.5s

Question: Pull up the latest cleaning log

Response: There are no cleaning logs for Abdali_Mall_Barza so far in October 2026. 01:03 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



177. Abdali_Mall_Barza

Production • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date - Fault Cause - Action Taken - Status Site will be set automatically from the connected plant (Abdali_Mall_Barza). Optional fields you can also provide, but they are not required: - Activity Type (Inspection, Cleaning, HSE Incident, Spare Parts Usage, General Site Activity) - Priority - Responsibility - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes 01:04 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



178. Abdali_Mall_Barza

Production • 30.7s

Question: How can I shut down my inverters?

Response: To shut down your inverters, follow these steps as outlined in the manual: 1. Disconnect the inverter from all voltage sources immediately. This is especially crucial in hazardous situations such as DC overvoltage. 2. Individually disconnect both the AC and DC cables from the inverter. 3. Wait at least 5 minutes after disconnecting all power sources before touching any terminals or servicing the inverter—hazardous voltage may remain in the unit during this time. 4. If required, ensure the grounding conductor (PE connection) is safely disconnected to avoid any grounding hazards. 5. Only proceed with servicing or inspection after confirming that all terminals are fully de-energized. Safety Notes: - Always give the inverter at least 5 minutes after shutdown before touching any internal parts. - Only qualified personnel should service or inspect the device. The manual references diagrams for safety labels and connection interfaces, but a specific step-by-step shutdown diagram is not det

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



179. Abdali_Mall_Barza

Production • 18.9s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:05 AM Are you satisfied with the answer? Time taken: 3s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



180. Abdali_Mall_Barza

Production • 47.5s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-15 to 2026-10-15) - inverter1: 1667.7355 kWh - inverter2: 1700.5046 kWh - inverter3: 1670.4258 kWh - inverter4: 1687.1459 kWh - inverter5: 1699.5494 kWh - inverter6: 1657.8906 kWh Data Quality Status: Good I've created a line chart showing daily clipping loss by inverter for the requested period. Clipping Loss Summary (2026-08-15 to 2026-10-15) - inverter1: 1667.7355 kWh - inverter2: 1700.5046 kWh - inverter3: 1670.4258 kWh - inverter4: 1687.1459 kWh - inverter5: 1699.5494 kWh - inverter6: 1657.8906 kWh Data Quality Status: Good I've created a line chart showing daily clipping loss by inverter for the requested period. View Fullscreen 01:06 AM ★ Are you satisfied with the answer? Time taken: 33s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



181. Abdali_Mall_Barza

Production • 36.8s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:07 AM ★ Are you satisfied with the answer? Time taken: 22s, token: 0 tokens connected to Abdali Mall Barza LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.generate_graphs_via_code, functions.specific_yield_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



182. SAK_1

Production • 29.1s

Question: I have a COMMUNICATION_FAULT what do I do to my inverters?

Response: To resolve a COMMUNICATION_FAULT on your inverters, follow these steps using the referenced diagrams for visual guidance: 1. Check Electrical Supply System Connections: - Ensure all wiring, grounding, and supply configurations (TT, TN-C, TN-S, TN-C-S, or IT) are correct and secure. - Specifically verify connections for L1, L2, L3 (live phases), N (neutral), and PE (protective earth). - Visual aid: Refer to this wiring diagram to confirm all connections are in place: 2. Identify System Components: - Use the main system overview diagram to locate and reference all components (labeled A through F). This will help you trace the signal and communication wiring effectively. - Visual aid: Overview diagram available here: 3. Confirm Device Model and Configuration: - Double-check the inverter's model and configuration code to ensure correct troubleshooting. - Reference the configuration code diagram for clear identification: 4. Scan QR Code for Offi

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	`12`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



183. SAK_1

Production • 30.7s

Question: Use 'clipping_loss_via_requests' in order to calculate clipping loss if any for July 2026

Response: Clipping loss for July 2026: - inverter1_active_power: 6585.0801 kWh - inverter2_active_power: 6585.0801 kWh - inverter3_active_power: 6585.0801 kWh - inverter4_active_power: 6585.0801 kWh - inverter5_active_power: 6585.0801 kWh - inverter6_active_power: 6585.0801 kWh - inverter7_active_power: 6585.0801 kWh - inverter8_active_power: 6582.6539 kWh Status: Good 01:09 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 15s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.clipping_loss_via_requests`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



184. SAK_1

Production • 27.6s

Question: Was there any 0 production days in the last 7 days?

Response: No. There were no 0-production days in the last 7 days. Daily plant energy: - 2026-10-08: 5569.28 kWh - 2026-10-09: 6199.39 kWh - 2026-10-10: 5043.94 kWh - 2026-10-11: 2844.05 kWh - 2026-10-12: 5067.13 kWh - 2026-10-13: 5498.13 kWh - 2026-10-14: 4331.72 kWh Note: data on 2026-10-08 starts at 00:10, but that does not affect the conclusion. 01:11 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`functions.total_energy_func_ag`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



185. SAK_1

Production • 41.3s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Response: For 2026-10-14 daytime data quality: Daytime samples: 136 Missing daytime data counts - pyranometer_1: 0 - active_power: 0 - inverter1_active_power: 0 - inverter2_active_power: 0 - inverter3_active_power: 0 - inverter4_active_power: 0 - inverter5_active_power: 0 - inverter6_active_power: 0 - inverter7_active_power: 0 - inverter8_active_power: 0 Mismatch counts vs satellite/modelled POA expectation - POA sensor vs modelled POA: 72 - Plant active_power vs POA-scaled expectation: 33 - inverter1_active_power: 34 - inverter2_active_power: 39 - inverter3_active_power: 34 - inverter4_active_power: 35 - inverter5_active_power: 34 - inverter6_active_power: 30 - inverter7_active_power: 32 - inverter8_active_power: 32 Basis used - Daytime defined as zenith < 90°. - POA mismatch counted when |pyranometer_1 - modelled_poa_1| / modelled_poa_1 > 30%, using daytime points with modelled_poa_1 >= 50 W/m². - Power mismatch counted against a simple

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`query_plant_details_ag, extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



186. SAK_1

Production • 35.4s

Question: Please plot last 3 days hourly performance ratio for my MPPTs for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:14 AM ★ Are you satisfied with the answer? Time taken: 20s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

187. SAK_1

Production • 42.1s

Question: Please plot last 3 days hourly performance ratio for my Strings for inverter 2

Response: I've created the visualization for you. View Fullscreen 01:15 AM ★ Are you satisfied with the answer? Time taken: 27s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.inspect_xpool, functions.extract_timeseries_data_ag, functions.generate_graphs_via_code, functions.execute_custom_code, multi_tool_use.parallel, functions.perf_ratio_ag`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

188. SAK_1

Production • 30.7s

Question: Please plot the last 4 days hourly performance ratio for all my inverters

Response: I've created the visualization for you. View Fullscreen 01:16 AM ★ Are you satisfied with the answer? Time taken: 16s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.generate_graphs_via_code, functions.perf_ratio_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



189. SAK_1

Production • 76.5s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (Last 6 Months) - Inverter 1: 15,336.89 kWh - Inverter 2: 15,425.56 kWh - Inverter 3: 15,422.58 kWh - Inverter 4: 15,425.56 kWh - Inverter 5: 15,336.89 kWh - Inverter 6: 15,425.56 kWh - Inverter 7: 15,425.56 kWh - Inverter 8: 15,331.77 kWh Data Quality - Status: Good Visualization - A grouped bar chart showing monthly clipping loss by inverter for the last 6 months has been created. Clipping Loss Summary (Last 6 Months) - Inverter 1: 15,336.89 kWh - Inverter 2: 15,425.56 kWh - Inverter 3: 15,422.58 kWh - Inverter 4: 15,425.56 kWh - Inverter 5: 15,336.89 kWh - Inverter 6: 15,425.56 kWh - Inverter 7: 15,425.56 kWh - Inverter 8: 15,331.77 kWh Data Quality - Status: Good Visualization - A grouped bar chart showing monthly clipping loss by inverter for the last 6 months has been created. View Fullscreen 01:17 AM ★ Are you satisfied with the answer? Time taken: 62s, token: 0 tokens connected to Sak 1 LEAVE

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.clipping_loss_via_requests, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0

190. SAK_1

Production • 35.3s

Question: How did my plant perform yesterday?

Response: Yesterday (2026–10–14), the plant generated 4,331.72 kWh. Key metrics: - Total energy: 4,331.72 kWh - Performance ratio (PR): 0.755 - Specific yield: 4.141 kWh/kWp Operational context: - Data window used for PR was incomplete: available data starts at 06:40 and ends at 18:05, so interpret the PR with some caution. - Plant availability could not be calculated due to a tool-side error. - Hourly behavior looked normal for a daytime production profile: power ramped up after 06:00, peaked around early afternoon, and returned to near zero by 19:00. - Peak hourly average active power was about 574 kW at 14:00. - Peak hourly average POA irradiance from pyranometer_1 was about 551 W/m² at 11:00. Overall, the plant appears to have operated normally through the daylight window, with moderate production and a PR of about 75.5%, but the incomplete PR data coverage should be kept in mind. 01:18 AM Are you satisfied with the answer? Time taken: 21s, token: 0 tokens connec

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`multi_tool_use.parallel`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



191. SAK_1

Production • 27.7s

Question: Based on pvsyst report, what is the rated power of this plant and array configuration

Response: Found 4 relevant PVsyst report sections: 1. [SR_Final_Part_1] Front Page - System Title (Page 1, Table 1) 2. [SR_Final_Part_1] System Summary (Page 2, Table 2) 3. [SR_Final_Part_2] Front Page - System Title (Page 1, Table 1) 4. [SR_Final_Part_2] System Summary (Page 2, Table 2) Please access the URLs provided to view the detailed information. Here is the reference: https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_1/page_2_image_2.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_1_image_1.png https://image-pvsyst-aepco-sydney.s3.ap-southeast-2.amazonaws.com/testuser1/SAK_1/SR_Final_Part_2/page_2_image_2.png 01:20 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat

TECHNICAL EVIDENCE

Agents used	`pvsyst_agent`
Tools used	`pvsyst_tool`
API calls made	4
Last API call	`GET /testuser2/chat/ → 404`
Console errors	3
Network failures	1



192. SAK_1

Production • 36.1s

Question: Please plot my current and voltage in a dual axes plot on the deepest possible granularity level for inverter3

Response: I've created the visualization for you. View Fullscreen 01:21 AM ★ Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 21s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.execute_custom_code, functions.generate_graphs_via_code, functions.extract_timeseries_data_ag`
API calls made	`2`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



193. SAK_1

Production • 29.1s

Question: When was the last time the BOM data showed up

Response: The spare parts inventory (BOM data) for plant SAK_1 does not show a recorded 'Updated At' date for any items. This means there is currently no available record of when the BOM data was last updated or recorded for this plant. Edit Site Item ID Category Model Power W Installed Qty Available Used Updated At Updated By SAK1 sp-038 PV Modules CS7N-660MS 660 1584 30 0 - - SAK1 sp-039 Inverters SG110-CX 110 8 1 0 - - SAK1 sp-040 Tracking system TCU - 33 2 0 - - SAK1 sp-041 Tracking system NCU - 1 1 0 - - SAK1 sp-042 Tracking system Motor - 33 1 0 - - SAK1 sp-043 Tracking system Commissioning Tools (Scanner, Garmin) - 2 1 0 - - 01:21 AM Are you satisfied with the answer? Click here for Source Click here for Steps Click here for Tools Time taken: 14s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



194. SAK_1

Production • 39.8s

Question: Please find out the daily POA poa summed up as a Wh/m^2, daily for the last 12 months and then calculate the median, mean and kurt

Response: Daily summed POA was computed from `pyranometer_1` as: POA daily sum (Wh/m²) = Σ[POA (W/m²) × 5/60 h] per day. Important: the requested last 12 months is incomplete in this dataset. Data is only available from 2026-07-09 07:05 to 2026-10-15 00:55, so the results below cover 99 days with available data, not a full 12 months. Summary stats for available daily summed POA: - Median: 9148.83 Wh/m² - Mean: 8327.34 Wh/m² - Kurtosis: -0.0558 - Days with data: 99 Daily summed POA (Wh/m²): 2026-07-09: 10462.00 2026-07-10: 11383.92 2026-07-11: 11368.50 2026-07-12: 11239.83 2026-07-13: 11270.25 2026-07-14: 11337.83 2026-07-15: 11197.08 2026-07-16: 11263.00 2026-07-17: 11075.67 2026-07-18: 11304.83 2026-07-19: 10163.58 2026-07-20: 11082.50 2026-07-21: 11162.67 2026-07-22: 9375.42 2026-07-23: 10053.17 2026-07-24: 9706.75 2026-07-25: 9117.17 2026-07-26: 10240.50 2026-07-27: 10972.42 2026-07-28: 10920.75 2026-07-29: 10941.42 2026-07-30: 10

TECHNICAL EVIDENCE

Agents used	`data_agent`
Tools used	`extract_timeseries_data_ag, execute_custom_code`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



195. SAK_1

Production • 26.1s

Question: Pull up the latest cleaning log

Response: The latest cleaning log for SAK_1 is from 2026-07-28. Here are the details: Edit Date Site Fault Cause Action Taken Status Priority Responsibility Estimated Duration Start Work Time End Work Time Spare Part Use Number Of Staff Images Notes 2026-07-28 SAK_1 Dust accumulation on pyranometer sensor Jim cleaned the pyranometer Completed - - - - - - - - - 01:23 AM Are you satisfied with the answer? Time taken: 12s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



196. SAK_1

Production • 21.5s

Question: Jim cleaned the pyranometer today, can you add it to the cleaning log?

Response: To add a cleaning activity log, please provide the following required details: - Date (today will be used if not specified: 2026–10–15) - Fault Cause - Action Taken - Status Site will be set automatically as SAK_1. Optional fields you can also provide, but they are not required: - Priority - Responsibility (Jim will be saved if not changed) - Estimated Duration - Start Work Time - End Work Time - Spare Part Use - Number Of Staff - Images - Notes - Activity Type (Cleaning) Please provide the missing required details, or let me know if you want to proceed with minimal info (e.g., "general cleaning"). 01:24 AM Are you satisfied with the answer? Time taken: 6s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`data_entry_agent`
API calls made	`1`
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	`0`
Network failures	`0`



197. SAK_1

Production • 32.4s

Question: How can I shut down my inverters?

Response: To shut down your inverters, please follow these steps: 1. Locate the inverter as shown in the appearance and component diagram. Reference diagram: 2. Identify the control terminals for "LOCAL STOP" or "RSD STOP" on the wiring terminal layout diagram. Reference diagram: 3. To perform a local stop, wire a passive switch between the terminals labeled "DI" and "PGND" as shown in the control diagram. Closing this switch will stop the inverter. Diagram: 4. Confirm shutdown by checking the LED indicators corresponding to the inverter relay status: - For a normally open relay: The LED should be off when the circuit is open; the LED turns on if a fault closes the relay. Diagram: - For a normally closed relay: The LED is on during normal operation and goes off when the relay is open (shutdown or fault). Diagram: Please refer to the diagrams for component and terminal locations during each step. Manual reference (PDF): https://manual-aepco-sydney.s3.ap-southeast-2.amazonaws

TECHNICAL EVIDENCE

Agents used	`manual_agent`
Tools used	`functions.manual_rag_tool`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



198. SAK_1

Production • 20.3s

Question: Please change to dark mode

Response: Sure, I will turn on dark mode 01:25 AM Are you satisfied with the answer? Time taken: 5s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`ui_agent`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0



199. SAK_1

Production • 58.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Response: Clipping Loss Summary (2026-08-15 to 2026-10-15): - Inverter 1: 6163.2231 kWh - Inverter 2: 6251.3931 kWh - Inverter 3: 6248.9141 kWh - Inverter 4: 6251.3931 kWh - Inverter 5: 6163.2231 kWh - Inverter 6: 6251.3931 kWh - Inverter 7: 6251.3931 kWh - Inverter 8: 6163.2231 kWh Data Quality Status: Good The visualization has been prepared to show daily clipping loss per inverter over the last two months. Clipping Loss Summary (2026-08-15 to 2026-10-15): - Inverter 1: 6163.2231 kWh - Inverter 2: 6251.3931 kWh - Inverter 3: 6248.9141 kWh - Inverter 4: 6251.3931 kWh - Inverter 5: 6163.2231 kWh - Inverter 6: 6251.3931 kWh - Inverter 7: 6251.3931 kWh - Inverter 8: 6163.2231 kWh Data Quality Status: Good The visualization has been prepared to show daily clipping loss per inverter over the last two months. View Fullscreen 01:26 AM ★ Are you satisfied with the answer? Time taken: 43s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes

TECHNICAL EVIDENCE

Agents used	`data_agent, graph_agent`
Tools used	`functions.calculate_clipping_or_curtailment_losses_ag, functions.generate_graphs_via_code, functions.clipping_loss_via_requests`
API calls made	2
Last API call	`GET /testuser2/ai_agent_chat → 200`
Console errors	0
Network failures	0



200. SAK_1

Production • 33.9s

Question: Please repeat the first plotting question, but interchange it with Specific yield on 1 axes, and energy production on the other axes on a single dual axes plot (Memory Test)

Response: I've created the visualization for you. View Fullscreen 01:27 AM ★ Are you satisfied with the answer? Time taken: 19s, token: 0 tokens connected to Sak 1 LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

TECHNICAL EVIDENCE

Agents used	`graph_agent`
Tools used	`functions.total_energy_func_ag, functions.specific_yield_ag, functions.generate_graphs_via_code`
API calls made	2
Last API call	`GET /teamchat/testuser2/mentions/unread → 200`
Console errors	0
Network failures	0