

Test Run Report — Run #48

Environment: Development • Trigger: Scheduled • Started: Jul 30, 2026 14:08 • Ended: Jul 30, 2026 16:08
Generated: 7/31/2026, 1:35:07 AM

Summary

189 Total Tests	91.5% Pass Rate (excl. skipped)	173 / 16 Passed / Failed	0 Skipped (connection)
---------------------------------------	---	--	--


Failures (16)

1. Galleria_Mall

Development • 35.5s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 04:29 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t




2. Galleria_Mall

Development • 91.0s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'no data available'): Clipping Loss by Inverter (Last 2–Month Window) 2026-06 (Full Month) - inverter1: 123.60 kWh - inverter2: 8.86 kWh - inverter3: 5.63 kWh - inverter4: 4.34 kWh - inverter5: 14.82 kW



3. MOF

Development • 35.3s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'i cannot'): I analyzed the last ~31 days of pyranometer data against modelled POA irradiance to look for repeatable time-of-day dips consistent with shading.

Findings: - Analysis window used: 2026-06-30 00:0

The screenshot displays the AEP CO AI Chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Card, Maintenance, Chat (selected), and Teams. The chat window shows a message from the AI assistant regarding shading analysis. The message includes a summary of findings, a caveat, and a timestamp. Below the message, there are icons for copy, share, and delete. At the bottom, there is a text input field with the placeholder "How can we help you today?" and a microphone icon. A status bar at the bottom indicates "connected to Mof" and provides a disclaimer: "Mistakes in P2Chat are possible. Double-check key information."

shading rather than random cloud behavior.

- The effect does not appear severe overall, but it is systematic enough to merit calling it probable afternoon shading.

Caveat:

- This is inferred from pyranometer vs modelled POA behavior only. Without image/site-obstacle context or string/MPPT-level data, I cannot prove the source, only say the timing pattern is shading-like.
- The dataset also ends at 2026-07-30 14:00, so today's late afternoon was not available.

05:13 PM

Are you satisfied with the answer?

Time taken: 21s, token: 0 tokens

connected to Mof

How can we help you today?

LEAVE ANY FEEDBACK


Mistakes in P2Chat are possible. Double-check key information.

4. GID

Development • 23.1s

Question: When was the last time the BOM data showed up

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 05:24 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t




5. GID

Development • 23.2s

Question: How is my data quality for POA and power? How many of them show missing data during daytime or mismatches with satellite prediction?

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 05:32 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



6. GID

Development • 43.1s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-07-29), the key plant metrics were: - Energy production: 14,691.50 kWh - Specific yield: 3.989 kWh/kWp - Reference yield: 5.737 kWh/kWp - Performance ratio: unavailable — the

The screenshot shows a chat interface for AEP CO2. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window displays a response to the question "How did my plant perform yesterday?".

Response Content:

- Plant DC capacity: 3,683 kWdc
- The specific yield is consistent with the energy result: $14,691.50 / 3,683 = 3.989$ kWh/kWp
- Data status:
 - Energy, specific yield, and reference yield: Good
 - PR: empty for that date
 - PI and availability: tool errors prevented calculation

05:32 PM

Are you satisfied with the answer?

Time taken: 28s, token: 0 tokens

connected to Mathkor Gid

How can we help you today?


LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

7. GID

Development • 24.7s

Question: Please find out the daily POA poa summed up as a Wh/m^2 , daily for the last 12 months and then calculate the median, mean and kurt

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 05:33 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



8. Noor_AI_Aqaba

Development • 39.8s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized t

The screenshot displays the AEP CO AI Chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. A blue button labeled "Please generate last months report" with a "TE" icon is shown. Below it, a chat bubble contains the following text: "Sorry, an error occurred while generating the report. Here are the details: 'Query failed: COLUMN_NOT_FOUND: line 1:59: Column 'modelled_poa_rear_1' cannot be resolved or requester is not authorized to access requested resources'". The time "05:55 PM" is displayed below the message. A feedback section asks "Are you satisfied with the answer?" and includes icons for thumbs up and thumbs down. Below this, there are three links: "Click here for Source", "Click here for Steps", and "Click here for Tools". At the bottom, a status bar indicates "Time taken: 24s, token: 0 tokens" and "connected to Noor AI Aqaba". A footer section contains the text "LEAVE ANY FEEDBACK" and "Mistakes in P2Chat are possible. Double-check key information."

9. BF_Wheeling

Development • 61.2s

Question: Please generate last months report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv.

Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI

The screenshot displays the AEP CO chat interface. At the top, the AEP CO logo is visible, along with navigation tabs for 'AI Brain', 'Job Car...', 'Mainten...', 'Chat' (selected), and 'Teams'. The chat window shows a message from the AI stating: 'Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv. Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI_Aqaba, Abdali_Mall_Netmetering, Mathkor_GID, MOF, Galleria_Mall, KUPCO_HQ_Dajeej, SADAFCO, Abdali_Mall_Lahoun, Abdali_Mall_Barza, Abdali_Mall_AI_Mushagar'. The time '06:14 PM' is shown. Below the message, there is a section asking 'Are you satisfied with the answer?' with thumbs up and down icons. Further down, there are links for 'Click here for Source', 'Click here for Steps', and 'Click here for Tools'. At the bottom, a status bar indicates 'Time taken: 46s, token: 0 tokens' and 'connected to BF Wheeling'. The input field contains the text 'How can we help you today?' with a microphone icon and a send button. A footer note reads: 'Mistakes in P2Chat are possible. Double-check key information.'

10. BF_Wheeling

Development • 56.7s

Question: Please figure out how much clipping loss was found in the last 6 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'internal error'): Clipping Loss Calculation - No clipping loss values could be determined for the past six months. - The clipping-loss tool encountered an internal error during digital-twin building: `unsupported`




11. BF_Wheeling

Development • 46.2s

Question: Please generate December 2025 performance report

Error reason: AI indicated failure (matched 'error occurred'): Sorry, an error occurred while generating the report. Here are the details: 'Plant 'BF_Wheeling' was not found in external_report_sections.csv.

Available plants: KHBP, SK_EX, SK_Wheeling, HPP, Noor_AI



12. BF_Wheeling

Development • 44.5s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday's plant performance data for 2026-07-29: - Total energy generated: 2248.47 kWh - Performance ratio (PR): 0.6867 - Specific yield: 6.1873 kWh/kWp - Reference yield (Yr): 7.5079 kWh/k

The screenshot shows a chat interface for AEP CO2. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat window displays a message about energy-based availability being unavailable due to a date range issue. Below this, a 'Data status:' section lists several metrics: Energy: Good, PR: Good, Specific yield: Good, Reference yield: Good, and Expected yield: Good. The message is timestamped 06:27 PM. At the bottom of the chat window, there is a prompt 'Are you satisfied with the answer?' with thumbs up and down icons. The interface also shows 'Time taken: 29s, token: 0 tokens' and 'connected to BF Wheeling'. At the very bottom, there is a feedback section with a plus icon, a text input field containing 'How can we help you today?', a microphone icon, and a send button. A footer note states: 'Mistakes in P2Chat are possible. Double-check key information.'

AEP CO2

AI Brain Job Car... Mainten... Chat Teams

- Energy-based availability: unavailable because the tool reported the date range was not present for this single-day query

Data status:

- Energy: Good
- PR: Good
- Specific yield: Good
- Reference yield: Good
- Expected yield: Good

06:27 PM

Are you satisfied with the answer?

Time taken: 29s, token: 0 tokens

connected to BF Wheeling

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

13. BF_Wheeling

Development • 43.1s

Question: Please figure out how much clipping loss was found in the last 2 months broken by inverters, list them down and plot it as well

Error reason: AI indicated failure (matched 'failed to'): Clipping Loss Analysis – Last 2 Months (2026-05-30 to 2026-07-30) Data Coverage & Window: - Requested analysis period: 2026-05-30 to 2026-07-30 - Available data up through: 2026-07-30 16:55:00 Data

The screenshot shows the AEP CO2 AI Chat interface. The chat window displays the following response:

{ unsupported operand type(s) for /: 'NoneType' and 'int').
- As a result, per-inverter clipping loss values could not be determined.

Inverter Total Energy (Reference for Period):
- inverter1: 25,157.396 kWh
- inverter2: 22,148.307 kWh
- inverter3: 25,020.637 kWh
- inverter4: 24,936.207 kWh
- inverter5: 22,188.184 kWh
- inverter6: 22,344.602 kWh

Visualization:
- The chart "Clipping Loss per Inverter – Last 2 Months" has been created to display the clipping-loss distribution across inverters.

06:30 PM

Are you satisfied with the answer?

Time taken: 28s, token: 0 tokens

connected to BF Wheeling

How can we help you today?

LEAVE ANY FEEDBACK Mistakes in P2Chat are possible. Double-check key information.

14. Abdali_Mall_Netmetering

Development • 40.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-07-29), ABDM-L2_Project performed as follows: - Energy produced: 4,276.86 kWh - Specific yield: 5.738 kWh/kWp - Period performance vs monthly P50 benchmark: 3.21% Notes: -

The screenshot shows a web application interface for AEP CO2. At the top, there is a navigation bar with the AEP CO2 logo and a menu with items: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The main content area displays a chat message from the AI. The message text is: "benchmark: 3.21%", "Notes:", "- Performance ratio could not be calculated because the PR dataframe was empty for that date.", "- Technical/contractual availability could not be returned due to a tool error.", "- The period performance value is against the full July P50 benchmark, so for a single day it is not directly comparable to a daily KPI; it just indicates yesterday contributed 3.21% of July's theoretical P50 energy." Below the message is a timestamp "06:46 PM" and a status "connected to Abdali Mall Netmetering". At the bottom, there is a text input field with the placeholder "How can we help you today?" and a send button. A footer at the very bottom contains the text "LEAVE ANY FEEDBACK" and "Mistakes in P2Chat are possible. Double-check key information."

benchmark: 3.21%

Notes:

- Performance ratio could not be calculated because the PR dataframe was empty for that date.
- Technical/contractual availability could not be returned due to a tool error.
- The period performance value is against the full July P50 benchmark, so for a single day it is not directly comparable to a daily KPI; it just indicates yesterday contributed 3.21% of July's theoretical P50 energy.

06:46 PM

connected to Abdali Mall Netmetering

How can we help you today?

LEAVE ANY FEEDBACK


Mistakes in P2Chat are possible. Double-check key information.

15. Abdali_Mall_Netmetering

Development • 59.9s

Question: Is there shading happening with my plant? Please analyze the pyranometer and check for frequent dips at certain times

Error reason: AI indicated failure (matched 'encountered an issue'): Sorry, we encountered an issue processing your request. Our team has been notified and will investigate. 06:48 PM Do you want to report this error? YES NO Time taken: s, token: tokens connected t



16. Abdali_Mall_Lahoun

Development • 43.0s

Question: How did my plant perform yesterday?

Error reason: AI indicated failure (matched 'tool error'): Yesterday (2026-07-29), the plant's key performance metrics were: - Total energy generated: 5,642.80 kWh - Performance ratio (PR): 0.7783 - Specific yield: 7.1791 kWh/kWp - Reference yield (Y

The screenshot shows a chat interface for AEP CO2. The header includes the AEP CO2 logo and navigation tabs: AI Brain, Job Car..., Mainten..., Chat (selected), and Teams. The chat history shows a message from 'Yfj' with the following notes:

- PR is about 77.83%, which is consistent with the ratio of specific yield to reference yield.
- I could not provide plant availability from the availability tool because that tool failed for plant-level availability on this request.
- I also could not provide performance index from the dedicated PI tool because that tool errored on this request.
- Plant DC size used for context: 786 kWDC.

The chat history also shows a timestamp of 07:05 PM and a status 'connected to Abdali Mall Lahoun'. A new message is being typed in the input field: 'How can we help you today?'. The footer includes a 'LEAVE ANY FEEDBACK' link and a disclaimer: 'Mistakes in P2Chat are possible. Double-check key information.'