	系列	1000系列	
	型号 型号	TB1000	X900Pro
外观		09:20° (= @ @	09:20
遥控器			
	触控	红外	电容
	站合	零贴	全贴
	尺寸	65/75/86	65/75/86
	Q OS	√ ,	√ · · · · · · · · · · · · · · · · · · ·
	主板方案	560 (9. 0, 3+32)	811 (8. 0, 4+32)
分	·辨率	4K UHD	4K UHD
玻璃		AG, 4mm Tempered Glass wi th Anti-Glare coating (MOHS 7).	AG, Optical Bounding with 3.2 mm cover AG Glass.
摄	·····································		1
	列麦	X	4
扬	声器	15W X2	15W X2
Es	share	√	√
	G双模Wifi	√	√
آ	蓝牙	4. 2	×
	OPS	OPS-C	吹规
	HDMI in	1	1
V. m 13	Touch-USB	1	1
前置接口	USB2. 0	1	2
	USB3. 0	1	X
	USB Type-C	×	X
	天线	4	X
侧边接口 (部分)	HDMI in	2	2 ×
	DP Touch-USP	×	Touch USB 2.0
	Touch-USB USB 2.0	2	2
	USB 3. 0	X	1
	USB TypeC	X	X
	VGA in	×	1
	网口	RJ45 (in) 100M*1	RJ45 (in) 100M*1
	HDMI in	X	X
	III/III III		/\

I			1	
底部接口 Touch-USB		$\checkmark$	×	
(部分)	VGA in	$\checkmark$	×	
	AV in	$\checkmark$	×	
	光纤SPDIF	×	$\checkmark$	
Wind	ows Ink	$\checkmark$	$\checkmark$	
触技	空点数	20点	10点	
触控精度		±1mm (over 90% area)	$\pm 1$ mm (over 90% area)	
书写笔数		Windows 20笔 安卓 20笔	Windows 10笔 安卓 3笔	
最小书写尺寸		2mm	-	
书2	<b> </b> 	2mm	Omm	
标配笔		2	1	
5	定位	主推机型 高性价比	项目款 电容 高配商务	

	900€	· 系列					
HC900Pro	TB900Pro	TB900					
14 :1: 09:20 # F	1.09:20	:1:09:20%					
红外	红外	红外					
全贴	零贴	零贴					
65/75/86	65/75/86	65/75/86					
√	$\checkmark$	√					
811 (8. 0, 4+32)	811 (8. 0, 4+32)	811 (8. 0, 4+32)					
4K UHD	4K UHD	4K UHD					
AG, AF, Anti Bluelight. 3. 2mm Hardened Anti- Reflection Safety Glass (MOHS 7);	AG, 4mm Tempered Glass with Anti-Glare coating (MOHS 7)	AG, 4mm Tempered Glass with Anti-Glare coating (MOHS 7)					
2 4	1 6	×					
15W X2	15W X2	15W X2					
15W AZ	13W AZ	15W AZ					
/	, , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , ,					
×	5.0	5.0					
欧规	5. 0 OPS-C	5. 0 OPS-C					
以入 <i>为</i> 比	1	1					
	1	1					
×	X	X					
/\	3	3					
	1	1					
X	5	5					
2	2	2					
×	1	1					
1	3	3					
Service Only	1	1					
2	1	1					
1	1	1					
1	X	X					
RJ45 (in) 1000M*1	RJ45 (in+out) 1000M*2	RJ45 (in+out) 1000M*2					
X	X	X					


×	√	$\checkmark$	
X	√	√ ·	
X	$\checkmark$	$\checkmark$	
$\checkmark$	×	×	
√	$\checkmark$	√	
20点	20点	20点	
±1mm (over 90% area)	$\pm 1$ mm (over 90% area)	±1mm (over 90% area)	
Windows 20笔	Windows 20笔	Windows 20笔	
安卓 20笔	安卓 20笔	安卓 20笔	
1. Omm	2mm	2mm	
1.5mm	2mm	2mm	
1	2	2	
子 提 扣 刑	主推机型	主推机型	
主推机型	高性能	高性能	
高端商务	高端机型	高端机型	

IQTouch						
TE900Pro	TE900	HA1100 Pro				
	\$ 09:20°	12.15° 100000000000000000000000000000000000				
* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *					
红外	红外	红外				
零贴	零贴	全贴				
65/75/86	65/75/86	65/75/86				
$\checkmark$	$\checkmark$	$\checkmark$				
848 (8. 0, 3+32)	848 (8. 0, 3+32)	11.0, 8+64				
4K UHD	4K UHD	4K UHD				
AG,	AG,	2.5mm Hardened Anti-				
4mm Tempered Glass	4mm Tempered Glass	Reflection Safety				
with Anti-Glare	with Anti-Glare	Glass (MOHS 8);				
coating (MOHS 7)	coating (MOHS 7)	H3(G4+AF) Surface				
codering (mono 1)	codering (mono 1)	Treatment				
1	X	1				
6		8				
15W X2	15W X2	20W X2 + 15W X1				
√	√	√ 				
√ - â	√ - â	√ 				
5. 0	5. 0	5. 2				
OPS-C	OPS-C					
1	1	1				
2	2	1				
1	1	X				
X	X	1				
×	×	1				
5	5	X				
1	1	2				
×	X	1				
X	X	3				
2	2	X				
×	X	2				
X	X	2				
X DI45 (:.) 100MH	NT45 (1.) 100MH	X X 1000MH				
RJ45 (in) 100M*1	RJ45 (in) 100M*1	RJ45 (in) 1000M*1				
$\checkmark$	$\checkmark$	$\checkmark$				

√	$\checkmark$	×
$\checkmark$	$\checkmark$	×
√	$\checkmark$	×
×	×	$\checkmark$
$\checkmark$	$\checkmark$	√
20点	20点	40点
±1mm (over 90% area)	$\pm 1$ mm (over 90% area)	±1mm (over 90% area)
Windows 20笔	Windows 20笔	Windows 40笔
安卓 10笔	安卓 20笔	安卓 20笔
2mm	2mm	1. Omm
2mm	2mm	1.5mm
2	2	
项目款	项目款	

1100系列							
SC1100 Pro	TB1100 Pro	TE1100 Pro					
15:25	11:26	12:15 🖟 🕡 🗇 🕝					
红外	红外	红外					
零贴	零贴	零贴					
65/75/86	65/75/86/98	65/75/86					
×	X	$\checkmark$					
11.0, 4+32	11.0, 8+128	11.0, 4+32					
4K UHD	4K UHD	4K UHD					
3mm Tempered Glass with Anti-Glare coating	4mm Tempered Glass with Anti-Glare coating (MOHS 7)	4mm Tempered Glass with Anti-Glare coating (MOHS 7)					
1	1	1					
6	8	8					
16W X2	12/15W X2	12W X2					
10 11 A2	12/ 10 li R2	12" A2					
√ √	<u>√</u>	ONLY 2.4					
5.0	5.0	5. 0					
1	1	1					
1	1	1					
X	X	X					
2	3	3					
1	1	1					
X	X	X					
2	2	2					
X	1	X					
1	2 2	1					
1 2	<u>2</u> 2	1 1					
×	1	×					
1	X	1					
RJ45 (out) 1000M*1	RJ45 (in) 1000M*1	X					
X	√ (III) 1000MP1	<i>√</i>					
	<b>V</b>	<b>V</b>					

×	×	×	
×	×	×	
×	×	×	
√	$\checkmark$	$\checkmark$	
√	√	$\checkmark$	
20点	20点	20点	
$\pm 1$ mm (over 90% area)	$\pm 1$ mm (over 90% area)	±1mm (over 90% area)	
Windows 20笔	Windows 20笔	Windows 20笔	
安卓 20笔	安卓 20笔	安卓 20笔	
2mm	2mm	2mm	
2mm	2mm	2mm	
项目款			



×
×
×
×
$\checkmark$
20点
$\pm 1$ mm (over 90% area)
Windows 20笔
安卓 20笔
2mm
2mm
项目款

视频会议类产品(摄像头)									
	系列	JoinGroup	JoinGroup JoinOne					Confere	ence Camera
	型号	AVS200	AHY200	HY200	CV810	CV800	CV410Pro	CV270	CV230
	外观		0	0	Na de J		(···	I I	18. — O
	遥控器							×	×
	PTZ	√	X	X	√	√	X	×	×
	EPTZ	X	√	√	×	×	√	^	^
	光学变焦	12X	X	×	12X	10X	X	×	×
	数码变焦	16X	4X	5X	16X	10X	10X	^	^
	分辨率	1080P	4K UHD	4K UHD	4K UHD	1080P	4K UHD	1080P	1080P
	预设位	3	×	10	255	255	3	×	×
摄像头	USB		USB 2.0	USB 3.0	USB 3.0	USB 3.0	USB 3.0	USB 2.0	USB 2.0
	HDMI Out	×	2	×	1	×			
	LAN		√	×	√	√			
	其他接口(部分)	DIN6	Line in/out	Line in	Line in、RS232	RS232	×	×	×
	IP Camera	×	×	×	√	√	×	×	×
	数量	<b>√</b>	× 2	6			2	1	× 2
麦克风	拾音距离	4m	5-10m	6m	×	×	6m		
扩展麦	图片		•	×	×	×	×	×	×
	数量	2	1						
		3.5m 4P4C专用线	RJ45转TypeC						
	扬声器	√ V	\(\sqrt{104\forall 1ypec}\)	√	×	×	×	√	×
	蓝牙	√	√	,				,	
	WiFi		2. 4G/5G	×	×	×	×	×	×
	安卓	×	安卓9.0,4+16						

配套连接线	5m DIN6线 X2 3m USB线 X1	HDMI线 X1	5m USB线 X1	RS232线 X1 USB线 X1	RS232线 X1 USB线 X1	USB线 X1	×	×
电源线	√	√	√	√	√	×	×	×
定位	高性价比	四合一 自带安卓系统、 投屏、会议软件	声源跟踪 人脸识别	配置最高 自带重力传感器 IP camera	高配置 IP camera	4K超高清摄像头	三合一 性价比	入门款机型


GY 100D	arra a a n	arro t an	
CV400Pro	CV800Pro	CV810Pro	
:: О ак :: Пунтт			
1 ( ) 3 ( ) 10 ( ) 3 ( ) 3 ( ) 3 ( ) 4 ( )			
X	√	√	
√	×	X	
X	12X	12X	
8X	16X	16X	
4K UHD	1080P	4K UHD	
	255	255	
USB 3.0	USB 3.0	USB	
	1	1	
×	√ Line in、RS232 in	√ Line in, RS232 in, RS232 out, SDI, RS485	
×	√	√	
1 6m	×	×	
×	×	×	
X	X	X	
×	×	×	

USB 3.0线 X1	USB 3.0线 X1	RS232线 X1
×	√	√

		视频会	议类产品(扬声器	<b>‡</b> )		
	系列	Speakerphone			SoundBar	
	型号	S500	S500 S330 S230		SA200	
	外观			000		
	遥控器	×	×	×		
	USB	USB 3.0	USB 3.0	TypeC	USB 2.0	
接口	DIN6	√	√	×	×	
	音频输入/输出	Line in/out	Line in/out	×	光纤、L-RCA-R、AUX	
<b>                                       </b>	数量	12	4	6	×	
阵列麦	拾音距离	6m	5m	3m	^	
扩展麦	图片			×	×	
	数量	2	2			
	连接线	2.5m 4P4C专用线	2.5m 4P4C专用线			
	蓝牙	×	√	×	√	
P	<b>为置电池</b>	√	√	√	×	

配套连接线	1.5m USB线 X1 3.5mm 4节音频线X1 无线接收器 X1	1.5m USB线 X1 3.5mm 4节音频线 X1	1.5m USB线 X1	光纤线 X1 3.5mm 音频线 X1
定位	高配,无线	中配,蓝牙	入门款	教育/会议扬声器

	视频展台					
	系列     IQView					
	型号	E3511	E3820	E3821	E6510	E6811
	外观				7	
j	遥控器		×	×	×	×
使	 見用方式	脱机	无线	无线	联机	壁挂
数	[码变焦	100X	10X	10X	10X	×
2		1080P	1080P 1080P 8MP 8MP		8MP	
1777 AM A.A 1.	USB 2.0 Type A			Mini-B	Type B	
图像输出   接口	HDMI out	√	×	×	×	×
汝口	VGA out	√				
麦克风		√	×	×	√	×
内置	批注软件	√	×	×	×	×
取	(电方式	DC 12V	USB	USB	USB	USB



脱机/联机
10X
8MP
Type B
√
√
×
DC 12V

Item	Description
Receiver	Appearance
	Interface
	interrace
	Android
	Resolution
	Video standard

1	l
	Audio
	Distance
Main features	Output resolution
	Wireless Presentation resolution
	Number of images simultaneous on screen
	Number of simultaneous Buttons
	Number of simultaneous software
	WiFi Frenquency
	Touch back
	Double theme
	Group
	Control center
	WebCast
	OS supported
Wireless screen sharing	Android Mirocast
	Android DLNA
	iOS Airplay
	Google Chromecast
	Wireless Dongle
	Mirror back (mirrow display to mobile device)
	Windows/MAC Freeze display
	Windows/MAC extended display
Reverse control	Touch Control PC from display
	Control display from mobile phone
	Contro PC from mobile phone
Image push	Image push
	Real-time Zoom
	Rotate image
Video push	All formats
Music push	Play music
Doo nuch	Control playing All Office Doc
Doc push	-
Remote control function (EShare APP)	
(ESHAIR AFF)	Simulate keyboard
	Simulate touchpad
	Simulate Remote
	Air Mouse/ Laser pointer Application List
Interactive whiteboard	Font color, font size
micraetive winteboard	Graphic selection
	Gesture Recognition
	Insert pages
	Annotation
	Insert File
	Save the file by scanning the QR code
Split screen display	Split screen
(Multiview)	Each small window can be controlled individually
	Press the button to enlarge the window

Moderator Mode	Show all connected devices
	Control the connected device
	Before casting, the source device will be casted
	after consent
Do Not Interrupt Mode	Dynamic password
Network function	Multiple devices can be connected to one display
(Group)	at the same time
	One device transmits multiple displays
	simultaneously
Wireless camera	Display the phone's camera view on the monitor
PPT mode control	The PPT file is stored on the mobile phone, and
	after opening,
	it can be transferred to the large screen through
	the mobile phone to achieve control

IQShare WP32(标准款)	IQShare WP40(标准款)
2x USB A 1x HDMI output 1x RJ45 1x 3.5mm Audio output 1x TF 1x DC IN	2x USB A 1x HDMI output 1x RJ45 1x 3.5mm Audio output 1x DC IN
CPU: Quad core A17 GPU: 1.8GHZ RAM: 2G ROM: 8G Android version: 5.1	CPU: Quad core A53 GPU: 1.8GHZ RAM: 2G ROM: 8G Android version: 9.0
U2:USB A dongle	U2 :USB A dongle
H1: HDMI A dongle	H1: HDMI A dongle
C3: Type C dongle	C3: Type C dongle
	C3 Pro: 4K Type C dongle
H1/C3:1080p/60fps U2/U2 v2.0: 1080p/30fps C3 Pro: 4K/30fps H1: HDMI 1.4, HDCP 1.4 C3/C3 Pro: DP 1.2,eDP 1.4, HDCP 1.3	H1/C3:1080p/60fps U2/U2 v2.0: 1080p/30fps C3 Pro: 4K/30fps H1: HDMI 1.4, HDCP 1.4 C3/C3 Pro: DP 1.2,eDP 1.4, HDCP 1.3
U2/U2 v2.0: Built-in software	U2/U2 v2.0: Built-in software

PCM 2CH	PCM 2CH
Max. 35 meters	Max. 35 meters
Max 3840*2160P @60FPS	Max 3840*2160P @60FPS
Max 1920*1080P @60FPS	Max 3840*2160P @30FPS
	(Cooperate with C3 Pro)
4	4
8	8
32+ (Connect to LAN or WIFI)	32+ (Connect to LAN or WIFI)
2.4G & 5G(Interface is hidden)	2.4G & 5G (Interface is hidden)
YES	YES
YES	YES
YES	YES
YES	YES
NO	YES
Windows, macOS, iOS, Android, Google	Windows, macOS, iOS, Android, Google
Chrome, and Ubuntu (Linux)	Chrome, and Ubuntu (Linux)
YES (EShare client)	YES (EShare client)
YES	YES
YES	YES
YES (EShare client)	YES (EShare client)
YES	YES
YES	YES
YES	YES
	YES
YES	YES
YES (EShare APP)	YES (EShare APP)
YES (EShare APP)	YES (EShare APP)
YES	YES
YES YES	YES YES
YES	YES
YES	YES
YES	YES
. ==	1 ·

YES	YES
YES	YES

## 无线接收盒系列规格书

(产品型号: JH-V5-C)



## IQShare WP20 (项目款)



2x USB A

1x HDMI output

1x VGA output

1x RJ45

1x 3.5mm Audio output

1x DC IN

CPU: Quad core A7 GPU: 1.5GHZ RAM: 1G

ROM: 8G

Android version: 9.0

U2 :USB A dongle



H1: HDMI A dongle



C3: Type C dongle



H1/C3:1080p/60fps U2/U2 v2.0: 1080p/30fps

C3 Pro: 4K/30fps

H1: HDMI 1.4, HDCP 1.4

C3/C3 Pro: DP 1.2,eDP 1.4, HDCP 1.3

U2/U2 v2.0: Built-in software

PCM 2CH
Max. 35 meters
Max 3840*2160P @60FPS
Max 1920*1080P @60FPS
1
8
32+ (Connect to LAN or WIFI)
2.4G & 5G(Need WIFI antenna)
YES
NO
NO
NO
NO
Windows, macOS, iOS, Android, Google
Chrome, and Ubuntu (Linux)
YES (EShare client)
YES
YES
YES (EShare client)
YES
YES (EShare APP)
YES (EShare APP)
YES
YES YES
YES
YES
YES
YES
NO

_	
NO	
NO NO	
NO	
YES	
NO	
NO	
YES	
YES	
YES	