



Exam Questions Java!



by Aditya Varma

MCQs

1. JDK stands for ____.

- A. Java Development Kit
- B. Java Deployment Kit
- C. JavaScript Deployment Kit
- D. None of these

Answer: A) Java Development Kit

2. JRE stands for ____.

- A. Java Run Ecosystem
- B. JDK Runtime Environment
- C. Java Runtime Environment
- D. None of these

Answer: C) Java Runtime Environment

3. What makes Java platform independent?

- A. Advanced programming language
- B. It uses bytecode for execution
- C. Class compilation
- D. All of these

Answer: B) It uses bytecode for execution

4. What will be the output of following Java code?

```
public class Main {  
    public static void main(String[] args) {  
        String str = "Hello";  
        str = "Bye";  
        System.out.println(str);  
    }  
}
```

- A. Hello
- B. Bye
- C. Error
- D. All of these

Answer: B) Bye

5. Who invented Java Programming?

- A. Guido van Rossum
- B. James Gosling
- C. Dennis Ritchie
- D. Bjarne Stroustrup

Answer: B) James Gosling

6. Which statement is true about Java?

- A. Java is platform dependent
- B. Java is platform independent
- C. Java is machine dependent
- D. None of these

Answer: B) Java is platform independent

7. Which component compiles Java programs?

- A. JVM
- B. JRE
- C. JDK
- D. JIT

Answer: C) JDK

8. Which one of the following is not a Java feature?

- A. Object-oriented
- B. Portable
- C. Use of pointers
- D. Dynamic

Answer: C) Use of pointers

9. Which of these cannot be used as a variable name in Java?

- A. identifier
- B. keyword
- C. identifier & keyword
- D. none of the mentioned

Answer: B) keyword

10. What is the extension of Java source files?

- A. .js
- B. .txt
- C. .class
- D. .java

Answer: D) .java

11. Which environment variable is used to set the Java path?

- A. MAVEN_PATH
- B. JavaPATH
- C. JAVA
- D. JAVA_HOME

Answer: D) JAVA_HOME

12. Which of the following is not an OOP concept in Java?

- A. Polymorphism
- B. Inheritance
- C. Compilation
- D. Encapsulation

Answer: C) Compilation

13. What is truncation in Java?

- A. Floating value assigned to floating type
- B. Floating value assigned to integer type
- C. Integer assigned to float type
- D. None

Answer: B) Floating value assigned to integer type

14. What is the extension of compiled Java classes?

- A. .txt
- B. .js
- C. .class
- D. .java

Answer: C) .class

15. Which keyword is used to inherit a class in Java?

- A. this
- B. super
- C. extends
- D. implements

Answer: C) extends

16. Which method is the entry point of a Java program?

- A. start()
- B. main()
- C. run()
- D. init()

Answer: B) main()

17. What is JVM?

- A. Java Variable Machine
- B. Java Virtual Machine
- C. Java Verified Machine
- D. Java Visual Machine

Answer: B) Java Virtual Machine

18. Which keyword is used to define a constant?

- A. static
- B. final
- C. const
- D. immutable

Answer: B) final

19. Which package contains the Scanner class?

- A. java.io
- B. java.util
- C. java.lang
- D. java.net

Answer: B) java.util

20. Which operator is used for object comparison?

- A. =
- B. ==
- C. equals()
- D. compare()

Answer: C) equals()

21. Which of the following is automatically imported into every Java program?

- A. java.io
- B. java.util
- C. java.lang
- D. java.net

Answer: C) java.lang

22. Which of these is a reserved keyword in Java?

- A. object
- B. strictfp
- C. main
- D. system

Answer: B) strictfp

23. What is the size of int in Java?

- A. 2 bytes
- B. 4 bytes
- C. 8 bytes
- D. Depends on system

Answer: B) 4 bytes

24. Which keyword is used to define a class?

- A. define
- B. class
- C. structure
- D. object

Answer: B) class

25. Which operator is used to allocate memory to an object?

- A. malloc
- B. alloc
- C. new
- D. create

Answer: C) new

26. What will be the output of following Java code?

```
public class Main {  
    public static void main(String arg[]) {  
        int i;  
        for (i = 1; i <= 12; i += 2) {  
            if (i == 8) {  
                System.out.println(i);  
                break;  
            }  
        }  
    }  
}
```

- A. 1
- B. No output
- C. 8
- D. 1357911

Answer: B) No Output

27. Which loop executes at least once?

- A. for loop
- B. while loop
- C. do-while loop
- D. none

Answer: C) do-while loop

28. Which keyword is used to stop a loop?

- A. exit
- B. stop
- C. break
- D. quit

Answer: C) break

29. Which keyword is used to skip the current iteration of a loop?

- A. skip
- B. pass
- C. continue
- D. break

Answer: C) continu

30. Which data type is used to store true or false values?

- A. int
- B. boolean
- C. char
- D. String

Answer: B) boolean

31. What is the default value of boolean variable?

- A. true
- B. false
- C. 0
- D. null

Answer: B) false

32. What is the default value of int variable?

- A. 0
- B. null
- C. undefined
- D. 1

Answer: A) 0

33. Which of these is not a primitive data type in Java?

- A. int
- B. float
- C. String
- D. char

Answer: C) String

34. Which of the following is used for single line comments?

- A. #
- B. //
- C. /* */
- D. <!-- -->

Answer: B) //

35. Which symbol is used for multi-line comments?

- A. //
- B. ##
- C. /* */
- D. <>

Answer: C) /* */

36. Which keyword is used to access parent class constructor?

- A. this
- B. super
- C. parent
- D. base

Answer: B) super

37. Which keyword refers to the current object?

- A. current
- B. object
- C. this
- D. self

Answer: C) this

38. Which access modifier is the most restrictive?

- A. public
- B. protected
- C. private
- D. default

Answer: C) private

39. Which access modifier allows access within the same package?

- A. public
- B. private
- C. default
- D. protected

Answer: C) default

40. Which keyword prevents method overriding?

- A. static
- B. constant
- C. final
- D. private

Answer: C) final

41. Which of the following is used to create a thread in Java?

- A. Extending Thread class
- B. Implementing Runnable interface
- C. Both A and B
- D. None

Answer: C) Both A and

42. Which method is used to start a thread?

- A. run()
- B. start()
- C. begin()
- D. execute()

Answer: B) start()

43. Which exception is thrown when a thread is sleeping and another thread interrupts it?

- A. IOException
- B. InterruptedException
- C. RuntimeException
- D. ArithmeticException

Answer: B) InterruptedException

44. Which keyword is used to handle exceptions?

- A. try
- B. catch
- C. finally
- D. All of these

Answer: D) All of these

45. Which block is always executed whether an exception occurs or not?

- A. try
- B. catch
- C. finally
- D. throw

Answer: C) finally

46. Which keyword is used to throw an exception manually?

- A. throws
- B. throw
- C. exception
- D. catch

Answer: B) throw

47. Which keyword declares exceptions that a method may throw?

- A. throw
- B. throws
- C. try
- D. catch

Answer: B) throws

48. Which exception occurs when dividing by zero?

- A. IOException
- B. ArithmeticException
- C. NullPointerException
- D. ClassNotFoundException

Answer: B) ArithmeticException

49. Which exception occurs when accessing a null object reference?

- A. IOException
- B. ArithmeticException
- C. NullPointerException
- D. ArrayIndexOutOfBoundsException

Answer: C) NullPointerException

50. Which exception occurs when array index exceeds its limit?

- A. NullPointerException
- B. ArithmeticException
- C. ArrayIndexOutOfBoundsException
- D. IOException

Answer: C) ArrayIndexOutOfBoundsException

51. Which class is the superclass of all Java classes?

- A. System
- B. Object
- C. Class
- D. Main

Answer: B) Object

52. Which method is used to convert a string into integer?

- A. Integer.parseInt()
- B. Integer.toString()
- C. String.valueOf()
- D. parseInt()

Answer: A) Integer.parseInt()

53. Which class is used to create immutable strings?

- A. StringBuffer
- B. StringBuilder
- C. String
- D. CharBuffer

Answer: C) String

54. Which class provides mutable strings?

- A. String
- B. StringBuffer
- C. Both StringBuffer and StringBuilder
- D. None

Answer: C) Both StringBuffer and StringBuilder

55. Which method is used to find the length of a string?

- A. size()
- B. length()
- C. getLength()
- D. count()

Answer: B) length()

56. Which method converts string to uppercase?

- A. upper()
- B. toUpperCase()
- C. changeUpper()
- D. convertUpper()

Answer: B) toUpperCase()

57. Which method checks string equality?

- A. ==
- B. equals()
- C. compare()
- D. match()

Answer: B) equals()

58. Which package contains the String class?

- A. java.util
- B. java.lang
- C. java.io
- D. java.text

Answer: B) java.lang

59. Which collection allows duplicate elements?

- A. Set
- B. List
- C. Map
- D. None

Answer: B) List

60. Which collection does not allow duplicate elements?

- A. List
- B. Set
- C. ArrayList
- D. Vector

Answer: B) Set

61. Which class implements the List interface?

- A. HashSet
- B. ArrayList
- C. HashMap
- D. TreeSet

Answer: B) ArrayList

62. Which class implements the Set interface?

- A. ArrayList
- B. LinkedList
- C. HashSet
- D. Vector

Answer: C) HashSet

63. Which class implements the Map interface?

- A. HashMap
- B. ArrayList
- C. HashSet
- D. LinkedList

Answer: A) HashMap

64. Which method is used to add elements in ArrayList?

- A. put()
- B. insert()
- C. add()
- D. append()

Answer: C) add()

65. Which method removes an element from ArrayList?

- A. delete()
- B. remove()
- C. pop()
- D. clear()

Answer: B) remove()

66. Which method returns the number of elements in a collection?

- A. length()
- B. count()
- C. size()
- D. getSize()

Answer: C) size()

67. Which interface is implemented by ArrayList?

- A. Set
- B. List
- C. Map
- D. Queue

Answer: B) List

68. Which class is synchronized in Java?

- A. ArrayList
- B. Vector
- C. LinkedList
- D. HashSet

Answer: B) Vector

69. Which class is used to read input from the user?

- A. BufferedReader
- B. Scanner
- C. InputStreamReader
- D. All of these

Answer: D) All of these

70. Which method reads a line using BufferedReader?

- A. readLine()
- B. read()
- C. nextLine()
- D. getline()

Answer: A) readLine()

71. Which method reads input using Scanner?

- A. read()
- B. get()
- C. next()
- D. input()

Answer: C) next()

72. Which package contains the File class?

- A. java.lang
- B. java.util
- C. java.io
- D. java.net

Answer: C) java.io

73. Which method checks if a file exists?

- A. exists()
- B. isFile()
- C. hasFile()
- D. present()

Answer: A) exists()

74. Which method creates a new file?

- A. createFile()
- B. createNewFile()
- C. makeFile()
- D. newFile()

Answer: B) createNewFile()

75. Which keyword is used to create a package?

- A. package
- B. pkg
- C. namespace
- D. library

Answer: A) package

76. Which keyword is used to import a package?

- A. include
- B. import
- C. using
- D. require

Answer: B) import

77. Which interface contains no methods?

- A. Abstract interface
- B. Marker interface
- C. Empty interface
- D. Functional interface

Answer: B) Marker interface

78. Which interface contains only one abstract method?

- A. Marker interface
- B. Functional interface
- C. Empty interface
- D. Abstract interface

Answer: B) Functional interface

79. Which keyword is used to implement an interface?

- A. extend
- B. implements
- C. inherit
- D. interface

Answer: B) implements

80. Can a class implement multiple interfaces?

- A. Yes
- B. No

Answer: A) Yes

81. Can a class extend multiple classes in Java?

- A. Yes
- B. No

Answer: B) No

82. Which concept allows one interface to inherit another interface?

- A. Polymorphism
- B. Inheritance
- C. Interface inheritance
- D. Abstraction

Answer: C) Interface inheritance

83. Which keyword is used to prevent inheritance?

- A. static
- B. constant
- C. final
- D. sealed

Answer: C) final

84. Which method is called automatically when an object is created?

- A. main()
- B. constructor
- C. finalize()
- D. init()

Answer: B) constructor

85. Which constructor has no parameters?

- A. Default constructor
- B. Parameterized constructor
- C. Copy constructor
- D. Empty constructor

Answer: A) Default constructor

86. Which keyword is used for abstraction?

- A. abstract
- B. interface
- C. Both A and B
- D. none

Answer: C) Both A and B

87. Which keyword is used to inherit an interface?

- A. extends
- B. implements
- C. inherit
- D. interface

Answer: B) implements

88. Which keyword is used to declare a static method?

- A. static
- B. const
- C. final
- D. abstract

Answer: A) static

89. Which keyword is used to call parent class method?

- A. super
- B. this
- C. parent
- D. base

Answer: A) super

90. Which method is used for garbage collection request?

- A. free()
- B. delete()
- C. gc()
- D. collect()

Answer: C) gc()

91. Which class provides system-level utilities?

- A. Runtime
- B. System
- C. Object
- D. Class

Answer: B) System

92. Which operator is used to access object members?

- A. ->
- B. .
- C. ::
- D. #

Answer: B) .

93. Which keyword is used to define a constant variable?

- A. static
- B. const
- C. final
- D. immutable

Answer: C) final

94. Which method converts integer to string?

- A. Integer.toString()
- B. parseInt()
- C. String.toInt()
- D. convert()

Answer: A) Integer.toString()

95. Which loop is best when number of iterations is known?

- A. for loop
- B. while loop
- C. do-while loop
- D. none

Answer: A) for loop

96. Which keyword exits a method immediately?

- A. stop
- B. return
- C. break
- D. exit

Answer: B) return

97. Which operator performs logical AND?

- A. &&
- B. &
- C. ||
- D. !

Answer: A) &&

98. Which operator performs logical OR?

- A. ||
- B. &&
- C. !
- D. &

Answer: A) ||

99. Which operator performs logical NOT?

- A. !
- B. ~
- C. &&
- D. ||

Answer: A) !

100. Java programs are compiled into ____.

- A. Machine code
- B. Bytecode
- C. Assembly code
- D. Native code

Answer: B) Bytecode