Forward Reasoning

```
def fol fc ask(KB, query):
    11 11 11
    Implements the Forward Chaining algorithm.
    :param KB: The knowledge base, a list of first-order definite
clauses.
    :param query: The query, an atomic sentence.
    :return: True if the query can be proven, otherwise False.
    inferred = set() # Keep track of inferred facts
    agenda = [fact for fact in KB if not fact.get('premises')] #
Initial facts
    rules = [rule for rule in KB if rule.get('premises')] # Rules with
premises
    # Debugging output: Initial agenda and inferred facts
    print(f"Initial agenda: {[fact['conclusion'] for fact in agenda]}")
    print(f"Initial inferred: {inferred}")
    while agenda:
        fact = agenda.pop(0)
        print(f"\nProcessing fact: {fact['conclusion']}")
        # Check if this fact matches the query
        if fact['conclusion'] == query:
            print(f"Found query match: {fact['conclusion']}")
            return True
        # Infer new facts if this fact hasn't been inferred before
        if fact['conclusion'] not in inferred:
            inferred.add(fact['conclusion'])
            print(f"Inferred facts: {inferred}")
            # Process rules that match this fact as a premise
            for rule in rules:
                if fact['conclusion'] in rule['premises']:
                    print(f"Rule premise satisfied: {rule['premises']}
-> {rule['conclusion']}")
                    rule['premises'].remove(fact['conclusion'])
Remove satisfied premise
```

```
if not rule['premises']: # All premises satisfied
                        new_fact = {'conclusion': rule['conclusion']}
                        agenda.append(new fact) # Add new fact to
agenda
                        print(f"New fact inferred:
{new fact['conclusion']}")
        # Debugging output after each iteration
        print(f"Current agenda: {[fact['conclusion'] for fact in
agenda] } ")
        print(f"Current inferred: {inferred}")
    # If the loop finishes without finding the query
    print(f"Query {query} not found.")
    return False
# Example Knowledge Base
KB = [
    {'premises': [], 'conclusion': 'American(Robert)'},
    {'premises': [], 'conclusion': 'Missile(T1)'},
    {'premises': [], 'conclusion': 'Owns(A, T1)'},
    {'premises': [], 'conclusion': 'Enemy(A, America)'},
    {'premises': ['Missile(T1)'], 'conclusion': 'Weapon(T1)'},
    {'premises': ['American(Robert)', 'Weapon(T1)', 'Sells(Robert, T1,
A) ', 'Hostile(A) '], 'conclusion': 'Criminal(Robert)'},
    {'premises': ['Owns(A, T1)', 'Enemy(A, America)'], 'conclusion':
'Hostile(A)'},
    {'premises': [], 'conclusion': 'Sells(Robert, T1, A)'}
1
# Query
query = 'Criminal (Robert)'
# Run the algorithm
result = fol_fc_ask(KB, query)
print("\nFinal Result:", result)
name = "Varsha Prasanth"
usn = "1BM22CS321"
print(f"Name: {name}, USN: {usn}")
```

OUTPUT

```
Processing fact: Owns(A, T1)
Inferred facts: {'Owns(A, T1)', 'American(Robert)', 'Missile(T1)'}
Rule premise satisfied: ['Owns(A, T1)', 'Enemy(A, America)'] -> Hostile(A)
Current agenda: ['Enemy(A, America)', 'Sells(Robert, T1, A)', 'Weapon(T1)']
Current inferred: {'Owns(A, T1)', 'American(Robert)', 'Missile(T1)'}
Processing fact: Enemy(A, America)
Inferred facts: {'Owns(A, T1)', 'American(Robert)', 'Missile(T1)', 'Enemy(A, America)'}
Rule premise satisfied: ['Enemy(A, America)'] -> Hostile(A)
New fact inferred: Hostile(A)
Current agenda: ['Sells(Robert, T1, A)', 'Weapon(T1)', 'Hostile(A)']
Current inferred: {'Owns(A, T1)', 'American(Robert)', 'Missile(T1)', 'Enemy(A, America)'}
Processing fact: Sells(Robert, T1, A)
Inferred facts: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Sells(Robert, T1, A)', 'Enemy(A, America)'}
Rule premise satisfied: ['Weapon(T1)', 'Sells(Robert, T1, A)', 'Hostile(A)'] -> Criminal(Robert)
Current agenda: ['Weapon(T1)', 'Hostile(A)']
Current inferred: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Sells(Robert, T1, A)', 'Enemy(A, America)'}
Processing fact: Weapon(T1)
Inferred facts: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Sells(Robert, T1, A)', 'Weapon(T1)', 'Enemy(A, America)'}
Rule premise satisfied: ['Weapon(T1)', 'Hostile(A)'] -> Criminal(Robert)
Current agenda: ['Hostile(A)']
Current inferred: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Sells(Robert, T1, A)', 'Weapon(T1)', 'Enemy(A, America)'}
Processing fact: Hostile(A)
Inferred facts: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Hostile(A)', 'Sells(Robert, T1, A)', 'Weapon(T1)', 'Enemy(A, America)'}
Rule premise satisfied: ['Hostile(A)'] -> Criminal(Robert)
New fact inferred: Criminal(Robert)
Current agenda: ['Criminal(Robert)']
Current inferred: {'American(Robert)', 'Missile(T1)', 'Owns(A, T1)', 'Hostile(A)', 'Sells(Robert, T1, A)', 'Weapon(T1)', 'Enemy(A, America)'}
Processing fact: Criminal(Robert)
Found query match: Criminal(Robert)
Final Result: True
Name: Varsha Prasanth, USN: 1BM22CS321
```