```
project xmIns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
http://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
 <groupId>com.example
<artifactId>JenkinsProject</artifactId>
 <version>1.0-SNAPSHOT</version>
 <packaging>jar</packaging>
 <name>JenkinsProject</name>
<url>http://maven.apache.org</url>
 cproperties>
 project.build.sourceEncoding>UTF-8/project.build.sourceEncoding>
 </properties>
 <dependencies>
 <dependency>
   <groupId>org.testng/groupId>
   <artifactId>testng</artifactId>
   <version>7.10.2</version>
   <scope>test</scope>
 </dependency>
  <dependency>
   <groupId>org.seleniumhq.selenium
   <artifactId>selenium-java</artifactId>
   <version>4.25.0</version>
 </dependency>
 <dependency>
```

```
<groupId>junit
  <artifactId>junit</artifactId>
  <version>3.8.1</version>
 <scope>test</scope>
</dependency>
</dependencies>
<build>
<plugins>
  <plugin>
   <groupId>org.apache.maven.plugins
   <artifactId>maven-resources-plugin</artifactId>
   <version>3.2.0</version>
   <executions>
    <execution>
     <phase>prepare-package</phase> <!-- Before packaging -->
     <goals>
      <goal>copy-resources</goal>
     </goals>
     <configuration>
      <outputDirectory>${project.basedir}/docs/outputDirectory>
      <resources>
       <resource>
        <directory>src/main/resources</directory>
        <includes>
         <include>/*</include> <!-- Copy all files in src/main/resources -->
        </includes>
       </resource>
      </resources>
     </configuration>
    </execution>
   </executions>
```

</plugin>

</plugins>

</build>

</project>