



```
#include<stdio.h>
int main()
{
    int n,i,j;
    printf("Enter the number of process");
    scanf("%d",&n);
    int at[n],bt[n],tat[n],wt[n],ct[n];
    for(i=0;i<n;i++)
    {
        printf("Enter the arrival and burst time");
        scanf("%d %d",&at[i],&bt[i]);
    }
    float total_tat=0,total_wt=0;
    ct[0]=at[0]+bt[0];
    for(i=0;i<n;i++){
        if(ct[i]<at[i]){
            ct[i]=at[i]+bt[i];
        }
        else{
            ct[i]=ct[i-1]+bt[i];
        }
    }
}
```

```

        printf("Enter the arrival and burst time");
        scanf("%d %d",&at[i],&bt[i]);
    }
    float total_tat=0,total_wt=0;
    ct[0]=at[0]+bt[0];
    for(i=0;i<n;i++){
        if(ct[i]<at[i]){
            ct[i]=at[i]+bt[i];
        }
        else{
            ct[i]=ct[i-1]+bt[i];
        }
    }
    for(i=0;i<n;i++){
        tat[i]=ct[i]-at[i];
        wt[i]=tat[i]-bt[i];
        total_tat=total_tat+tat[i];
        total_wt=total_wt+wt[i];
    }
    printf("\n Average turnaround time:%.2f",total_tat/n);
    printf("\n Average waiting time:%.2f",total_wt/n);
    return 0;
}

```

```
[varsha@localhost cpuscheduling]$ gcc fcfs.c
```

```
[varsha@localhost cpuscheduling]$ ./a.out
```

```
Enter the number of process5
```

```
Enter the arrival and burst time0 5
```

```
Enter the arrival and burst time1 4
```

```
Enter the arrival and burst time2 6
```

```
Enter the arrival and burst time12 3
```

```
Enter the arrival and burst time14 2
```

```
Average turnaround time:4.60
```

```
Average waiting time:0.60[varsha@localhost cpuscheduling]$
```