

AI Tool Usage Appendix

MAISON — Your Personal AI Fashion House

Prepared by Varsha Jha · Product Management Case Study · July 2026

This appendix discloses every AI tool used in the development of the MAISON case study — from early brainstorming through the final hi-fi prototype — along with what each tool was used for, what it was *not* used for, and how outputs were reviewed before being included in the final deliverables. It is provided in the interest of transparency: MAISON's own Responsible AI framework asks for clear disclosure of where AI shaped a decision, and this document holds the case study itself to the same standard.

1. Tool-by-Tool Summary

Tool	Role in This Project	Stage(s) Used
ChatGPT	Open-ended brainstorming and early ideation — generating and stress-testing candidate problem statements, JTBD framings, and rough feature ideas before they were structured into formal discovery artifacts.	Discovery / Ideation
Claude	Documentation drafting and verification — structuring the PRD, backlog, Responsible AI framework, and metrics/GTM docs; cross-checking prototype screens against acceptance criteria; and producing this appendix.	Documentation / Verification
Gemini	Critical review pass — used deliberately as a second, independent reviewer to critique drafts, surface gaps, and pressure-test assumptions and framing before they were finalized.	Review / Critique
Lovable	Hi-fi MVP prototype build — translating the PRD's core flow (image/text capture, occasion + budget parameters, outfit results) into a working, clickable web prototype.	Prototyping / Build
Figma Make	User flow diagramming — producing the structured MVP user flow diagram (landing → input → parameters → AI processing → results → decision/action), including error and alternate paths.	UX Flow Design

2. Detailed Usage Notes

Each entry below describes the specific inputs given, the kind of output relied on, and how that output was validated or edited before inclusion in the final case study.

ChatGPT

Brainstorming & Ideation

- Used to widen the field of candidate problem statements during early discovery — generating multiple framings of the “fragmented outfit shopping” problem before one was selected as the beachhead.
- Used to rapid-fire alternative Jobs-to-be-Done phrasings and rough feature ideas (e.g. early versions of the five JTBD candidates in the Discovery & Strategy doc) for later triage.
- Not used to write final PRD language, acceptance criteria, or any published document text verbatim.

How output was verified: Every idea ChatGPT surfaced was treated as a raw candidate, not a conclusion. Ideas were carried forward only after being run through real prioritization logic (JTBD selection criteria, the 5 Whys, RICE/MoSCoW) rather than accepted on the model's say-so.

Claude

Documentation & Verification

- Used to structure and draft the formal deliverables — PRD, agile backlog, acceptance criteria, Responsible AI framework, and metrics/experimentation/GTM documentation — from discovery-stage inputs.
- Used to review the live Lovable prototype screen-by-screen against the PRD's functional requirements and user-story acceptance criteria, surfacing concrete gaps (e.g. missing budget input, single-outfit vs. multi-outfit display, static confidence scores).
- Used to draft build-fix prompts translating identified gaps into actionable instructions for the Lovable rebuild, and to produce this appendix.

How output was verified: Claude's output was checked against the case study's own source documents at every step — claims about gaps or misalignments were traced back to specific PRD sections and acceptance criteria rather than accepted as general commentary. All final document structure and prioritization decisions were made by the author.

Gemini*Critique & Improvement*

- Used deliberately as an independent second reviewer, separate from the tool used for drafting — to reduce the risk of a single model's blind spots going unchallenged across the whole case study.
- Used to pressure-test draft framing, positioning language, and risk/mitigation completeness before documents were finalized (e.g. reviewing the monetization-vs-positioning tension and its resolution).
- Not used for first-draft generation of any deliverable — its role was strictly evaluative.

How output was verified: Critique points were manually assessed for validity and only incorporated where they held up against the project's own research and stated goals — disagreement with a suggested change was treated as an acceptable outcome, not a failure to apply feedback.

Lovable*MVP Prototype Build*

- Used to build the working hi-fi prototype (maison-ai-stylist.lovable.app) implementing the core capture → curation → results flow described in the PRD.
- Iterated across multiple passes as gaps were identified against the PRD (e.g. adding explicit budget and size inputs, per-item buy links, dynamic confidence scoring, and a true “Show Alternatives” path).
- Used only for implementation of already-specified requirements — product scope and requirements originated in the PRD, not from what Lovable made easy to build.

How output was verified: The prototype was independently reviewed against the PRD's acceptance criteria after each significant change, rather than assumed correct because it matched the build prompt. Discrepancies were logged and fed back into the next iteration.

Figma Make*User Flow Diagramming*

- Used to produce the structured MVP User Flow Diagram covering the primary path (Landing → Input → Parameters → AI Processing → Results → Decision/Action) plus error and alternate flows (upload failure, image validation, out-of-stock substitution, feedback capture).
- Used to visually reconcile flow-level requirements from the PRD (e.g. hard budget ceiling, size-based substitution, rating capture) into a single reviewable diagram.

How output was verified: The diagram was reviewed against the PRD and AI workflow documentation for completeness and sequencing — for example, confirming whether the stock-availability check occurs before or after outfit display, and whether “Show Alternatives” and “Regenerate” were distinct actions.

3. Disclosure Statement

All strategic decisions in this case study — including problem selection, persona prioritization, scope (MoSCoW/RICE calls), metric selection, monetization model, and final acceptance of any AI-suggested change — were made by the author. AI tools were used to accelerate drafting, widen the space of considered options, and provide independent critique; they were not used as a substitute for the underlying product judgment the case study is meant to demonstrate.

This appendix will be updated if additional AI tools are introduced in later iterations of the MAISON case study.