Aim:

Write a program to implement Breadth First Search of a graph.

Source Code:

GraphsBFS.c

```
#include<stdio.h>
#include<stdlib.h>
#define MAX 99
struct node
   struct node * next;
   int vertex;
};
typedef struct node * GNODE;
GNODE graph[20];
int visited[20];
int queue[MAX],front = -1,rear = -1;
int n;
void insertQueue(int vertex)
   if(rear == MAX-1)
           printf("Queue overflow.\n");
   else
   {
      if(front == -1)
            front=0;
      rear = rear+1;
      queue[rear] = vertex;
   }
int isEmptyQueue()
   if(front == -1 || front > rear)
        return 1;
   else
         return 0;
}
int deleteQueue()
   int deleteitem;
   if(front == -1 || front > rear)
      printf("Queue underflow\n");
      exit(1);
   }
   deleteitem = queue[front];
   front = front+1;
   return deleteitem;
}
void BFS(int v)
```

```
int w;
   insertQueue(v);
   while(!isEmptyQueue())
   {
      v = deleteQueue();
      printf("\n%d",v);
      visited[v] = 1;
      GNODE g = graph[v];
      for(;g!=NULL;g=g->next)
         w=g->vertex;
         if(visited[w]==0)
            insertQueue(w);
            visited[w]=1;
         }
      }
   }
void main()
   int N,E,s,d,i,j,v;
   GNODE p,q;
   printf("Enter the number of vertices : ");
   scanf("%d",&N);
   printf("Enter the number of edges : ");
   scanf("%d",&E);
   for(i=1;i<=E;i++)
      printf("Enter source : ");
      scanf("%d",&s);
      printf("Enter destination : ");
      scanf("%d",&d);
      q=(GNODE)malloc(sizeof(struct node));
      q->vertex=d;
      q->next=NULL;
      if(graph[s]==NULL)
         graph[s]=q;
      }
      else
         p=graph[s];
         while(p->next!=NULL)
            p=p->next;
         p->next=q;
      }
   for(i=1;i<=n;i++)
        visited[i]=0;
   printf("Enter Start Vertex for BFS : ");
   scanf("%d",&v);
   printf("BFS of graph : ");
   BFS(v);
```

```
printf("\n");
}
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter the number of vertices : 5
Enter the number of edges : 5
Enter source : 1
Enter destination :
Enter source : 1
Enter destination : 4
Enter source : 4
Enter destination : 2
Enter source : 2
Enter destination : 3
Enter source : 4
Enter destination : 5
Enter Start Vertex for BFS : 1
BFS of graph :
4
3
5
```

Test Case - 2
ser Output
nter the number of vertices : 4
nter the number of edges : 3
nter source : 1
nter destination : 2
nter source : 2
nter destination : 3
nter source : 3
nter destination : 4
nter Start Vertex for BFS : 2
FS of graph :