

**Aim:**

Write a program to implement `circular queue` using **dynamic array**.

Sample Input and Output:

```
Enter the maximum size of the circular queue : 3
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 2
Circular queue is underflow.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 3
Circular queue is empty.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 1
Enter element : 111
Successfully inserted.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 1
Enter element : 222
Successfully inserted.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 1
Enter element : 333
Successfully inserted.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 1
Enter element : 444
Circular queue is overflow.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 3
Elements in the circular queue : 111 222 333
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 2
Deleted element = 111
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 1
Enter element : 444
Successfully inserted.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 3
Elements in the circular queue : 222 333 444
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 2
Deleted element = 222
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 2
Deleted element = 333
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 2
Deleted element = 444
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 3
Circular queue is empty.
1.Enqueue 2.Dequeue 3.Display 4.Exit
Enter your option : 4
```

**Source Code:**

```
#include<stdio.h>
#include<stdlib.h>
int queue[20];
int front = -1, rear = -1, i;
int maxSize;

void initCircularQueue() {
    void*queue = (int *)malloc(maxSize * sizeof(int));
}

void dequeue() {
    if(front == -1) {
        printf("Circular queue is underflow.\n");
    } else {
        printf("Deleted element = %d\n",queue[front]);
        if(rear == front) {
            rear = front =-1;
        } else if (front == maxSize-1) {
            front = 0;
        } else {
            front++;
        }
    }
}

void enqueue(int x) {
    if((rear == maxSize-1) && (front == 0) || (rear + 1 == front))
        printf("Circular queue is overflow.\n");
    else {
        if(rear == maxSize-1) {
            rear = -1;
        } else if (front == -1) {
            front = 0;
        }
        rear++;
        queue[rear] = x;
        printf("Successfully inserted.\n");
    }
}

void display() {
    if(front == -1 && rear == -1)
        printf("Circular queue is empty.\n");
    else {
        printf("Elements in the circular queue : ");
        if(front <= rear) {
            for(i=front;i<=rear;i++) {
                printf("%d ",queue[i]);
            }
        }
        else {
            for(i=front;i<=maxSize-1;i++) {
                printf("%d ",queue[i]);
            }
        }
    }
}
```

```

        for(i=0;i<=rear;i++) {
            printf("%d ",queue[i]);
        }
    }
    printf("\n");
}
}
int main() {
    int op, x;
    printf("Enter the maximum size of the circular queue : ");
    scanf("%d",&maxSize);
    initCircularQueue();
    while(1) {
        printf("1.Enqueue 2.Dequeue 3.Display 4.Exit\n");
        printf("Enter your option : ");
        scanf("%d",&op);
        switch(op) {
            case 1:
                printf("Enter element : ");
                scanf("%d",&x);
                enqueue(x);
                break;
            case 2:
                dequeue();
                break;
            case 3:
                display();
                break;
            case 4:
                exit(0);
        }
    }
}

```

## Execution Results - All test cases have succeeded!

Test Case - 1
User Output
Enter the maximum size of the circular queue : 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Circular queue is underflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option : 3
Circular queue is empty. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 111
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 222
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 333
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 444
Circular queue is overflow. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option : 3
Elements in the circular queue : 111 222 333 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 111 1
1.Enqueue 2.Dequeue 3.Display 4.Exit 1
Enter your option : 1
Enter element : 444
Successfully inserted. 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option : 3
Elements in the circular queue : 222 333 444 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 222 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 333 2
1.Enqueue 2.Dequeue 3.Display 4.Exit 2
Enter your option : 2
Deleted element = 444 3
1.Enqueue 2.Dequeue 3.Display 4.Exit 3
Enter your option : 3
Circular queue is empty. 4
1.Enqueue 2.Dequeue 3.Display 4.Exit 4

Enter your option : 4