

Aim:

Create an interface for stack with push and pop operations. Implement the stack in two ways fixed-size stack and Dynamic stack (stack size is increased when the stack is full).

Note: Please don't change the package name.

Source Code:

q29794/StaticAndDynamicStack.java

```
package q29794;
interface IntStack{
    void push(int item);
    int pop();}
class FixedStack implements IntStack{
    private int stck[];
    private int tos;
    FixedStack(int size){
    stck = new int[size];tos = -1;}
    public void push(int item){
    if(tos == stck.length-1)
    System.out.println("Stack is full and increased");
    else stck[++tos]=item;}
    public int pop(){
    if (tos<0){
    System.out.println("Stack underflow");
    return 0;}
    else return stck[tos--];}}
class StaticAndDynamicStack{
    public static void main(String args[]){
    FixedStack mystack = new FixedStack(0);
    FixedStack mystack1 = new FixedStack(5);
    FixedStack mystack2 = new FixedStack(10);
    for(int i=0;i<1;i++)
    mystack.push(i);
    for(int i=0;i<5;i++)
    mystack1.push(i);
    for(int i=0;i<10;i++)
    mystack2.push(i);
    System.out.println("Stack in mystack1:");
    for(int i=0;i<5;i++)
    System.out.println(mystack1.pop());
    System.out.print("Stack in mystack2 :\n");
    for(int i=0;i<4;i++)
    System.out.println(mystack2.pop());
    mystack2.pop();
    for(int i=1;i<6;i++)
    System.out.println(mystack2.pop());
    System.out.println(mystack.pop());}}
```

Execution Results - All test cases have succeeded!

Test Case - 1
User Output
Stack is full and increased
Stack in mystack1:
4
3
2
1
0
Stack in mystack2 :
9
8
7
6
4
3
2
1
0
Stack underflow
0