

Name: Bhanoth Sai Chaitanya

Regno: 20233102

1. A database is being constructed for storing **sales information system**. A product can be described with a unique product number, product name, selling price, manufacturer name. The product can sale to a particular client and each client have its own unique client number, client name, client addresses, city, pin code, state and total balance to be required to paid. Each client order is to buy product from the salesman. In the order, it has unique sales order number, sales order date, client number, salesman number (unique), billed whole payment by the party or not and its delivery date. The salesman has the name, addresses, city, pin code, state, salary of the sales man, delivery date, total quantity ordered, product rate.

Consider the sales info system consisting of following schemas: -

Product(p_id, p_name, mfg_name, p_rate, sell_price, p_description)

Client(c_id, c_name, address, city, pin, state, balance_due)

Salesman(s_id, s_name, address, city, pin, state, salary)

Sales_order_details(so_no, so_date, c_id, s_id, p_id, bill_paid, delivery_date, p_rate, quantity, cancel_date)

Product Table:

p_id	p_name	mfg_name	p_rate	sell_price	p_description
101	Laptop	Dell	45000	50000	Dell Inspiron 15
102	Mobile	Samsung	15000	18000	Galaxy M13
103	Printer	HP	8000	9500	LaserJet Pro
104	Tablet	Apple	30000	35000	iPad 9th Gen

Client Table:

c_id	c_name	address	city	pin	state	balance_due
201	Rahul Sharma	Sector 12, Noida	Noida	201301	UP	10000
202	Priya Singh	Park Street	Kolkata	700016	WB	5000
203	Amit Verma	Civil Lines	Prayagraj	211002	UP	7000
204	Riya Mehta	MG Road	Bengaluru	560001	Karnataka	2000

Salesman Table:


s_id	s_name	address	city	pin	state	salary
301	Suresh Kumar	Sec 10	Noida	201301	UP	35000
302	Anil Gupta	Salt Lake	Kolkata	700091	WB	40000
303	Neha Jain	Indiranagar	Bengaluru	560038	Karnataka	30000

Sales_order_details Table:


so_no	so_date	c_id	s_id	p_id	bill_p aid	delivery_d ate	p_rate	quantity	cancel_ date
401	2025-01-15	201	301	101	YES	2025-01-20	50000	2	NULL
402	2025-01-18	202	302	102	NO	2025-01-25	18000	3	NULL
403	2025-02-01	203	301	103	YES	2025-02-05	9500	1	NULL
404	2025-02-10	204	303	104	YES	2025-02-15	35000	2	NULL

For the Write the SQL queries for the following with respect to database created:

- (a) For the sales information system schema provided above, create the corresponding tables and insert the required data as shown in the tables.
- (b) Modify 'Product' table to ensure that product's name and manufacturer's name are not NULL.



- (c) Modify 'Client' table to ensure that client's name is not NULL.



(d) Modify 'Salesman' table to ensure that salesman's name is not NULL.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The left sidebar displays a tree view of databases and tables, with 'salesman' selected under 'sales_information_system'. The main panel shows the 'SQL' tab with the following query:

```
ALTER TABLE salesman MODIFY s_name VARCHAR(100) NOT NULL;
```

Below the query, a message indicates: "MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)". The interface includes a 'Show query box' button and links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.


(e) Modify 'Sales_order_details' table to ensure that sales order date is not NULL.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The left sidebar displays a tree view of databases and tables, with 'sales_order_details' selected under 'sales_information_system'. The main panel shows the 'SQL' tab with the following query:


```
ALTER TABLE sales_order_details MODIFY so_date DATE NOT NULL;
```

Below the query, a message indicates: "MySQL returned an empty result set (i.e. zero rows). (Query took 0.0006 seconds.)". The interface includes a 'Show query box' button and links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.

- (f) Modify 'Product' table to ensure that product's rate is always greater than '0' and selling price of a product is always greater than and equal to its selling price.




- (g) Modify 'Client' table to ensure that 'due balance' of a product is set to '0' if no value specified otherwise, ensure that entered value must be greater than or equal to '0'.



'0'.


(h) Modify 'Salesman' table to ensure that salary of a salesman is greater than Rs 20000.



(i) Modify 'Sales_order_details' table to ensure that 'bill paid' must either be ('YES' or 'NO'). ALTER TABLE sales_order_details

ADD CONSTRAINT chk_bill_paid_valid CHECK (bill_paid IN ('YES', 'NO'));

(j) Modify 'Sales_order_details' table to ensure 'quantity' ordered must be greater than '0' and ensure that 'client-id', 'salesman-id' and 'product-id' are defined as foreign key in the table.



(k) Insert a product without a product name to verify NOT NULL constraint.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The SQL query editor contains the following query:

```
1 INSERT INTO Product(p_id, mfg_name, p_rate, sell_price, p_description)
2 VALUES (105, 'Lenovo', 25000, 28000, 'ThinkPad E14');
3
```

The query is executed, and an error message is displayed in a red box:

Error
SQL query: [Copy](#)

```
INSERT INTO Product(p_id, mfg_name, p_rate, sell_price, p_description)
VALUES (105, 'Lenovo', 25000, 28000, 'ThinkPad E14');
```

MySQL said:

```
#1364 - Field 'p_name' doesn't have a default value
```

(l) Insert another client with the same ID = 201 to verify PRIMARY KEY / UNIQUE constraint.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The SQL query editor contains the following query:

```
1 INSERT INTO Client VALUES
2 (201, 'Duplicate Client', 'Test Address', 'Delhi', '110001', 'Delhi', 1000);
3
```

The query is executed, and an error message is displayed in a red box:

Error
SQL query: [Copy](#)

```
INSERT INTO Client VALUES
(201, 'Duplicate Client', 'Test Address', 'Delhi', '110001', 'Delhi', 1000);
```

MySQL said:

```
#1062 - Duplicate entry '201' for key 'PRIMARY'
```

(m) Insert a salesman with salary as Rs 15000 to verify CHECK constraint.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The SQL query editor contains the following query:

```
1 INSERT INTO salesman VALUES
2 (304, 'Low Salary Salesman', 'Somewhere', 'Mumbai', '400001', 'MH', 15000);
3
```

Below the query editor, the 'Error' section is highlighted in red. It displays the following message:

Error
SQL query: [Copy](#)

```
INSERT INTO salesman VALUES
(304, 'Low Salary Salesman', 'Somewhere', 'Mumbai', '400001', 'MH', 15000);
```

MySQL said:

```
#4025 - CONSTRAINT 'CONSTRAINT_1' failed for 'sales_information_system'. 'salesman'
```

(n) Insert a client without specifying due balance amount to verify DEFAULT constraint.

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The SQL query editor contains the following query:

```
INSERT INTO Client(c_id, c_name, address, city, pin, state) VALUES (205, 'New Client', 'Green Park', 'Delhi', '110016', 'Delhi');
```

Below the query editor, the 'Show query box' section is highlighted in green. It displays the following message:

✓ 1 row inserted. (Query took 0.0003 seconds.)

Below this message, the executed query is shown:

```
INSERT INTO Client(c_id, c_name, address, city, pin, state) VALUES (205, 'New Client', 'Green Park', 'Delhi', '110016', 'Delhi');
```

At the bottom of the 'Show query box' section, there are links: [\[Edit inline\]](#), [\[Edit\]](#), and [\[Create PHP code\]](#).

(o) Insert an order with client_id = '210' in table 'Sales_order_details' to verify FOREIGN KEY referential integrity constraint.

The screenshot shows the phpMyAdmin interface with the 'sales_order_details' table selected. An SQL query is entered in the query box: `INSERT INTO sales_order_details VALUES (405, '2025-03-01', 210, 301, 101, 'YES', '2025-03-05', 50000, 1, NULL);`. The 'Enable foreign key checks' option is checked. Below the query box, an error message is displayed:
Error
SQL query: [Copy](#)

INSERT INTO sales_order_details VALUES
(405, '2025-03-01', 210, 301, 101, 'YES', '2025-03-05', 50000, 1, NULL);

MySQL said:
#1452 - Cannot add or update a child row: a foreign key constraint fails ('sales_information_system`.`sales_order_details', CONSTRAINT 'fk_c_tid' FOREIGN KEY

(p) Find name of client, city, state for clients belonging to state 'UP' or 'WB'.

The screenshot shows the phpMyAdmin interface with the 'Client' table selected. A SQL query is entered in the query box: `SELECT c_name, city, state FROM Client WHERE state IN ('UP', 'WB');`. The query results are displayed in a table with 3 rows. The table has columns: c_name, city, and state. The results are as follows:

c_name	city	state
Rahul Sharma	Noida	UP
Priya Singh	Kolkata	WB
Amit Verma	Prayagraj	UP

(q) Find products priced between 10,000 and 40,000.

The screenshot shows the phpMyAdmin interface with the 'Product' table selected. The SQL query executed is: `SELECT * FROM Product WHERE p_rate BETWEEN 10000 AND 40000;`. The results show two rows:

p_id	p_name	mfg_name	p_rate	sell_price	p_description	new_sell_price
102	Mobile	Samsung	15000.00	18000.00	Galaxy M13	NULL
104	Tablet	Apple	30000.00	35000.00	Ipad 9th Gen	NULL

(r) Find salesman whose name starts with 'S'.

The screenshot shows the phpMyAdmin interface with the 'salesman' table selected. The SQL query executed is: `SELECT * FROM salesman WHERE s_name LIKE "S%";`. The results show one row:

s_id	s_name	address	city	pin	state	salary
301	Suresh Kumar	Sec 10	Noida	201301	UP	35000.00

(s) Find clients whose name contains 'a' alphabet.

The screenshot shows the phpMyAdmin interface with the 'Client' table selected in the 'sales_information_system' database. The SQL query entered is: `SELECT * FROM Client WHERE c_name LIKE "%a%";`. The results show 4 rows of client data.

c_id	c_name	address	city	pin	state	balance_due
201	Rahul Sharma	Sector 12, Noida	Noida	201301	UP	0.00
202	Priya Singh	Park Street	Kolkata	700016	WB	0.00
203	Amit Verma	Civil Lines	Prayagraj	211002	UP	0.00
204	Riya Mehta	MG Road	Bengaluru	560001	Karnataka	0.00

(t) Find clients with due balance amount greater than Rs 5000.

The screenshot shows the phpMyAdmin interface with the 'Client' table selected. The SQL query entered is: `SELECT * FROM Client WHERE balance_due > 5000;`. The results show an empty result set, indicating no clients have a balance due greater than Rs 5000.

(u) Find sales orders with 'total value' which is defined as: (product_rate * quantity).

The screenshot shows the phpMyAdmin interface with the 'sales_order_details' table selected. A SQL query is executed, showing 4 rows of data. The query calculates the total value for each order by multiplying the product rate by the quantity.

Query: `SELECT so_no, c_id, p_id, quantity, p_rate, (p_rate * quantity) AS total_value FROM sales_order_details;`

so_no	c_id	p_id	quantity	p_rate	total_value
401	201	101	2	50000.00	100000.00
402	202	102	3	18000.00	54000.00
403	203	103	1	9500.00	9500.00
404	204	104	2	35000.00	70000.00

(v) Find all orders placed in February 2025.

The screenshot shows the phpMyAdmin interface with the 'sales_order_details' table selected. A SQL query is executed, showing 2 rows of data for orders placed in February 2025.

Query: `SELECT * FROM sales_order_details WHERE MONTH(so_date)=2 AND YEAR(so_date)=2025;`

so_no	so_date	c_id	s_id	p_id	bill_paid	delivery_date	p_rate	quantity	cancel_date
403	2025-02-01	203	301	103	YES	2025-03-10	9500.00	1	NULL
404	2025-02-10	204	303	104	YES	2025-02-15	35000.00	2	NULL

(w) Increase the salary of the salesmen belonging to 'WB' by 10%

The screenshot shows the phpMyAdmin interface for the 'sales_information_system' database. The left sidebar displays the database structure, including tables like 'salesman' and 'sales_order_details'. The main panel shows the 'Query' tab with a successful execution message: '1 row affected. (Query took 0.0004 seconds.)'. The executed query is: `UPDATE salesman SET salary = salary * 1.10 WHERE state = 'WB';`. Below the query, there are links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.

The screenshot shows the 'Query results' tab in phpMyAdmin. It displays a table with 3 rows of data, representing the updated salaries for salesmen in the 'WB' state. The table has columns: s_id, s_name, address, city, pin, state, and salary. The data is as follows:

s_id	s_name	address	city	pin	state	salary
301	Suresh Kumar	Sec 10	Noida	201301	UP	35000.00
302	Anil Gupta	Salt Lake	Kolkata	700091	WB	54450.00
303	Neha Jain	Indiranagar	Bengaluru	560038	Karnataka	30000.00

Below the table, there are options for 'Check all', 'With selected', 'Edit', 'Copy', 'Delete', and 'Export'. The 'Query results operations' section includes links for 'Print', 'Copy to clipboard', 'Export', 'Display chart', and 'Create view'. The 'Bookmark this SQL query' section has a 'Label' field and a checkbox 'Let every user access this bookmark'.

2. Consider a database that is being constructed for a Company's office organization where it stores the value of Employees, their Bonus and Job title. The employee relation contains the details of id, first name, last name, salary, joining date of office and the department in which they are working. The Bonus relation contains the details of employee reference id, bonus date and amount of bonus. Title relates to bonus table through the reference id and this table stores the value of employer designation and their job affected from which date.

Consider the Company's Office System consisting of following schemas: -

Employee (E_id, First_Name, Last_Name, Salary, Joining_Date, Department)

Bonus (E_Ref_Id, Bonus_Date, Bonus_Amount)

Job_Title (E_Ref_Id, E_Title, Affected_From)

Employee Table:

E_id	First_Name	Last_Name	Salary	Joining_Date	Department
101	Amit	Sharma	50000	2019-06-15	IT
102	Neha	Verma	60000	2020-01-20	HR
103	Rajesh	Gupta	75000	2018-09-10	Finance
104	Priya	Mehta	50000	2021-03-05	Marketing
105	Anil	Yadav	45000	2022-07-12	Sales

Bonus Table:


E_Ref_Id	Bonus_Date	Bonus_Amount
101	2022-12-25	5000
102	2021-11-15	7000
103	2022-03-10	10000
104	2023-01-05	4000
105	2022-08-20	3000

Job_Title Table:

E_Ref_Id	E_Title	Affected_From
101	Software Engineer	2019-06-15
102	HR Executive	2020-01-20
103	Finance Manager	2018-09-10
104	Marketing Officer	2021-03-05
105	Sales Associate	2022-07-12


Write the SQL queries for the following with respect to database created: –

- For the company's office system schema provided above, create the corresponding tables and insert the required data as shown in the tables.
- Modify 'Employee' table to ensure that employee's first name, last name and joining date are NOT NULL. Also ensure that employee name (first and last name) must be




unique.


- Modify 'Bonus' table to ensure that date of bonus is NOT NULL.



d) Modify 'Job_Title' table to ensure that employee title and 'affected from' date is NOT NULL. Also ensure that 'E_Ref_Id' is specified as foreign key referencing employee id in 'Employee' table.




e) Modify the 'Employee' table to ensure that each employee's salary is greater than equal to Rs20000. Also ensure that department name is set to 'General' if no name is




specified.

f) Modify 'Bonus' table to ensure that bonus amount is always greater than or equal to Rs 500. Also ensure that 'E_Ref_Id' is specified as foreign key referencing employee id in 'Employee' table.



g) Insert name of employee in 'Employee' table without first name to verify NOT NULL Constraint.



h) Insert duplicate employee name in 'Employee' table to verify UNIQUE constraint.

The screenshot shows the phpMyAdmin interface for the 'CompanyDB' database. The SQL query editor contains the following code:

```
1 INSERT INTO Employee (E_id, First_Name, Last_Name, Salary, Joining_Date, Department)
2 VALUES (107, 'Amit', 'Sharma', 35000, '2023-02-01', 'HR');
3
```

Below the query editor, the 'Error' section displays the following message:

Error
SQL query: [Copy](#)

```
INSERT INTO Employee (E_id, First_Name, Last_Name, Salary, Joining_Date, Department)
VALUES (107, 'Amit', 'Sharma', 35000, '2023-02-01', 'HR');
```

MySQL said:

```
#1062 - Duplicate entry 'Amit-Sharma' for key 'unique_employee_name'
```

i) Insert salary of employee below Rs 20000 in 'Employee' table to verify CHECK constraint.

The screenshot shows the phpMyAdmin interface for the 'CompanyDB' database. The SQL query editor contains the following code:

```
1 INSERT INTO Employee (E_id, First_Name, Last_Name, Salary, Joining_Date, Department)
2 VALUES (107, 'Amit', 'Sharma', 15000, '2023-02-01', 'HR');
3
```

Below the query editor, the 'Error' section displays the following message:


Error
SQL query: [Copy](#)

```
INSERT INTO Employee (E_id, First_Name, Last_Name, Salary, Joining_Date, Department)
VALUES (107, 'Amit', 'Sharma', 15000, '2023-02-01', 'HR');
```

MySQL said:

```
#4025 - CONSTRAINT 'chk_salary' failed for 'CompanyDB`.`Employee'
```


j) Insert employee in 'Employee' table without department name to verify DEFAULT constraint.



The screenshot shows the phpMyAdmin interface with the 'CompanyDB' database selected. The 'SQL' tab is active, displaying the following query and its result:

```
INSERT INTO Employee (E_id, First_Name, Last_Name, Salary, Joining_Date) VALUES (109, 'Rita', 'Singh', 25000, '2023-04-01');
```

The result message states: "1 row inserted. (Query took 0.0004 seconds.)". Below the message are links for "[Edit inline]", "[Edit]", and "[Create PHP code]". The left sidebar shows the database structure, including 'CompanyDB' and its tables: 'New', 'Bonus', 'Employee', and 'Job_Title'.



The screenshot shows the phpMyAdmin interface with the 'CompanyDB' database selected and the 'Employee' table viewed. The 'Table: Employee' tab is active, displaying the following data:

E_id	First_Name	Last_Name	Salary	Joining_Date	Department
101	Amit	Sharma	50000.00	2019-06-15	IT
102	Neha	Verma	60000.00	2020-01-20	HR
103	Rajesh	Gupta	75000.00	2018-09-10	Finance
104	Priya	Mehta	50000.00	2021-03-05	Marketing
105	Anil	Yadav	45000.00	2022-07-12	Sales
106	Rohit	Kumar	80000.00	2022-10-01	IT
108	Amith	Sharma	125000.00	2023-02-01	General
109	Rita	Singh	25000.00	2023-04-01	General

The interface includes various options for viewing and managing the table data, such as 'Show all', 'Number of rows', 'Filter rows', and 'Sort by key'. The 'Query results operations' section at the bottom provides options for 'Print', 'Copy to clipboard', 'Export', 'Display chart', and 'Create view'. The 'Bookmark this SQL query' section is also visible.

k) Insert bonus amount in 'Bonus' table with employee not in 'Employee' table to verify FOREIGN KEY referential integrity constraint.

The screenshot shows the phpMyAdmin interface for the 'CompanyDB' database. The SQL query editor contains the following query:

```
1 INSERT INTO Bonus (E_Ref_Id, Bonus_Date, Bonus_Amount)
2 VALUES (999, '2023-01-01', 1000);
```

The query is executed, but an error is displayed:

Error
SQL query: `INSERT INTO Bonus (E_Ref_Id, Bonus_Date, Bonus_Amount) VALUES (999, '2023-01-01', 1000);`

MySQL said:
#1452 - Cannot add or update a child row: a foreign key constraint fails ('CompanyDB`.`Bonus', CONSTRAINT 'fk_bonus_employee' FOREIGN KEY ('E_Ref_Id') REFERENCES 'Employee' (E_Id))

l) Find first name and salary of all employees working in either 'Finance' or 'IT' department.

The screenshot shows the phpMyAdmin interface for the 'CompanyDB' database, displaying the results of a query on the 'Employee' table. The query is:

```
SELECT First_Name, Salary FROM Employee WHERE Department IN ('Finance', 'IT');
```

The results show 3 rows:

First_Name	Salary
Amit	50000.00
Rajesh	75000.00
Rohit	80000.00

m) Find employees who joined the organization between year 2020 and 2022.

The screenshot shows the phpMyAdmin interface with the 'Employee' table selected. The SQL query executed is: `SELECT * FROM Employee WHERE Joining_Date BETWEEN '2020-01-01' AND '2022-12-31';`. The results show 4 rows of employee data.

E_id	First Name	Last Name	Salary	Joining Date	Department
102	Neha	Verma	60000.00	2020-01-20	HR
104	Priya	Mehta	50000.00	2021-03-05	Marketing
105	Anil	Yadav	45000.00	2022-07-12	Sales
106	Rohit	Kumar	80000.00	2022-10-01	IT

n) Find all employees whose first name starts with 'R'.

The screenshot shows the phpMyAdmin interface with the 'Employee' table selected. The SQL query executed is: `SELECT * FROM Employee WHERE First_name LIKE 'R%';`. The results show 3 rows of employee data.

E_id	First Name	Last Name	Salary	Joining Date	Department
103	Rajesh	Gupta	75000.00	2018-09-10	Finance
106	Rohit	Kumar	80000.00	2022-10-01	IT
109	Rita	Singh	25000.00	2023-04-01	General

o) Find all employees whose last name ends with 'a' alphabet.

The screenshot shows the phpMyAdmin interface with the 'Employee' table selected in the 'CompanyDB' database. The SQL query entered is: `SELECT * FROM Employee WHERE Last_name LIKE '%a';`. The results show 5 rows of employee data.

E_id	First_Name	Last_Name	Salary	Joining_Date	Department
101	Amit	Sharma	50000.00	2019-06-15	IT
102	Neha	Verma	60000.00	2020-01-20	HR
103	Rajesh	Gupta	75000.00	2018-09-10	Finance
104	Priya	Mehta	50000.00	2021-03-05	Marketing
108	Amith	Sharma	125000.00	2023-02-01	General

p) Find all employees whose first name contains 'i' alphabet.

The screenshot shows the phpMyAdmin interface with the 'Employee' table selected in the 'CompanyDB' database. The SQL query entered is: `SELECT * FROM Employee WHERE First_name LIKE '%i%';`. The results show 6 rows of employee data.

E_id	First_Name	Last_Name	Salary	Joining_Date	Department
101	Amit	Sharma	50000.00	2019-06-15	IT
104	Priya	Mehta	50000.00	2021-03-05	Marketing
105	Anil	Yadav	45000.00	2022-07-12	Sales
106	Rohit	Kumar	80000.00	2022-10-01	IT
108	Amith	Sharma	125000.00	2023-02-01	General
109	Rita	Singh	25000.00	2023-04-01	General

q) Update salary of all employees working in 'IT' department by 10%.

The screenshot shows the phpMyAdmin interface with the 'CompanyDB' database selected. The 'SQL' tab is active, and the following query has been executed:

```
Update Employee SET Salary=Salary*1.10 WHERE Department='IT';
```

The result shows that 2 rows were affected. The left sidebar displays the database structure, including tables like 'Employee' and 'Job_Title'.

The screenshot shows the phpMyAdmin interface with the 'Employee' table selected. The 'Table: Employee' view is displayed, showing the following data:

	E_id	First Name	Last Name	Salary	Joining Date	Department
☐	101	Amit	Sharma	55000.00	2019-06-15	IT
☐	102	Neha	Verma	60000.00	2020-01-20	HR
☐	103	Rajesh	Gupta	75000.00	2018-09-10	Finance
☐	104	Priya	Mehta	50000.00	2021-03-05	Marketing
☐	105	Anil	Yadav	45000.00	2022-07-12	Sales
☐	106	Rohit	Kumar	88000.00	2022-10-01	IT
☐	108	Amith	Sharma	125000.00	2023-02-01	General
☐	109	Rita	Singh	25000.00	2023-04-01	General

The interface includes options for filtering, sorting, and performing operations on the data.