Nunnari Academy Data Science with AI Bootcamp Day-1 Exercises:

```
[38] fruits.append("fig")

[39] nums.insert(2, 99)

[40] fruits.remove("banana")

[41] l = [5, 2, 8, 1, 9]
     l.sort()  # Ascending
     l.sort(reverse=True)  # Descending

[42] l = [3, 7, 1, 9, 4]
     print(len(l), max(l), min(l))

     5 9 1

[43] l = [0, 1, 2, 3, 4, 5, 6]
     print(l[2:5])

     [2, 3, 4]

[44] orig = [1, 2, 3]
     copy_list = orig.copy()
     copy_list.append(4)
     print(orig, copy_list)
```

```
[32] print(f"{7:03}")

     007

[33] print(f"{5} x {3} = {5*3}")

     5 x 3 = 15

[34] print(f"{'Name':<10} {'Score':<5}")
     print(f"{'Alice':<10} {95:<5}")

     Name       Score
     Alice      95
```

Python lists

```
[35] fruits = ["apple", "banana", "cherry", "date", "elderberry"]
     print(fruits)

     ['apple', 'banana', 'cherry', 'date', 'elderberry']

[36] nums = [10, 20, 30, 40, 50]
     print(nums[0], nums[-1])

     10 50
```

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

[28] 0s
```
print("Python123".isalnum())
```
```
True
```

String-Formatting

[29] 0s
```
name, age = "John", 25
print(f"My name is {name} and I am {age} years old")
```
```
My name is John and I am 25 years old
```

[30] 0s
```
print("The price is {} dollars".format(49.99))
```
```
The price is 49.99 dollars
```

[31] 0s
```
print(f"{3.14159:.2f}")
```
```
3.14
```

[32] 0s
```
print(f"{7:03}")
```
```
007
```

Variables Terminal 7:26 PM Python 3

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

```
World
```

[22] 0s
```
print("abcdef"[::-1])
```
```
fedcba
```

[23] 0s
```
print("nan" in "banana")
```
```
True
```

[24] 0s
```
print("This is a bad day".replace("bad", "good"))
```
```
This is a good day
```

[25] 0s
```
print("  hello  ".strip())
```
```
hello
```

[26] 0s
```
print("apple, banana, cherry".split(", "))
```
```
['apple', 'banana', 'cherry']
```

[27] 0s
```
print("banana".count("a"))
```
```
3
```

Variables Terminal 7:26 PM Python 3

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

String Manipulation

[17] 0s
```python
s = "Hello, World!"
print(s.upper(), s.lower())
```
```
HELLO, WORLD! hello, world!
```

[18] 0s
```python
print(len("Python Programming"))
```
```
18
```

[19] 0s
```python
s = "Hello, World!"
print(s[7:12])
```
```
World
```

[20] 0s
```python
print(len("Python Programming"))
```
```
18
```

[21] 0s
```python
s = "Hello, World!"
print(s[7:12])
```
```
World
```

Variables Terminal 7:26 PM Python 3

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

Type conversion

[11] 0s
```python
print(int("123") + 7)
```
```
130
```

[12] 0s
```python
print(int(9.99))
```
```
9
```

[13] 0s
```python
print(bool(0), bool(1))
```
```
False True
```

[14] 0s
```python
print(int(True), int(False))
```
```
1 0
```

[15] 5s
```python
num = float(input("Enter a number: "))
print(num * 2)
```
```
Enter a number: 4
8.0
```

[16] 0s
```python
# int("hello")  # Raises a ValueError: invalid literal for int()
```

Variables Terminal 7:26 PM Python 3

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

Data types

[6]

```
i, f, s, b = 10, 10.5, "Hi", True
print(type(i), type(f), type(s), type(b))
```

```
<class 'int'> <class 'float'> <class 'str'> <class 'bool'>
```

[7]

```
print(type(3.14), type("Hello"), type(True), type(0))
```

```
<class 'float'> <class 'str'> <class 'bool'> <class 'int'>
```

[8]

```
x = 9
print(isinstance(x, int))
```

```
True
```

[9]

```
print(type(None))
```

```
<class 'NoneType'>
```

[10]

```
large_int = 10**20
small_float = 1e-10
print(large_int, small_float)
```

```
100000000000000000000 1e-10
```

Variables Terminal 7:26 PM Python 3

Varshini-Anand/Nunnariacademy_Da | Untitled12.ipynb - Colab

colab.research.google.com/drive/1CqfPHZM72At6sUATWuheiZrZoA8POLtF#scrollTo=Bxut0...

Commands + Code + Text Run all

RAM Disk

```
6
```

+ Code + Text

[4]

```
value = 100
print(value)
value = 200
print(value)
```

```
100
200
```

[5]

```
temp = 50
del temp
```

Data types

[6]

```
i, f, s, b = 10, 10.5, "Hi", True
print(type(i), type(f), type(s), type(b))
```

```
<class 'int'> <class 'float'> <class 'str'> <class 'bool'>
```

[7]

```
print(type(3.14), type("Hello"), type(True), type(0))
```

```
<class 'float'> <class 'str'> <class 'bool'> <class 'int'>
```

Variables Terminal 7:26 PM Python 3

python basic exercises

Variables

```
[1]
name = " Varshini "
print(name)
```

```
Varshini
```

```
[2]
a = 10
b = 20
a, b = b, a
print(a, b)
```

```
20 10
```

```
[3]
x, y, z = 1, 2, 3
print(x + y + z)
```

```
6
```

```
[4]
value = 100
print(value)
value = 200
```

```
[44]
orig = [1, 2, 3]
copy_list = orig.copy()
copy_list.append(4)
print(orig, copy_list)
```

```
[1, 2, 3] [1, 2, 3, 4]
```

```
[45]
l1, l2 = [1, 2, 3], [4, 5, 6]
merged = l1 + l2
print(merged)
```

```
[1, 2, 3, 4, 5, 6]
```

Start coding or generate with AI.

Screenshots may vary but I have completed the exercises.