Started on	Thursday, 23 July 2026, 2:25 PM
State	Finished
Completed on	Thursday, 23 July 2026, 2:57 PM
Time taken	32 mins 33 secs
Grade	**100.00** out of 100.00

Question **1**

Correct

Mark 10.00 out of 10.00

Insert all students from Archived_students table into the Student_details table.

```
cid         name        type        notnull     dflt_value  pk
----------  ----------  ----------  ----------  ----------  ----------
0           RollNo      INT           0                       1
1           Name        VARCHAR(100)  0                       0
2           Gender      VARCHAR(10)   0                       0
3           Subject     VARCHAR(50)   0                       0
4           MARKS       INT           0                       0
```

For example:

Test	Result
select * from student_details;	RollNo ---------- 1 2 3 / Name ------------- Alice Johnson Bob Smith Charlie Brown / Gender ---------- Female Male Male / Subject ---------- Math Science English / MARKS ---------- 85 90 78

```
RollNo      Name           Gender      Subject     MARKS
----------  -------------  ----------  ----------  ----------
1           Alice Johnson  Female      Math        85
2           Bob Smith      Male        Science     90
3           Charlie Brown  Male        English     78
```

Answer: (penalty regime: 0 %)

```
INSERT into Student_details(RollNo,Name,Gender,Subject,MARKS)
SELECT RollNo,Name,Gender,Subject,MARKS
FROM Archived_students;
```

	Test	Expected	Got	
✓	select * from student_details;	RollNo Name Gender Subject MARKS ---------- ------------- ---------- ---------- ---------- 1 Alice Johnson Female Math 85 2 Bob Smith Male Science 90 3 Charlie Brown Male English 78	RollNo Name Gender Subject MARKS ---------- ------------- ---------- ---------- ---------- 1 Alice Johnson Female Math 85 2 Bob Smith Male Science 90 3 Charlie Brown Male English 78	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **2**

Correct

Mark 10.00 out of 10.00

Create a table named `Orders` with the following columns:

- `OrderID` as `INTEGER`
- `OrderDate` as `TEXT`
- `CustomerID` as `INTEGER`

For example:

Test	Result
pragma table_info('Orders');	cid name type notnull dflt_value pk ---- ---------- ---------- ---------- ---------- ---------- 0 OrderID INTEGER 0 0 1 OrderDate TEXT 0 0 2 CustomerID INTEGER 0 0

Answer: (penalty regime: 0 %)

```
CREATE TABLE Orders(
OrderID INTEGER,
OrderDate TEXT,
CustomerID INTEGER);
```

	Test	Expected	Got	
✓	pragma table_info('Orders');	cid name type notnull dflt_value pk ---- ---------- ---------- ----- ----- ---------- ---------- 0 OrderID INTEGER 0 0 1 OrderDate TEXT 0 0 2 CustomerID INTEGER 0 0	cid name type notnull dflt_value pk ---- ---------- ---------- ----- ----- ---------- ---------- 0 OrderID INTEGER 0 0 1 OrderDate TEXT 0 0 2 CustomerID INTEGER 0 0	✓
✓	INSERT INTO Orders (OrderID, OrderDate, CustomerID) VALUES (1, '2024-08-01', 101); select * from Orders;	Orde OrderDate CustomerID ---- ---------- ---------- 1 2024-08-01 101	Orde OrderDate CustomerID ---- ---------- ---------- 1 2024-08-01 101	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **3**

Correct

Mark 10.00 out of 10.00

Create a table named `Department` with the following constraints:

- `DepartmentID` as INTEGER should be the primary key.
- `DepartmentName` as TEXT should be unique and not NULL.
- `Location` as TEXT.

For example:

Test	Result
INSERT INTO Department (DepartmentID, DepartmentName, Location) VALUES (1, 'Human Resources', 'New York'); select * from Department;	DepartmentID DepartmentName Location ------------ --------------- ---------- 1 Human Resources New York

Answer: (penalty regime: 0 %)

```
CREATE TABLE Department(
DepartmentID INTEGER PRIMARY KEY,
DepartmentName TEXT UNIQUE NOT NULL,
Location TEXT);
```

	Test	Expected	Got	
✓	INSERT INTO Department (DepartmentID, DepartmentName, Location) VALUES (1, 'Human Resources', 'New York'); select * from Department;	DepartmentID DepartmentName Location ------------ --------------- ---------- 1 Human Resources New York	DepartmentID DepartmentName Location ------------ --------------- ---------- 1 Human Resources New York	✓
✓	INSERT INTO Department (DepartmentID, DepartmentName, Location) VALUES (1, 'Finance', 'Los Angeles'),(2, 'Finance', 'Los Angeles');	Error: UNIQUE constraint failed: Department.DepartmentName	Error: UNIQUE constraint failed: Department.DepartmentName	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **4**

Correct

Mark 10.00 out of 10.00

Create a new table named `products` with the following specifications:

- `product_id` as INTEGER and primary key.
- `product_name` as TEXT and not NULL.
- `list_price` as DECIMAL (10, 2) and not NULL.
- `discount` as DECIMAL (10, 2) with a default value of 0 and not NULL.
- A CHECK constraint at the table level to ensure:
  - `list_price` is greater than or equal to `discount`
  - `discount` is greater than or equal to 0
  - `list_price` is greater than or equal to 0

For example:

Test	Result
INSERT INTO products (product_id, product_name, list_price) VALUES (2, 'Product B', 50.00); SELECT * FROM products;	product_id product_name list_price discount ---------- ------------ ---------- ---------- 2 Product B 50 0

Answer: (penalty regime: 0 %)

```
create table products(
product_id integer primary key,
product_name text not null,
list_price decimal(10,2) not null,
discount decimal(10,2) default 0 not null,
check(
list_price >= discount and
discount >= 0 and
list_price >= 0)
);
```

	Test	Expected	Got	
✓	INSERT INTO products (product_id, product_name, list_price) VALUES (2, 'Product B', 50.00); SELECT * FROM products;	product_id product_name list_price discount ---------- ------------ --------- ---------- 2 Product B 50 0	product_id product_name list_price discount ---------- ------------ --------- ---------- 2 Product B 50 0	✓
✓	INSERT INTO products (product_id, product_name, list_price, discount) VALUES (3, 'Product C', 20.00, 30.00);	Error: CHECK constraint failed: products	Error: CHECK constraint failed: products	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **5**

Correct

Mark 10.00 out of 10.00

Write an SQL Query to add the attributes `designation`, `net_salary`, and `dob` to the `Companies` table with the following data types:

- `designation` as `VARCHAR(50)`
- `net_salary` as `NUMBER`
- `dob` as `DATE`

For example:

Test	Result

pragma table_info('Companies');	<pre>cid name type notnull dflt_value pk
	---------- ---------- ---------- ---------- ---------- ----------
	0 id int 0 0
	1 name varchar(50 0 0
	2 address text 0 0
	3 email varchar(50 0 0
	4 phone varchar(10 0 0
	5 designatio varchar(50 0 0
	6 net_salary number 0 0
	7 dob date 0 0</pre>

Answer: (penalty regime: 0 %)

```
alter table companies
add column designation varchar(50);

alter table companies
add column net_salary number;

alter table companies
add column dob date;

```

	Test	Expected	Got	

✓	`pragma table_info('Companies');`	`cid name type notnull dflt_value pk`
		`---------- ---------- ---------- ---------- ---------- ----------`
		`0 id int 0 0`
		`1 name varchar(50 0 0`
		`2 address text 0 0`
		`3 email varchar(50 0 0`
		`4 phone varchar(10 0 0`
		`5 designatio varchar(50 0 0`
		`6 net_salary number 0 0`
		`7 dob date 0 0`
			`cid name type notnull dflt_value pk`
			`---------- ---------- ---------- ---------- ---------- ----------`
			`0 id int 0 0`
			`1 name varchar(50 0 0`
			`2 address text 0 0`
			`3 email varchar(50 0 0`
			`4 phone varchar(10 0 0`
			`5 designatio varchar(50 0 0`
			`6 net_salary number 0 0`
			`7 dob date 0 0`
				✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **6**

Correct

Mark 10.00 out of 10.00

Insert the below data into the `Employee` table, allowing the `Department` and `Salary` columns to take their default values.

```
EmployeeID  Name         Position
----------  -----------  ----------
4           Emily White  Analyst

Note: The Department and Salary columns will use their default values.
```

For example:

Test	Result
SELECT EmployeeID, Name, Position FROM Employee;	EmployeeID Name Position ---------- ----------- ---------- 4 Emily White Analyst

Answer: (penalty regime: 0 %)

```
insert into employee(employeeid,name,position)
values(4,'Emily White','Analyst');
```

	Test	Expected	Got	
✓	SELECT EmployeeID, Name, Position FROM Employee;	EmployeeID Name Position ---------- ----------- ---------- 4 Emily White Analyst	EmployeeID Name Position ---------- ----------- ---------- 4 Emily White Analyst	✓
✓	SELECT count(*) FROM Employee ;	count(*) ---------- 1	count(*) ---------- 1	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **7**

Correct

Mark 10.00 out of 10.00

Create a table named `ProjectAssignments` with the following constraints:

- `AssignmentID` as INTEGER should be the primary key.
- `EmployeeID` as INTEGER should be a foreign key referencing `Employees(EmployeeID)`.
- `ProjectID` as INTEGER should be a foreign key referencing `Projects(ProjectID)`.
- `AssignmentDate` as DATE should be NOT NULL.

For example:

Test	Result
INSERT INTO ProjectAssignments (AssignmentID, EmployeeID, ProjectID, AssignmentDate) VALUES (2, 99, 1, '2024-01-03');	Error: FOREIGN KEY constraint failed

Answer: (penalty regime: 0 %)

```
create table ProjectAssignments(
AssignmentID integer primary key,
EmployeeID integer references employees(employeeid),
ProjectID integer references projects(projectid),
AssignmentDate date not null);
```

	Test	Expected	Got	
✓	INSERT INTO ProjectAssignments (AssignmentID, EmployeeID, ProjectID, AssignmentDate) VALUES (2, 99, 1, '2024-01-03');	Error: FOREIGN KEY constraint failed	Error: FOREIGN KEY constraint failed	✓
✓	INSERT INTO ProjectAssignments (AssignmentID, EmployeeID, ProjectID, AssignmentDate) VALUES (1, 1, 1, '2024-01-02'); select * from ProjectAssignments;	AssignmentID EmployeeID ProjectID AssignmentDate ------------ ---------- ---------- -------------- 1 1 1 2024-01-02	AssignmentID EmployeeID ProjectID AssignmentDate ------------ ---------- ---------- -------------- 1 1 1 2024-01-02	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **8**

Correct

Mark 10.00 out of 10.00

Write an SQL query to add a new column `email` of type `TEXT` to the `Student_details` table, and ensure that this column cannot contain `NULL` values and make default value as 'Invalid'

For example:

Test	Result
INSERT INTO Student_details (RollNo, Name, Gender, Subject, email) VALUES (1, 'John Doe', 'M', 'Math', 'john@example.com'); select * from Student_details;	RollN Name Gen Subject email ----- ----- --- ---------- ---------------- 1 John M Math john@example.com

Answer: (penalty regime: 0 %)

```sql
ALTER TABLE Student_details
ADD COLUMN email TEXT NOT NULL DEFAULT 'Invalid';
```

	Test	Expected	Got	
✓	INSERT INTO Student_details (RollNo, Name, Gender, Subject, email) VALUES (1, 'John Doe', 'M', 'Math', 'john@example.com'); select * from Student_details;	RollN Name Gen Subject email ----- ----- --- ---------- ---------------- 1 John M Math john@example.com	RollN Name Gen Subject email ----- ----- --- ---------- ---------------- 1 John M Math john@example.com	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **9**

Correct

Mark 10.00 out of 10.00

Create a table named `Shipments` with the following constraints:

- `ShipmentID` as INTEGER should be the primary key.
- `ShipmentDate` as DATE.
- `SupplierID` as INTEGER should be a foreign key referencing `Suppliers(SupplierID)`.
- `OrderID` as INTEGER should be a foreign key referencing `Orders(OrderID)`.

For example:

Test	Result
`INSERT INTO Shipments (ShipmentID, ShipmentDate, SupplierID, OrderID) VALUES (2, '2024-08-03', 99, 1);`	`Error: FOREIGN KEY constraint failed`

Answer: (penalty regime: 0 %)

```
CREATE TABLE Shipments(
ShipmentID INTEGER PRIMARY KEY,
ShipmentDate DATE,
SupplierID INTEGER REFERENCES Suppliers(SupplierID),
OrderID INTEGER REFERENCES Orders(OrderID));
```

	Test	Expected	Got	
✓	`INSERT INTO Shipments (ShipmentID, ShipmentDate, SupplierID, OrderID) VALUES (2, '2024-08-03', 99, 1);`	`Error: FOREIGN KEY constraint failed`	`Error: FOREIGN KEY constraint failed`	✓
✓	`INSERT INTO Shipments (ShipmentID, ShipmentDate, SupplierID, OrderID) VALUES (3, '2024-08-04', 1, 99);`	`Error: FOREIGN KEY constraint failed`	`Error: FOREIGN KEY constraint failed`	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

Question **10**

Correct

Mark 10.00 out of 10.00

Insert the following customers into the **Customers** table:

```
CustomerID  Name         Address     City        ZipCode
----------  -----------  ----------  ----------  ----------
302         Laura Croft  456 Elm St  Seattle     98101
303         Bruce Wayne  789 Oak St  Gotham      10001
```

For example:

Test	Result
SELECT * FROM Customers;	CustomerID Name Address City ZipCode ---------- ----------- ---------- ---------- ---------- 302 Laura Croft 456 Elm St Seattle 98101 303 Bruce Wayne 789 Oak St Gotham 10001

Answer: (penalty regime: 0 %)

```
INSERT into Customers(CustomerID,Name,Address,City,ZipCode)
values
(302,'Laura Croft','456 Elm St','Seattle',98101),
(303,'Bruce Wayne','789 Oak St','Gotham',10001);
```

	Test	Expected	Got	
✓	SELECT * FROM Customers;	CustomerID Name Address City ZipCode ---------- ----------- ---------- ---------- ---------- 302 Laura Croft 456 Elm St Seattle 98101 303 Bruce Wayne 789 Oak St Gotham 10001	CustomerID Name Address City ZipCode ---------- ----------- ---------- ---------- ---------- 302 Laura Croft 456 Elm St Seattle 98101 303 Bruce Wayne 789 Oak St Gotham 10001	✓
✓	SELECT CustomerID FROM Customers;	CustomerID ---------- 302 303	CustomerID ---------- 302 303	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.

QUIZ M1-Create,Alter,Insert (SEB) May'25	-	100.00	0–100	100.00 %