


Employee Name : Bobbala Varshini  
Employee ID : 85010897  
Mail id : Bobbala.Varshini@coforge.com

## JDBC Connection Configurations in Apache JMeter

### Steps:

#### Step 1 – Open SQL



#### Step 2 – Create Database Selenium Automation

```
1 • CREATE DATABASE seleniumautomation;  
2 • USE seleniumautomation;
```

#### Step 3 – Create Tables

```
CREATE TABLE book_det1  
(  
    book_no varchar(5) PRIMARY KEY ,  
    title varchar(50) NULL,  
    sub_code varchar(5) NULL,  
    author varchar(50) NULL,  
    publisher varchar(50) NULL,  
    status varchar(1) NULL,  
    yop varchar(4) NULL,  
    price int NULL);
```

- `insert into book_detl values('BI001','Clones','Bio','Ian','XYZ','S','1997',700.0000);`
- `insert into book_detl values('BI002','DNA','Bio','Watson','XYZ','S','unkn',575.0000);`
- `insert into book_detl values('CH001','Elements','Che','Robert','XYZ','S','1890',250.0000);`
- `insert into book_detl values('CH002','Nucleus','Che','Hilburn','XYZ','S','1992',350.0000);`
- `insert into book_detl values('MA001','Calculus','Mat','Newton','PQR','S','UNKN',195.0000);`
- `insert into book_detl values('MA002','Algebra','Mat','Raman','PQR','S','1990',190.0000);`
- `insert into book_detl values('MA003','Vectors','Mat','Richard','PQR','S','unkn',200.0000);`
- `insert into book_detl values('PH001','Chaos','Phy','Feynman','ABC','S','1997',300.0000);`
- `insert into book_detl values('PH002','Relativity','Phy','Einestein','ABC','S','1902',400.0000);`
- `insert into book_detl values('PH003','Relativity','Phy','Einestein','ABCD','O','1902',400.0000);`
- `insert into book_detl values('CS001','Raghu','Chaithu','Indian','Jmeter','Advance','2023',900.0000);`

## Step 4 – Execute Queries

|   |    |          |                                                                                               |                   |           |
|---|----|----------|-----------------------------------------------------------------------------------------------|-------------------|-----------|
| ✓ | 3  | 17:08:37 | CREATE TABLE book_detl ( book_no varchar(5) PRIMARY KEY , title varchar(...                   | 0 row(s) affected | 0.062 sec |
| ✓ | 4  | 17:08:37 | insert into book_detl values('BI001','Clones','Bio','Ian','XYZ','S','1997,700.0000)           | 1 row(s) affected | 0.000 sec |
| ✓ | 5  | 17:08:37 | insert into book_detl values('BI002','DNA','Bio','Watson','XYZ','S','unkn',575.0000)          | 1 row(s) affected | 0.016 sec |
| ✓ | 6  | 17:08:37 | insert into book_detl values('CH001','Elements','Che','Robert','XYZ','S','1890,250.0000)      | 1 row(s) affected | 0.000 sec |
| ✓ | 7  | 17:08:37 | insert into book_detl values('CH002','Nucleus','Che','Hilburn','XYZ','S','1992,350.0000)      | 1 row(s) affected | 0.015 sec |
| ✓ | 8  | 17:08:37 | insert into book_detl values('MA001','Calculus','Mat','Newton','PQR','S','UNKN,195.00...      | 1 row(s) affected | 0.016 sec |
| ✓ | 9  | 17:08:37 | insert into book_detl values('MA002','Algebra','Mat','Raman','PQR','S','1990,190.0000)        | 1 row(s) affected | 0.000 sec |
| ✓ | 10 | 17:08:37 | insert into book_detl values('MA003','Vectors','Mat','Richard','PQR','S','unkn,200.0000)      | 1 row(s) affected | 0.015 sec |
| ✓ | 11 | 17:08:37 | insert into book_detl values('PH001','Chaos','Phy','Feynman','ABC','S','1997,300.0000)        | 1 row(s) affected | 0.016 sec |
| ✓ | 12 | 17:08:37 | insert into book_detl values('PH002','Relativity','Phy','Einestein','ABC','S','1902,400.0000) | 1 row(s) affected | 0.016 sec |
| ✓ | 13 | 17:08:37 | insert into book_detl values('PH003','Relativity','Phy','Einestein','ABCD','O','1902,400.0... | 1 row(s) affected | 0.015 sec |

## Step 5 – Download the SQL Connector Jar file from Maven repository.

Home » [com.mysql](#) » [mysql-connector-j](#) » 9.7.0



### MySQL Connector/J » 9.7.0

MySQL Connector/J is a JDBC Type 4 driver, which means that it is pure Java implementation of the MySQL protocol and does not rely on the MySQL client libraries. This driver supports auto-registration with the Driver Manager, standardized validity checks, categorized `SQLExceptions`, support for large update counts, support for local and offset date-time variants from the `java.time` package, support for JDBC-4.x XML processing, support for per connection client information and support for the ...

Overview

Dependencies (2)

Changes (0)

Books (40)

#### CATEGORIES

MySQL Drivers

JDBC Drivers

#### TAGS

database

sql

jdbc

driver

connector

rdbms

mysql

connection

#### ORGANIZATION

Oracle Corporation

#### HOMEPAGE

<http://dev.mysql.com/doc/connector-j/en/>

Inspect URL

#### LINKS

[GitHub](#) [Stack Overflow](#) [Twitter](#) [LinkedIn](#) [Facebook](#) [YouTube](#)

#### DATE

Apr 22, 2026

#### FILES

pom (3 KB)

jar (2.5 MB)

View All

#### REPOSITORIES

Central


#### RANKING

#63 in MvnRepository


#1 in MySQL Drivers


#1 in JDBC Drivers

## Step 6 – Add the MySQL connection JAR into the JMeter lib folder.




## Step 7 – Add JDBC Requests in Jmeter





## Step 8 – Add config element JDBC Connection config



**JDBC Connection Configuration**

Name: JDBC Connection Configuration

Comments:

Variable Name Bound to Pool:

Variable Name for created pool: Test

Connection Pool Configuration

Max Number of Connections: 0

Max Wait (ms): 10000

Time Between Eviction Runs (ms): 60000

Auto Commit: True

Transaction Isolation: DEFAULT

Pool Prepared Statements: -1

Preinit Pool: False

Init SQL statements separated by new line:

```
1 SELECT * FROM seleniumautomation.book_det1;
```

Connection Validation by Pool


Test While Idle: True

Soft Min Evictable Idle Time(ms): 5000


Validation Query:

Database Connection Configuration

## Step 9 – Add Listeners



## Step 10 – Add Response Assertions



## Step 11 – Run and Validate

The screenshot shows the JMeter GUI with the 'View Results Tree' listener selected. The left sidebar shows the test plan structure: JDBC > Thread Group > JDBC Connection Configuration > View Results Tree > JDBC Request > Response Assertion. The main panel displays the 'View Results Tree' dialog with the following details:

- Name: View Results Tree
- Comments:
- Write results to file / Read from file: Filename [ ] Browse... Log/Display Only: ☐ Errors ☐ Successes
- Search: [ ] Case sensitive ☐ Regular exp.
- Sampler result: Request Response data
- Response Body Response headers
- Find [ ] Case sensitive ☐ Regular exp.

| book_no | title      | sub_code | author   | publisher | status | yop  | price |
|---------|------------|----------|----------|-----------|--------|------|-------|
| BI001   | Clones     | Bio      | Ian      | XYZ       | S      | 1997 | 700   |
| BI002   | DNA        | Bio      | Watson   | XYZ       | S      | unkn | 575   |
| CH001   | Elements   | Che      | Robert   | XYZ       | S      | 1890 | 250   |
| CH002   | Nucleus    | Che      | Hilburn  | XYZ       | S      | 1992 | 350   |
| MA001   | Calculus   | Mat      | Newton   | PQR       | S      | UNKN | 195   |
| MA002   | Algebra    | Mat      | Raman    | PQR       | S      | 1990 | 190   |
| MA003   | Vectors    | Mat      | Richard  | PQR       | S      | unkn | 200   |
| PH001   | Chaos      | Phy      | Feynman  | ABC       | S      | 1997 | 300   |
| PH002   | Relativity | Phy      | Einstein | ABC       | S      | 1902 | 400   |
| PH003   | Relativity | Phy      | Einstein | ABCD      | O      | 1902 | 400   |

☐ Scroll automatically?

The screenshot shows the JMeter GUI with the 'View Results Tree' listener selected. The left sidebar shows the test plan structure: JDBC > Thread Group > JDBC Connection Configuration > View Results Tree > JDBC Request > Response Assertion. The main panel displays the 'View Results Tree' dialog with the following details:

- Name: View Results Tree
- Comments:
- Write results to file / Read from file: Filename [ ] Browse... Log/Display Only: ☐ Errors ☐ Successes
- Search: [ ] Case sensitive ☐ Regular exp.
- Sampler result: Request Response data
- Thread Name: Thread Group 1-1
- Sample Start: 2026-08-20 17:25:54 IST
- Load time: 505
- Connect Time: 498
- Latency: 503
- Size in bytes: 464
- Sent bytes: 0
- Headers size in bytes: 0
- Body size in bytes: 464
- Sample Count: 1
- Error Count: 0
- Data type ("text"|"bin"|""): text
- Response code: 200
- Response message: OK
- SampleResult fields:
  - ContentType: text/plain
  - DataEncoding: UTF-8

☐ Scroll automatically?

Raw Parsed