

JMeter Objective Type Questions List

1. **Jmeter** is used for

- A. **Testing Web Application**
- B. Executing Web Application
- C. Searching Web Application
- D. None of this

2. Is Jmeter open source software?

- A. No
- B. **Yes**

3. Jmeter is not used for

- A. Database server test
- B. Functional test
- C. **Accessibility Testing**
- D. Testing web application

4. Jmeter does not support

- A. Load Testing
- B. Functional Testing
- C. Distributed Testing
- D. **Monkey Testing**

5. BSF stands for

- A. **Bean Scripting Framework**
- B. Bit Scripting Framework
- C. Bean Searching Framework
- D. Bean Server Framework

6. Select INVALID configuration element in Jmeter.

- A. HTTP Request Defaults
- B. FTP Request Defaults
- C. HTTP Cookie Manager
- D. **FTP Cookie Manager**

7. Jmeter can be used to test performance of

- A. Only static resources
- B. Only dynamic resources
- C. **Both static and dynamic**
- D. None of above

8. Stress testing is possible by Jmeter?

- A. No
- B. **Yes**

9. Select INVALID timer in Jmeter

- A. Uniform Random Timer
- B. Gaussian Random Timer

- C. Constant Timer
- D. Continue Timer

10. Which assertion is not used in Jmeter?

- A. Duration
- B. Size
- C. XML
- D. Web

11. Which is the assertion tests where each server response was received within a given amount of time?

- A. Duration
- B. Size
- C. XML
- D. Response

12. Select Status Code for Page not Found Error

- A. 200
- B. 404
- C. 302
- D. 502

13. Logic Controllers determine

- A. The Types of requests that are executed
- B. The source of requests that are executed
- C. The order in which user request are executed

14. Select INVALID controller in Jmeter

- A. Simple controller
- B. Static controller
- C. Random controller
- D. Loop controller

15. Select controller which makes the user request run specified number of times

- A. Loop controller
- B. Random controller
- C. Logic controller
- D. Recording controller

16. Select processor which executes some action before making Sampler Request.

- A. Pre-processor
- B. Post-processor
- C. Microprocessor

17. Select testing which uses multiple systems to perform stress testing.

- A. Load Testing
- B. Functional Testing
- C. Distributed Testing
- D. web application testing

18. Jmeter supports all the OS supported by Java application

A. TRUE

B. FALSE

19. Timer which delays each user request for a random amount of time.

A. Uniform Random Timer

B. Constant Random Timer

C. Constant Timer

D. Gaussian Random Timer

20. What is a component of Distributed Jmeter Test

A. Master

B. Slave

C. Target

D. All of The Above