Generated by Scopus AI, Sat Oct 10 2026

Magnetic induction tracks for taxiways

Magnetic Induction Tracks on Airport Taxiways: Technological Foundations, Case Studies, Environmental Impacts, and Deployment Challenges

Quick Reference

Key Findings Table

Theme	Evidence/Insight	Supporting Citations
Scarcity of Direct Case Studies	No direct papers on magnetic induction taxiway systems; lessons inferred from maglev/electric taxiing	1 2 3 4 5
Technological and Control Advances	Significant progress in maglev control algorithms, hybrid suspension, and induction motor design	3 6 7 8
Environmental and Economic Benefits	Electric taxiing and magnetic fuel ionization yield substantial fuel/emission reductions	9 10
Integration and Scalability Challenges	Barriers include electromagnetic interference, material durability, and infrastructure compatibility	11 12 13 14
Research Gaps	Lack of practical deployment studies and real-world pilot projects for induction taxiways	10 15 16 17

Direct Answer

The literature does **not** reveal any direct papers solely dedicated to the implementation of magnetic induction tracks on airport taxiways for reducing fuel consumption and local pollution. Most relevant findings are inferred from studies on maglev systems, hybrid electromagnetic suspension, electric taxiing, and magnetic fuel ionization. Key insights are drawn from the Birmingham Airport maglev case study 1 2 3 and advances in maglev control systems 3 7.

Unable to Find

- Direct case studies or pilot projects documenting the deployment of magnetic induction taxiway systems post-2000 were not identified.
- No dedicated studies on integration of magnetic induction tracks with existing taxiway infrastructure.

Study Scope

- **Time Period:** 1980s–2024, with emphasis on post-2015 technological advances.
- **Disciplines:** Transportation engineering, airport operations, electromagnetic materials, systems engineering, environmental science.
- **Methods:** Meta-analysis, case study review, control systems modeling, pavement material research, environmental impact quantification.

Assumptions & Limitations

- Most findings are extrapolated from maglev transit, electric taxiing, and magnetic fuel ionization studies, not direct taxiway induction track deployments.
- Environmental and economic impacts are based on analogous systems (electric taxiing, maglev) rather than direct induction track data.
- Integration and scalability challenges are inferred from broader airport infrastructure and maglev system research.

Suggested Further Research

- Field-scale pilot projects for magnetic induction taxiway systems.
- Integration studies with existing airport infrastructure and aircraft designs.
- Scalability assessments across diverse airport sizes and traffic volumes.
- Advanced materials and intelligent control systems for induction tracks.
- Interdisciplinary approaches combining electromagnetic engineering, systems integration, and airport operations.

1. Introduction

Background and Motivation

Airports face mounting environmental and operational pressures, including the need to reduce fuel consumption, mitigate local pollution, and improve ground movement efficiency. Traditional taxiing, reliant on jet engines, contributes significantly to fuel use and emissions during ground operations. Innovative propulsion systems, such as magnetic induction tracks, are being explored to address these challenges. These systems promise frictionless, low-maintenance, and energy-efficient movement of aircraft along taxiways, potentially transforming airport sustainability and operational reliability [1] [5] [18].

Despite substantial research in maglev and electric taxiing technologies, direct implementation of magnetic induction tracks on airport taxiways remains largely conceptual. This report synthesizes technological foundations, case studies, environmental impacts, and deployment challenges, bridging theoretical advances with practical insights.

2. Theoretical Frameworks

2.1 Magnetic Levitation and Propulsion Mechanisms

Magnetic induction tracks utilize principles of magnetic levitation (maglev) and linear induction motors for propulsion. Key features include:

- **Levitation:** Electromagnets installed beneath the track attract ferromagnetic components, creating a stable suspension gap controlled by adjusting electromagnetic field currents [1] [3] [15] [19] [20].
- **Propulsion:** Linear induction motors generate thrust via electromagnetic fields interacting with the track, enabling smooth, contactless movement [1] [3].
- **Reliability:** Reduced moving parts and wear result in high reliability and low maintenance costs, critical for airport operations [20].
- **Control Systems:** Feedback from electromagnetic sensors detects position and direction changes, enabling autonomous navigation and stable vehicle movement [21].

Synthesis

These principles, proven in maglev transit systems, offer a foundation for frictionless, energy-efficient taxiway propulsion. However, adaptation for airport taxiways requires robust control, precise installation, and integration with existing infrastructure.

2.2 Advancements in Suspension Control Systems

Recent developments in hybrid electromagnetic suspension and control algorithms include:

- **Hybrid Systems:** Combining permanent magnets and electromagnets yields low power consumption, high flexibility, and stable levitation. Multipoint control strategies (e.g., double closed-loop serial PID) achieve gap fluctuation within 0.2 mm and adjustment times under 0.8 s [6].
- **Hardware-in-the-Loop (HIL) Simulation:** Enables comprehensive testing and validation, reducing development costs by 43% and improving test efficiency by 68% [22].
- **Advanced Algorithms:** Fuzzy-LADRC, model predictive control (MPC), and machine learning techniques enhance stability, robustness, and adaptability [7] [23].
- **Magnet Types:** Integration of permanent, superconducting, and electromagnets optimizes power consumption and reliability [8] [24].

Synthesis

Control advances in maglev and hybrid suspension systems provide a technological roadmap for induction taxiway systems, emphasizing energy efficiency, real-time dynamic control, and adaptability to disturbances.

2.3 Material and Pavement Design Considerations

Embedding magnetic induction tracks in airport pavements requires:

- **Soft Magnetic Geopolymer Composites (SMGCs):** Optimized Fe powder content and mix design enhance magnetic permeability, reduce coercivity, and improve thermal conductivity, mitigating eddy current losses and thermal risks [25] [26].
- **Layer Thickness:** A 1 cm soft magnetic layer embedded no deeper than 8 cm improves induction heating efficiency (up to 58.88%) while controlling tensile stress [27].
- **Ferrite Layers:** Nickel-zinc ferrite at the bottom of asphalt concrete increases heating efficiency and ice melting performance [28].
- **Magnetic Conduction Layers:** Guide magnetic fields effectively, enhancing energy conversion and surface temperature for deicing [29].

Synthesis

Material innovations are critical for optimizing magnetic performance, reducing electromagnetic losses, and ensuring pavement durability. These advances support the feasibility of induction tracks in airport environments, though full-scale deployment remains untested.

2.4 Systems Engineering and Safety

Ensuring safety and reliability involves:

- **Systems Engineering:** Integrated design, testing, and commissioning, as demonstrated in the Birmingham Airport maglev, are essential for high reliability and low maintenance [3] [15].
- **Risk Analysis:** Methods such as the 6435 Method and IEC 61508 safety lifecycle standards (hazard and risk analysis, fault tree analysis) define and allocate safety requirements [30].
- **EMC Engineering:** Early-stage planning and testing minimize failures in electronic and electromechanical components [31].

Synthesis

Comprehensive systems engineering and safety standards are vital for induction track deployment, addressing operational risks, electromagnetic compatibility, and maintenance requirements.

3. Methods & Data Transparency

This report aggregates findings from:

- **Meta-analytical reviews** of maglev, electric taxiing, and magnetic fuel ionization literature.
- **Case study analysis** (notably Birmingham Airport maglev).
- **Material science research** on pavement integration.
- **Environmental impact quantification** from analogous systems.

- **Systems engineering and control algorithm studies**.

All claims are supported by explicit citation identifiers, ensuring transparency and traceability.

4. Critical Analysis of Findings

4.1 Case Studies and Pilot Projects

The Birmingham Airport Maglev System

- **Design:** Magnetic levitation and linear induction motors for frictionless propulsion between terminal and rail station.
- **Outcomes:** High reliability, low maintenance, and successful passenger operation (>140,000 in first year) [1] [2] [3].
- **Lessons:** Systems engineering, precise installation, and robust control are critical. Guideway construction is the largest cost driver [3] [15] [32].

Recent and Ongoing Pilot Projects

- **Post-2000:** No documented pilot projects for induction taxiways. Related research focuses on induction heating pavements and wireless power transfer for electric vehicles [33] [34] [35].
- **Material Innovations:** SMGCs, magnetic concrete, and ferrite layers are promising but remain at research stage [25] [34] [36].

Civil Engineering and Construction Challenges

- **Cost Drivers:** Guideway/pavement construction, material selection, and integration with existing infrastructure.
- **Challenges:** Magnetic leakage control, coil structure optimization, and maintenance of embedded systems [25] [34] [36].

Synthesis

While maglev transit systems provide valuable lessons, direct induction taxiway deployments are absent. Material and construction innovations are advancing, but real-world airport applications are needed.

4.2 Environmental and Economic Impacts

Fuel Consumption and Emission Reductions

- **Electric Taxiing:** Reduces fuel consumption and emissions by 40% at Amsterdam Schiphol, saving €20M and >100,000 tons CO2 annually [9].
- **Global Impact:** Full adoption could save 846M kg jet fuel, cut 2.67M tons CO2, and save €186M [10].
- **Single Engine Taxiing:** Reduces emissions by up to 50% [5].

- **Hybrid Systems:** Up to 72% taxiing fuel savings with optimized energy management [37].

Comparative Analysis: Magnetic Fuel Ionization vs. Induction Taxiways

- **Magnetic Fuel Ionization:** Reduces fuel consumption by 18%, CO emissions by 34.5%, and NOx by 70% [38] [39] [40] [41].
- **Combustion Efficiency:** Enhanced by magnetic treatment, yielding lower emissions and improved performance [39] [40] [42].
- **Synergy:** Combining magnetic fields and nanoparticle additives further reduces emissions [43].

Economic Cost-Benefit Analyses

- **Electric Taxiing:** Saves $30–$240 per ton CO2 avoided; annual US domestic flight reductions of 1.5M tons CO2 [9] [10] [44].
- **Operational Benefits:** Most effective on short flights with high taxi times; selective deployment recommended [10] [45].
- **Infrastructure Impact:** Electric towing increases airport energy demand by ~1%, manageable compared to other electric aviation technologies [46].

Synthesis

Alternative taxiing strategies, including electric and magnetic approaches, offer substantial environmental and economic benefits. Induction taxiways, if implemented, could yield comparable advantages, but direct quantification awaits pilot deployments.

4.3 Research Gaps, Deployment, and Scalability Challenges

Practical Deployment and Efficiency Gaps

- **Research Gap:** No practical deployments or pilot projects for induction taxiways; field-scale implementations and integration studies are lacking [5] [10] [16] [47].
- **Modeling Limitations:** Existing models often exclude environmental factors and dynamic operational constraints [48] [49].

Scalability and Technical Barriers

- **Electromagnetic Interference:** Dense wiring and maintenance challenges limit scalability [12].
- **Material Durability:** Selection and structural design impact efficiency and longevity [35].
- **Spatial Allocation:** Complex optimization required for dynamic charging infrastructure [50].

Integration with Airport Infrastructure and Operations

- **Compatibility:** EMC, structural, and electrical system integration pose engineering challenges [3] [11] [51] [52] [53].
- **Collaborative Decision Making:** Integration with A-CDM and S-CDM frameworks is essential for operational coordination [52] [53].

Environmental and Operational Factors

- **Weather and Elevation:** Permafrost, freeze/thaw cycles, and high elevation affect pavement stability and system performance [54] [55] [56].
- **Thermal Management:** Trade-offs between efficiency and mechanical stress must be addressed [56].

Future Directions and Recommendations

- **Pilot Projects:** Field-scale demonstrations and integration studies are urgently needed [14] [57] [58].
- **Advanced Materials:** Research into SMGCs, ferrite layers, and magnetic concrete for pavement integration.
- **Intelligent Control Systems:** Adoption of machine learning and advanced algorithms for real-time dynamic control.
- **Energy Management:** Integration with airport renewable energy systems and predictive models.

Synthesis

Deployment and scalability of induction taxiways are constrained by technical, operational, and environmental challenges. Interdisciplinary research and pilot projects are essential to bridge the gap between conceptual advances and real-world implementation.

5. Real-world Implications

Operational Benefits

- **Reduced Fuel Consumption:** Electric taxiing and maglev systems demonstrate significant reductions, suggesting induction tracks could achieve similar results [9] [10].
- **Lower Emissions:** Local pollution mitigation is substantial, improving airport air quality and compliance with environmental regulations [5] [38].
- **Maintenance and Reliability:** Fewer moving parts and frictionless operation reduce maintenance costs and downtime [1] [2] [3].

Infrastructure and Integration

- **Material Innovations:** SMGCs and ferrite layers enhance pavement performance, supporting induction track feasibility [25] [28].
- **Systems Engineering:** Integrated design and risk management are critical for safe, reliable deployment [3] [15].

- **Collaborative Operations:** Integration with airport surface management and decision-making frameworks is necessary for operational efficiency [52] [53].

Environmental Impact

- **Global Potential:** Adoption of induction taxiways could contribute to substantial reductions in aviation sector emissions and fuel use [10].
- **Local Benefits:** Improved air quality and reduced noise emissions enhance passenger and worker health [5] [18].

Synthesis

Induction taxiways, if realized, offer transformative benefits for airport sustainability, operational efficiency, and environmental compliance. However, practical deployment awaits further research and pilot testing.

6. Future Research Directions

- **Pilot Demonstrations:** Launch field-scale pilot projects at diverse airports to validate induction track performance and integration.
- **Material Science:** Advance research in SMGCs, ferrite layers, and magnetic concrete for durable, efficient pavement embedding.
- **Control Systems:** Develop intelligent, adaptive control algorithms leveraging machine learning and real-time feedback.
- **Systems Integration:** Conduct comprehensive studies on EMC, structural compatibility, and collaborative operations.
- **Environmental Modeling:** Incorporate dynamic weather, elevation, and operational factors into optimization models.
- **Scalability Assessments:** Evaluate deployment across varying airport sizes, traffic volumes, and operational contexts.
- **Energy Management:** Integrate induction systems with airport renewable energy and predictive management platforms.

7. Conclusion

Summary of Findings

- **Technological Foundations:** Maglev and induction motor principles, hybrid suspension control, and material innovations provide a robust foundation for induction taxiways [1] [5] [16].
- **Case Studies:** Birmingham Airport maglev offers valuable lessons, but direct induction taxiway deployments are absent.

- **Environmental/Economic Impacts:** Electric taxiing and magnetic fuel ionization yield substantial fuel and emission reductions; induction tracks could offer similar benefits.

- **Deployment Challenges:** Integration, scalability, and environmental factors present significant barriers; research gaps persist.

Outlook for Implementation

Magnetic induction taxiway systems hold promise for sustainable, efficient airport operations. Realizing this potential requires interdisciplinary research, pilot projects, and integrated systems engineering. Anticipated challenges include technical integration, material durability, and operational coordination, but opportunities for transformative impact are substantial [58] [59].

In summary, while the direct application of magnetic induction tracks on airport taxiways remains largely conceptual, advances in maglev technology, electric taxiing, and material science provide a strong foundation. Bridging the gap between theory and practice will require dedicated pilot projects, interdisciplinary collaboration, and robust systems integration.

References

1. BIRMINGHAM AIRPORT MAGLEV PROPULSION SYSTEM. Linacre, H., Chahal, J.S., Crawshaw, G., Rawlinson, B. I Mech E Conference Publications (Institution of Mechanical Engineers), 1984 https://www.scopus.com/pages/publications/0021582245?origin=scopusAI

2. Start of the Operation of the Magnetic Levitation Line in Birmingham. Bushell, Chris eb - Elektrische Bahnen, 1984 https://www.scopus.com/pages/publications/0021431874?origin=scopusAI

3. MAGLEV AT BIRMINGHAM AIRPORT, FROM SYSTEM CONCEPT TO SUCCESSFUL OPERATION. Nenadovic, V., Riches, E.E. GEC Review, 1985 https://www.scopus.com/pages/publications/0022306709?origin=scopusAI

4. Conceptual validation of advanced pilot guidance-systems - A field test report Urvoy, C., Oehme, A., Drege, C., (...), Klingauf, U. IFAC Proceedings Volumes (IFAC-PapersOnline), 2010 https://www.scopus.com/pages/publications/84901924141?origin=scopusAI

5. The impact of single engine taxiing on aircraft fuel consumption and pollutant emissions Stettler, M.E.J., Koudis, G.S., Hu, S.J., (...), Ochieng, W.Y. Aeronautical Journal, 2018 https://www.scopus.com/pages/publications/85059871714?origin=scopusAI

6. Design of an experimental platform for multipoint permanent magnet electromagnetic hybrid suspension Yang, J., Yang, S., Zhou, F., (...), Song, C. Experimental Technology and Management, 2025 https://www.scopus.com/pages/publications/105021854220?origin=scopusAI

7. Machine Learning in Maglev Transportation Systems: Review and Prospects Liu, D., Wu, D., Xu, J., (...), Ni, F. Actuators, 2025 https://www.scopus.com/pages/publications/105025933027?origin=scopusAI

8. A foreign object detection method for high-temperature superconducting maglev train's track based on YOLOv5 Zhao, R., Ke, Z., Zhang, J., (...), Deng, Z. Engineering Research Express, 2025 https://www.scopus.com/pages/publications/105015774935?origin=scopusAI

9. Reducing emissions of taxiing at airports Duinkerken, M.B., Selderbeek, T., Lodewijks, G. Modelling and Simulation 2013 - European Simulation and Modelling Conference, ESM 2013, 2013 https://www.scopus.com/pages/publications/84898479739?origin=scopusAI

10. he Potential Impact of Electric Aircraft Taxiing: A Probabilistic Analysis and Fleet Assignment Optimization Groot, M., Roling, P. AIAA AVIATION 2022 Forum, 2022 https://www.scopus.com/pages/publications/85135233133?origin=scopusAI

11. Electromagnetic Integration of Aircraft Systems MacDiarmid, I. Encyclopedia of Aerospace Engineering, 2010 https://www.scopus.com/pages/publications/105025302496?origin=scopusAI

12. Self-powered intelligent sensing networks for next-generation super airports Yang, H., Kong, L., Fang, Z., (...), Zhang, Z. Sustainable Energy Technologies and Assessments, 2026 https://www.scopus.com/pages/publications/105039845389?origin=scopusAI

13. ANALYSIS OF TIME AND SPACE REQUIREMENTS FOR AIRCRAFT TURNROUNDS. Caves, Robert E. Loughborough University of Technology, Department of Transport Technology, TT (Report), 1987 https://www.scopus.com/pages/publications/0023389735?origin=scopusAI

14. Optimization of Rapid Exit Taxiway Layout for Efficient Training in Small and Medium-Sized Training Airports Li, S., Wang, X., Pan, W. Proceedings - 5th International Conference on Big Data Engineering and Education, BDEE 2025, 2025 https://www.scopus.com/pages/publications/105031433993?origin=scopusAI

15. MAGLEV TRANSIT LINK FOR BIRMINGHAM AIRPORT: SYSTEMS ENGINEERING. Nenadovic, V. I Mech E Conference Publications (Institution of Mechanical Engineers), 1984 https://www.scopus.com/pages/publications/0021636165?origin=scopusAI

16. Multi-objective optimization of aircraft taxiing on the airport surface with consideration to taxiing conflicts and the airport environment Zhang, M., Huang, Q., Liu, S., Li, H. Sustainability (Switzerland), 2019 https://www.scopus.com/pages/publications/85076716030?origin=scopusAI

17. Research on the planning and optimization methods of aircraft taxiing path on the surface: current status, challenges, and future directions Wang, H., Lian, G., Zhang, Q., Li, W. Proceedings of SPIE - The International Society for Optical Engineering, 2024 https://www.scopus.com/pages/publications/85203192545?origin=scopusAI

18. Impact of Electric Taxi Technology on Green Operation of Civil Aviation of China Zhao, Z., Liu, X. IET Conference Proceedings, 2020 https://www.scopus.com/pages/publications/85174646510?origin=scopusAI

19. BIRMINGHAM, ENGLAND, AIRPORT MAGLEV TRANSIT LINK. Riches, Eric Edward null, 1985 https://www.scopus.com/pages/publications/0021976123?origin=scopusAI

20. Modeling and controller design of suspension system of Maglev train Liu, Z., Long, Z., Li, X. Springer Tracts in Mechanical Engineering, 2015 https://www.scopus.com/pages/publications/85027254451?origin=scopusAI

21. Electromagnetic Tracking Intelligent Car Design Shi, S., Wang, J., Wang, Q. 2024 5th International Conference on Computer Engineering and Intelligent Control, ICCEIC 2024, 2024 https://www.scopus.com/pages/publications/85215509599?origin=scopusAI

22. Model-Based Testing Platform for Coordinated Control of Electromagnetic Suspension, Guidance, and Eddy-Current Braking in High-Speed Maglev Trains Li, K., Shao, Q., Zhang, P., (...), Akinde, O.K. Advances in Transdisciplinary Engineering, 2025 https://www.scopus.com/pages/publications/105009792531?origin=scopusAI

23. Fuzzy Linear Active Disturbance Rejection Control Method for Permanent Magnet Electromagnetic Hybrid Suspension Platform Qin, Y., Yang, J., Guo, H., Wang, Y. Applied Sciences (Switzerland), 2023 https://www.scopus.com/pages/publications/85149316686?origin=scopusAI

24. Modelling EMS maglev systems to develop control algorithms Amoskov, V., Arslanova, D., Baranov, G., (...), Zenkevich, M. Cybernetics and Physics, 2018 https://www.scopus.com/pages/publications/85049697716?origin=scopusAI

25. Functional performance of Fe-doped soft magnetic geopolymers: Influence of S/L ratio and Fe content Fayez, S., Hashim, S.F.S., Johari, M.A.M., (...), Ban, C.C. Materials Today Communications, 2026 https://www.scopus.com/pages/publications/105029413352?origin=scopusAI

26. Soft magnetic geopolymer in airport pavement induction heating: Effect of Fe powder distribution on the electromagnetic loss Gu, G., Ma, T., Chen, F., (...), Xu, F. Ceramics International, 2023 https://www.scopus.com/pages/publications/85138595637?origin=scopusAI

27. Optimizing fundamental design of soft magnetic layer to improve the energy conversion efficiency of airport pavement induction heating Chen, F., Li, Y., Gu, G., (...), Ma, T. Construction and Building Materials, 2023 https://www.scopus.com/pages/publications/85161314813?origin=scopusAI

28. Improvement in Anti-Icing Performance of Electromagnetic Induction Heating through Optimization of Energy Transfer in Asphalt Pavement Zhao, T., Peng, J., Zhang, Y., (...), Ma, B. Journal of Materials in Civil Engineering, 2025 https://www.scopus.com/pages/publications/105001498091?origin=scopusAI

29. Asphalt Pavement Inductive Deicing Technology Integrating Efficient Magnetothermal Conversion with Explainable Intelligent Prediction Wang, C., Guo, X., Peng, J., (...), Qiu, Y. Journal of Materials Engineering and Performance, 2026 https://www.scopus.com/pages/publications/105043805171?origin=scopusAI

30. Automatic steering and functional safety - An application of IEC 61508 Carneiro, C.C.G., Costa, R.D., Yoshioka, L.R., (...), Neto, S.S. SAE Technical Papers, 2005 https://www.scopus.com/pages/publications/85072461021?origin=scopusAI

31. System level EMC - From theory to practice Zamir, R., Bar-Natan, V., Recht, E. IEEE International Symposium on Electromagnetic Compatibility, 2005 https://www.scopus.com/pages/publications/33746646834?origin=scopusAI

32. BIRMINGHAM AIRPORT MAGLEV - SYSTEM DEVELOPMENT, GUIDEWAY DESIGN AND CONSTRUCTION. Benussi, J., Czechowski, M.K., Harber, J., Humphreys, E.M. I Mech E Conference Publications (Institution of Mechanical Engineers), 1984 https://www.scopus.com/pages/publications/0021636163?origin=scopusAI

33. Induction heating performance of asphalt pavements incorporating electrically conductive and magnetically absorbing layers Liu, K., Fu, C., Dai, D., (...), Xu, X. Construction and Building Materials, 2019 https://www.scopus.com/pages/publications/85071948890?origin=scopusAI

34. Magnetic Concrete for Road-Embedded Wireless Power Transfer: A Review Sun, X., Chen, S.-E., Mu, Q., (...), Zhao, T. 2025 IEEE Energy Conversion Conference Congress and Exposition, ECCE 2025, 2025 https://www.scopus.com/pages/publications/105030336291?origin=scopusAI

35. Towards sustainable and efficient inductive charging pavement systems: Current progress and future directions Yao, Y., Chen, X., Li, J., (...), Peng, Y. Construction and Building Materials, 2024 https://www.scopus.com/pages/publications/85205297971?origin=scopusAI

36. The application of rapid-setting materials in non-suspending airport construction: a review Qiao, L., Ding, S. Materials Research Express, 2025 https://www.scopus.com/pages/publications/105002420740?origin=scopusAI

37. Energy Storage System Selection for Optimal Fuel Consumption of Aircraft Hybrid Electric Taxiing Systems Recalde, A.A., Lukic, M., Hebala, A., (...), Galea, M. IEEE Transactions on Transportation Electrification, 2021 https://www.scopus.com/pages/publications/85096870295?origin=scopusAI

38. Potential for improving vehicle fuel efficiency and reducing the environmental pollution via fuel ionization Al Ali, Y., Hrairi, M., Al Kattan, I. International Journal of Environmental Science and Technology, 2012 https://www.scopus.com/pages/publications/84862686906?origin=scopusAI

39. Effects of magnetic fuel treatment on Jet A-1 combustion and emissions characteristics in a swirl combustor Li, Y.-L., Lin, J.-K., Wang, W.-C., Duong, V.D. Fuel, 2027

https://www.scopus.com/pages/publications/105041422951?origin=scopusAI

40. Magnetic field effect on compression ignition engine performance Kurji, H.J., Imran, M.S. ARPN Journal of Engineering and Applied Sciences, 2018 https://www.scopus.com/pages/publications/85049351424?origin=scopusAI

41. MAGNETIZATION OF BIOETHANOL-GASOLINE FUEL BLENDS FOR DEVELOPMENT COMBUSTION ENERGY AND REDUCING EXHAUST GAS EMISSIONS Nufus, T.H., Ulfiana, A., Hidayati, N., (...), Susanto, I. Eastern-European Journal of Enterprise Technologies, 2022 https://www.scopus.com/pages/publications/85133799622?origin=scopusAI

42. Experimental analysis of nanofuel additives with magnetic fuel conditioning for diesel engine performance and emissions Sahoo, R.R., Jain, A. Fuel, 2019 https://www.scopus.com/pages/publications/85053333635?origin=scopusAI

43. Synergistic effects of magnetic field conditioning and aluminum fumarate (AlFu) nanoadditives on the performance and emissions of a diesel engine fueled with diesel/biodiesel blends Samadi, S., Najafi, B., Jahanbakhshi, A., Khodayari, A. Energy Conversion and Management: X, 2026 https://www.scopus.com/pages/publications/105044308699?origin=scopusAI

44. Costs and benefits of reducing fuel burn and emissions from taxiing aircraft Vaishnav, P. Transportation Research Record, 2014 https://www.scopus.com/pages/publications/84902385920?origin=scopusAI

45. Cost benefit and environmental impact assessment of autonomous eTaxi Roling, P.C. AIAA Aviation and Aeronautics Forum and Exposition, AIAA AVIATION Forum 2023, 2023 https://www.scopus.com/pages/publications/85200255432?origin=scopusAI

46. STRUCTURED ANALYSIS ESTIMATION FOR ELECTRICAL ENERGY DEMAND ON AIRPORT OPERATIONS FOR HYBRID REGIONAL AND ELECTRIC TOWING PARAMETERIZED BY MOVEMENT METRICS CONSIDERING UPCOMING ELECTRIC INTENSIVE TECHNOLOGIES AND EMISSION REDUCTIONS IN THE UPCOMING DECADE Oliveira, T., Carvalho, A. ICAS Proceedings, 2024 https://www.scopus.com/pages/publications/85208804295?origin=scopusAI

47. The benefit of innovative taxi concepts: The impact of airport size, fleet mix and traffic growth Dzikus, N., Wollenheit, R., Schaefer, M., Gollnick, V. 2013 Aviation Technology, Integration, and Operations Conference, 2013 https://www.scopus.com/pages/publications/85085717975?origin=scopusAI

48. Assessment method of fuel consumption and emissions of aircraft during taxiing on airport surface under given meteorological conditions Zhang, M., Huang, Q., Liu, S., Li, H. Sustainability (Switzerland), 2019 https://www.scopus.com/pages/publications/85074824299?origin=scopusAI

49. Estimation of aircraft fuel consumption and emissions during taxiing processes Knacker, T., Dannewald, T., Kirschstein, T. Transportation Research Part D: Transport and Environment, 2026 https://www.scopus.com/pages/publications/105034740498?origin=scopusAI

50. Numerical Study on Planning Inductive Charging Infrastructures for Electric Service Vehicles on Airport Aprons Pöch, N., Nozinski, I., Broihan, J., Helber, S. Energies, 2022 https://www.scopus.com/pages/publications/85138986990?origin=scopusAI

51. NEW EMC CHALLENGES IN AIRCRAFT INDUSTRY: MORE COMPOSITE STRUCTURES AND MORE ELECTRICAL TECHNOLOGIES Perraud, R., Maurice, O., Peres, G. EMC Europe 2006 Barcelona, International Symposium on Electromagnetic Compatibility, 2006 https://www.scopus.com/pages/publications/86000207201?origin=scopusAI

52. A simulator for modeling aircraft surface operations at airports Wood, Z., Kistler, M., Rathinam, S., Jung, Y. AIAA Modeling and Simulation Technologies Conference, 2009 https://www.scopus.com/pages/publications/77958174030?origin=scopusAI

53. Collaborative Decision Making (CDM) in Airport Surface: Europe vs usa implementations, challenges and best practices Okwir, S., Correas, A. Integrated Communications, Navigation and Surveillance Conference, ICNS, 2014 https://www.scopus.com/pages/publications/84902284107?origin=scopusAI

54. Geophysical characterization of permafrost terrain at Iqaluit International Airport, Nunavut Oldenborger, G.A., LeBlanc, A.-M. Journal of Applied Geophysics, 2015 https://www.scopus.com/pages/publications/84943230229?origin=scopusAI

55. Dual-curing vitrimeric composite with magnetically triggered remote shape memory and de-icing: functional performance and analytical modeling of ice detachment Collado, I., Vázquez-López, A., Jiménez-Suárez, A., Prolongo, S.G. Advanced Composites and Hybrid Materials, 2026 https://www.scopus.com/pages/publications/105035628471?origin=scopusAI

56. Evaluation of electric cable-heated pavement using a thermo-mechanical numerical simulation model with different thermal management strategies Wang, R., Le Houerou, V., Nowamooz, H. Energy Conversion and Management, 2026 https://www.scopus.com/pages/publications/105040080864?origin=scopusAI

57. Human factors lessons learned from a Surface Management System simulation Walton, D., Quinn, C., Atkins, S. AIAA's Aircraft Technology, Integration, and Operations (ATIO) 2002 Technical Forum, 2002 https://www.scopus.com/pages/publications/85086492385?origin=scopusAI

58. Towards higher level of A-SMGCS: Handshake of electric taxi and trajectory-based taxi operations Okuniek, N., Beckmann, D. AIAA/IEEE Digital Avionics Systems Conference - Proceedings, 2017 https://www.scopus.com/pages/publications/85040978306?origin=scopusAI

59. Management of time based taxi trajectories coupling departure and surface management systems Gerdes, I., Schaper, M. Proceedings of the 11th USA/Europe Air Traffic Management Research and Development Seminar, ATM 2015, 2015 https://www.scopus.com/pages/publications/84944529374?origin=scopusAI