

## Phase-2 Practice Project: Assisted Practice

### 2.Configure a servlet in Eclipse IDE.

```
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

/**
 * Servlet implementation class MyServlet
 */
public class MyServlet extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public MyServlet() {
        super();
        // TODO Auto-generated constructor stub
    }

    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
        // TODO Auto-generated method stub
        response.getWriter().append("Served at:
    ").append(request.getContextPath());
    }

    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}
```

Dynamic Web Project

Create a standalone Java-based Web Application or add it to a new or existing Enterprise Application.

Project name: FirstServlet

Project location

☒ Use default location

Location: C:\Users\mmoha\eclipse-workspace1\FirstServlet Browse...

Target runtime

Apache Tomcat v8.5 New Runtime...

Dynamic web module version

2.5

Configuration

<custom> Modify...

Hint: Get started quickly by selecting one of the pre-defined project configurations.

EAR membership

☐ Add project to an EAR

EAR project name: EAR New Project...

Working sets

☐ Add project to working sets New...

Working sets: Select...

? < Back Next > Finish Cancel

